



## PART I - SIGNAGE AND ADVERTISING

|                                                                         |      |
|-------------------------------------------------------------------------|------|
| 11 Signage and Advertising .....                                        | I-2  |
| 12 General Objectives and standards applicable to all development ..... | I-3  |
| 13 Sign proliferation and dominance .....                               | I-7  |
| 14 Sign dimensions.....                                                 | I-8  |
| 15 Integration .....                                                    | I-8  |
| 16 Conservation areas .....                                             | I-9  |
| 17 Concord Oval and Drummoyne Oval Signage .....                        | I-10 |
| 18 Architectural amenity and residential character .....                | I-12 |

## 11 Signage and Advertising

The purpose of this section is to ensure signs and advertising structures can be designed and located so they fit into the environment and do not detract from the character of an area.

### The role of signs and advertising structures

Signs and advertising structures:

- are important for business advertising and the creation of a company's corporate image;
- provide information and identification; and
- are used for community purposes such as advertising local events, informing of community services and identifying features of historic interest.

The controls aim to minimise excesses, such as advertisements which are so large that they overwhelm buildings and landscaping, or the clutter which results from too many advertisements of different shapes and sizes on one site.

The controls also aim to prevent the proliferation of commercial advertising trailers and the like in local streets and the public domain. Clause 3.27 of State Environmental Planning Policy (Industry and Employment) 2021 prohibits any advertisement on trailers parked on a road, or road-related area (as defined in the Road Transport Act 2013) and requires development consent for the display of signage on a trailer where displayed on private land that is visible from a road or road-related area.

Fewer, simpler and "clean-lined" signs which are well located have greater visual impact, are of greater value to businesses and better for the visual environment.

### Making an application

Council should consider the following matters when dealing with an application to erect an advertising sign:

- a) class of advertising structure, eg. awning sign, fascia sign, roof sign, pole or pylon sign, etc.;
- b) design of the structure;
- c) the siting, location and colour of the structure;
- d) the area of the advertising structure;
- e) the nature of any advertisement intended to be associated with the structure;
- f) the number of advertising structures proposed;
- g) the multiplicity of existing signs;
- h) the architectural qualities, appearance and balance of the building;
- i) the erection of signs without relationship to the function of the premises upon which the sign is to be erected;
- j) the erection of signs without relationship to other signs erected on the premises or other premises within the vicinity;
- k) the visual impact on the local environment; and
- l) the benefit to the community of the proposed advertising signs.

## I2 General Objectives and standards applicable to all development

### Objectives

The siting, location, size, height, scale, design, colour, shape and materials of construction of advertisements should:

- O1. Complement and enhance the predominant character of the locality;
- O2. Complement and enhance any building, structure or site of heritage significance on which it is to be erected or located;
- O3. Not obscure the view of attractive landscapes, streetscapes, or significant buildings; and
- O4. Not adversely affect the safety of traffic or pedestrians.

### Controls

- |     |                                                               |
|-----|---------------------------------------------------------------|
| C1. | The minimum controls for all signs are included in Table I-A. |
|-----|---------------------------------------------------------------|

### Inappropriate development

#### Controls

- |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| C2. | <p>The following signs and advertising structures are not considered to be appropriate:</p> <ul style="list-style-type: none"> <li>a) Signs erected or attached to the sides of buildings where such side is adjacent to residences or residential flat buildings, or where the side of the building faces a residential street unless special circumstances as determined by Council are considered to exist;</li> <li>b) Signs or advertisements other than those relating to the occupier(s) of the building;</li> <li>c) Flashing, moving, or video signs;</li> <li>d) More than one (1) projecting wall sign, flush wall sign or painted wall sign per elevation;</li> <li>e) More than one (1) outward facing sign (eg top hamper, painted or etched window sign) per ground floor shop;</li> <li>f) Signs located on an awning or signs attached above the awning;</li> <li>g) Any sign or signboard exhibited on Council's footpath;</li> <li>h) Advertisements on parked motor vehicles, trailers, shipping containers or the like, whether or not registered, for which the principal purpose is for advertising;</li> <li>i) Private identification signs within the public domain;</li> <li>j) Signs attached above the roof;</li> <li>k) Permanent inflatable signs;</li> <li>l) Flag pole signs; and</li> <li>m) Signs of more than 20m<sup>2</sup> in area or 8.0 metres in height.</li> </ul> |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

**Table I-A Requirements for signage**

| Type of sign                                          | Maximum size/area and number                                                                                                                                                                                                                                                                                                                                                                                              | Location/ other requirements                                                                                                                                                                                                                                                                                                                                                                                                    |
|-------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Under Awning Sign<br>(Illuminated or non-illuminated) | <ul style="list-style-type: none"> <li>2.5m x 0.3m (maximum)</li> <li>One per shop; or</li> <li>One every 5.0m provided that distance of not less than 3.0m between the centres of signs on adjoining properties is maintained</li> </ul>                                                                                                                                                                                 | <ul style="list-style-type: none"> <li>Erected at right angles to the building</li> <li>Minimum clearance of 2.6m to footpath</li> <li>Not to project beyond the awning</li> </ul>                                                                                                                                                                                                                                              |
| Top Hamper Sign                                       | <ul style="list-style-type: none"> <li>Restricted to that portion of the shop front above the level of the head of the doorway or window to which it is attached.</li> <li>Restricted to the underside of the awning</li> <li>Not illuminated</li> <li>Where shop front facade comprises full glass, hamper signs will only be permitted behind the glass</li> <li>One per shop</li> <li>2.5m x 0.3m (maximum)</li> </ul> | <ul style="list-style-type: none"> <li>Not to project more than 20mm beyond the face of the building.</li> </ul>                                                                                                                                                                                                                                                                                                                |
| Pole or Pylon Sign                                    | <ul style="list-style-type: none"> <li>Max advertising area 4.65m<sup>2</sup></li> <li>Max height 8.0m</li> <li>One per site</li> </ul>                                                                                                                                                                                                                                                                                   | <ul style="list-style-type: none"> <li>At least 2.6m above ground level and not to project more than 1.2m beyond the street alignment</li> <li>Only where buildings are remote from the street alignment</li> <li>A single retail centre and major tenant pylon is permitted along Homebush Bay Drive.</li> </ul>                                                                                                               |
| Flush or painted wall sign                            | <ul style="list-style-type: none"> <li>5m<sup>2</sup> or 5% of the wall area* up to 100m<sup>2</sup></li> <li>Maximum of one flush wall sign per elevation</li> <li>Should not extend beyond wall edges</li> </ul>                                                                                                                                                                                                        | <ul style="list-style-type: none"> <li>For wall areas* over 100m<sup>2</sup> proposed signs will be considered on a merit basis but should not exceed 7.5% of wall area or a maximum of 30m<sup>2</sup> whichever is the lesser</li> </ul>                                                                                                                                                                                      |
| Projecting Wall Sign<br>(Vertical) where:             |                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| lowest part of sign is between 2.6m and 3.7m          | <ul style="list-style-type: none"> <li>0.6m maximum projection from wall face &amp; maximum 1.8m height</li> </ul>                                                                                                                                                                                                                                                                                                        | <ul style="list-style-type: none"> <li>Only permitted where no awnings exist on a building</li> <li>Height of sign should not be less than width</li> <li>Should be erected at right angles to the face of the building</li> <li>Should provide 2.6m clearance to footpath from underside of sign</li> <li>Should not extend within 0.6m of the kerb alignment</li> <li>One per building</li> <li>Maximum width 0.4m</li> </ul> |
| lowest part of sign is 3.7m-4.5m                      | <ul style="list-style-type: none"> <li>0.7m maximum projection from wall face &amp; maximum 2.4m in height</li> </ul>                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| lowest part of sign exceeds 4.6m                      | <ul style="list-style-type: none"> <li>0.9m maximum projection from wall face &amp; maximum 3.0m in height</li> </ul>                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                 |

| Type of sign                             | Maximum size/area and number                                                                                                                                                                                                                                        | Location/ other requirements                                                                                                                                                                                                                                                                                                                                                                                 |
|------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Projecting Wall Sign (Horizontal)        | <ul style="list-style-type: none"> <li>Maximum dimensions as follows:</li> <li>1.3m (length) x 0.8m (height) x 0.4m (width) for rectangular signs</li> <li>1.2m x 1.2m for square signs</li> <li>1.2m diameter for round signs</li> <li>One per building</li> </ul> | <ul style="list-style-type: none"> <li>Only permitted where no awnings exist on a building</li> <li>Height of the sign is less than its width</li> <li>Should be erected at right angles to the face of the building</li> <li>Should provide 2.6m clearance to footpath from underside of sign but not more than 4.0m above footpath</li> <li>Should not extend within 0.6m of the kerb alignment</li> </ul> |
| Multi-Occupancy Buildings                | <ul style="list-style-type: none"> <li>One sign per building for identification</li> </ul>                                                                                                                                                                          | <ul style="list-style-type: none"> <li>Under awning signs should meet above requirements for such signs</li> </ul>                                                                                                                                                                                                                                                                                           |
| Awning fascia sign                       | <ul style="list-style-type: none"> <li>Sign to be painted on or attached to fascia</li> <li>Must not project above or below the awning or the return end of the fascia</li> </ul>                                                                                   | <ul style="list-style-type: none"> <li>Attached sign must be flat, with minimal projection from the fascia (similar to painting the fascia)</li> <li>Not illuminated</li> </ul>                                                                                                                                                                                                                              |
| Window sign                              | <ul style="list-style-type: none"> <li>May be painted or etched onto internal or external surface of window or attached to internal surface of window</li> <li>Maximum 6m<sup>2</sup> or 20% of the surface area of the window, whichever is the lesser</li> </ul>  | <ul style="list-style-type: none"> <li>Must continue to allow passive visual surveillance</li> <li>Not illuminated</li> </ul>                                                                                                                                                                                                                                                                                |
| Obscure glazing                          | <ul style="list-style-type: none"> <li>Maximum 6m<sup>2</sup> or 20% of the surface area of the window, whichever is the lesser</li> </ul>                                                                                                                          | <ul style="list-style-type: none"> <li>Must continue to allow passive visual surveillance</li> <li>The remainder of the shopfront glazing must remain clear to allow views into and out of the shop</li> </ul>                                                                                                                                                                                               |
| Home business/ industry/ occupation sign | <ul style="list-style-type: none"> <li>Painted or attached to external wall (ground floor) or fence with minimal projection from surface to which it is attached</li> <li>Not more than one per site</li> <li>1m<sup>2</sup> in area (maximum)</li> </ul>           | <ul style="list-style-type: none"> <li>Not illuminated</li> </ul>                                                                                                                                                                                                                                                                                                                                            |
| Signs attached above awning              | <ul style="list-style-type: none"> <li>Not permitted</li> </ul>                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                              |
| Building identification signage          | <ul style="list-style-type: none"> <li>Building identification signage is the only signage permitted above first floor level.</li> </ul>                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                              |
| Roof Sign                                | <ul style="list-style-type: none"> <li>Not permitted</li> </ul>                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                              |
| Floodlit Sign                            | <ul style="list-style-type: none"> <li>Not permitted except where special circumstances exist</li> </ul>                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                              |

\* Measurement of the wall area does not include the area below awning area or any area obscured by the adjoining property.



Figure I2.1 Types of advertising signs

## I3 Sign proliferation and dominance

The number of signs displayed on any site should be minimised in order to avoid visual clutter, duplication of message and adverse impacts on the amenity of adjacent areas from which the signs are visible.

### Refer to Figure I3.1

#### Objectives


- O1. To minimise the proliferation of signs and visual clutter.
- O2. To ensure signs are clearly visible without dominating buildings or streets.

#### Controls

|     |                                                                                                                                     |
|-----|-------------------------------------------------------------------------------------------------------------------------------------|
| C1. | Signs, other than those relating to the occupier of the building are not permitted.                                                 |
| C2. | Maximum size/area and number are included in Table I-A.                                                                             |
| C3. | The number of advertisements displayed on any site should be minimised in order to avoid visual clutter and duplication of message. |
| C4. | Signs should be designed to provide clear property and business identification without dominating the site or the streetscape.      |
| C5. | Signage should be visually sub-ordinate to the building as a whole and its façades.                                                 |
| C6. | In multi-tenanted buildings, a single coordinated free-standing advertisement or directory board should be used.                    |
| C7. | Signage must be designed to avoid confusion with directional and traffic signs.                                                     |
| C8. | Signage should be designed to add character to the street and complement the architecture.                                          |
| C9. | To minimise visual clutter, signage should be integrated with awnings.                                                              |



Undesirable sign dimensions



Preferred sign dimensions

Figure I3.1 Undesireable and preferred sign dimensions

## I4 Sign dimensions

Signs should be designed to provide clearly identifiable business identification without dominating the appearance of the site or streetscape.

### Objectives

- O1. To ensure signs do not dominate buildings or streetscape and are in keeping with the character of the surrounding area.

| Controls |                                                                                                                                                                                       |
|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| C1.      | Maximum size/area and number are included in Table I-A.                                                                                                                               |
| C2.      | The supporting structure of free-standing advertisements should be of dimensions which provide good visual balance to the structure in addition to the necessary structural supports. |
| C3.      | Supporting structures should not dominate the sign, building or streetscape.                                                                                                          |
| C4.      | Free standing signs and advertisements on multi-tenanted buildings should be limited to one per building.                                                                             |

## I5 Integration

Signs and advertising structures are valuable in providing information, identification and warning. Signs need to be clearly visible. Signs and advertising structures should be sensitively sited and designed so they are well integrated with building and landscape design to minimise adverse impacts on streetscape and urban character.

### Objectives

- O1. To ensure signs are well located and integrated with building and landscape design where possible.

| Controls |                                                                                                                                                                                                                                                                                                                                                                               |
|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| C1.      | Signs attached to buildings should be of appropriate colour, scale and proportion, and of an integrated design that is coordinated with the architectural form and design of the building upon which the advertisement or advertising display is located.                                                                                                                     |
| C2.      | Free-standing advertisements should not rely upon the removal of trees or lopping of branches in order to be visible.                                                                                                                                                                                                                                                         |
| C3.      | To achieve durability, signage and advertising should be constructed of non-combustible materials and be resistant to vandalism.                                                                                                                                                                                                                                              |
| C4.      | To minimise visual clutter, the source of light to illuminated signage should be concealed or integral with the sign. Electrical conduits to illuminated signs including neon signs should be concealed. The ability to adjust the light intensity is required. A curfew on illumination may be imposed to protect the residential amenity of nearby residential development. |

## 16 Conservation areas


Outdoor advertising should be designed and located in a manner which conserves the character and heritage significance of the building, street or area which have been identified as significant. Generally, signs on individual buildings or within conservation areas should be sensitively designed and located and should complement the building or area.

### Objectives


- O1. To ensure signs associated with heritage buildings are sensitively designed and located.
- O2. To ensure signs do not detract from the appearance and character of Conservation Areas.

### Controls

|     |                                                                                                                                                                                                |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| C1. | Signs and advertising structures should be designed and located in a manner which conserves or enhances heritage places and buildings, and the appearance and character of conservation areas. |
| C2. | New signs should not be placed on the side of buildings.                                                                                                                                       |
| C3. | Signs should observe traditional sign locations, and wherever possible original signs should be retained and conserved at the site.                                                            |
| C4. | Signs should not break the historic parapet or roofline.                                                                                                                                       |
| C5. | Signs should temper modern advertising styles with sympathetic design details (eg. sympathetic colours, margins, type, style) without trying necessarily to recreate a “historic” theme.       |
| C6. | Proponents should demonstrate through research that the advertising proposal is in keeping with the historic building or place.                                                                |
| C7. | Illuminated signs should not be placed on heritage items or in conservation areas.                                                                                                             |
| C8. | Signs should be constructed with a high standard of materials and graphics.                                                                                                                    |
| C9. | Signs should be minimalist in their scale and design.                                                                                                                                          |



Undesirable sign dimensions



Preferred sign dimensions

Figure I6.1 Undesireable and preferred signs for conservation areas

Refer to Figure I6.1

## 17 Concord Oval and Drummoyne Oval Signage

Council recognises the need for corporate and community sponsorship of sporting groups in the local area. At the same time, it acknowledges the need to ensure that the appearance and amenity of the natural built environment of the reserves and surrounding areas is protected.

Signage approval is valid for the term stated in the consent. After this time, applicants must reapply to Council for approval to erect sponsorship signage.

### Objectives

- O1. To allow sponsorship signage for community based sporting clubs in locations and a manner that complements the role of the reserves.
- O2. To control the display of advertising material in such a manner as will reasonably protect the amenity of the local area.
- O3. To ensure that sponsorship signage is directly related to the reserve/sporting facility in which it is displayed.
- O4. To coordinate the placement of signage on reserves and associated facilities to minimise clutter, avoid unnecessary duplication and improve the reserves attractiveness and function.

### Location of sponsorship signs

#### Controls

- |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| C1. | <p>Signage is to be located so as to be visible only to persons attending the organised sports activities on the reserve and should not face outward (Figure I7.1).</p> <p>The protection of views into and within public areas is to be maintained and enhanced.</p> <p>Signage is only permitted on fencing around the sporting field. Applications for signage on grandstands and scoreboards at Concord and Drummoyne ovals will be considered based on merit assessment.</p> <p>Signage on perimeter fences shall face inwards towards the sporting facility and shall be restricted to the height of the fence surrounding the sporting field.</p> <p>Where the rear side of the sign is visible from any road, street or waterway, the rear side shall be treated in a manner so as to blend with the existing fence structure.</p> <p>The visibility of the signage from the surrounding roads, streets, waterways or residential areas is to be minimised.</p> |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## Design and content of sponsorship signs

| Controls |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| C2.      | <p>Illuminated, animated, flashing or moving signs are not permissible.</p> <p>No signage is to be painted directly onto a fence or other structure.</p> <p>All signage must include the sporting clubs name on at least 25% of the overall area of the sign.</p> <p>Signage content is restricted to information about the sponsors of the teams or organisations using the sporting facility or about the products of those sponsors.</p> <p>Where permissible, signage on scoreboards, grandstands etc, shall not exceed the width of the structure by more than 1 metre. No signs are to extend above the existing height of the structure.</p> <p>Signage is not to contain any advertisements for cigarettes.</p> |

## General

| Controls |                                                                                                                                                                                                                                       |
|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| C3.      | <p>The applicant is to be responsible for maintaining signage in a good state of repair.</p> <p>All sporting bodies and advertisers are to be made aware that signs may be removed or covered up during special "one off" events.</p> |




Figure I7.1 Location criteria for signage

Key: Section of fence suitable for permanent signage. Signs to face Pavilion or viewing area. Signage must not be visible from outside the reserve.

Note: The locational criteria apply to tennis courts, lawn bowls and other relevant recreation facilities within the Council Reserve system.

## I8 Architectural amenity and residential character

The scale of advertising signs should be compatible with the buildings they are on as well as with nearby buildings and other existing signs. Many traditional building designs can be easily broken into a grid based on the alignments of the parapet (skyline), cornice, verandah, window and door.

Appropriate dimensions are often achieved by restricting signs to grid locations or panels. This ensures that the original architectural character (set by the lines of awnings, window and door openings, parapet lines and setbacks) remains dominant.

### Objectives

- O1. To ensure signs and advertising structures respect the architectural character of the building and the locality.
- O2. To ensure the location of signs maintains and protects the amenity of residential areas.

### Controls

|     |                                                                                                                                                                                                                               |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| C1. | The scale of advertising signs should be compatible with the buildings they are on, nearby buildings, street widths and other existing signs.                                                                                 |
| C2. | On buildings with decorative facades, signs should not be placed on the decorative forms or mouldings. Instead they should appear on the undecorated wall surfaces, unless architecturally designed sign panels are provided. |
| C3. | To protect residential amenity, advertising signage is not permitted facing private residential streets, or on side walls abutting residential properties.                                                                    |