TATVAINOX

Precision in Every Detail

PRECISION BUILT
FOR HEALTHCARE

Stainless Steel Hospital Furniture

tatvainox.com

office@tatvainox.com

7676209357 | 7483807058 | 7892414707

About Us

Tatvainox provides stainless steel hospital furniture and healthcare infrastructure solutions. Since 2022, we have focused on delivering durable, hygienic and precision-engineered products for modern healthcare environments.

Our expertise includes Modular Operation Theatres, CSSD furniture, sterilizers, ETO sterilizers, stainless steel hospital furniture, scrub stations, utility trolleys, and pass boxes—engineered to deliver exceptional hygiene, durability, and efficiency for modern healthcare environments.

200+	100+	Since 2022
Products	Hospitals	Trusted

Our Vision & Mission

To empower healthcare institutions with world-class stainless steel infrastructure by combining innovation, precision engineering, and uncompromising quality, while continuously contributing to safer, more efficient, and hygienic healthcare environments.

Medicine Trolley

Dimensions:

Length	Width	Height
1020mm	710mm	1520mm

Specifications:

- Polystyrene Centrally Lockable Cabinets with Separator Boxes – 2 Nos.
- Dressing Tray – 1 nos
- Handout Bins – 12 Nos.
- IV Pole – 1 nos
- Pull-out Writing Board.
- Suction Catheter Holders – 2 Nos.
- Waste Bin Holder with Bin – 1 nos
- Provision for File Holder to Break Ampoules.
- 125 mm Single Wheels with Diagonal Locking.
- Material Specification: 304 Grade Stainless Steel.

ICU Medicine Trolley

Dimensions:

Length	Width	Height
889mm	686mm	1270mm

Specifications:

- Inclined Table Top.
- Wired Shelves with Plastic Containers – 4 Nos.
- Hand Scrub Bottle Holder – 1 nos
- Suction Catheter Holder.
- Bottom Shelf with Rail.
- Removable Case Sheet Holder.
- 125 mm Single Wheels with Diagonal Locking.
- Material Specification: 304 Grade Stainless Steel.

POP Trolley

Dimensions:

Length	Width	Height
810mm	390mm	960mm

Specifications:

- 100 mm Drawers – 2 Nos.
- 150 mm Drawers – 2 Nos.
- Stainless Steel Plastic Bowls – 2 Nos.
- 75 mm Double Wheels with Diagonal Locking.
- Material Specification: 304 Grade Stainless Steel.

Features:

- Ideal for Orthopedic Bandaging.
- Holds 150 mm & 100 mm Plaster, Cotton Rolls, Bandage and Plaster Cutter.

Dressing Trolley - Advanced

Dimensions:

Length	Width	Height
737mm	533mm	914mm

Specifications:

- Provision to secure dressing essentials
- Shelf with raised edges - 1nos
- Drawer - 1nos
- Sliding on 25kg telescopic drawer channels.
- Open top with rails.
- Waste bin holders with bins - 2nos.
- Rotatable Cidex tray - 1nos
- 100mm single wheels with diagonal locking.
- Material Specification: 304 Grade Stainless Steel.

Instrument Trolley-Small Grade-304

Dimensions:

Length	Width	Height
609mm	609mm	940mm

Specifications:

- Stainless Steel Shelves - 2nos.
- 100mm double wheels with diagonal locking.
- Material Specification - 304 Grade Stainless Steel.

Instrument Trolley-Medium Grade-304

Dimensions:

Length	Width	Height
914mm	609mm	940mm

Specifications:

- Stainless Steel Shelves - 2nos.
- 100mm double wheels with diagonal locking.
- Material Specification - 304 Grade Stainless Steel.

Instrument Trolley-Large Grade-304

Dimensions:

Length	Width	Height
1219mm	609mm	940mm

Specifications:

- Stainless Steel Shelves - 2nos.
- 100mm double wheels with diagonal locking.
- Material Specification - 304 Grade Stainless Steel.

Mayo Trolley Grade - SS 304

Dimensions:

Length
508mm

Width
432mm

Specifications:

- Adjustable top tray
- Mounted on 2” caster
- 2” Heavy duty wheels
- Overall Ma finish Material
- Material Specification-304 Grade Stainless Steel.

Revolving SS Stool

Dimensions:

Length
460mm

Width
710mm

Specifications:

- Die pressed Top in SS 304 Grade.
- Heavy cast iron ring below the top for strength.
- Height can be adjusted by rotating the top.

Stainless Steel Dressing Trolley Grade - 304

Dimensions:

Length	Width	Height
762mm	508mm	940mm

Specifications:

- Material Complete Stainless Steel.
- 100 mm dia Revolving non marking castors.
- Stainless Steel Bowel & bucket with lid provided.

Stainless Steel Double Step Stool

Dimensions:

Length	Width	Height
425mm	550mm	410mm

Specifications:

- First step height 9.4 Inches and Second step size 18.5 Inches
- Tubular frame work and step made up of SS 304
- Corrugated top for anti slip ascend
- Fitted with premium bushes at the base

Stainless Steel Storage Rack

Dimensions:

Length	Width	Height
914mm	609mm	1829mm

Specifications:

- Rack is Fabricated by Stainless Steel 304 16G
- Free Standing Model
- Perfect Matt Finishing
- 5 Shelves Storage Rack
- Tig welding for Good and Strength

Stainless Steel Single Bowl Stand

Dimensions:

Length
840mm

Width
355mm

Specifications:

- Fabricated by SS 304 Grade
- Tig welding for perfect finishing and strength Single bowl option

SS Sterile Storage Cupboard

Dimensions:

Length
914mm

Width
46mm

Height
1829mm

Specifications:

- SS 304 Medical Grade
- Fabricated by 16SWG

Stainless Steel Instruments Drying Table

Dimensions:

Length	Width	Height
1219mm	610mm	864mm

Specifications:

- Construction in type 304 Stainless Steel with Matt Finishing.
- Square Tubular frame work for Stability.
- Included with Under-Shelf.
- High – Strength fully argon–welded construction for robustness.
- Drawer with lock available as per customer requirement for secure storage.

Closed Transport Trolley

Dimensions:

Length	Width	Height
1219mm	610mm	864mm

Specifications:

- Construction in type 304 Stainless Steel with matte finishing.
- Lockable Doors with Handle.
- 2Nos Fixed Shelves.
- 5” Castor wheel with two breaking wheels.
- High Strength fully argon welded.
- Easy to clean surface.

Static and Dynamic Pass Box – 300

Dimensions:

Length	Width	Height
610mm	610mm	610mm

Specifications:

- Construction in type 304 Stainless Steel with Matte Finishing.
- Fitted with glass door through which material can be seen easily.
- Mechanical interlocking arrangement on both side, one door can be opened at a time.
- Easy to install in wall between the clean room and operating room. Electrometric System are available.
- Fitted with UV Light.

Procedure Trolley

Dimensions:

Length	Width	Height
737mm	533mm	1016mm

Specifications:

- Provision to secure dressing essentials.
- Open Shelves with rails - 2nos.
- Drawer - 1nos
- Sliding on 25kg telescopic drawer channels.
- Rotatable stainless steel bowl provision with bowl - 1nos
- Rotatable disposal bin provision with bin - 1nos
- Two hook IV Pole - 1nos
- 100mm single wheels with diagonal locking.
- Material Specification: 304 Grade Stainless Steel.

Dressing Trolley - Modified

Dimensions:

Length	Width	Height
737mm	533.4mm	1016mm

Specifications:

- Open Shelves - 2nos.
- Drawer - 1nos
- Sliding on 25kg telescopic drawer channels.
- Rotatable stainless steel bowl provision with bowl - 1nos
- Rotatable disposal bin provision with bin - 1nos
- Rotatable Cidex tray - 1nos
- 100mm double wheels with diagonal locking.
- Material Specification: 304 Grade Stainless Steel.

Medicine/Consumable Trolley

Dimensions:

Length	Width	Height
915mm	460mm	945mm

Specifications:

- Open Shelves with rails - 2nos.
- 125mm Drawers - 4nos
- Sliding on 25kg telescopic drawer channels.
- 100mm single wheels with diagonal locking.
- Material Specification: 304 Grade Stainless Steel.

Medication Cart

Dimensions:

Length	Width	Height
724mm	394mm	1295mm

Specifications:

- Polystyrene, centrally lockable, modular cabinets with three drawers - 4nos.
- Pull out writing board.
- Drawers - 2nos.
- Sliding on 25kg telescopic drawer channels.
- Open Top.
- Handout bins - 6nos.
- IV Pole.
- 125mm single wheels with diagonal locking - 4nos.
- Material Specification: 304 Grade Stainless Steel.

ECG Trolley

Dimensions:

Length	Width	Height
500mm	440mm	1340mm

Specifications:

- Shelves with rails - 3nos.
- Drawer.
- Sliding on 25kg telescopic drawer channels.
- Hooks for ECG leads.
- Provision to wind power cables.
- 100mm single wheels with diagonal locking.
- Material Specification: 304 Grade Stainless Steel.

Housekeeping Trolley

Dimensions:

Length	Width	Height
1400mm	610mm	1220mm

Specifications:

- Drawers - 2nos.
- Sliding on 25kg telescopic drawer channels.
- Cabinet for fresh linen with 2 shelves and lockable doors.
- Provision for carrying soiled linen bags on either side.
- Soiled Linen bags - 2nos. Top with rails.
- 125mm single wheels with diagonal locking.
- Material Specification: 304 Grade Stainless Steel.

Linen Trolley

Dimensions:

Length	Width	Height
1400mm	457mm	1042mm

Specifications:

- Perforated Sheet basket for soiled linen.
- Open cabinet with shelves for clean linen.
- Top utility shelf with rails.
- Handles - 2nos.
- 125mm double wheels with diagonal locking.
- Material Specification: 304 Grade Stainless Steel.

Infusion Stands

Dimensions:

Diameter
610mm

Height
1651mm + Adjustable

Specifications:

- 25mm round 16g Pole.
- Two/Four hook IV rod, adjustable on polymer plastic collet mechanism.
- Four/Six pronged SS base.
- 50mm double wheels with diagonal brakes.
- Material Specification: 304 Grade Stainless Steel.

Soiled Linen Trolley

Dimensions:

Length	Width	Height
839mm	661mm	915mm

Specifications:

- Perforated sheet basket.
- 125mm single wheels with diagonal locking.
- Material Specification: 304 Grade Stainless Steel.

Hamper Trolley - Twin

Dimensions:

Length	Width	Height
1270mm	508mm	1067mm

Specifications:

- Round tube frame with horizontal and vertical supports.
- Handle on either sides.
- Synthetic Canvas bags with cover for wet and dry soiled linen - 2nos.
- 100mm single wheels with diagonal locking.
- Material Specification: 304 Grade Stainless Steel.

Hamper Trolley - Single

Dimensions:

Length	Width	Height
432mm	432mm	762mm

Specifications:

- Round tube frame with horizontal and vertical supports.
- Handle - 1nos
- Synthetic Canvas bag with cover for soiled linen.
- 100mm single wheels with diagonal locking.
- Material Specification: 304 Grade Stainless Steel.

Work Station

Dimensions:

Length	Width	Height
1524mm	762mm	1524mm

Specifications:

- Material Specification: 304 Grade Stainless Steel.
- Two shelf cabinet with sliding shutters.
- Tray type shelf on top.
- Legs on adjustable nylon bullets.

Features:

- Two sliding doors, extended tray type shelf, mounted on heavy duty adjustable nylon bullets.

Work Station

Dimensions:

Length	Width	Height
1524mm	914mm	762mm

Specifications:

- Material Specification: 304 Grade Stainless Steel.
- Drawers with handles - 4nos.
- Sliding on 25Kg telescopic drawer channels.
- Lockable cabinets - 2nos.
- Open table top.
- Legs on adjustable nylon bullets.

Features:

- Ideal for packing dressing & OT kits and instruments.

Overhead Storage

Dimensions:

Length	Width	Height
1981mm	406mm	864mm

Specifications:

- Material Specification: 304 Grade Stainless Steel.
- Shelves - 3nos.
- Open top.
- Three sides covered.

Features:

- Ideal for decontamination and packing areas.
- Decontamination Area - Enzymatic, cleaning reagent cans, PPE kits, gloves, Shoe covers, first-aid box etc.
- Packing area - Gauze packets, cotton rolls, sterilisation monitoring items.

Basket Rack

Dimensions:

Length	Width	Height
1855mm	432mm	2083mm

Specifications:

- Material Specification: 304 Grade Stainless Steel.
- 8 Rows x 3 Columns wired baskets - 24nos.

Features:

- Ideal for packing and sealing of individual surgical instruments like artery forceps, micro instruments, ambu bags, cathlab/gastro catheters, anaesthesia tubing, LMA tubes etc.

Sterile Rack

Dimensions:

Length	Width	Height
1524mm	483mm	1880mm

Specifications:

- Material Specification: 304 Grade Stainless Steel.
- 5 Shelves done in square and round tubes, mounted on nylon bullets.

Features:

- Ideal for CSSD & OT sterile stores for holding heavy and long instruments sets and packs.

Pouch Packing Table

Dimensions:

Length	Width	Height
1400mm	510mm	1790mm

Specifications:

- Material Specification: 304 Grade Stainless Steel.
- 3-Rows removable rods for sterilized reels.
- Open table top for Heat sealing machine.
- Legs on PVC shoes with metal inserts.

Features:

- Ideal for packing and sealing of individual surgical instruments like artery forceps, micro instruments, ambu bags, cathlab/gastro catheters, anaesthesia tubing, LMA tubes etc.

Closed Instrument Trolley

Dimensions:

Length	Width	Height
940mm	533mm	1143mm

Specifications:

- Material Specification: 304 Grade Stainless Steel.
- Two shelf cabinet with lockable shutters.
- Top with rails. Handles - 2 nos.
- Legs on 125mm single wheels with diagonal locking.

Features:

- Ideal for carrying sterile dressing kits and packs from CSSD to OT & Wards

tatvainox.com
office@tatvainox.com

Bio Medical Waste Cabinet

Dimensions & Basket Size:

Length
1524mm
Basket-407mm

Width
457mm
Basket-407mm

Height
991mm
Basket-762mm

Specifications:

- Table top cabinet.
- Cabinet mounted on heavy duty nylon bullets.
- Pull out trolley type baskets - 4nos.
- Baskets on 75mm double wheels.
- Plush fronts with handles - 4nos.
- Material Specifications - 304 Grade Stainless Steel.

Features:

- Ideal for bio waste segregation.

tatvainox.com
office@tatvainox.com

Drug Cart

Dimensions:

Length	Width	Height
686mm	2597mm	1270mm

Specifications:

- 75mm Drawers - 8nos.
- 200mm Drawer - 1nos
- Small separators for top 3 drawers.
- Sliding on 25Kg telescopic drawer channels with single strip locking mechanism.
- Open Top with rails.
- Pull Out writing board.
- Waste bin holders with bins - 2nos.
- 125mm single wheels with diagonal locking.
- Material Specification: 304 Grade Stainless Steel.

Drug Cart

Dimensions:

Length
686mm

Width
419mm

Height
889mm

Specifications:

- 100mm Drawers - 3nos.
- 200mm Drawer - 1nos
- Sliding on 25Kg telescopic drawer channels.
- Open Top with steel handles.
- 100mm double wheels with diagonal locking.
- Material Specification: 304 Grade Stainless Steel.

Suture Trolley

Dimensions:

Length	Width	Height
991mm	610mm	1524mm

Specifications:

- Upper compartments - 20nos.
- Ampule breaker.
- Lower Compartments - 6 nos.
- Lower right shelves - 6nos.
- Handle bar - 1nos
- 125mm single wheels with diagonal locking.
- Material Specification: 304 Grade Stainless Steel.

Anesthesia Trolley

Dimensions:

Length	Width	Height
991mm	610mm	1524mm

Specifications:

- Upper Shelves - 5nos.
- Lower Compartments - 6 nos.
- Lower right shelves - 6nos.
- Handle bar - 1nos
- 125mm double wheels with diagonal locking.
- Material Specification: 304 Grade Stainless Steel.

Baby Resuscitation Trolley

Dimensions:

Length	Width	Height
813mm	406mm	1092mm

Specifications:

- Tiltable top tray - 1nos
- Polystyrene modular cabinet - 1nos
- Oxygen cylinder holder - 1nos
- Adjustable two hook IV pole - 1nos
- Provision to mount Warmer lamp - 1nos
- Bottom tray type shelf.
- 100mm double wheels with diagonal locking.
- Material Specification: 304 Grade Stainless Steel.

Equipment Trolley

Dimensions:

Length	Width	Height
876mm	622mm	1562mm

Specifications:

- Shelves with rails - 6nos.
- Drawer - 1nos
- Sliding on 25Kg telescopic drawer channels.
- 6A electrical switch & sockets - 5nos.
- Cylinder stand - 1nos
- 125mm double wheels with diagonal locking.
- Material Specification: 304 Grade Stainless Steel.

Drugs Cart

Dimensions:

Length	Width	Height
1575mm	381mm	1524mm

Specifications:

- Top shelf - 1nos
- Lower shelves - 3nos.
- Two rows of small handout steel glasses - 24 nos.
- 125mm single wheels with diagonal locking.
- Material Specification: 304 Grade Stainless Steel.

Intubation Trolley

Dimensions:

Length	Width	Height
1016mm	381mm	1092mm

Specifications:

- Tray type shelf with removable partitions - 2nos.
- Bottom tray - 1nos
- Two hook adjustable IV Pole - 1nos
- 6A electrical switch & sockets - 2nos.
- Rotatable tray for light source - 1nos
- Suction catheter holder - 1nos
- 100mm single wheels with diagonal locking.
- Material Specification: 304 Grade Stainless Steel.

Cautery Trolley

Dimensions:

Length	Width	Height
546mm	483mm	1016mm

Specifications:

- Drawers with handles - 2nos.
- Bottom shelf with rails - 1nos
- Sliding on 25Kg telescopic drawer channels.
- Open Top with handles.
- 100mm double wheels with diagonal locking.
- Material Specification: 304 Grade Stainless Steel.

Instrument Wash Trolley

Dimensions:

Length	Width	Height
795mm	660mm	995mm

Specifications:

- Removable Cidex Trays with lids - 2nos.
- Shelves - 2nos.
- 100mm double wheels with diagonal locking.
- Material Specification: 304 Grade Stainless Steel.

Mayo’s Trolley

Dimensions:

Length
1180mm

Width
625mm

Height
Max - 1425mm
Min - 1150mm

Specifications:

- Removable tray - 1nos
- Knob for height adjustment - 1nos
- 50mm double wheels with locks.
- Material Specification: 304 Grade Stainless Steel.

Mayo’s Trolley

Dimensions:

Length
914mm

Width
406mm

Height
Max - 1372mm
Min - 1067mm

Specifications:

- Removable tray - 1nos
- Knob for height adjustment - 1nos
- 50mm double wheels.
- Material Specification: 304 Grade Stainless Steel.

Surgeon Chair

Dimensions:

Diameter
Bottom - 280mm
Top - 310mm

Height
Max - 770mm
Min - 620mm

Specifications:

- Stainless steel seat and back.
- Height adjustable on screw mechanism.
- Ringed footrest.
- 50mm double wheels with diagonal locking.
- Material Specification: 304 Grade Stainless Steel.

Cath Instrument Table

Dimensions:

Length	Width	Height
1524mm	762mm	1016mm

Specifications:

- Table top with rails.
- Lower shelf with rails.
- 125mm single wheels with diagonal locking.
- Material Specification: 304 Grade Stainless Steel.

Bin/Sterile Kit Trolley

Dimensions:

Length	Width	Height
1219mm	483mm	1930mm

Specifications:

- Shelves with rails - 4nos.
- Cabinets with handles and lockable doors - 1nos
- 125mm single wheels with diagonal locking.
- Material Specification: 304 Grade Stainless Steel.

Instrument Trolley

Dimensions:

Length	Width	Height
1175mm	1175mm	1134mm

Specifications:

- Right angled shelves with rails - 3nos.
- 125mm single wheels with diagonal locking.
- Material Specification: 304 Grade Stainless Steel.

Swab Count Stand

Dimensions:

Length	Width	Height
915mm	610mm	1525mm

Specifications:

- Swab hooks - 40nos.
- Removable drip tray - 1nos
- 125mm double wheels with diagonal locking.
- Material Specification: 304 Grade Stainless Steel.
- Available in 24 hooks, 50 hooks and 60 hooks.

Narcotics Cabinet

Dimensions:

Length	Width	Height
457mm	406mm	457mm

Specifications:

- Cabinet with two doors and separate locks.
- Material Specification: 304 Grade Stainless Steel.

Catheter Wash

Dimensions:

Length	Width	Height
2438mm	559mm	1778mm

Specifications:

- Material Specification - 304 Grade Stainless Steel.
- Mounting - Floor mounted.
- Finish: Buffed Satin airline.
- Provision to wash catheters vertically.
- Individual sinks and taps for Catheter wash, Hydrogen Peroxide and handwash.

Features:

- Provision to wash the catheters vertically with hydrogen peroxide and water wash followed by flushing air.

Dialyzer Tubing Wash

Dimensions:

Length
1600mm

Width
Top-559mm
Bottom-330mm

Depth
749mm

Specifications:

- Material Specification - 316G Stainless Steel.
- Mounting: Wall mounted.
- Finish: Buffed Satin airline.
- Shelf to place tubing.
- Removable perforated tray at 6" from the bottom - 1nos
- Outlets - 3nos.
- Central drain point.

Features:

- Controlled water pressure through ball valve.

tatvainox.com
office@tatvainox.com

Dialyzer Tubing Wash

Specifications:

- Material Specification - 316G Stainless Steel.
- Mounting: Floor mounted.
- Finish: Buffed Satin airline.
- Sinks - 2nos.
- Small work bench.
- Shelf for 20Lt cans.
- Shelf to place tubing.
- Removable perforated tray at 8" from the bottom - 2nos.
- Tap connections - 2nos.
- Outlets - 4nos (2 in each sink).
- Central drain point for each sink.

Instrument Wash

Dimensions:

Length	Width	Depth
1676mm	559mm	305mm

Specifications:

- Material Specification - 304 Grade Stainless Steel.
- Mounting: Wall mounted.
- Finish: Buffed Satin airline.
- Sinks - 2nos. 559 mm work platform.
- Swivel Taps - 2nos.
- 152mm splashback.
- Central drain point for each sink.

Scopes Wash

Dimensions:

Length
1829mm

Width
Top-559mm
Bottom-330mm

Depth
749mm

Specifications:

- Material Specification - 304 Grade Stainless Steel.
- Mounting: Wall mounted.
- Finish: Buffed Satin airline.
- Sink - 1nos 762 mm work platform.
- Swivel Taps - 2nos.
- Central drain point.

Endoscope Wash

Dimensions:

Length	Width	Height
1830mm	610mm	1425mm

Specifications:

- Material Specification - 304 Grade Stainless Steel.
- Mounting - Wall mounted.
- Finish: Buffed Satin airline.

Instrument Wash

Dimensions:

Length	Width	Height
1676mm	559mm	305mm

Specifications:

- Material Specification - 304 Grade Stainless Steel.
- Mounting: Wall mounted.
- Finish: Buffed Satin airline.
- Sinks - 2nos. 559 mm work platform.
- Swivel Taps - 2nos.
- 152mm splashback.
- Central drain point for each sink.

Hand Scrub

Dimensions:

Length
1524mm

Width
Top-559mm
Bottom-330mm

Depth
749mm

Specifications:

- Material Specification - 304 Grade Stainless Steel.
- Mounting: Wall mounted.
- Finish: Buffed Satin airline.
- Sensor taps - 2nos.
- Central drain paint.

Hand Scrub

Dimensions:

Length
914mm

Width
Top-533mm
Bottom-330mm

Height
737mm

Specifications:

- Material Specification - 304 Grade Stainless Steel.
- Mounting: Floor mounted.
- Finish: Buffed Satin airline.
- Elbow operated/Mechanical foot operated tap - 1nos
- Central drain point.
- Available in 3 Station, 2 station and single station.

Stainless Steel Cladding

Material Specifications:

- Base Material: Austenitic Stainless Steel Grade 304.
- Highly sterile or corrosive environments like OTs and CSSDs.
- Finish: nos 4 Satin finish (standard for hospital interiors) or 2B Matte finish (for non-visual applications).
- Thickness: Wall cladding: 1.2 mm to 1.5 mm. Corner guards/protection: 1.5 mm to 2.0 mm. Back support: Galvanized steel or aluminum honeycomb panel for added strength and flatness.

Design Features:

- Surface Finish: Brushed satin to reduce glare and facilitate easy cleaning.
- Joints: Seamless or TIG-welded joints with radiused corners (minimum 10 mm radius) to avoid dirt accumulation.
- Edge Treatment: Rounded or chamfered edges to prevent injuries and microbial growth.
- Fixing System: Concealed fixing with SS screws and anchors or using back-mounted Z-clips/cleats.

Stainless Steel Cladding

Application Areas

- Operation theatres (OT walls)
- ICU & CCU rooms
- CSSD (Central Sterile Supply Department)
- Isolation wards
- Corridors and waiting areas (especially lower half as kick plates or crash rails)
- Lift lobbies

Catheter Sink

Dimensions:

Length
1626mm

Width
508mm

Height
914mm
Backsplash-305mm

Specifications:

- Overall Size: 1626 × 508 × 914 mm
- Material: SS 304 Stainless Steel (18 Gauge)
- 305 mm High Backsplash
- Fixed Copper Spray Nozzles
- Full-Length Drain with Removable Perforated Cover
- Double-Door Storage Cabinet with Adjustable SS Legs

SS Scrub Sink

Dimensions:

Length
1500mm

Width
Top-600mm
Bottom-500mm

Height
1350mm

Specifications:

- Material: Stainless Steel (SS 304)
- Tap Configuration: 1 Sensor Operated Wall Mounted Tap, 1 Lever Elbow Operated Wall Mounted Tap, 1 Foot Operated Tap (JAL Brand)
- Cabinet Type: SS Sliding Door Cabinet
- Finish: Matt / Satin Finish

SS Platform Trolley

Dimensions:

Length	Width	Height
1500mm	900mm	900mm

Specifications:

- Load Capacity: 450 kg
- Material: Stainless Steel (SS 304)
- Platform Sheet Thickness: 1.5 mm
- Wheel Type: 6" × 2" Heavy-Duty Castor Wheels
- Frame: SS Square Tube Construction
- Finish: Matt Finish

SS Perforated Tray

Dimensions:

Length	Width	Height
406mm	356mm	64mm

Specifications:

- Material: Stainless Steel (SS 304)
- Sheet Thickness: 18 Gauge (1.2 mm)
- Perforation: 5 mm Round Holes
- Support: 5 mm Rod Reinforcement
- Border: 6 mm Rolled Safety Edge
- Handle Type: Integrated Side Handles
- Finish: Matt / Satin Finish

TATVAINOX

43, Marappa Industrial Estate, Sannakki Bayalu, Vrishabha Nagar, Kamakshipalya, Bengaluru, Karnataka 560079

tatvainox.com

office@tatvainox.com

7676209357| 7483807058 | 7892414707