GURU NANAK DEV ENGINEERING COLLEGE, LUDHIANA

DEPARTMENT OF INFORMATION TECHNOLOGY

WEB TECHNOLOGIES FOURTH SEMESTER

Session: January-June 2021

Batch: 2019-2023



Submitted By:

Lokesh Dhingra (1905359)

Submitted to:

Ms. Hanit Kaur

Department of Information Technology, Guru Nanak Dev Engineering College Ludhiana-141106

INDEX

| SR. NO | PRACTICAL | PAGE NO. |
|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 1. | Create a simple web pages by writing HTML using a simple text editor, notepad. Demonstrate the following components of the web page: Page title and headings Paragraph and inline images | 3 |
| 2. | Demonstrate the use of links, lists, and tables in html. You should be able to link separate pages and create named links within a document, using them to build a "table of contents". | 4-8 |
| 3. | Create a simple forms in HTML and demonstrate the use of various form elements like input box, textarea, submit and radio buttons etc. | 9-12 |
| 4. | Demonstrate the use of cascading style sheets (CSS) (inline, internal and external) to specify various aspects of style, such as colours and text fonts and sizes, in html document | 13-14 |
| 5. | Creation of web pages using HTML5 and CSS3 | 15-18 |
| 6. | Demonstrate the use of bootstrap framework | 19-22 |
| 7. | Creating a web page using php | 23-25 |

Aim: Create a simple web pages by writing HTML using a simple text editor, notepad. Demonstrate the following components of the web page: Page title and headings Paragraph and inline images

Code: HTML CODE

```
<!DOCTYPE html>
<html>
<head>
    <title>Practical 1</title>
</head>
<body>
<h1 style=" font-weight: bold;
font-size: 45px;
color:brown; text-align: center; text-decoration: none;">
</h1>
<h3 style=" font-weight: bold;</pre>
font-size: 20px;
color:indigo; text-align: center; text-decoration: none; text-
transform: uppercase;">IN THIS PAGE h and p tags are used</h3>
Guru Nanak Dev Engineering College, one of the prestigious, oldest and minority institutio
n of Northern India, was established under the aegis of Nankana Sahib Education Trust (NSE
T) in 1956. NSET was founded in memory of the most sacred temple of Nankana Sahib, birth p
lace of Guru Nanak Dev Ji. Shiromani Gurudwara Prabandhak Committee, Amritsar, a premier o
rganization of universal brotherhood, which is the main force behind the mission of "Remov
al of Economic Backwardness through Technology" and NSET with the same mission, establishe
d a Polytechnic in 1953 and Guru Nanak Dev Engineering College (GNDEC) in 1956. The Trust
deed was registered on 24th February 1953 with a commitment by Nankana Sahib Education Tru
st to uplift the vast weaker section of Indian polity comprising Rural India by admitting
70% students every year from Rural Areas. This commitment was made to the nation on 8th Ap
ril, 1956. The day when foundation stone of the College was laid by Late Dr. Rajendra Pras
ad Ji, the First President of India.
</body>
</html>
```



Aim: Demonstrate the use of links, lists, and tables in html. You should be able to link separate pages and create named links within a document, using them to build a "table of contents".

Code:

HTML CODE MAIN PAGE

```
<!DOCTYPE html>
<html>
<head>
   <title>Practical 2</title>
   <link rel="stylesheet" type="text/css" href="1905359_practical_2.css">
</head>
<body>
   <h1>GURU NANAK DEV ENGINEERING COLLEGE</h1>
   <b>Guru Nanak Dev Engineering college has a lot of branches like Computer science d
epartment , Information Technology Department and Production Engineering department.
   Departments
      Head of Department
      Subjects
    Computer science
      Dr. Parminder Singh
      <a href="1905359_practical_2_cse.html" target="_blank">Computer Science Depart
ment</a>
    Information Technology
      Dr. Kulvinder Singh Mann
      <a href="1905359_practical_2_it.html" target="_blank">Information Technology</
a>
     Mechanical Engineering
      Dr. Paramjit Singh Bilga
      <a href="1905359_practical_2_mechanical.html" target="_blank">Mechanical Depar
tment</a>
    <h2>SUBJECTS OF COMPUTER SCIENCE</h2>
   DIGITAL CIRCUIT
    >DATA COMMUNICATION
    DATA STRUCTURES
   <h2>SUBJECTS OF INFORMATION TECHNOLOGY</h2>
```

```
COMPUTER ARCHICHECTURE

PROBABILITY AND STATISTICS

<pr
```

HTML CODE MECHANICAL ENGINEERING DEPARTENT

```
<!DOCTYPE html>
<html>
<head>
    <title>Practical 2 Mechanical department</title>
</head>
<body>
<h1 style=" font-weight: bold;
font-size: 45px;
color:brown; text-align: center; text-decoration: none;">
    Welcome To Mechanical Department
</h1>
>
    Department of Mechanical Engineering was established in 1957. Since its inception, the
department has contributed in a big way to the society by providing technical manpower fo
r various fields in India and abroad. Around 4000 graduates and 300 post graduates from th
e department are settled in very good positions all over the Globe. At present, the depart
ment is proud to get best merit students in the region. The faculty of the department cont
inues to provide new frontiers of technical knowledge to the students by imparting quality
education and research. The UG course is keeping pace with the latest developments in eng
ineering education. Courses offered by the department are AICTE approved. Presently, Dr. P
aramjit Singh Bilga is Head of Department.
</body>
</html>
```

HTML CODE INFORMATION TECHNOLOGY DEPARTMENT

```
<!DOCTYPE html>
<html>
<head>
    <title>Practical 2 IT department</title>
</head>
<body>
<h1 style=" font-weight: bold;
font-size: 45px;
color:brown; text-align: center; text-decoration: none;">
    Welcome To Information Technology Department
</h1>
>
    This Department was established in 2001. The mission of the Department of Information
Technology is to impart high quality post graduate and under-
graduate education and carry out leading-
edge research in the discipline of Information Technology. The department currently runs a
cademic program leading to the award of B.Tech. in Information Technology degree of Punjab
Technical University Jalandhar. The Department has various laboratories equipped with sta
te-of-the-
art computing facilities to support the research and teaching activities. A library with a
lot of books on Information Technology for the exclusive use of the faculty and students
is located in the premises of the Department. At present Dr. Kiran Jyoti is Head of the De
partment.
</body>
</html>
```


HTML CODE COMPUTER SCIENCE DEPARTMENT


and research activities. A Good number of books is available in departmental library for prompt access to students and faculty members. Under academic autonomy, study schemes of the offered programs are updated regularly focusing outcome based education, to make studen to employable as per national and international requirements. Graduates of the department are serving around the globe in eminent companies, academia, as well as in public sector. They are bringing laurel to the department by excelling in fields of their work. Every year a good number of students are clearing different competitive exams.

</po>

CSS CODE MAIN PAGE

```
table, th, td{
   border: 3px solid black;
   text-align: center;
   vertical-align: bottom;
   text-decoration: none;
}
td{
   height: 40px;
}
h2{
   font-size: 18px;
   font-weight: bold;
   color:brown;
}
```









Aim: Create a simple forms in HTML and demonstrate the use of various form elements like input box, textarea, submit and radio buttons etc.


```
<!DOCTYPE html>
<html <pre>lang="en">
<head>
    <link rel="stylesheet" href="1905359_practical_3.css" type="text/css">
    <title>Practical 3</title>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
</head>
<body>
    <div class="form1">
        <form>
            <fieldset>
                <legend><span class="number">1</span>Candidate Info</legend>
                <input type="text" name="field1" placeholder="Your Name * "><br>
                <input type="email" name="field3" placeholder="Your Email * "><br>
                <label>Gender: </label>
                <label for="male"><span><input type="radio" id="male" name="gender" value=</pre>
"male">Male</span></label>
                <label for="female"><span><input type="radio" id="female" name="gender" va</pre>
Lue="female">Female</span></label>
                <label for="other"><span><input type="radio" id="other" name="gender" valu</pre>
e="other">Other</span></label>
                <textarea name="field3" placeholder="Describe Yourself"></textarea><br>
                <label for="job">Interests: </label>
                <select name="field4" id="job">
                    <optgroup label="Indoors">
                        <option value="Fishkeeping">Fishkeeping</option>
                        <option value="Reading">Reading</option>
                        <option value="Boxing">Boxing</option>
                        <option value="Debate">Debate</option>
                        <option value="Gaming">Gaming</option>
                        <option value="Snooker">Snooker</option>
                        <option value="Other_indoor">Other</option>
                    </optgroup>
                    <optgroup Label="Outdoors">
                        <option value="Football">Football</option>
                        <option value="Swimming">Swimming</option>
                        <option value="Fishing">Fishing</option>
                        <option value="Climbing">Climbing</option>
                        <option value="Cycling">Cycling</option>
```

CSS CODE

```
.form1{
    max-width: 500px;
    padding: 10px 20px;
    background:lightgoldenrodyellow;
    margin: 50px 500px;
    padding: 20px;
    border-radius: 8px;
    font-family: Georgia, 'Times New Roman', Times, serif;
.form1 fieldset{
border:2px solid crimson;
.form1 legend{
    font-size: 1.4em;
    margin-bottom: 10px;
.form1 label{
    display: block;
    margin-bottom: 8px;
.form1 input[type="text"],
.form1 input[type="email"],
.form1 input[type="date"],
.form1 input[type="datetime"],
.form1 input[type="number"],
.form1 input[type="search"],
.form1 input[type="url"],
.form1 input[type="time"]
```

```
font-family: Georgia, 'Times New Roman', Times, serif;
    background:gainsboro;
    border: 1px darkblue solid;
    border-radius: 4px;
    font-size: 15px;
    margin-bottom: 10px;
    outline:teal;
    padding-left: 5px;
    margin-left: 2px;
    padding: 10px;
    width: 100%;
    box-sizing: border-box;
    -webkit-box-sizing: border-box;
    -moz-box-sizing: border-box;
    background-color: whitesmoke;
    align-items: center;
.form1 input[type="text"]:focus,
.form1 input[type="email"]:focus,
.form1 input[type="date"]:focus,
.form1 input[type="datetime"]:focus,
.form1 input[type="number"]:focus,
.form1 input[type="search"]:focus,
.form1 input[type="url"]:focus,
.form1 input[type="time"]:focus
.form1 textarea:focus,
.form1 select:focus{
    background-color: gainsboro;
.form1 select{
    -webkit-appearance: menulist-button;
    height: 35px;
}
.form1 .number{
    background:teal;
    color:whitesmoke;
    height: 30px;
   width: 30px;
    display: inline-block;
    font-size: 0.8em;
    margin-right: 4px;
    line-height: 30px;
    text-align: center;
    text-shadow: 0 1px 0 rgba(255, 255, 255, 0.2);
    border-radius: 15px 15px 15px 0;
.form1 input[type="submit"],
```

```
.form1 input[type="button"]{
    position: relative;
   display: block;
   padding: 19px 39px 18px 39px;
    color:cornsilk;
    color:maroon;
   margin: 20px auto;
   border-radius: 4px;
   background: mintcream;
   font-size: 18px;
   text-align: center;
   font-style:normal;
   font-weight: bold;
   width: 100%;
   border: 1px darkslategrey solid;
   border-width: 2px 2px 4px;
   margin-bottom: 10;
.form1 input[type="submit"]:hover,
.form1 input[type="button"]:hover{
    background: lavender;
```



Aim: Demonstrate the use of cascading style sheets (CSS) (inline, internal and external) to specify various aspects of style, such as colours and text fonts and sizes, in html document.

```
<!DOCTYPE html>
<html <pre>lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" href="1905359 practical 4.css">
    <title>Practical 4</title>
    <style>
    #internal-css{
   font-family: Arial, Helvetica, sans-serif;
    font-size: 18px;
    color: crimson;
    font-weight: bold;
   h2{
       text-align: center;
       color:midnightblue;
       font-size: 22px;
       font-weight: bold;
    </style>
</head>
<body>
    <h2>INLINE CSS</h2>
    size: 18px; color: darkblue; font-
weight: bold;">Lorem Ipsum is simply dummy text of the printing and typesetting industry.
       Lorem Ipsum has been the industry's standard dummy text ever since the 1500s,
       when an unknown printer took a galley of type and scrambled it to make a type spec
imen book.
       It has survived not only five centuries, but also the leap into electronic typeset
ting,
       remaining essentially unchanged. It was popularised in the 1960s with the release
of Letraset sheets containing
       Lorem Ipsum passages, and more recently with desktop publishing software like Aldu
s PageMaker including versions
       of Lorem Ipsum.
    <br>
    <h2>INTERNAL CSS</h2>
    css">Lorem Ipsum is simply dummy text of the printing and typesetting industry.
       Lorem Ipsum has been the industry's standard dummy text ever since the 1500s,
```

when an unknown printer took a galley of type and scrambled it to make a type specimen book.

It has survived not only five centuries, but also the leap into electronic typeset ting,

remaining essentially unchanged. It was popularised in the 1960s with the release of Letraset sheets containing

Lorem Ipsum passages, and more recently with desktop publishing software like Aldu s PageMaker including versions

```
of Lorem Ipsum.

<br/>
<h2 >EXTERNAL CSS</h2>
cp id="external-
```

css">Lorem Ipsum is simply dummy text of the printing and typesetting industry.

Lorem Ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type spec

It has survived not only five centuries, but also the leap into electronic typeset ting,

remaining essentially unchanged. It was popularised in the 1960s with the release of Letraset sheets containing

Lorem Ipsum passages, and more recently with desktop publishing software like Aldu s PageMaker including versions

```
of Lorem Ipsum.

</body>
</html>
```

CSS CODE

```
#external-css{
   font-family: Arial, Helvetica, sans-serif;
   font-size: 18px;
   color:darkred;
   font-weight: bold;
}
```

OUTPUT-

Practical 4

imen book.



printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries, but also the leap into electronic typesetting, remaining essentially unchanged. It was popularised in the 1960s with the release of Letraset sheets containing Lorem Ipsum passages, and more recently with desktop publishing software like Aldus PageMaker including versions of Lorem Ipsum.

EXTERNAL CSS

Lorem Ipsum is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries, but also the leap into electronic typesetting, remaining essentially unchanged. It was popularised in the 1960s with the release of Letraset sheets containing Lorem Ipsum passages, and more recently with desktop publishing software like Aldus PageMaker including versions of Lorem Ipsum.

Aim: Creation of web pages using HTML5 and CSS3

```
<!DOCTYPE html>
<html <pre>lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" href="1905359_practical_5.css">
    <title>Practical 5</title>
</head>
<body>
    <header id="showcase">
        <h1>Welcome to the beach</h1>
        Lorem ipsum dolor sit amet, consectetur adipisicing elit.
        Modi officiis ipsum officia numquam expedita ullam
        <a href="#" class="button">Read More</a>
    </header>
    <section class="section_a">
        >
            Lorem ipsum dolor sit amet, consectetur adipisicing elit. Fugit minus impedit
maxime,
            quae soluta quis cumque perferendis! Doloribus quaerat, placeat iste facere, a
spernatur
            ex cum veritatis laudantium, officia, non porro exercitationem incidunt quis d
olore?
            Officia ex accusamus expedita optio, voluptatem minus? In maiores omnis aperia
m earum
            ab molestiae beatae laborum blanditiis incidunt, delectus dolor, id voluptates
optio
            aspernatur aliquam saepe atque labore? Tempore reprehenderit ab ipsam perspici
atis ut,
            provident perferendis sapiente in numquam blanditiis, enim, illo error nulla i
ncidunt
            quos quidem ratione repellat ipsa molestias veritatis? Mollitia, fugit dolore
commodi
            porro repudiandae atque, eos, ipsum quam culpa fuga deleniti quae.
        </section>
    <section class="section_b">
        >
            Lorem ipsum dolor sit amet, consectetur adipisicing elit. Fugit minus impedit
maxime,
            quae soluta quis cumque perferendis! Doloribus quaerat, placeat iste facere, a
spernatur
            ex cum veritatis laudantium, officia, non porro exercitationem incidunt quis d
olore?
```

```
Officia ex accusamus expedita optio, voluptatem minus? In maiores omnis aperia
m earum
            ab molestiae beatae laborum blanditiis incidunt, delectus dolor, id voluptates
optio
            aspernatur aliquam saepe atque labore? Tempore reprehenderit ab ipsam perspici
atis ut,
            provident perferendis sapiente in numquam blanditiis, enim, illo error nulla i
ncidunt
            quos quidem ratione repellat ipsa molestias veritatis? Mollitia, fugit dolore
commodi
            porro repudiandae atque, eos, ipsum quam culpa fuga deleniti quae.
        </section>
    <section id="section c">
        <div class="box_1">
            Lorem ipsum dolor sit amet, consectetur adipisicing elit.
            Modi officiis ipsum officia numquam expedita ullam!
        </div>
        <div class="box 2">
            Lorem ipsum dolor sit amet, consectetur adipisicing elit.
            Modi officiis ipsum officia numquam expedita ullam!
        </div>
        <div class="box 3">
            Lorem ipsum dolor sit amet, consectetur adipisicing elit.
            Modi officiis ipsum officia numquam expedita ullam!
        </div>
    </section>
</body>
</html>
```


CSS CODE


```
*{
    margin:0;
    padding: 0;
}

body{
    margin: 0;
    font-family: Arial, Helvetica, sans-serif;
    font-size: 19px;
    color:peru;
    line-height: 1.6;
}

#showcase{
    background-image: url("1905359_practical_5_bg.jpg");
    background-size: cover;
    background-position: center;
    height:100vh;
```

```
display: flex;
    justify-content: center;
    flex-direction: column;
    align-items: center;
    text-align: center;
    padding: 0 20px;
#showcase h1{
    font-size: 50px;
    line-height: 1.2;
#showcase p{
    font-size: 20px;
#showcase .button{
    font-size: 18px;
    text-decoration: none;
    color:peru;
    border: peru 2px solid;
    padding: 10px 20px;
    border-radius: 4px;
    margin-top: 25px;
#showcase .button:hover{
    background-color: #cd853f;
    color:#fff;
.section_a{
    padding: 20px;
    background: peru;
    color:whitesmoke;
    text-align: center;
.section_b{
    padding: 20px;
    background: #f4f4f4;
    text-align: center;
#section_c{
    display: flex;
#section_c div{
    padding: 20px;
#section_c .box_1,#section_c .box_3{
    background: peru;
    color: whitesmoke;
#section_c .box_2{
    background-color: #f9f9f9;
```






Aim: Demonstrate the use of bootstrap framework

```
<!doctype html>
<html <pre>lang="en">
<head>
   <!-- Required meta tags -->
   <meta charset="utf-8">
   <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
   <!-- Bootstrap CSS -->
   <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.1.3/css/bo</pre>
otstrap.min.css"
       integrity="sha384-
MCw98/SFnGE8fJT3GXwEOngsV7Zt27NXFoaoApmYm81iuXoPkF0JwJ8ERdknLPM0" crossorigin="anonymous">
   <title>Practical 6</title>
</head>
<body>
   <nav class="navbar navbar-expand-lg navbar-dark bg-dark">
       <a class="navbar-brand" href="#">WT</a>
       <button class="navbar-toggler" type="button" data-toggle="collapse" data-</pre>
target="#navbarSupportedContent"
           aria-controls="navbarSupportedContent" aria-expanded="false" aria-
label="Toggle navigation">
           <span class="navbar-toggler-icon"></span>
       </button>
       <div class="collapse navbar-collapse" id="navbarSupportedContent">
           <a class="nav-link" href="#">Home <span class="sr-</pre>
only">(current)</span></a>
               <a class="nav-link" href="#">About</a>
               <a class="nav-link dropdown-</pre>
toggle" href="#" id="navbarDropdown" role="button"
                      data-togqle="dropdown" aria-haspopup="true" aria-expanded="false">
                      Topics
                   </a>
                   <div class="dropdown-menu" aria-labelledby="navbarDropdown">
                      <a class="dropdown-item" href="#">HTML</a>
                       <a class="dropdown-item" href="#">CSS</a>
                      <div class="dropdown-divider">JavaScript</div>
                      <a class="dropdown-item" href="#">Jquery</a>
                       <a class="dropdown-item" href="#">Ajax</a>
```

```
<div class="dropdown-divider"></div>
                     <a class="dropdown-item" href="#">PHP</a>
                     <a class="dropdown-item" href="#">Bootstrap</a>
                 </div>
              <a class="nav-link" href="#">Contact Us</a>
              <form class="form-inline my-2 my-lg-0">
              <input class="form-control mr-sm-</pre>
2" type="search" placeholder="Search" aria-label="Search">
              <button class="btn btn-outline-success my-2 my-sm-</pre>
0" type="submit">Search</button>
          </form>
       </div>
   </nav>
   <div id="carouselExampleIndicators" class="carousel slide carousel-fade" data-</pre>
ride="carousel">
      to="0" class="active">
          <div class="carousel-inner">
          <div class="carousel-item active">
              <img class="d-block w-</pre>
100" src="https://source.unsplash.com/1400x300/?nature,water" alt="First slide">
              <div class="carousel-caption d-none d-md-block">
                 <h2>First slide label</h2>
                 Lorem Ipsum is simply dummy text of the printing and typesetting in
dustry.
                 <button class="btn btn-danger">Technology</button>
                 <button class="btn btn-primary">Web Development/button>
                 <button class="btn btn-success">Tech Fun</button>
              </div>
          </div>
          <div class="carousel-item">
              <img class="d-block w-</pre>
100" src="https://source.unsplash.com/1400x300/?nature,python" alt="Second slide">
              <div class="carousel-caption d-none d-md-block">
                 <h2>second slide label</h2>
                 It is a long established fact that a reader will be distracted by t
he readable content of a page
                    when looking at its layout. 
                 <button class="btn btn-danger">Technology</button>
                 <button class="btn btn-primary">Web Development/button>
                 <button class="btn btn-success">Tech Fun</button>
```

```
</div>
            </div>
            <div class="carousel-item">
                <img class="d-block w-</pre>
100" src="https://source.unsplash.com/1400x300/?nature,code" alt="Third slide">
                <div class="carousel-caption d-none d-md-block">
                    <h2>Third slide label</h2>
                    There is no one who loves pain itself, who seeks after it and wants
 to have it, simply because it
                        is pain...
                    <button class="btn btn-danger">Technology</button>
                    <button class="btn btn-primary">Web Development/button>
                    <button class="btn btn-success">Tech Fun</button>
                </div>
            </div>
        </div>
        <a class="carousel-control-</pre>
prev" href="#carouselExampleIndicators" role="button" data-slide="prev">
            <span class="carousel-control-prev-icon" aria-hidden="true"></span>
            <span class="sr-only">Previous</span>
        </a>
        <a class="carousel-control-</pre>
next" href="#carouselExampleIndicators" role="button" data-slide="next">
            <span class="carousel-control-next-icon" aria-hidden="true"></span>
            <span class="sr-only">Next</span>
        </a>
    </div>
    <div class="container my-4">
        <div class="row mb-2">
            <div class="col-md-6">
                <div class="card flex-md-row mb-4 shadow-sm h-md-250">
                    <div class="card-body d-flex flex-column align-items-start">
                        <strong class="d-inline-block mb-2 text-primary">PHP</strong>
                        auto">Lorem Ipsum is simply dummy text of the printing and typesetting industry.
                        <a href="#">Continue reading</a>
                    </div>
                    <img class="card-img-right flex-auto d-none d-lg-block" data-</pre>
src="holder.js/200x250?theme=thumb"
                        alt="Thumbnail [200x250]" style="width: 200px; height: 250px;"
                        src="https://source.unsplash.com/500x700/?nature,water" data-
holder-rendered="true">
                </div>
            </div>
            <div class="col-md-6">
                <div class="card flex-md-row mb-4 shadow-sm h-md-250">
                    <div class="card-body d-flex flex-column align-items-start">
                        <strong class="d-inline-block mb-2 text-</pre>
success">JavaScript</strong>
```

```
auto">Lorem Ipsum is simply dummy text of the printing and typesetting industry.
                        <a href="#">Continue reading</a>
                    </div>
                    <img class="card-img-right flex-auto d-none d-lg-block" data-</pre>
src="holder.js/200x250?theme=thumb"
                        alt="Thumbnail [200x250]" src="https://source.unsplash.com/500x700
/?nature,technology"
                        data-holder-rendered="true" style="width: 200px; height: 250px;">
                </div>
            </div>
       </div>
    </div>
    <script src="https://code.jquery.com/jquery-3.3.1.slim.min.js" integrity="sha384-</pre>
q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo" crossoriqin="anonymous">
</script>
    <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.3/umd/popper.min.js</pre>
" integrity="sha384-
ZMP7rVo3mIykV+2+9J3UJ46jBk0WLaUAdn689aCwoqbBJiSnjAK/18WvCWPIPm49" crossorigin="anonymous">
</script>
    <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.1.3/js/bootstrap.min.js" i
ntegrity="sha384-
ChfqqxuZUCnJSK3+MXmPNIyE6ZbWh2IMqE241rYiqJxyMiZ6OW/JmZQ5stwEULTy" crossorigin="anonymous">
</script>
</body>
</html>
```



Aim: Creating a web page using php

Code: PHP CODE

```
<!DOCTYPE html>
<html <pre>lang="en">
<head>
    <link rel="stylesheet" href="1905359_practical_7.css" type="text/css">
    <title>Practical 7</title>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
</head>
<?php
// define variables and set to empty values
$name = $email = $gender = $desc = $interests = $about ="";
if ($ SERVER["REQUEST METHOD"] == "POST") {
  $name = test input($ POST["name"]);
  $email = test_input($_POST["email"]);
  $gender = test input($ POST["gender"]);
  $desc = test input($ POST["desc"]);
  $interests = test input($ POST["interests"]);
  $interets = test input($ POST["about"]);
function test input($data) {
  $data = trim($data);
  $data = stripslashes($data);
  $data = htmlspecialchars($data);
  return $data;
<body>
    <div class="form1">
        <form method="POST" action="<?php echo htmlspecialchars($_SERVER["PHP_SELF"]);?>">
            <fieldset>
                <legend><span class="number">1</span>Candidate Info</legend>
                <input type="text" name="name" placeholder="Your Name * "><br>
                <input type="email" name="email" placeholder="Your Email * "><br>
                    <label>Gender: </label>
                    <label for="male"><span><input type="radio" value="male" name="gender"</pre>
 value="male">Male</span></label>
                    <label for="female"><span><input type="radio" value="female" name="gen</pre>
der"
                                 value="female">Female</span></label>
                    <label for="other"><span><input type="radio" value="other" name="gende"</pre>
                                 value="other">Other</span></label>
```

```
<textarea name="desc" placeholder="Describe Yourself"></textarea><br>
                <label for="job">Interests: </label>
                <select name="interests" id="job">
                    <optgroup Label="Indoors">
                        <option value="Fishkeeping">Fishkeeping</option>
                        <option value="Reading">Reading</option>
                        <option value="Boxing">Boxing</option>
                        <option value="Debate">Debate</option>
                        <option value="Gaming">Gaming</option>
                        <option value="Snooker">Snooker</option>
                        <option value="Other_indoor">Other</option>
                    </optgroup>
                    <optgroup Label="Outdoors">
                        <option value="Football">Football</option>
                        <option value="Swimming">Swimming</option>
                        <option value="Fishing">Fishing</option>
                        <option value="Climbing">Climbing</option>
                        <option value="Cycling">Cycling</option>
                        <option value="Other_indoor">Other</option>
                    </optgroup>
                </select>
            </fieldset>
            <fieldset>
                <legend><span class="number">2</span>Candidate Info</legend>
                <textarea name="about" placeholder="About Your school: "></textarea>
            </fieldset>
            <input type="submit" value="Submit">
        </form>
    </div>
<?php
    echo "<h2>Your Input:</h2>";
    echo "Your Name: ";
    echo $name;
    echo "<br>";
    echo "Your Mail: ";
    echo $email;
    echo "<br>";
    echo "Your Gender: ";
    echo $gender;
    echo "<br>";
    echo "Your Description: ";
    echo $desc;
    echo "<br>":
    echo "Your about: ";
    echo $about;
    echo "<br>";
    echo "Your interests: ";
    echo $interests;
    echo "<br>";?>
</body>
</html>
```

CSS CODE

**Note- Same as in practical 3 (form is same php is added to the Practical 3)

OUTPUT-

Form



INPUT



