



# WEB TECHNOLOGIES



## PRACTICAL NOTE BOOK

**SUBMITTED TO : GURU NANAK DEV  
ENGINEERING COLLEGE  
( PTU AFFILIATED INSTITUTE)  
FOR THE COURSE INFORMATION  
TECHNOLOGY**

**{ BATCH 2019-2023 }**

**SUBMITTED TO:**

**MS.HANIT KAUR  
{ DEPARTMENT OF  
INFORMATION  
TECHNOLOGY }**

**SUBMITTED BY :**

**DEEPAK KUMAR  
IT 4<sup>TH</sup> SEMESTER  
1905322/1921023**

# INDEX

1. Create a simple web pages by writing HTML using a simple text editor, notepad. Demonstrate the following components of the web page : page title and headings paragraph and inline images.
2. Demonstrate the use of links, lints, and tables in html. You should be able to link separate pages and create named links within a document, using them to build a “table of contents.”
3. Create a simple forms in HTML and demonstrate the use of various form elements like input box, textarea, submit and radio buttons etc.
4. Demonstrate the use of cascading style sheets(CSS) (inline, internal and external) to specify various aspects of style, such as colours and text fonts and sizes, in HTML document.
5. Create of web pages using HTML5 & CSS3.
6. Demonstrate the use of Bootstrap framework.
7. Creating a web page using PHP.

# Experiment no.1

Create a simple web pages by writing HTML using a simple text editor, notepad. Demonstrate the following components of the web page : page title and headings paragraph and inline images.

Sol:

```
<html>
<html lang="en-us">
<head>
  <title>First Practical</title>
</head>
<body>
<p align="center"><b>This is a Our First Practical.</b></p>
<h1 align="center" style="color:red;font-size:70px"><b><i>Guru Nanak Dev Engineering College.</i></b></h1>
<h2 align="center"><b><i>Gill Road Gill Park, Ludhiana.</i></b></h2>

<a href="https://guru.gndec.ac.in/">GNDEC HOME</a>
<p>My Name is <i><b>Deepak Kumar.</b></i><br>I am is Second Year in 4th semester<br> And Roll no. is 1905322/1921023.</p>
<p style="color:lightblack;">Guru Nanak Dev Engineering College, one of the prestigious, oldest and minority institution of Northern India, was established under the aegis of Nankana Sahib Education Trust (NSET) in 1956. NSET was founded in memory of the most sacred temple of Nankana Sahib, birth place of Guru Nanak Dev Ji. Shiromani Gurudwara Prabandhak Committee, Amritsar, a premier organization of universal brotherhood, which is the main force behind the mission of "Removal of Economic Backwardness through Technology" and NSET with the same mission, established a Polytechnic in 1953 and Guru Nanak Dev Engineering College (GNDEC) in 1956. The Trust deed was registered on 24th February 1953 with a commitment by Nankana Sahib Education Trust to uplift the vast weaker section of Indian polity comprising Rural India by admitting 70% students every year from Rural Areas. This commitment was made to the nation on 8th April, 1956. The day when foundation stone of the College was laid by Late Dr. Rajendra Prasad Ji, the First President of India.</p><br><br>
<p align="center"><b><i>Thanks a Lot For Watching.....!!!</i></b></p>
<p align="center"><b>@ Gndec Website</b><br><br><br>
<p align="center">
<a href="https://www.linkedin.com/in/deepak-kumar-b3abab1a0/"></a>
<a href="mailto:deepak9988570526@gmail.com"></a>
<a href="https://www.instagram.com/deepak_0911/"></a>
<a href="https://www.twitter.com/its_deepak0911/"></a>
<a href="https://wa.me/8847547031?text=Hi%20Codehunter"></a>
```

```
<a href="https://github.com/Mr-codehunter"></a>
</p>
</body>
</html>
```

## Output:



## Experiment no.2

Demonstrate the use of links, lints, and tables in html. You should be able to link separate pages and create named links within a document, using them to build a “table of contents.”

Sol:

<!DOCTYPE html>

<html>

<head>

<style>

table {

font-family: arial, sans-serif;

border-collapse: collapse;

width: 100%;

}

td, th {

border: 1px solid #dddddd;

text-align: left;

padding: 8px;

}

tr:nth-child(even) {

background-color: #dddddd;

}

</style>

</head>

<body style="background-color:lightgreen">

<a href="https://github.com/Mr-codehunter">

<center><b>(clickable image)</b></center>

<h2 align="center"><b><i>GNDEC Faculties Details : </i></b></h2>

<table>

<tr>

<th>Name</th>

<th>Designation</th>

<th>Email</th>

</tr>

<tr>

<td>DR. K. S. MANN</td>

<td>Assistant Professor and HOD</td>

<td>mannkulvinder@gndec.ac.in</td>

</tr>

<tr>

<td>ER. HANIT KAUR SOHAL</td>

<td>Assistant Professor</td>

<td>hanitgndec@gmail.com</td>

</tr>

<tr>

<td>DR. AKSHAY GIRDHAR</td>

<td>Professor</td>

<td>akshay\_girdhar@gndec.ac.in</td>

</tr>

<tr>

<td>DR. KIRAN JYOTI</td>

<td>Assistant Professor</td>

<td>kiranbains@gndec.ac.in</td>

</tr>

<tr>

<td>DR. PANKAJ BHAMBRI</td>

<td>Assistant Professor</td>




```

<td>pkbhambri@gndec.ac.in</td>
</tr>
</table><br>
<h2 align="center"><b>Course Offered by the College : </h2>
<ul>
<li>B.Tech</li>
<li>M.tech</li>
<li>MBA</li>
<li>MCA</li>
<li>BCA</li>
<li>Artitech</li>
</ul>
<a href=" https://github.com/Mr-codehunter">For More information about Mr-
codehunter click me</a><br>
<p align="center"><b><i>Thanks a Lot For Watching.....!!!</i></b></p><br>
<p align="center"><b>@ Gndec Website</b><br><br><br><br>
<p align="center">
<a href="https://www.linkedin.com/in/deepak-kumar-
b3abab1a0/"></a>
<a href="mailto:deepak9988570526@gmail.com"></a>
<a href="https://www.instagram.com/deepak_0911/"></a>
<a href="https://www.twitter.com/its_deepak0911/"></a>
<a href="https://wa.me/8847547031?text=Hi%20Codehunter"></a>
<a href="https://github.com/Mr-
codehunter"></a>
</p>
</body>
</html>

```

## Output:



(clickable image)

**GNDec Faculties Details :**

Name	Designation	Email
DR. K. S. MANN	Assistant Professor and HOD	mannkulyinder@gndec.ac.in
DR. HANIT KAUR SOHAL	Assistant Professor	hanitgndec@gmail.com
DR. AKSHAY GIRDHAR	Professor	akshay_girdhar@gndec.ac.in
DR. KIRAN JYOTI	Assistant Professor	kiranbains@gndec.ac.in
DR. PANKAJ BHAMBRI	Assistant Professor	pkbhambri@gndec.ac.in







**Course Offered by the College :**

- B.Tech
- M.tech
- MBA
- MCA
- BCA
- Artitech

For More information about Mr-codehunter click me

Thanks a Lot For Watching.....!!!

@ Gndec Website

# Experiment no.3

Create a simple forms in HTML and demonstrate the use of various form elements like input box, textarea, submit and radio buttons etc.

**Sol:**

```
<!DOCTYPE html>
<html lang="en-us">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Resume Forms</title>
<style>
body {
  background-color: #E6E6FA;
}
</style>
</head>
<body>
<h1 style="color:red;"><center><b><i>Guru Nanak Dev Engineering College</i></b></center>
</h1>
<h2><center><b><i>Gill Road Gill Park, Ludhiana.</i></b></center></h2>

  <form action="" method="post">
    <form action="/action_page.php">
<label for="fname">First name : </label>
<input type="text" id="fname" name="fname" value=""><br><br>
<label for="lname">Last name : </label>
<input type="text" id="lname" name="lname" value=""><br><br>
<label for="email">Email : </label>
<input type="text" id="email" name="email" value=""><br><br>
<label for="cont">Contact No. : </label>
<input type="text" id="cont" name="cont" value=""><br><br>
<label for="gender">Gender : </label>
<input type="text" id="gender" name="gender" value=""><br><br>
<label for="loc">Location : </label>
<input type="text" id="loc" name="loc" value=""><br><br>
<label for="lname">Designation : </label>
<input type="text" id="des" name="des" value=""><br><br>
  <label for="exp">Experience:</label>
  <input type="text" id="exp" name="exp" value=""><br><br>
  <input type="submit" value="Submit"><br><br><br><br>
</form>
<p align="center"><b><i>Thanks a Lot For Watching.....!!!</i></b></p>
<p align="center"><b>@ Gndec Website</b><br><br><br><br>
<p align="center">
```

```

<a href="https://www.linkedin.com/in/deepak-kumar-
b3abab1a0/"></a>
<a href="mailto:deepak9988570526@gmail.com"></a>
<a href="https://www.instagram.com/deepak_0911/"></a>
<a href="https://www.twitter.com/its_deepak0911/"></a>
<a href="https://wa.me/8847547031?text=Hi%20Codehunter"></a>
<a href="https://github.com/Mr-
codehunter"></a>
</p>
</body>
</html>

```

**Output:**

***Guru Nanak Dev Engineering College***

*Gill Road Gill Park, Ludhiana.*

First name :

Last name :

Email :

Contact No. :

Gender :

Location :

Designation :

Experience:

*Thanks a Lot For Watching.....!!!*

@ Gndec Website





## Experiment no.4

Demonstrate the use of cascading style sheets(CSS) (inline, internal and external) to specify various aspects of style, such as colours and text fonts and sizes, in HTML document.

Sol:

```
<!DOCTYPE html>
<html lang="en-us">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Types Of CSS</title>
<link rel="stylesheet" href="d1.css">
<style>
  p{
    color:saddlebrown;
  }
</style>
</head>
<body>
  <h2><b><i>Using Dfferent of CSS</i></b></h2>
  <h1 align="center" style="color:red; background-color: bisque;">Deepak Kumar/Mr-
codeunter</h1>
  <p> | Member at Great Developers |<br>
  |HactoberFast 2020 swag winner |<br>
  CIS(code inovatation series) winner| 2021 [hackathon] </p>
  <p>To work with maximum potential in challenging and dynamic environment, wit
h an opportunity of working with diverse group of people anhancing my professional skil
ls with learning and experience of career growth.</p>
  <hr><hr>
  <br><br><br>
  <p align="center">
<a href="https://www.linkedin.com/in/deepak-kumar-
b3abab1a0/"></a>
<a href="mailto:deepak9988570526@gmail.com"></a>
<a href="https://www.instagram.com/deepak_0911/"></a>
<a href="https://www.twitter.com/its_deepak0911/"></a>
<a href="https://wa.me/8847547031?text=Hi%20Codehunter"></a>
```

```
<a href="https://github.com/Mr-codehunter"></a>
</p>
</body>
</html>
```

### D1.css { external css file}

```
p {
  background-color: burlywood;
  font-size: xx-large;
  font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
}
```

### Output:



Using Dfferent of CSS

**Deepak Kumar/Mr-codeunter**

Member at Great Developers |  
HactoberFast 2020 swag winner |  
CIS(code inovation series) winner| 2021 [hackathon]

To work with maximum potential in challenging and dynamic environment, with an opportunity of working with diverse group of people anhaning my professional skills with learning and experience of career growth.



## Experiment no.5

Create of web pages using HTML5 & CSS3.

Sol:

**index.html code**

```

<!DOCTYPE html>
<html lang="en-us">
<head>
  <title>html5 & css3</title>
  <link rel="stylesheet" href="d2.css">
</head>
<body>
  <div class="hero">
    <div class="navbar">
      
      <button type="button">Sign up</button>
    </div>
    <div class="content">
      <small>you are very welcome from</small>
      <h1>Code Hunter</h1>
      <button type="button">Learn Ethical hacking</button>
    </div>
    <div class="side-bar">
      <br>
    <div class="social-links">
      
      
      
    </div>
    <div class="useful-links">
      
      
    </div>
  </div>
  <div class="bubbles">
    
    
    
    
    
    
    
  </div>
</div>
</body>
</html>

```

```

* {
margin: 0;
padding: 0;
font-family: sans-serif;
}
.hero {
width: 100%;
height: 100vh;
background-image: url(images/background.png);
background-size: cover;


```

**d2.css code**

```

background-position: center;
position: relative;
overflow: hidden;
}
.logo {
width: 100px;
cursor: pointer;
}
.navbar{
width:85%;
height: 15%;
margin: auto;
display: flex;
align-items: center;
justify-content: space-between;
}
button{
color: #fdfcf;
padding: 10px 25px;
background: transparent;
border: 2px solid #fff;
border-radius: 20px;
outline: none;
cursor: pointer;
}
.content{
color: #fdfcf;
position: absolute;
top: 50%;
left: 10%;
transform: translateY(-50%);
z-index: 2;
}
h1{
font-size: 80px;
margin: 10px 0 30px;
line-height: 80px;
}
.side-bar{
width: 50px;
height: 100vh;
background: linear-gradient(#00545d, #000729);
position: absolute;
right: 0;
top: 0;
}
.menu{
display: block;
width: 25px;
margin: 40px auto 0;
cursor: pointer;
}


```



```

.menu{
  display: block;
  width: 25px;
  margin: 40px auto 0;
  cursor: pointer;
}
.social-links, img{
  width: 45px;
  margin: 5px auto;
  cursor: pointer;
}
.social-links{
  width: 50px;
  text-align: center;
  position: absolute;
  top: 50%;
  transform: translateY(-50%);
}
.useful-links{
  width: 50px;
  text-align: center;
  position: absolute;
  bottom: 3%;
}
.bubbles img{
  width: 50px;
  animation: bubble 7s linear infinite;
}
.bubbles{
  width: 100%;
  display: flex;
  align-items: center;
  justify-content: space-around;
  position: absolute;
  bottom: -70px;
}
@keyframes bubble {
  0%{
    transform: translateY(0);
    opacity: 0;
  }
  50%{
    opacity: 1;
  }
  70%{
    opacity: 1;
  }
  100%{
    transform: translateY(-80vh);
    opacity: 0;
  }
}

```



```
}
```

```
.bubbles img:nth-child(1){  
  animation-delay: 2s;  
  width: 30px;  
}
```

```
}
```

```
.bubbles img:nth-child(2){  
  animation-delay: 3s;  
  width: 50px;  
}
```

```
.bubbles img:nth-child(3){  
  animation-delay: 1s;  
}
```

```
}
```

```
.bubbles img:nth-child(4){  
  animation-delay: 4.4s;  
  width: 25px;  
}
```

```
.bubbles img:nth-child(5){  
  animation-delay: 6s;  
}
```


```
}
```

```
.bubbles img:nth-child(6){  
  animation-delay: 3.8s;  
  width: 80px;  
}
```

```
}
```


```
.bubbles img:nth-child(7){  
  animation-delay: 5s;  
}
```

```
}
```



**Output:**





## Experiment no.6

Demonstrate the use of Bootstrap framework.

Sol:

```
<!doctype html>
<html lang="en">

<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
beta3/dist/css/bootstrap.min.css" rel="stylesheet"
      integrity="sha384-
eOJMYsd53ii+sc0/bJGFsiCZc+5NDVN2yr8+0RDqr0Ql0h+rpP48ckx1pbzKgwa6" crossorigin="ano
nymous">

  <title>CodeOnHunt</title>
</head>

<body>
  <nav class="navbar navbar-expand-lg navbar-dark bg-dark">
    <div class="container-fluid">
      <a class="navbar-brand" href="#">CodeOnHunt</a>
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse">
```

```

data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-
expanded="false"
    aria-label="Toggle navigation">
    <span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarSupportedContent">
    <ul class="navbar-nav me-auto mb-2 mb-lg-0">
        <li class="nav-item">
            <a class="nav-link active" aria-current="page" href="#">Home</a>
        </li>
        <li class="nav-item">
            <a class="nav-link" href="https://github.com/Mr-
codehunter">About Us</a>
        </li>
        <li class="nav-item dropdown">
            <a class="nav-link dropdown-
toggle" href="#" id="navbarDropdown" role="button"
            data-bs-toggle="dropdown" aria-expanded="false">
                Option
            </a>
            <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
                <li><a class="dropdown-item" href="#">Contact Us</a></li>
                <li><a class="dropdown-item" href="#">Services</a></li>
                <li>
                    <hr class="dropdown-divider">
                </li>
                <li><a class="dropdown-
item" href="#">Something else here</a></li>
            </ul>
        </li>
    </ul>
    <form class="d-flex">
        <input class="form-control me-
2" type="search" placeholder="Search" aria-label="Search">
        <button class="btn btn-outline-success" type="submit">Search</button>
    </form>
</div>
</nav><br>
<div class="container">
    <div id="carouselExampleCaptions" class="carousel slide carousel-fade" data-bs-
ride="carousel">
        <div class="carousel-indicators">
            <button type="button" data-bs-target="#carouselExampleCaptions" data-bs-
slide-to="0" class="active">
                aria-current="true" aria-label="Slide 1"></button>
            <button type="button" data-bs-target="#carouselExampleCaptions" data-bs-
slide-to="1">
                aria-label="Slide 2"></button>
            <button type="button" data-bs-target="#carouselExampleCaptions" data-bs-
slide-to="2">
                aria-label="Slide 3"></button>
        </div>
        <div class="carousel-inner">
            <div class="carousel-item active">

```

```


    <div class="carousel-caption d-none d-md-block">
        <h2>welcome to CodeOnHunt</h2>
        <p>learn Ethical Hacking</p>
        <button class="btn btn-primary">Machine Learning</button>
        <button class="btn btn-danger">Cyber Security</button>
        <button class="btn btn-success">Artificial Intilligence</button>
    </div>
</div>
<div class="carousel-item">
    
    <div class="carousel-caption d-none d-md-block">
        <h2>welcome to CodeOnHunt</h2>
        <p>learn Ethical Hacking</p>
        <button class="btn btn-primary">Machine Learning</button>
        <button class="btn btn-danger">Cyber Security</button>
        <button class="btn btn-success">Artificial Intilligence</button>
    </div>
</div>
<div class="carousel-item">
    
    <div class="carousel-caption d-none d-md-block">
        <h2>welcome to CodeOnHunt</h2>
        <p>learn Ethical Hacking</p>
        <button class="btn btn-primary">Machine Learning</button>
        <button class="btn btn-danger">Cyber Security</button>
        <button class="btn btn-success">Artificial Intilligence</button>
    </div>
</div>
<button class="carousel-control-prev" type="button" data-bs-
target="#carouselExampleCaptions"
data-bs-slide="prev">
    <span class="carousel-control-prev-icon" aria-hidden="true"></span>
    <span class="visually-hidden">Previous</span>
</button>
<button class="carousel-control-next" type="button" data-bs-
target="#carouselExampleCaptions"
data-bs-slide="next">
    <span class="carousel-control-next-icon" aria-hidden="true"></span>
    <span class="visually-hidden">Next</span>
</button>
</div>
</div><br>
<div class="container marketing">
    <div class="row">
<div class="col-lg-4">
        <svg class="bd-placeholder-img rounded-circle" width="140" height="140"
xmlns="http://www.w3.org/2000/svg" role="img" aria-
label="Placeholder: 140x140"
preserveAspectRatio="xMidYMid slice" focusable="false">
            <title>Placeholder</title>
            <rect width="100%" height="100%" fill="#777" /><text x="50%" y="50%" f
ill="#777"
dy=".3em">140x140</text>
        </svg>

```

```

<h2>Technology</h2>
    <p>Some representative placeholder content for the three columns of text
    below the carousel. This is the
        first column.</p>
    <p><a class="btn btn-
secondary" href="https://en.wikipedia.org/wiki/Technology">View details &raquo;</a>
    </p>
</div>
<div class="col-lg-4">
    <svg class="bd-placeholder-img rounded-circle" width="140" height="140"
    xmlns="http://www.w3.org/2000/svg" role="img" aria-
label="Placeholder: 140x140"
    preserveAspectRatio="xMidYMid slice" focusable="false">
    <title>Placeholder</title>
    <rect width="100%" height="100%" fill="#777" /><text x="50%" y="50%"
fill="#777"
    dy=".3em">140x140</text>
    </svg>

    <h2>Cyber Security</h2>
    <p>Another exciting bit of representative placeholder content. This time
    , we've moved on to the second
        column.</p>
    <p><a class="btn btn-secondary"
    href="https://www.sgs.com/en/campaigns/sgs-cybersecurity-
solutions-
ldp?wt_mc_id=gDNICorp06004c&utm_source=Google&utm_medium=PPC_Search_Text_Ads&utm_campaig
n=Cyber_Security_Services_BA_Global_GSN_VR2&gclid=EAIaIQobChMI2Z7r6umj8AIVV0NgCh37JwrnEA
AYAyAAEgIAqfD_BwE">View
    details &raquo;</a></p>
</div>
<div class="col-lg-4">
    <svg class="bd-placeholder-img rounded-circle" width="140" height="140"
    xmlns="http://www.w3.org/2000/svg" role="img" aria-
label="Placeholder: 140x140"
    preserveAspectRatio="xMidYMid slice" focusable="false">
    <title>Placeholder</title>
    <rect width="100%" height="100%" fill="#777" /><text x="50%" y="50%"
fill="#777"
    dy=".3em">140x140</text>
    </svg>


    <h2>Artificial Intilligence</h2>
    <p>And lastly this, the third column of representative placeholder conte
nt.</p>
    <p><a class="btn btn-secondary"
    href="https://www.investopedia.com/terms/a/artificial-
intelligence-
ai.asp#:~:text=Artificial%20intelligence%20(AI)%20refers%20to,as%20learning%20and%20prob
lem%2Dsolving.">View
    details &raquo;</a></p>
</div>
</div>
</div>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
beta3/dist/js/bootstrap.bundle.min.js"

```

```
integrity="sha384-JEW9xMcG8R+pH31jmWH6WWP0WintQrMb4s7ZOdauHnUtxwoG2vI5DkLTS3qm9Ekf"
crossorigin="anonymous"></script>
```

```
</body>
</html>
```

## Output:



## Experiment no.7

Creating a web page using PHP.

### Sol:

```
<!doctype html>
<html lang="en">

<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
beta3/dist/css/bootstrap.min.css" rel="stylesheet"
```

```
integrity="sha384-
e0JMYsd53ii+sc0/bJGFsiCZc+5NDVN2yr8+0RDqr0Ql0h+rP48ckxlpbzKgwra6" crossorigin="anonymous">
<title><?php echo "PHP|WEBPAGE"; ?></title>
</head>

<body>
  <nav class="navbar navbar-expand-lg navbar-blue bg-dark">
    <div class="container-fluid">
      <h6><span class="badge bg-success">New</span></h6>
      <a class="navbar-brand" href="#"><?php echo "Mr-Code"; ?></a>
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarNavDropdown" aria-controls="navbarNavDropdown" aria-expanded="false" aria-
label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse" id="navbarNavDropdown">
        <ul class="navbar-nav">
          <li class="nav-item">
            <a class="nav-link active" aria-current="page" href="#">Home</a>
          </li>
          <li class="nav-item">
            <a class="nav-link" href="#">Features</a>
          </li>
          <li class="nav-item">
            <a class="nav-link" href="#">Pricing</a>
          </li>
          <li class="nav-item dropdown">
            <a class="nav-link dropdown-
toggle" href="#" id="navbarDropdownMenuLink" role="button" data-bs-toggle="dropdown" aria-
expanded="false">
              <?php echo "Dropdown link"; ?>
            </a>
            <ul class="dropdown-menu" aria-labelledby="navbarDropdownMenuLink">
              <li><a class="dropdown-item" href="#">Action</a></li>
              <li><a class="dropdown-item" href="#">Another action</a></li>
              <li><a class="dropdown-item" href="#">Something else here</a></li>
            </ul>
          </li>
        </ul>
      </div>
    </div>
  </nav>

  <br><br>

<div class="alert alert-warning alert-dismissible fade show" role="alert">
  <strong>Holy guacamole!</strong> You should check in on some of those fields below.
  <button type="button" class="btn-close" data-bs-dismiss="alert" aria-
label="Close"></button>
</div>
<div class="container">
```




```

<div id="carouselExampleSlidesOnly" class="carousel slide" data-bs-ride="carousel">
  <div class="carousel-inner">
    <div class="carousel-item active">
      
    </div>
  </div>
</div>
</div><br>
<hr>
<div class="card" style="width: 96rem;">
  <div class="card-body" align="center">
    <h5 class="card-title">Card title</h5>
    <p class="card-
text">Some quick example text to build on the card title and make up the bulk of the car
d's content.</p>
    <a href="#" class="btn btn-primary">Go somewhere</a>
  </div>
</div>
</body>
</html>

```

## Output:



Have a nice day.....!!!