Cucumber Report

| Start : May 23, 12:33:29.516 PM	End : May 23, 12:41:22.348 PM	Duration : 7 m 52.832 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 7 FAILED - 4 SKIPPED - 0	PASSED - 23 FAILED - 4 SKIPPED - 2

Features: 2

Scenarios: 11

Steps: 29

Pass %: 0 %

Pass %: 63 %

Pass %: 79 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login to HRM Application	5 m 11.314 s	8	5	3	0	22	19	3	0
HRM Application Login Inof	2 m 41.223 s	3	2	1	0	7	4	1	2

#	Feature Name	Scenario Name
1	*Login to HRM Application*	*Login with invalid credentials*
2		*Login with invalid credentials*
3		*Verify FaceBook Icon on Login Page*
4	*HRM Application Login Inof*	*User is Logged In*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@RegressionTest	8	5	3	0	1	0	1	0
@ValidCredentials	1	1	0	0	1	0	1	0
@InvalidCredentials	5	3	2	0	1	0	1	0
@FaceBookLink	1	0	1	0	1	0	1	0
@LinkedInLink	1	1	0	0	1	0	1	0
@SmokeTest	3	2	1	0	1	0	1	0
@TwitterLink	1	1	0	0	1	0	1	0
@YoutubeLink	1	1	0	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Login to HRM Application	8	5	3	0	5 m 11.314 s
2	HRM Application Login Inof	3	2	1	0	2 m 41.223 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login to HRM Application	Login with valid credentials	3	3	0	0	55.226 s
2		Login with invalid credentials	3	3	0	0	24.967 s
3		Login with invalid credentials	3	3	0	0	26.338 s
4		Login with invalid credentials	3	3	0	0	24.685 s
5		Login with invalid credentials	3	2	1	0	1 m 4.626 s
6		Login with invalid credentials	3	2	1	0	43.510 s
7		Verify FaceBook Icon on Login Page	2	1	1	0	47.777 s
8		Verify LinkedIn Icon on Login Page	2	2	0	0	24.035 s
9	HRM Application Login Inof	User is Logged In	3	0	1	2	14.021 s
10		Verify Twitter Icon on Login Page	2	2	0	0	30.530 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
11	HRM Application Login Inof	Verify Youtube Icon on Login Page	2	2	0	0	1 m 56.645 s

Login to HRM Application

FAILED	DURATION - 5 m 11.314 s	Scenarios Total - 8 Pass - 5 Fail - 3 Skip - 0		Steps Total - 22 Pass - 19 Fail - 3 Skip - 0	
/ 12:33:29.516 PM // 12:38:40.830 PM /					

Login with valid credentials

PASSED	DURATION - 55.226 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:33:29.523 PM // 12:34:24.749 PM /				
Login to HRM Application				
@RegressionTest @ValidCredentials				

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	7.444 s
2	When User enters username as "Admin" and password as "admin123"	PASSED	9.275 s
3	Then User should be able to login sucessfully and new page open	PASSED	3.199 s

Login with invalid credentials

PASSED	DURATION - 24.967 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:34:24.816 PM // 12:34:49.783 PM /				
Login to HRM Application				
@InvalidCredentials @RegressionTest				

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	10.452 s
2	When User enters username as "" and password as "abc"	PASSED	1.227 s
3	Then User should be able to see error message "Required"	PASSED	0.153 s

Login with invalid credentials

PASSED	DURATION - 26.338 s		Steps
/ 12:34:49.794 PM // 12:35:16.132 PM /			Total - 3
			Pass - 3
Login to HRM Application			Fail - 0
			Skip - 0
@InvalidCredentials @RegressionTest			

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	11.865 s
2	When User enters username as "admin" and password as ""	PASSED	0.995 s
3	Then User should be able to see error message "Required"	PASSED	0.054 s

Login with invalid credentials

PASSED	DURATION - 24.685 s		Steps
/ 12:35:16.145 PM // 12:35:40.830 PM /			Total - 3
			Pass - 3
Login to HRM Application			Fail - 0
			Skip - 0
@InvalidCredentials @RegressionTest			

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	8.051 s
2	When User enters username as "" and password as ""	PASSED	0.881 s
3	Then User should be able to see error message "Required"	PASSED	0.045 s

Login with invalid credentials

FAILED	DURATION - 1 m 4.626 s
/ 12:35:40.839 PM // 12:36:45.465 PM /	
Login to HRM Application	
@InvalidCredentials @RegressionTest	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	22.250 s
2	When User enters username as "Admin" and password as "admin12$$"	PASSED	9.812 s
3	Then User should be able to see error message "Invalid credentials"	FAILED	22.158 s

org.openqa.selenium.NoSuchElementException: Unable to locate element: //span[@class='oxd-text oxd-text--span oxd-input-field-error-message oxd-input-group__message'] For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'HASSEN-HP', ip: '192.168.209.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [cb0d8ad6-3f19-4376-9b00-46762da58b3a, findElement {using=xpath, value=//span[@class='oxd-text oxd-text--span oxd-input-field-error-message oxd-input-group__message']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 113.0.1, moz:accessibilityChecks: false, moz:buildID: 20230511191846, moz:debuggerAddress: 127.0.0.1:62749, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 23900, moz:profile: C:\Users\HASSEN\AppData\Loc..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:62749/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: cb0d8ad6-3f19-4376-9b00-46762da58b3a

   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)
   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:387) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:379) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy29.getText(Unknown Source) at actions.LoginPageActions.getErrorMessage(LoginPageActions.java:43) at definitions.LoginPageDefinitions.verifyErrorMessage(LoginPageDefinitions.java:40) at ?.User should be able to see error message "Invalid credentials"(file:///C:/Users/HASSEN/eclipse-workspace/extentreports-cucumber-adapter/src/test/resources/features/LoginPage.feature:26) * Not displayable characters are replaced by '?'.		
	AFTER - definitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	2.747 s

Login with invalid credentials

FAILED	DURATION - 43.510 s		
/ 12:36:45.480 PM // 12:37:28.990 PM /			Steps Total - 3 Pass - 2 Fail - 1 Skip - 0
Login to HRM Application			
@InvalidCredentials @RegressionTest			

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	11.645 s
2	When User enters username as "admin$$" and password as "admin123"	PASSED	1.995 s
3	Then User should be able to see error message "Invalid credentials"	FAILED	20.020 s
	org.openqa.selenium.NoSuchElementException: Unable to locate element: //span[@class='oxd-text oxd-text--span oxd-input-field-error-message oxd-input-group__message'] For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'HASSEN-HP', ip: '192.168.209.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [d89d26b4-b6ce-435f-a3e6-8ec2f078583e, findElement {using=xpath, value=//span[@class='oxd-text oxd-text--span oxd-input-field-error-message oxd-input-group__message']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 113.0.1, moz:accessibilityChecks: false, moz:buildID: 20230511191846, moz:debuggerAddress: 127.0.0.1:53991, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 34412, moz:profile: C:\Users\HASSEN\AppData\Loc..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:53991/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: d89d26b4-b6ce-435f-a3e6-8ec2f078583e		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:387) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:379) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy29.getText(Unknown Source) at actions.LoginPageActions.getErrorMessage(LoginPageActions.java:43) at definitions.LoginPageDefinitions.verifyErrorMessage(LoginPageDefinitions.java:40) at ?.User should be able to see error message "Invalid credentials"(file:///C:/Users/HASSEN/eclipse-workspace/extentreports-cucumber-adapter/src/test/resources/features/LoginPage.feature:26) * Not displayable characters are replaced by '?'.		
	AFTER - definitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	2.796 s

Verify FaceBook Icon on Login Page

FAILED	DURATION - 47.777 s
/ 12:37:29.002 PM // 12:38:16.779 PM /	
Login to HRM Application	
@RegressionTest @FaceBookLink	

Steps
Total - 2
Pass - 1
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	15.500 s

| #	Step / Hook Details	Status	Duration
2	Then User should be able to see FaceBook Icon	FAILED	20.411 s
	org.openqa.selenium.NoSuchElementException: Unable to locate element: //*[@id='social-icons']/a[6]/img For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'HASSEN-HP', ip: '192.168.209.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [d9b43a7c-3dba-400a-9592-19902d563e41, findElement {using=xpath, value=//*[@id='social-icons']/a[6]/img}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 113.0.1, moz:accessibilityChecks: false, moz:buildID: 20230511191846, moz:debuggerAddress: 127.0.0.1:49262, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 10312, moz:profile: C:\Users\HASSEN\AppData\Loc..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:49262/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: d9b43a7c-3dba-400a-9592-19902d563e41 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:387) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:379) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy29.isDisplayed(Unknown Source) at actions.LoginPageActions.getFaceBookIcon(LoginPageActions.java:59) at definitions.LoginPageDefinitions.verifyFaceBookIcon(LoginPageDefinitions.java:50) at ?.User should be able to see FaceBook Icon(file:///C:/Users/HASSEN/eclipse-workspace/extentreports-cucumber-adapter/src/test/resources/features/LoginPage.feature:40) * Not displayable characters are replaced by '?'.		
	AFTER - definitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	3.613 s

Verify LinkedIn Icon on Login Page

PASSED	DURATION - 24.035 s		Steps	

/ 12:38:16.795 PM // 12:38:40.830 PM /

Total - 2
Pass - 2
Fail - 0
Skip - 0

Login to HRM Application

@RegressionTest @LinkedInLink

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	10.185 s
2	Then User should be able to see LinkedIn Icon	PASSED	0.666 s

HRM Application Login Inof

FAILED	DURATION - 2 m 41.223 s	Scenarios		Steps	

/ 12:38:41.125 PM // 12:41:22.348 PM /

Scenarios
Total - 3
Pass - 2
Fail - 1
Skip - 0

Steps
Total - 7
Pass - 4
Fail - 1
Skip - 2

User is Logged In

FAILED	DURATION - 14.021 s		Steps	

/ 12:38:41.125 PM // 12:38:55.146 PM /

HRM Application Login Inof

@SmokeTest

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

| #	Step / Hook Details	Status	Duration
1	Given User is on the HRMLogin page "https://opensource-demo.orangehrmlive.com/"	FAILED	0.000 s
	Step undefined		
2	When user gets the title of the page	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then page title should be "OrangeHRM"	SKIPPED	0.000 s

Verify Twitter Icon on Login Page

PASSED	DURATION - 30.530 s
/ 12:38:55.162 PM // 12:39:25.692 PM /	
HRM Application Login Inof	
@TwitterLink @SmokeTest	

Steps
Total - 2
Pass - 2
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	9.816 s
2	Then User should be able to see Twitter Icon	PASSED	0.982 s

Verify Youtube Icon on Login Page

PASSED	DURATION - 1 m 56.645 s
/ 12:39:25.703 PM // 12:41:22.348 PM /	
HRM Application Login Inof	
@SmokeTest @YoutubeLink	

Steps
Total - 2
Pass - 2
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	18.601 s
2	Then User should be able to see Youtube Icon	PASSED	0.843 s