Cucumber Report

| Start : May 22, 6:58:16.310 PM	End : May 22, 7:03:49.314 PM	Duration : 5 m 33.004 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 5 FAILED - 3 SKIPPED - 0	PASSED - 19 FAILED - 3 SKIPPED - 0

Features: 1

Scenarios: 8

Steps: 22

Pass %: 0 %

Pass %: 62 %

Pass %: 86 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login to HRM Application	5 m 33.004 s	8	5	3	0	22	19	3	0

#	Feature Name	Scenario Name
1	*Login to HRM Application*	*Login with invalid credentials*
2		*Login with invalid credentials*
3		*Verify FaceBook Icon on Login Page*

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@ValidCredentials	1	1	0	0	1	0	1	0
@InvalidCredentials	5	3	2	0	1	0	1	0
@FaceBookLink	1	0	1	0	1	0	1	0
@LinkedInLink	1	1	0	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Login to HRM Application	8	5	3	0	5 m 33.004 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login to HRM Application	Login with valid credentials	3	3	0	0	41.286 s
2		Login with invalid credentials	3	3	0	0	35.936 s
3		Login with invalid credentials	3	3	0	0	37.213 s
4		Login with invalid credentials	3	3	0	0	31.537 s
5		Login with invalid credentials	3	2	1	0	49.661 s
6		Login with invalid credentials	3	2	1	0	58.260 s
7		Verify FaceBook Icon on Login Page	2	1	1	0	52.482 s
8		Verify LinkedIn Icon on Login Page	2	2	0	0	26.532 s

Login to HRM Application

FAILED	DURATION - 5 m 33.004 s	Scenarios		Steps	
	/ 6:58:16.310 PM // 7:03:49.314 PM /	Total - 8 Pass - 5 Fail - 3 Skip - 0	8	Total - 22 Pass - 19 Fail - 3 Skip - 0	22

Login with valid credentials

PASSED	DURATION - 41.286 s		Steps	
/ 6:58:16.315 PM // 6:58:57.601 PM / Login to HRM Application @ValidCredentials			Total - 3 Pass - 3 Fail - 0 Skip - 0	3

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	14.527 s
2	When User enters username as "Admin" and password as "admin123"	PASSED	8.587 s
3	Then User should be able to login sucessfully and new page open	PASSED	0.038 s

Login with invalid credentials

PASSED	DURATION - 35.936 s		Steps	
/ 6:58:57.622 PM // 6:59:33.558 PM / Login to HRM Application @InvalidCredentials			Total - 3 Pass - 3 Fail - 0 Skip - 0	3

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	19.566 s
2	When User enters username as "" and password as "abc"	PASSED	0.935 s
3	Then User should be able to see error message "Required"	PASSED	0.045 s

Login with invalid credentials

PASSED	DURATION - 37.213 s		
/ 6:59:33.569 PM // 7:00:10.782 PM /			
Login to HRM Application			
@InvalidCredentials			

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	20.527 s
2	When User enters username as "admin" and password as ""	PASSED	1.592 s
3	Then User should be able to see error message "Required"	PASSED	0.036 s

Login with invalid credentials

PASSED	DURATION - 31.537 s		
/ 7:00:10.792 PM // 7:00:42.329 PM /			
Login to HRM Application			
@InvalidCredentials			

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	16.936 s
2	When User enters username as "" and password as ""	PASSED	0.893 s
3	Then User should be able to see error message "Required"	PASSED	0.042 s

Login with invalid credentials

FAILED	DURATION - 49.661 s
/ 7:00:42.340 PM // 7:01:32.001 PM /	
Login to HRM Application	
@InvalidCredentials	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	12.383 s
2	When User enters username as "Admin" and password as "admin12$$"	PASSED	3.675 s
3	Then User should be able to see error message "Invalid credentials"	FAILED	20.035 s

org.openqa.selenium.NoSuchElementException: Unable to locate element: //span[@class='oxd-text oxd-text--span oxd-input-field-error-message oxd-input-group__message'] For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'HASSEN-HP', ip: '192.168.209.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [bb8005c5-4752-4799-b016-2db91a3d1cc7, findElement {using=xpath, value=//span[@class='oxd-text oxd-text--span oxd-input-field-error-message oxd-input-group__message']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 113.0.1, moz:accessibilityChecks: false, moz:buildID: 20230511191846, moz:debuggerAddress: 127.0.0.1:49413, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 40688, moz:profile: C:\Users\HASSEN\AppData\Loc..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:49413/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: bb8005c5-4752-4799-b016-2db91a3d1cc7

  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)
  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:387) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:379) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy29.getText(Unknown Source) at actions.LoginPageActions.getErrorMessage(LoginPageActions.java:38) at definitions.LoginPageDefinitions.verifyErrorMessage(LoginPageDefinitions.java:39) at ?.User should be able to see error message "Invalid credentials"(file:///C:/Users/HASSEN/eclipse-workspace/extentreports-cucumber-adapter/src/test/resources/features/LoginPage.feature:25) * Not displayable characters are replaced by '?'.		
	AFTER - definitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	3.648 s

Login with invalid credentials

FAILED	DURATION - 58.260 s
/ 7:01:32.015 PM // 7:02:30.275 PM /	
Login to HRM Application	
@InvalidCredentials	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	21.004 s
2	When User enters username as "admin$$" and password as "admin123"	PASSED	5.414 s
3	Then User should be able to see error message "Invalid credentials"	FAILED	20.024 s
	org.openqa.selenium.NoSuchElementException: Unable to locate element: //span[@class='oxd-text oxd-text--span oxd-input-field-error-message oxd-input-group__message'] For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'HASSEN-HP', ip: '192.168.209.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [5f04a9c4-c3b4-4cde-b46f-6a133749a930, findElement {using=xpath, value=//span[@class='oxd-text oxd-text--span oxd-input-field-error-message oxd-input-group__message']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 113.0.1, moz:accessibilityChecks: false, moz:buildID: 20230511191846, moz:debuggerAddress: 127.0.0.1:53066, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 24012, moz:profile: C:\Users\HASSEN\AppData\Loc..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:53066/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 5f04a9c4-c3b4-4cde-b46f-6a133749a930		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:387)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:379)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.$Proxy29.getText(Unknown Source)		
	at actions.LoginPageActions.getErrorMessage(LoginPageActions.java:38)		
	at definitions.LoginPageDefinitions.verifyErrorMessage(LoginPageDefinitions.java:39)		
	at ?.User should be able to see error message "Invalid credentials"(file:///C:/Users/HASSEN/eclipse-workspace/extentreports-cucumber-adapter/src/test/resources/features/LoginPage.feature:25)		
	* Not displayable characters are replaced by '?'.		
	AFTER - definitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	3.078 s

Verify FaceBook Icon on Login Page

FAILED	DURATION - 52.482 s
/ 7:02:30.290 PM // 7:03:22.772 PM /	
Login to HRM Application	
@FaceBookLink	

Steps
Total - 2
Pass - 1
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	21.130 s

#	Step / Hook Details	Status	Duration
2	Then User should be able to see FaceBook Icon	FAILED	20.034 s

	org.openqa.selenium.NoSuchElementException: Unable to locate element: //*[@id='social-icons']/a[6]/img For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'HASSEN-HP', ip: '192.168.209.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [42af21cc-9718-4870-a585-a68ed3d15a8e, findElement {using=xpath, value=//*[@id='social-icons']/a[6]/img}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 113.0.1, moz:accessibilityChecks: false, moz:buildID: 20230511191846, moz:debuggerAddress: 127.0.0.1:57921, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 29596, moz:profile: C:\Users\HASSEN\AppData\Loc..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:57921/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 42af21cc-9718-4870-a585-a68ed3d15a8e
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:387)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:379)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at jdk.proxy2/jdk.proxy2.$Proxy29.isDisplayed(Unknown Source)
	  at actions.LoginPageActions.getFaceBookIcon(LoginPageActions.java:54)
	  at definitions.LoginPageDefinitions.verifyFaceBookIcon(LoginPageDefinitions.java:49)
	  at ?.User should be able to see FaceBook Icon(file:///C:/Users/HASSEN/eclipse-workspace/extentreports-cucumber-adapter/src/test/resources/features/LoginPage.feature:39)
	* Not displayable characters are replaced by '?'.		

	AFTER - definitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	3.388 s

Verify LinkedIn Icon on Login Page

PASSED	DURATION - 26.532 s
/ 7:03:22.782 PM // 7:03:49.314 PM /	
Login to HRM Application	
@LinkedInLink	

Steps
Total - 2
Pass - 2
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	14.196 s
2	Then User should be able to see LinkedIn Icon	PASSED	0.528 s