

Cucumber Report

May 22, 2023, 3:33:42 PM

Start : May 22, 3:28:39.720 PM

End : May 22, 3:33:33.056 PM

Duration : 4 m 53.336 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 1
FAILED - 7
SKIPPED - 0

PASSED - 15
FAILED - 7
SKIPPED - 0




| Feature | | Scenario | | | | Step | | | |
|---------------------------------|--------------|----------|---|---|---|------|----|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>Login to HRM Application</u> | 4 m 53.336 s | 8 | 1 | 7 | 0 | 22 | 15 | 7 | 0 |

| Tag | Scenario | | | | Feature | | | |
|---------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Name | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> |
| @ValidCredentials | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @InvalidCredentials | 5 | 0 | 5 | 0 | 1 | 0 | 1 | 0 |
| @FaceBookLink | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @LinkedInLink | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |





| # | Feature Name | T | P | F | S | Duration |
|---|--------------------------|---|---|---|---|--------------|
| 1 | Login to HRM Application | 8 | 1 | 7 | 0 | 4 m 53.336 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---------------------------------|---|---|---|---|---|--------------|
| 1 | <u>Login to HRM Application</u> | <u>Login with valid credentials</u> | 3 | 3 | 0 | 0 | 1 m 13.411 s |
| 2 | <u>Login to HRM Application</u> | <u>Login with empty credentials</u> | 3 | 2 | 1 | 0 | 35.906 s |
| 3 | <u>Login to HRM Application</u> | <u>Login with empty credentials</u> | 3 | 2 | 1 | 0 | 26.221 s |
| 4 | <u>Login to HRM Application</u> | <u>Login with empty credentials</u> | 3 | 2 | 1 | 0 | 17.430 s |
| 5 | <u>Login to HRM Application</u> | <u>Login with empty credentials</u> | 3 | 2 | 1 | 0 | 24.288 s |
| 6 | <u>Login to HRM Application</u> | <u>Login with empty credentials</u> | 3 | 2 | 1 | 0 | 25.329 s |
| 7 | <u>Login to HRM Application</u> | <u>Verify FaceBook Icon on Login Page</u> | 2 | 1 | 1 | 0 | 49.637 s |
| 8 | <u>Login to HRM Application</u> | <u>Verify LinkedIn Icon on Login Page</u> | 2 | 1 | 1 | 0 | 41.003 s |

Login to HRM Application



| | | | | | |
|--------------------------------------|-------------------------|--|---|--|---|
| FAILED | DURATION - 4 m 53.336 s | Scenarios Total - 8 Pass - 1 Fail - 7 Skip - 0 |  | Steps Total - 22 Pass - 15 Fail - 7 Skip - 0 |  |
| / 3:28:39.720 PM // 3:33:33.056 PM / | | | | | |
| | | | | | |

Login with valid credentials

| | | | | |
|--------------------------------------|-------------------------|--|--|---|
| PASSED | DURATION - 1 m 13.411 s |  | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 |  |
| / 3:28:39.733 PM // 3:29:53.144 PM / | | | | |
| Login to HRM Application | | | | |
| @ValidCredentials | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User is on HRMLLogin page "https://opensource-demo.orangehrmlive.com/" | PASSED | 12.258 s |
| 2 | When User enters username as "Admin" and password as "admin123" | PASSED | 5.835 s |
| 3 | Then User should be able to login sucessfully and new page open | PASSED | 1.101 s |



Login with empty credentials

| | | | | |
|--------------------------------------|---------------------|--|--|---|
| FAILED | DURATION - 35.906 s |  | Steps Total - 3 Pass - 2 Fail - 1 Skip - 0 |  |
| / 3:29:53.190 PM // 3:30:29.096 PM / | | | | |
| Login to HRM Application | | | | |
| @InvalidCredentials | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/" | PASSED | 15.273 s |
| 2 | When User enters username as "" and password as "abc" | PASSED | 1.223 s |
| 3 | <p>Then User should be able to see error message "Required"</p> <p>io.cucumber.core.exception.CucumberException: Step [User should be able to see error message {string}] is defined with 2 parameters at 'definitions.LoginPageDefinitions.verifyErrorMessage(java.lang.String,java.lang.String)'. However, the gherkin step has 1 arguments: *</p> <p>"Required" Step text: User should be able to see error message "Required"</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)</p> <p>at io.cucumber.core.runner.TestStep.run(TestStep.java:64)</p> <p>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)</p> <p>at io.cucumber.core.runner.TestCase.run(TestCase.java:104)</p> <p>at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:134)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:131)</p> <p>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)</p> <p>at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)</p> <p>at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)</p> <p>at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)</p> <p>at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)</p> <p>at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)</p> <p>at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)</p> <p>at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)</p> <p>at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)</p> <p>at org.testng.TestRunner.privateRun(TestRunner.java:794)</p> <p>at org.testng.TestRunner.run(TestRunner.java:596)</p> <p>at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)</p> <p>at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)</p> <p>at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)</p> <p>at org.testng.SuiteRunner.run(SuiteRunner.java:276)</p> <p>at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)</p> <p>at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)</p> <p>at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)</p> | FAILED | 0.008 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> | | |



Login with empty credentials

| | | | | | | |
|--------------------------------------|--|---------------------|--|--|---|---|
| FAILED | | DURATION - 26.221 s | |  | <div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div> |  |
| / 3:30:29.109 PM // 3:30:55.330 PM / | | | | | | |
| Login to HRM Application | | | | | | |
| @InvalidCredentials | | | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User is on HRMLLogin page "https://opensource-demo.orangehrmlive.com/" | PASSED | 13.351 s |
| 2 | When User enters username as "admin" and password as "" | PASSED | 1.061 s |
| 3 | Then User should be able to see error message "Required" <pre> io.cucumber.core.exception.CucumberException: Step [User should be able to see error message {string}] is defined with 2 parameters at 'definitions.LoginPageDefinitions.verifyErrorMessage(java.lang.String,java.lang.String)'. However, the gherkin step has 1 arguments: * "Required" Step text: User should be able to see error message "Required" at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:134) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:131) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) </pre> | FAILED | 0.002 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> | | |



Login with empty credentials

| | | | | | | | |
|--------------------------------------|--|----------------------------|--|--|---|---|--|
| FAILED | | DURATION - 17.430 s | |  | Steps Total - 3 Pass - 2 Fail - 1 Skip - 0 |  | |
| / 3:30:55.340 PM // 3:31:12.770 PM / | | | | | | | |
| Login to HRM Application | | | | | | | |
| @InvalidCredentials | | | | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User is on HRMLLogin page "https://opensource-demo.orangehrmlive.com/" | PASSED | 5.908 s |
| 2 | When User enters username as "" and password as "" | PASSED | 0.800 s |
| 3 | Then User should be able to see error message "Required" | FAILED | 0.001 s |
| | <p>io.cucumber.core.exception.CucumberException: Step [User should be able to see error message {string}] is defined with 2 parameters at 'definitions.LoginPageDefinitions.verifyErrorMessage(java.lang.String,java.lang.String)'. However, the gherkin step has 1 arguments: *</p> <p>"Required" Step text: User should be able to see error message "Required"</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)</p> <p>at io.cucumber.core.runner.TestStep.run(TestStep.java:64)</p> <p>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)</p> <p>at io.cucumber.core.runner.TestCase.run(TestCase.java:104)</p> <p>at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:134)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:131)</p> <p>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)</p> <p>at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)</p> <p>at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)</p> <p>at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)</p> <p>at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)</p> <p>at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)</p> <p>at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)</p> <p>at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)</p> <p>at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)</p> <p>at org.testng.TestRunner.privateRun(TestRunner.java:794)</p> <p>at org.testng.TestRunner.run(TestRunner.java:596)</p> <p>at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)</p> <p>at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)</p> <p>at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)</p> <p>at org.testng.SuiteRunner.run(SuiteRunner.java:276)</p> <p>at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)</p> <p>at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)</p> <p>at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)</p> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> | | |



Login with empty credentials

| | | | | |
|--|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 24.288 s</div> | | <div></div> | <div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 3:31:12.777 PM // 3:31:37.065 PM /</div> | | | | |
| <div>Login to HRM Application</div> | | | | |
| <div>@InvalidCredentials</div> | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User is on HRMLLogin page "https://opensource-demo.orangehrmlive.com/" | PASSED | 8.672 s |
| 2 | When User enters username as "Admin" and password as "admin12\$\$" | PASSED | 2.515 s |
| 3 | Then User should be able to see error message "Invalid credentials" <pre> io.cucumber.core.exception.CucumberException: Step [User should be able to see error message {string}] is defined with 2 parameters at 'definitions.LoginPageDefinitions.verifyErrorMessage(java.lang.String,java.lang.String)'. However, the gherkin step has 1 arguments: * "Invalid credentials" Step text: User should be able to see error message "Invalid credentials" at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:134) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:131) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) </pre> | FAILED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) | | |



Login with empty credentials

| | | | | | | | |
|--------------------------------------|--|---------------------|--|--|---|---|--|
| FAILED | | DURATION - 25.329 s | |  | Steps Total - 3 Pass - 2 Fail - 1 Skip - 0 |  | |
| / 3:31:37.071 PM // 3:32:02.400 PM / | | | | | | | |
| Login to HRM Application | | | | | | | |
| @InvalidCredentials | | | | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User is on HRMLLogin page "https://opensource-demo.orangehrmlive.com/" | PASSED | 8.453 s |
| 2 | When User enters username as "admin\$\$" and password as "admin123" | PASSED | 2.254 s |
| 3 | <p>Then User should be able to see error message "Invalid credentials"</p> <p>io.cucumber.core.exception.CucumberException: Step [User should be able to see error message {string}] is defined with 2 parameters at 'definitions.LoginPageDefinitions.verifyErrorMessage(java.lang.String,java.lang.String)'. However, the gherkin step has 1 arguments: * "Invalid credentials" Step text: User should be able to see error message "Invalid credentials"</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:134) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:131) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)</p> | FAILED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> | | |



Verify FaceBook Icon on Login Page

| | | | | |
|--------------------------------------|----------------------------|--|---|---|
| FAILED | DURATION - 49.637 s |  | Steps Total - 2 Pass - 1 Fail - 1 Skip - 0 |  |
| / 3:32:02.407 PM // 3:32:52.044 PM / | | | | |
| Login to HRM Application | | | | |
| @FaceBookLink | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User is on HRMLLogin page "https://opensource-demo.orangehrmlive.com/" | PASSED | 9.432 s |
| 2 | Then User should be able to see FaceBook Icon <pre> org.openqa.selenium.NoSuchElementException: Unable to locate element: //*[@id='social-icons']/a[6]/img For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'HASSEN-HP', ip: '192.168.209.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [836975b0-18b4-4461-a27f-ee9057bce7d3, findElement {using=xpath, value=//*[@id='social-icons']/a[6]/img}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 113.0.1, moz:accessibilityChecks: false, moz:buildID: 20230511191846, moz:debuggerAddress: 127.0.0.1:62550, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 39320, moz:profile: C:\Users\HASSEN\AppData\Loc..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:62550/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 836975b0-18b4-4461-a27f-ee9057bce7d3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) </pre> | FAILED | 20.049 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:387) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:379) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.isDisplayed(Unknown Source) at actions.LoginPageActions.getFaceBookIcon(LoginPageActions.java:54) at definitions.LoginPageDefinitions.verifyFaceBookIcon(LoginPageDefinitions.java:50) at ?.User should be able to see FaceBook Icon(file:///C:/Users/HASSEN/eclipse-workspace/extentreports-cucumber-adapter/src/test/resources/features/LoginPage.feature:39) * Not displayable characters are replaced by '?'. </pre> | | |

Verify LinkedIn Icon on Login Page

| | | | | |
|--|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 41.003 s</div> | | <div></div> | <div>Steps</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 3:32:52.053 PM // 3:33:33.056 PM /</div> | | | | |
| <div>Login to HRM Application</div> | | | | |
| <div>@LinkedInLink</div> | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/" | PASSED | 6.954 s |
| 2 | Then User should be able to see LinkedIn Icon <pre> org.openqa.selenium.NoSuchElementException: Unable to locate element: //*[@id='social-icons']/a[1]/img For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'HASSEN-HP', ip: '192.168.209.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [d5c3bfe2-df42-478d-8ff5-5b545e353c60, findElement {using=xpath, value=//*[@id='social-icons']/a[1]/img}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 113.0.1, moz:accessibilityChecks: false, moz:buildID: 20230511191846, moz:debuggerAddress: 127.0.0.1:62099, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 29200, moz:profile: C:\Users\HASSEN\AppData\Loc..., moz:shutdownTimeout: 60000, </pre> | FAILED | 20.036 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <p>moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:62099/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: d5c3bfe2-df42-478d-8ff5-5b545e353c60</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:387) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:379) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.isDisplayed(Unknown Source) at actions.LoginPageActions.getLinkedInIcon(LoginPageActions.java:49) at definitions.LoginPageDefinitions.verifyLinkedInIcon(LoginPageDefinitions.java:45) at ?.User should be able to see LinkedIn Icon(file:///C:/Users/HASSEN/eclipse-workspace/extentreports-cucumber-adapter/src/test/resources/features/LoginPage.feature:45)</p> <p>* Not displayable characters are replaced by '?'. </p> | | |