


Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Login to HRM Application	6 m 44.521 s	8	5	3	0	22	19	3	0	


Tag	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@ValidCredentials	1	1	0	0	1	0	1	0
@InvalidCredentials	5	3	2	0	1	0	1	0
@FaceBookLink	1	0	1	0	1	0	1	0
@LinkedInLink	1	1	0	0	1	0	1	0

FEATURES SUMMARY



#	Feature Name	T	P	F	S	Duration
1	Login to HRM Application	8	5	3	0	6 m 44.521 s

SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login to HRM Application	Login with valid credentials	3	3	0	0	2 m 20.940 s
2	Login to HRM Application	Login with invalid credentials	3	3	0	0	29.249 s
3	Login to HRM Application	Login with invalid credentials	3	3	0	0	24.655 s
4	Login to HRM Application	Login with invalid credentials	3	3	0	0	24.953 s
5	Login to HRM Application	Login with invalid credentials	3	2	1	0	46.806 s
6	Login to HRM Application	Login with invalid credentials	3	2	1	0	57.697 s
7	Login to HRM Application	Verify FaceBook Icon on Login Page	2	1	1	0	50.144 s
8	Login to HRM Application	Verify LinkedIn Icon on Login Page	2	2	0	0	29.876 s


Login to HRM Application

FAILED	DURATION - 6 m 44.521 s	Scenarios		Steps	
		Total - 8		Total - 22	
/ 4:01:30.857 PM // 4	4:08:15.378 PM /	Pass - 5	8	Pass - 19	22
		Fail - 3	o J	Fail - 3	
		Skip - 0		Skip - 0	

Login with valid credentials




#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	16.571 s
2	When User enters username as "Admin" and password as "admin123"	PASSED	7.106 s
3	Then User should be able to login sucessfully and new page open	PASSED	2.895 s




#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	6.496 s
2	When User enters username as "" and password as "abc"	PASSED	2.362 s
3	Then User should be able to see error message "Required"	PASSED	0.049 s

Login with invalid credentials




#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	5.746 s
2	When User enters username as "admin" and password as ""	PASSED	0.906 s
3	Then User should be able to see error message "Required"	PASSED	0.040 s




#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	8.057 s
2	When User enters username as "" and password as ""	PASSED	1.409 s
3	Then User should be able to see error message "Required"	PASSED	0.046 s

DETAILED SECTION -- 8 --



#	Step / Hook Details	Status	Duration
	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	7.173 s
2	When User enters username as "Admin" and password as "admin12\$\$"	PASSED	2.325 s
3	Then User should be able to see error message "Invalid credentials"	FAILED	20.066 s
	org.openqa.selenium.NoSuchElementException: Unable to locate element: //span[@class='oxd-text oxd-text-span oxd-input-field-error-message oxd-input-group_message] For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '43.0', revision: 'a4995e2c09*' System info: host: 'HASSEN-HP', ip: '192.168.209.1', os.name: 'Windows 10', os.arch: 'amd64', os. version: '17.0.6' Driver info: org.openqa.selenium.fiefox.FirefoxDriver Command: [65b/21a2-4508-457f-aa3d-b4af65694671, findElement (Jusing=xpath, value=//span[@class='oxd-text-span oxd-input-field-error-message oxd-input-group_message]]] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 113.0.1, moz:accessibilityChecks: false, moz:buildID: 20230511191846, moz:debuggerAddress: 127.0.0.1:65134, moz:geckodriverVersion: 0.33.0, moz:accessibilityChecks: false, moz:buildID: 20230511191846, moz:debuggerAddress: 127.0.0.1:65134, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz.processID: 38044, moz:peckodriverVersion: 0.33.0, moz:headless: false, moz:buildID: 20230511191846, moz:debuggerAddress: 127.0.0.1:65134, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:buildID: 2023051191846, moz:debuggerAddress: 127.0.0.1:65134/devtoo, se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify} Session ID: 65bf21a2-4508-457f-aa3d-b4af65694671 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.dec.w3c.W3CHttpResponseCodec.decode(W3CHttpRespons		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:387)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:379)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy27.getText(Unknown Source)		
	at actions.LoginPageActions.getErrorMessage(LoginPageActions.java:38)		
	at definitions.LoginPageDefinitions.verifyErrorMessage(LoginPageDefinitions.java:39)		
	at ?.User should be able to see error message "Invalid credentials"(file:///C:/Users/HASSEN/eclipse-workspace/extentreports-cucumber-		
	adapter/src/test/resources/features/LoginPage.feature:25)		
	* Not displayable characters are replaced by '?'.		




#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	11.869 s
2	When User enters username as "admin\$\$" and password as "admin123"	PASSED	1.813 s
3	Then User should be able to see error message "Invalid credentials"	FAILED	20.026 s
	org.openqa.selenium.NoSuchElementException: Unable to locate element: //span[@class='oxd-text oxd-textspan oxd-input-field-error-message oxd-input-groupmessage'] For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'HASSEN-HP', ip: '192.168.209.1', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3dd07ff4-7477-4aae-8f43-5c4dca2041a7, findElement {using=xpath, value=//span[@class='oxd-text oxd-textspan oxd-input-field-error-message oxd-input-groupmessage']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 113.0.1, moz:accessibilityChecks: false, moz:buildID: 20230511191846, moz:debuggerAddress: 127.0.0.1:56170, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 38908, moz:profile: C:\Users\HASSEN\AppData\Loc, moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:56170/devtoo, se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 3dd07ff4-7477-4aae-8f43-5c4dca2041a7 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:387)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:379)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy27.getText(Unknown Source)		
	at actions.LoginPageActions.getErrorMessage(LoginPageActions.java:38)		
	at definitions.LoginPageDefinitions.verifyErrorMessage(LoginPageDefinitions.java:39)		
	at ?.User should be able to see error message "Invalid credentials"(file:///C:/Users/HASSEN/eclipse-workspace/extentreports-cucumber-		
	adapter/src/test/resources/features/LoginPage.feature:25)		
	* Not displayable characters are replaced by '?'.		

Verify FaceBook Icon on Login Page




#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	8.036 s
2	Then User should be able to see FaceBook Icon	FAILED	20.027 s
	org.openqa.selenium.NoSuchElementException: Unable to locate element: //*[@id='social-icons']/a[6]/img For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'HASSEN-		

DETAILED SECTION -- 11 --

#	Step / Hook Details	Status	Duration
	HP', ip: '192.168.209.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.		
	firefox.FirefoxDriver Command: [e8dada86-2e86-4f3f-8900-594ae4e8b698, findElement {using=xpath, value=//*[@id='social-icons']/a[6]/img}]		
	Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 113.0.1, moz:accessibilityChecks: false, moz:buildID:		
	20230511191846, moz:debuggerAddress: 127.0.0.1:57797, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0,		
	moz:processID: 38120, moz:profile: C:\Users\HASSEN\AppData\Loc, moz:shutdownTimeout: 60000,		
	moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:57797/devtoo, se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false,		
	timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: e8dada86-2e86-4f3f-		
	8900-594ae4e8b698		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:387)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:379)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy27.isDisplayed(Unknown Source)		
	at actions.LoginPageActions.getFaceBookIcon(LoginPageActions.java:54)		
	at definitions.LoginPageDefinitions.verifyFaceBookIcon(LoginPageDefinitions.java:49)		
	at ?.User should be able to see FaceBook Icon(file:///C:/Users/HASSEN/eclipse-workspace/extentreports-cucumber-adapter/src/test/		
	resources/features/LoginPage.feature:39)		
	* Not displayable characters are replaced by '?'.		

Verify LinkedIn Icon on Login Page

DETAILED SECTION -- 12 --



#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	7.092 s
2	Then User should be able to see LinkedIn Icon	PASSED	1.605 s