

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login to HRM Application	6 m 23.372 s	8	5	3	0	22	19	3	0
HRM Application Login Inof	58.114 s	2	2	0	0	10	10	0	0

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Login to HRM Application	Login with invalid credentials
2		Login with invalid credentials
3		Verify FaceBook Icon on Login Page


TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@ValidCredentials	1	1	0	0	1	0	1	0
@InvalidCredentials	5	3	2	0	1	0	1	0
@FaceBookLink	1	0	1	0	1	0	1	0
@LinkedInLink	1	1	0	0	1	0	1	0
@TwitterLink	1	1	0	0	1	1	0	0
@YoutubeLink	1	1	0	0	1	1	0	0

FEATURES SUMMARY




#	Feature Name	T	P	F	S	Duration
1	Login to HRM Application	8	5	3	0	6 m 23.372 s
2	HRM Application Login Inof	2	2	0	0	58.114 s

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login to HRM Application	Login with valid credentials	3	3	0	0	1 m 14.247 s
2		Login with invalid credentials	3	3	0	0	23.376 s
3		Login with invalid credentials	3	3	0	0	22.382 s
4		Login with invalid credentials	3	3	0	0	45.312 s
5		Login with invalid credentials	3	2	1	0	1 m 13.352 s
6		Login with invalid credentials	3	2	1	0	1 m 6.947 s
7		Verify FaceBook Icon on Login Page	2	1	1	0	47.288 s
8		Verify LinkedIn Icon on Login Page	2	2	0	0	30.344 s
9	HRM Application Login Inof	Verify Twitter Icon on Login Page	5	5	0	0	31.787 s
10		Verify Youtube Icon on Login Page	5	5	0	0	26.315 s


## **Login to HRM Application**



#### Login with valid credentials




#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	6.121 s
2	When User enters username as "Admin" and password as "admin123"	PASSED	3.373 s
3	Then User should be able to login sucessfully and new page open	PASSED	0.868 s




#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	9.274 s
2	When User enters username as "" and password as "abc"	PASSED	1.098 s
3	Then User should be able to see error message "Required"	PASSED	0.042 s

### **Login with invalid credentials**




#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	6.047 s
2	When User enters username as "admin" and password as ""	PASSED	1.086 s
3	Then User should be able to see error message "Required"	PASSED	0.053 s




#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	11.979 s
2	When User enters username as "" and password as ""	PASSED	2.359 s
3	Then User should be able to see error message "Required"	PASSED	0.043 s

DETAILED SECTION -- 9 --



#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	22.677 s
2	When User enters username as "Admin" and password as "admin12\$\$"	PASSED	2.744 s
3	Then User should be able to see error message "Invalid credentials"	FAILED	20.032 s
	org.openqa.selenium.NoSuchElementException: Unable to locate element: //span[@class='oxd-text oxd-textspan oxd-input-field-error-message oxd-input-group_message'] For documentation on this error, please visit. https://selenium.dev/exceptions/#no_such_element Build info: version: '43.0', revision: 'a4995e2c09" System info: host: 'HASSEN-HP', jp: '192.168.209.1', os.name: Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [fi6044466-83d4-4ecf-92e1-07d91c26f50f, findElement {using=xpath, value=//span[@class='oxd-text oxd-textspan oxd-input-field-error-message oxd-input-group_message']}] Capabilities (acceptinsecure/Certs: true, browserName: firefox, browserNamion: 0.33.0, moz:necessibilityChecks: false, moz:buildlD: 20230511191846, moz:debuggerAddress: 127.0.0.1:65234, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 35812, moz:profile: C:\UsersIHASSEN\AppData\Loc, moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), sercdp: ws://127.0.0.1:65234/devtoo, sercdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify} Session ID: fd04446e-83d4-4ecf-92e1-07d91c26f50f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.Codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.AttpCommandExecut		


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:387)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:379)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source)		
	at actions.LoginPageActions.getErrorMessage(LoginPageActions.java:43)		
	at definitions.LoginPageDefinitions.verifyErrorMessage(LoginPageDefinitions.java:40)		
	at ?.User should be able to see error message "Invalid credentials"(file:///C:/Users/HASSEN/eclipse-workspace/extentreports-cucumber-		
	adapter/src/test/resources/features/LoginPage.feature:25)		
	* Not displayable characters are replaced by '?'.		
	AFTER - definitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	4.255 s



#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	17.368 s
2	When User enters username as "admin\$\$" and password as "admin123"	PASSED	2.581 s
3	Then User should be able to see error message "Invalid credentials"	FAILED	20.020 s
	org.openqa.selenium.NoSuchElementException: Unable to locate element: //span[@class='oxd-text oxd-textspan oxd-input-field-error-message oxd-input-groupmessage'] For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'HASSEN-HP', ip: '192.168.209.1', os.name: 'Windows 10', os.arch: 'amd64', os. version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [9bbcf875-e3c5-4140-920f-81836d26834a, findElement {using=xpath, value=//span[@class='oxd-text oxd-textspan oxd-input-field-error-message oxd-input-groupmessage']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 113.0.1, moz:accessibilityChecks: false, moz:buildID: 20230511191846, moz:debuggerAddress: 127.0.0.1:52562, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37580, moz:profile: C:\Users\HASSEN\AppData\Loc, moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:52562/devtoo, se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 9bbcf875-e3c5-4140-920f-81836d26834a		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:387)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:379)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source)		
	at actions.LoginPageActions.getErrorMessage(LoginPageActions.java:43)		
	at definitions.LoginPageDefinitions.verifyErrorMessage(LoginPageDefinitions.java:40)		
	at ?.User should be able to see error message "Invalid credentials" (file:///C:/Users/HASSEN/eclipse-workspace/extentreports-cucumber-		
	adapter/src/test/resources/features/LoginPage.feature:25)		
	* Not displayable characters are replaced by '?'.		
	AFTER - definitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	2.936 s

# **Verify FaceBook Icon on Login Page**




#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	7.873 s

DETAILED SECTION -- 12 --

#	Step / Hook Details	Status	Duration
2	Then User should be able to see FaceBook Icon	FAILED	20.043 s
	org.openqa.selenium.NoSuchElementException: Unable to locate element: //*[@id='social-icons']/a[6]/img For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'HASSEN-HP', ip: '192.168.209.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium. firefox.FirefoxDriver Command: [113199a9-cb1e-4736-827c-4dfd58d9246a, findElement {using=xpath, value=//*[@id='social-icons']/a[6]/img}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 113.0.1, moz:accessibilityChecks: false, moz:buildID: 20230511191846, moz:debuggerAddress: 127.0.0.1:50620, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 8832, moz:profile: C:\Users\HASSEN\AppData\Loc, moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:50620/devtoo, se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 113199a9-cb1e-4736-827c-4dfd58d9246a		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:387)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:379)		
	$at\ or g. open qa. selenium. support. page factory. Default Element Locator. find Element (Default Element Locator. java: 70)$		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy29.isDisplayed(Unknown Source)		
	at actions.LoginPageActions.getFaceBookIcon(LoginPageActions.java:59)		
	at definitions.LoginPageDefinitions.verifyFaceBookIcon(LoginPageDefinitions.java:50)		
	at ?.User should be able to see FaceBook Icon(file:///C:/Users/HASSEN/eclipse-workspace/extentreports-cucumber-adapter/src/test/		
	resources/features/LoginPage.feature:39)		
	* Not displayable characters are replaced by '?'.		
	AFTER - definitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	2.408 s

DETAILED SECTION -- 13 --




#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	10.174 s
2	Then User should be able to see LinkedIn Icon	PASSED	0.771 s

# **HRM Application Login Inof**

PASSED	DURATION - 58.114 s	Scenarios		Steps	
		Total - 2		Total - 10	
/ 11:26:20.206 F	PM // 11:27:18.320 PM /	Pass - 2	2	Pass - 10	10
		Fail - 0		Fail - 0	10
		Skip - 0		Skip - 0	


#### **Verify Twitter Icon on Login Page**



#	Step / Hook Details	Status	Duration
1	Given I navigate to the HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	15.751 s
2	When user gets the title of the page	PASSED	0.013 s
3	Then page title should be "OrangeHRM"	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
4	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	1.082 s
5	Then User should be able to see Twitter Icon	PASSED	0.677 s

# **Verify Youtube Icon on Login Page**



#	Step / Hook Details	Status	Duration
1	Given I navigate to the HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	6.435 s
2	When user gets the title of the page	PASSED	0.018 s
3	Then page title should be "OrangeHRM"	PASSED	0.001 s
4	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	0.947 s
5	Then User should be able to see Youtube Icon	PASSED	0.465 s