R Notebook

This is an R Markdown Notebook. When you execute code within the notebook, the results appear beneath the code.

```r
library(tidyverse)
```

```
## -- Attaching packages ------------------------------------------------------- tidyverse 1.2.1 --
```

```
## v ggplot2 3.0.0     v purrr   0.2.5
## v tibble  1.4.2     v dplyr   0.7.7
## v tidyr   0.8.1     v stringr 1.3.1
## v readr   1.1.1     v forcats 0.3.0
```

```
## -- Conflicts ---------------------------------------------------------- tidyverse_conflicts() --
## x dplyr::filter() masks stats::filter()
## x dplyr::lag()    masks stats::lag()
```

```r
library(geojsonio)
```

```
##
## Attaching package: 'geojsonio'
```

```
## The following object is masked from 'package:base':
##
##     pretty
```

```r
library(sf)
```

```
## Linking to GEOS 3.6.1, GDAL 2.1.3, proj.4 4.9.3
```

```r
library(tmap)
library(tmaptools)
#read some data attributes
LondonData <- read_csv("https://files.datapress.com/london/dataset/ward-profiles-and-atlas/2015-09-24T14
```

```
## Parsed with column specification:
## cols(
##   .default = col_double(),
##   `Ward name` = col_character(),
##   `Old code` = col_character(),
##   `New code` = col_character()
## )
```

```
## See spec(...) for full column specifications.
```

```r
#read some geometries
EW <- geojson_read("http://geoportal.statistics.gov.uk/datasets/8edafbe3276d4b56aec60991cbddda50_2.geoj
#pull out London
LondonMap <- EW[grep("^E09",EW@data$lad15cd),]
#convert to a simple features object
LondonMapSF <- st_as_sf(LondonMap)
#append the data to the geometries
LondonMapSF <- append_data(LondonMapSF,LondonData, key.shp = "lad15cd", key.data = "New code", ignore.d
```

```
## Data contains duplicated keys: E09000001
```

```
## Over coverage: 626 out of 659 data records were not appended. Run over_coverage() to get the corresp
```

```
#plot a choropleth
qtm(LondonMapSF, fill = "% Not Born in UK - 2011")
```


Try executing this chunk by clicking the *Run* button within the chunk or by placing your cursor inside it and pressing *Cmd+Shift+Enter*.

```
plot(cars)
```

Add a new chunk by clicking the *Insert Chunk* button on the toolbar or by pressing *Cmd+Option+I*.

When you save the notebook, an HTML file containing the code and output will be saved alongside it (click the *Preview* button or press *Cmd+Shift+K* to preview the HTML file).

The preview shows you a rendered HTML copy of the contents of the editor. Consequently, unlike *Knit*, *Preview* does not run any R code chunks. Instead, the output of the chunk when it was last run in the editor is displayed.