


Feldfeste Operation Instruction



Feldfeste Games Studio

FF-OI-01: "How to use Cheats for Quality Assurance Testing"

Document History

Revision	Content	Editor	Time
01	Initial Document Creation	Arina	01.02.2025
02	Formal update, creating template	Hannes	22.05.2026
03	Added how-to info	Arina	23.05.2026

Table of Contents


1. How to use cheats
 2. Instructions for adding cheats
-

1. How to use cheats

1. Press **Enter**. You'll see the chat widget appear.
2. Before any cheat, the **'/'** symbol is required.
3. To start cheating, you need to enter the unlock cheat: **'/testersrights'**.



After that, starting with '/', you can enter any implemented cheat. If you entered the cheat correctly, a message will appear in the chat.



This message pops up if your input was successful
("Look who is cheating!")

Cheats table in the project sharedrive:

(<https://docs.google.com/spreadsheets/d/1ckDVI6lmOhua00jR66sjA-nBx6cu-q01peZLevGfek/edit?gid=1211662523#gid=1211662523>)

A	B	C	D	E	F
Cheat	Effect		in data table?	implemented in code?	has func test
testersrights	enable cheating		☒	☒	☒
oak	200 wood		☒	☒	☒
mettwurst	200 sausages		☒	☒	☒
pecunianolet	200 silver		☒	☒	☒
baguette	200 bread		☒	☒	☒
parmigiano	200 cheese		☒	☒	☒
Guttacavatlapidem	200 stone		☒	☒	☒
nonsumpauper	1000 of every resource		☒	☒	☒
imloved	popularity to 100		☒	☐	☐
imhated	popularity to 0		☒	☐	☐
terra	Full map		☒	☐	☐
GaiaHypothesis	Control gaia faction (animals)		☒	☐	☐
incognita	Disable Fog of War		☒	☐	☐
carpediem	Instant building		☒	☐	☐
venividivici	Win campaign		☒	☐	☐
mementomori	Lose campaign - resign		☒	☐	☐
blackdeath	Slay all villagers on the map		☒	☒	☒
torpedo x	slay oponent x		☒	☐	☐
cogitoergosum	cultural victory		☒	☐	☐
aleaiactaest	conqueror victory		☒	☐	☐
wereami	spawn Werewolf	werewolf asset from library	☒	☐	☐
Dragonborn	spawn dragon	Desert dragon asset from libra	☒	☐	☐
astromech	spawn robot scout	robot scout asset from library	☒	☐	☐
fratresinarmis	spawn 5 order knights		☒	☐	☐

Cheats as of implemented in the game project end of may 2026.

Cheat table location in the Unreal Project:

[/Castellum/Content/CA_Code/Blueprints/Others/CA_DT_Cheats.uasset](#)


1) Add a cheat to the table.

Row Name **MUST** match the Cheat field.

Fields:

- **Cheat** - the cheat command itself.
- **Effect** - description of what the cheat does (for developers).
- **NumArgs** - number of arguments the cheat can take (space-separated after the cheat command).
- **DefaultValue** - default integer value used differently depending on the cheat (e.g., for resource cheats, this is the amount of resources).
- **ResourceType** - used only for resource cheats. The type of resource to add.
- **SpawnClass** - used only for cheats that spawn something.

The cheat structure can be extended if needed. This is allowed. However, make sure it makes sense (e.g., grouping similar cheats together to reuse a single function across multiple cheats, such as for resources or object spawning).



	Row Name	Cheat	Effect	NumArgs	DefaultValue	ResourceType	SpawnClass
1	testersrights	testersrights	enable cheats	0	0	None	None
2	oak	oak	add wood	0	200	Wood	None
3	mettwurst	mettwurst	add sausages	0	200	Sausages	None
4	pecunianolet	pecunianolet	add silver	0	200	Silver	None
5	baguette	baguette	add bread	0	200	Bread	None
6	Guttacavatlapidem	Guttacavatlapidem	add stone	0	200	Stone	None
7	parmigiano	parmigiano	add cheese	0	200	Cheese	None
8	nonsumpauper	nonsumpauper	all resources set to value	0	1000	None	None
9	imhated	imhated	Popularity set to 0	0	0	None	None
10	imloved	imloved	Popularity set to value	0	100	None	None
11	terra	terra	Map Vision	0	0	None	None
12	incognita	incognita	Toggle Fog of War	0	0	None	None
13	carpediem	carpediem	one hit actions	0	0	None	None
14	venividivici	venividivici	win the game	0	0	None	None
15	mementomori	mementomori	lose the game	0	0	None	None
16	blackdeath	blackdeath	kill all villagers on the map	0	0	None	None
17	torpedox	torpedox	destroy player x	0	0	None	None
18	cogitoergosum	cogitoergosum	win by culture	0	0	None	None

2) Cheat implementation

- Go to the Blueprint **CA_ServerCheatsComponent**

/Castellum/Content/CA_Code/Blueprints/Player/ControllerComponents/CA_ServerCheatsComponent.uasset

A bit about the component - this component is attached to a specific

BP_RTSController, so if needed, you can use its owner (player).

- Create a protected cheat function with implementation:


ExecuteCheat_*

Replace * with the actual cheat name. If this is a group of cheats, provide a meaningful name instead


When implementing cheats, do not just reach into private fields of other classes without thinking. Consider which class is responsible for the functionality you need. Use public interfaces(functions) or other appropriate access points instead
please... :"<<<

3) Connect your implementation to the main flow.

Go to the existing **ExecuteCheat** function.



Find the **Switch node** (see screenshot). Add a new pin with your cheat and call your function.



4) Great, now you're a cheater





Reminder: Cheats were added to make gameplay loop testing more efficient.