

GMS Catalogue Platform

Complete Function & Quality-Assurance Checklist

Use this document for platform acceptance testing, regression testing, release sign-off, training coverage and operational readiness. Mark each item Pass, Fail or N/A and record evidence or defects in Notes.

Release / build:		Tester:	
Environment:		Test date:	
Overall result:	☐ PASS ☐ PASS WITH ISSUES ☐ FAIL	Retest date:	

Checklist scope: 133 functional checks across 11 platform areas.

1. Access, authentication and dashboard

Status	Function / test	Expected result	Notes
☐ Pass ☐ Fail ☐ N/A	Register an account	Valid registration creates the account; duplicate or invalid data is rejected.	
☐ Pass ☐ Fail ☐ N/A	Log in and log out	Valid credentials open the dashboard; logout invalidates the session.	
☐ Pass ☐ Fail ☐ N/A	Session and current-user profile	Refresh preserves a valid session and /auth/me returns the correct user and roles.	
☐ Pass ☐ Fail ☐ N/A	Failed-login protection	Repeated invalid attempts follow the configured lockout policy.	
☐ Pass ☐ Fail ☐ N/A	Dashboard overview	Summary totals, recent activity, alerts and permitted shortcuts load correctly.	
☐ Pass ☐ Fail ☐ N/A	Global search	Search returns permitted products, catalogues and relevant records without leaking restricted data.	
☐ Pass ☐ Fail ☐ N/A	Navigation and permission visibility	Menus and actions reflect the signed-in user's effective permissions.	

2. ERP connection and source-data synchronization

Status	Function / test	Expected result	Notes
☐ Pass ☐ Fail ☐ N/A	View encrypted ERP connection settings	Server, database, connector and status display without exposing the password.	
☐ Pass ☐ Fail ☐ N/A	Save and test the ERP connection	Connection test reports server/database/table/product totals and records the test time.	
☐ Pass ☐ Fail ☐ N/A	Preview ERP tables and product data	Authorized users can inspect supported source tables and a safe data preview.	
☐ Pass ☐ Fail ☐ N/A	Run product synchronization manually	A new sync run starts, holds the lease and completes without overlapping another run.	
☐ Pass ☐ Fail ☐ N/A	Automatic synchronization worker	The dedicated worker starts with the platform and runs at the configured interval.	
☐ Pass ☐ Fail ☐ N/A	Product identity and descriptions	SKU, English/Thai names, descriptions, usage, remarks, unit and warranty synchronize.	
☐ Pass ☐ Fail ☐ N/A	Brands and categories	ERP brands/categories map consistently; locally managed merchandising data is preserved.	
☐ Pass ☐ Fail ☐ N/A	Multiple barcodes	All valid ProductUnits barcodes synchronize and remain associated with the correct product.	

Status	Function / test	Expected result	Notes
☐ Pass ☐ Fail ☐ N/A	Warehouse stock	Per-warehouse and total stock values update and are visible to authorized users.	
☐ Pass ☐ Fail ☐ N/A	Seven ERP price levels	NORMAL, VIP, BIG CUSTOMER, DEALER, WHOLESALE, RETAIL and VVIP prices map correctly.	
☐ Pass ☐ Fail ☐ N/A	ERP image slots 1-6	Supported images import/update, primary-image rules remain correct and invalid images are reported.	
☐ Pass ☐ Fail ☐ N/A	Missing/discontinued lifecycle	Missing records are flagged rather than deleted; ERP blocked state follows lifecycle rules.	
☐ Pass ☐ Fail ☐ N/A	Sync history and diagnostics	Runs show counts, duration, warnings/errors and downloadable safe error details.	
☐ Pass ☐ Fail ☐ N/A	Stale-lock recovery	An interrupted sync lease expires safely and a later run can recover without duplication.	

3. Product catalogue and media management

Status	Function / test	Expected result	Notes
☐ Pass ☐ Fail ☐ N/A	Browse and filter products	Pagination, search, brand/category/status/needs filters return the expected products.	
☐ Pass ☐ Fail ☐ N/A	Create and edit product content	Authorized catalogue-owned fields save without overwriting ERP-owned fields.	
☐ Pass ☐ Fail ☐ N/A	Product detail view	Names, SKU, barcodes, prices, stock, lifecycle, descriptions and media are consistent.	
☐ Pass ☐ Fail ☐ N/A	Product workflow	Submit, approve, publish and unpublish transitions enforce permissions and valid states.	
☐ Pass ☐ Fail ☐ N/A	Activate/inactivate products	Manual status changes record reasons and status history.	
☐ Pass ☐ Fail ☐ N/A	Upload/edit/delete product images	Validation, ordering, primary image and approval behavior work correctly.	
☐ Pass ☐ Fail ☐ N/A	Select ERP product images	Users can preview and import allowed ERP image slots into catalogue media.	
☐ Pass ☐ Fail ☐ N/A	Product videos	Upload or link, edit, replace, reorder, feature, publish and delete video records.	
☐ Pass ☐ Fail ☐ N/A	Video supporting files	Thumbnail, caption and protected video-content endpoints work.	
☐ Pass ☐ Fail ☐ N/A	Brand and category administration	Create/edit/delete rules and dependent-record safeguards work.	
☐ Pass ☐ Fail ☐ N/A	Activity history	Relevant product actions appear with actor, time and change information.	

4. Pricing and Catalogue Management

Status	Function / test	Expected result	Notes
☐ Pass ☐ Fail ☐ N/A	Price-list management	Configured currencies, no-price lists and audience mappings display correctly.	
☐ Pass ☐ Fail ☐ N/A	Product price maintenance	Authorized edits preserve precision and the correct price-list association.	
☐ Pass ☐ Fail ☐ N/A	Price change requests	Propose, approve and reject actions record workflow history.	
☐ Pass ☐ Fail ☐ N/A	Price history and protected cost/margin	History is correct and sensitive values require explicit permissions.	

Status	Function / test	Expected result	Notes
☐ Pass ☐ Fail ☐ N/A	Create and edit managed catalogues	Metadata, audience, products, ordering, visibility and presentation settings save.	
☐ Pass ☐ Fail ☐ N/A	Catalogue product membership	Add/remove/reorder products and per-product overrides behave correctly.	
☐ Pass ☐ Fail ☐ N/A	Catalogue workflow	Draft, review, approval, rejection, publish and archive transitions are enforced.	
☐ Pass ☐ Fail ☐ N/A	Version history	Published versions are immutable and the requested version is used for previews/exports.	
☐ Pass ☐ Fail ☐ N/A	Duplicate catalogue	A safe editable copy is created without changing the source catalogue.	
☐ Pass ☐ Fail ☐ N/A	Catalogue preview	Draft/published and audience-specific views show correct prices and visibility.	
☐ Pass ☐ Fail ☐ N/A	Print, PDF and Excel exports	Files use current permitted data and the requested version/options.	
☐ Pass ☐ Fail ☐ N/A	Catalogue cover	Upload assets, edit layout, preview, reset and publish cover configuration.	
☐ Pass ☐ Fail ☐ N/A	Category presentation	Category order, visibility and banner upload/removal work.	

5. Catalogue Studio - design workspace

Status	Function / test	Expected result	Notes
☐ Pass ☐ Fail ☐ N/A	Studio home and design search	Design totals, filters, sorting, cards and open actions work.	
☐ Pass ☐ Fail ☐ N/A	Create a design	Blank, system-template, personal-template and uploaded-template starts work.	
☐ Pass ☐ Fail ☐ N/A	Page size and orientation	Saved portrait/landscape dimensions remain exact in editor, preview and PDF.	
☐ Pass ☐ Fail ☐ N/A	Editor page management	Add, rename, duplicate, reorder, lock, show/hide and delete pages.	
☐ Pass ☐ Fail ☐ N/A	Canvas tools	Zoom, pan, grid, guides, snap, selection and multi-selection behave consistently.	
☐ Pass ☐ Fail ☐ N/A	Element operations	Add, move, resize, rotate, duplicate, layer, lock, hide and delete elements.	
☐ Pass ☐ Fail ☐ N/A	Text and bound fields	Text, page number, catalogue, promotion, product and category fields render correctly.	
☐ Pass ☐ Fail ☐ N/A	Shapes and layout elements	Lines, rectangles, circles, icons, buttons, backgrounds and tables render correctly.	
☐ Pass ☐ Fail ☐ N/A	Images and logos	Upload/select assets, crop, zoom, fit, position, replace and download work.	
☐ Pass ☐ Fail ☐ N/A	QR codes and barcodes	Generation, labels, color, sizing and print visibility are correct.	
☐ Pass ☐ Fail ☐ N/A	Image carousel	Upload/select ERP images, reorder, transition, navigation and static PDF selection work.	
☐ Pass ☐ Fail ☐ N/A	Product cards	Add single/bulk cards, resize, auto-layout and field/price visibility controls work.	
☐ Pass ☐ Fail ☐ N/A	Product-card geometry	Image uses contain inside a fixed area; name/details/barcode/stock/price never overlap.	
☐ Pass ☐ Fail ☐ N/A	Multiple barcodes and live stock	All configured barcodes and current ERP stock render in preview and PDF.	
☐ Pass ☐ Fail ☐ N/A	Product image lightbox/download	Preview navigation and permitted original-image download work.	
☐ Pass ☐ Fail ☐ N/A	Autosave and revision safety	Edits save with revision checks and conflicts do not silently overwrite work.	

Status	Function / test	Expected result	Notes
☐ Pass ☐ Fail ☐ N/A	Undo/redo and keyboard operations	History and supported shortcuts preserve document integrity.	
☐ Pass ☐ Fail ☐ N/A	Design validation	Missing assets, invalid bindings and severe layout problems are reported before publishing.	
☐ Pass ☐ Fail ☐ N/A	Full-screen/browser preview	Preview uses logical page scaling without changing element geometry.	
☐ Pass ☐ Fail ☐ N/A	Publish and unpublish	Published Studio catalogues appear in Catalogue Management; unpublish removes published status.	
☐ Pass ☐ Fail ☐ N/A	Duplicate and restore versions	Copies and restored revisions preserve pages, elements and bindings.	

6. Studio templates, media and exports

Status	Function / test	Expected result	Notes
☐ Pass ☐ Fail ☐ N/A	Catalogue templates	Create, edit, duplicate, import/export, submit, approve, share and delete by permission.	
☐ Pass ☐ Fail ☐ N/A	Cover/category templates	Correct template type is validated and applied without stale source data.	
☐ Pass ☐ Fail ☐ N/A	Product-card templates	Create, edit, duplicate, approve, view versions and restore a prior version.	
☐ Pass ☐ Fail ☐ N/A	Studio media library	Upload, view, edit and delete reusable assets with permission enforcement.	
☐ Pass ☐ Fail ☐ N/A	Color palettes	Create and apply reusable palette definitions.	
☐ Pass ☐ Fail ☐ N/A	Queue PDF/image export	A saved immutable version is attached to every export job.	
☐ Pass ☐ Fail ☐ N/A	Export worker availability	Dedicated worker starts automatically, claims queued jobs and records start/completion.	
☐ Pass ☐ Fail ☐ N/A	Print PDF	Fresh PDF matches preview, uses exact dimensions, zero margins and print backgrounds.	
☐ Pass ☐ Fail ☐ N/A	Web PDF	Web-oriented PDF uses the requested settings and remains visually consistent.	
☐ Pass ☐ Fail ☐ N/A	PNG/JPEG export	Raster dimensions, quality and page selection follow export options.	

Status	Function / test	Expected result	Notes
☐ Pass ☐ Fail ☐ N/A	Export history	Queued/running/completed/failed states, file size, timestamps and safe errors display.	
☐ Pass ☐ Fail ☐ N/A	Download and delete exports	Completed files download; queued jobs cannot be deleted; allowed files delete safely.	
☐ Pass ☐ Fail ☐ N/A	Missing-asset handling	Export fails clearly instead of silently producing an incomplete document.	

7. Sharing and public catalogue experience

Status	Function / test	Expected result	Notes
☐ Pass ☐ Fail ☐ N/A	Audience types	Create/manage audience definitions and associated price visibility.	
☐ Pass ☐ Fail ☐ N/A	Create share link	Token, access rules, version mode and audience are saved correctly.	
☐ Pass ☐ Fail ☐ N/A	Copy, edit and regenerate link	Updated settings apply and regenerated tokens invalidate the previous URL.	
☐ Pass ☐ Fail ☐ N/A	Activate, revoke and delete link	Public access changes immediately and audit history remains available.	
☐ Pass ☐ Fail ☐ N/A	Fixed versus latest-published version	Public viewers receive the configured immutable or current published version.	
☐ Pass ☐ Fail ☐ N/A	Password-protected access	Correct password grants access; incorrect attempts reveal no catalogue data.	
☐ Pass ☐ Fail ☐ N/A	Public catalogue viewer	Navigation, categories, search, product cards, prices and responsive layout work.	
☐ Pass ☐ Fail ☐ N/A	Public media	Permitted videos, thumbnails, captions and PDF download work through the share token.	
☐ Pass ☐ Fail ☐ N/A	Hidden/inactive products	Restricted or inactive records never appear publicly.	

8. Promotions

Status	Function / test	Expected result	Notes
☐ Pass ☐ Fail ☐ N/A	Promotion list and filters	Search, status, owner, occasion and schedule filters work.	
☐ Pass ☐ Fail ☐ N/A	Create/edit/duplicate/delete	Promotion metadata, products, prices, media and schedule save correctly.	
☐ Pass ☐ Fail ☐ N/A	Promotion workflow	Submit, approve, reject, publish, pause, resume and cancel enforce permissions.	
☐ Pass ☐ Fail ☐ N/A	Scheduling	Start/end dates and timezone activate/expire promotions correctly.	
☐ Pass ☐ Fail ☐ N/A	Conflict detection	Overlapping product/audience promotions are identified.	
☐ Pass ☐ Fail ☐ N/A	Promotion preview and history	Preview reflects configured data and history records every transition.	

Status	Function / test	Expected result	Notes
☐ Pass ☐ Fail ☐ N/A	Promotion media	Upload, retrieve and delete authorized media.	
☐ Pass ☐ Fail ☐ N/A	Promotion share links	Create/list/revoke links and public token view work.	
☐ Pass ☐ Fail ☐ N/A	Public promotion PDF	Published promotion PDF is available only under valid access rules.	
☐ Pass ☐ Fail ☐ N/A	Occasion management	Create and edit reusable promotion occasions.	
☐ Pass ☐ Fail ☐ N/A	Reports and CSV export	Promotion reporting totals and exported rows match filters.	

9. Users, roles and organization

Status	Function / test	Expected result	Notes
☐ Pass ☐ Fail ☐ N/A	User management	List, create, edit, deactivate, unlock and reset passwords.	
☐ Pass ☐ Fail ☐ N/A	Role assignment	Direct roles and effective permissions update correctly.	
☐ Pass ☐ Fail ☐ N/A	Data scopes	Brand, department, team and published-only restrictions apply across APIs and UI.	
☐ Pass ☐ Fail ☐ N/A	SuperAdmin safeguards	High-risk and SuperAdmin changes require the appropriate authority.	
☐ Pass ☐ Fail ☐ N/A	Role lifecycle	Create, edit, duplicate, activate, deactivate and delete roles safely.	
☐ Pass ☐ Fail ☐ N/A	Permission matrix	Role permission changes invalidate cached/effective permissions.	
☐ Pass ☐ Fail ☐ N/A	Departments	Create/edit and membership relationships work.	
☐ Pass ☐ Fail ☐ N/A	Positions	Create/edit/duplicate/activate/deactivate/delete and user assignment work.	
☐ Pass ☐ Fail ☐ N/A	Teams	Create/edit/duplicate/lifecycle actions, member assignment and team roles work.	
☐ Pass ☐ Fail ☐ N/A	Brand assignments	User/organization brand access limits catalogue and product visibility correctly.	

10. Administration, operations and observability

Status	Function / test	Expected result	Notes
☐ Pass ☐ Fail ☐ N/A	General/system settings	Authorized configuration changes persist and sensitive values remain protected.	
☐ Pass ☐ Fail ☐ N/A	System health and metrics	API/database/storage/worker indicators and resource metrics are current.	
☐ Pass ☐ Fail ☐ N/A	System information	Version/runtime/build information is permission protected.	
☐ Pass ☐ Fail ☐ N/A	Database and media backups	Create, list, download and delete supported backup types.	
☐ Pass ☐ Fail ☐ N/A	Backup schedules	Schedule configuration persists and reports the next expected run.	

Status	Function / test	Expected result	Notes
☐ Pass ☐ Fail ☐ N/A	Restore safeguards	Restore requires high-risk permission, validation and explicit confirmation.	
☐ Pass ☐ Fail ☐ N/A	Audit logs	Security, workflow, configuration and data actions record actor/time/details.	
☐ Pass ☐ Fail ☐ N/A	Audit export	Authorized export matches filters and excludes protected secrets.	
☐ Pass ☐ Fail ☐ N/A	Feedback	Create feedback with screenshot; authorized users can manage and export CSV/XLSX.	
☐ Pass ☐ Fail ☐ N/A	Worker startup	Platform launcher starts ERP sync and Studio export workers independently of Uvicorn.	
☐ Pass ☐ Fail ☐ N/A	Worker recovery	Production supervision restarts stopped workers and stale queues become visible.	
☐ Pass ☐ Fail ☐ N/A	API health	Health endpoint responds and frontend reports backend unavailability clearly.	
☐ Pass ☐ Fail ☐ N/A	Security review	Cookies, CORS, upload validation, protected media and permission checks are verified.	

11. Cross-platform acceptance and regression

Status	Function / test	Expected result	Notes
☐ Pass ☐ Fail ☐ N/A	Browser coverage	Primary workflows pass in supported Chrome/Edge desktop resolutions.	
☐ Pass ☐ Fail ☐ N/A	Responsive layouts	Dashboard, public catalogues and previews remain usable at tablet/mobile widths.	
☐ Pass ☐ Fail ☐ N/A	Thai and English content	Unicode text stores, searches, wraps and exports correctly.	
☐ Pass ☐ Fail ☐ N/A	Timezone consistency	UI, schedules, syncs and exports use Bangkok time where specified.	
☐ Pass ☐ Fail ☐ N/A	Frontend automated tests	Vitest suite passes.	
☐ Pass ☐ Fail ☐ N/A	Frontend lint and TypeScript	ESLint has no errors and TypeScript completes without errors.	
☐ Pass ☐ Fail ☐ N/A	Production frontend build	Next.js production build completes successfully.	
☐ Pass ☐ Fail ☐ N/A	Backend smoke/regression tests	Relevant authentication, access, catalogue, Studio, promotion and operations tests pass.	
☐ Pass ☐ Fail ☐ N/A	Fresh PDF visual regression	Preview screenshot and newly generated PDF remain within the accepted pixel-difference threshold.	
☐ Pass ☐ Fail ☐ N/A	Publish-to-management regression	Studio publish/unpublish state stays consistent with Catalogue Management.	
☐ Pass ☐ Fail ☐ N/A	Dirty-worktree safety	Testing and fixes do not overwrite unrelated local changes.	

Final sign-off

Critical defects / release blockers:

Accepted limitations / follow-up actions:

Prepared by	Signature	Date
Reviewed by	Signature	Date
Approved by	Signature	Date