VP08 — Channel contracts and sequences

Revision: `9fb5d8d1fc95f22386d89e6ebcd0c283be4fb59d7a6782f56a9f0ae735759f79`.

Explicit scenario steps validated against permits, participation, mode and request/result correlation.

Channel Bus — mode Online



Source facts: f0033, f0034, f0051, f0052.

Declarations: Bus, Desktop, Remote.

Channel IdleBus — mode Online



Source facts: .

Declarations only.

Declarations: IdleBus.

Scope and notation

Channel topology is partitioned into one diagram per declared Channel, retaining every participant and binding. Repeated participants refer to the same source declarations. The diagrams show explicit participation in one Mode, not runtime delivery, transport or execution order. Sender arrows point from participant to

Channel; receiver arrows point from Channel to participant. Each arrow groups all messages for that participant/channel/role; the register retains every binding and source proof. Modes have no implicit inheritance.

Selected mode: **Online**. Mode source: Online.

Participation register

Participant	Channel	Role	Message	Source fact
Desktop	Bus	sender	ChannelNotice	f0033
Desktop	Bus	sender	ChannelUpdate	f0034
Remote	Bus	receiver	ChannelNotice	f0051
Remote	Bus	receiver	ChannelUpdate	f0052

Channel register

All declared Channels are retained, including those without participants in the selected mode. Contracts and permitted messages are global model declarations, not evidence of delivery in any mode.

Channel	Contract	Permitted messages	Source facts
Bus	ChannelEvents	ChannelNotice, ChannelUpdate	f0008, f0012, f0013
IdleBus	ChannelEvents	ChannelNotice, ChannelUpdate	f0043, f0012, f0013

Scenario index

Open an individual Scenario in the navigation tree for its validated sequence. Source links below open declarations; steps are not concatenated across Scenarios. Completeness is a source assertion, not evidence of execution or test coverage. Preconditions and postconditions are not inferred.

Scenario	Mode	Completeness	Steps	Source facts
Example	Online	open	1	f0040, f0041, f0042

Derived MessageSet

Channel	Mode	Datagram	Sender	Receiver	Source IDs
Bus	Online	ChannelNotice	Desktop	Remote	f0008, f0012, f0015, f0033, f0051
Bus	Online	ChannelUpdate	Desktop	Remote	f0008, f0013, f0017, f0034, f0052

Model gap NO_PARTICIPANTS: No explicit participation. (IdleBus; mode=).