```
Mermaid: Libavoid: Backend("non-orthogonal edge 11
[(477.0104064941406, 403.30827713012695), (913.8437194824219,
211.26335525512695)]")
flowchart LR
    n_ApplicationPreferences["ApplicationPreferences
(functionality)"]
    n_ConfigurableScrolling["ConfigurableScrolling (feature)"]
    n_Documents["Documents (unit)"]
    n_FoxPresentation["FoxPresentation (functionality)"]
    n_NativeShell["NativeShell (unit)"]
    n_Preferences["Preferences (unit)"]
    n_ScrollMotion["ScrollMotion (functionality)"]
    n_SourceAnchorMapping["SourceAnchorMapping (functionality)"]
    n_TextEditing["TextEditing (functionality)"]
    n_Viewport["Viewport (unit)"]
    n_WorkspaceControls["WorkspaceControls (functionality)"]
    n_XfmdDesktop["XfmdDesktop (container)"]
    n_ApplicationPreferences -->|allocated-to| n_XfmdDesktop
    n_ApplicationPreferences -->|contributes-to|
n_ConfigurableScrolling
    n_Documents -->|owns| n_TextEditing
    n_FoxPresentation -->|allocated-to| n_XfmdDesktop
    n_FoxPresentation -->|contributes-to| n_ConfigurableScrolling
    n_NativeShell -->|owns| n_FoxPresentation
    n_NativeShell -->|owns| n_WorkspaceControls
    n_Preferences -->|owns| n_ApplicationPreferences
    n_ScrollMotion -->|allocated-to| n_XfmdDesktop
    n_ScrollMotion -->|contributes-to| n_ConfigurableScrolling
    n_SourceAnchorMapping -->|allocated-to| n_XfmdDesktop
    n_SourceAnchorMapping -->|contributes-to|
n_ConfigurableScrolling
    n_TextEditing -->|allocated-to| n_XfmdDesktop
    n_TextEditing -->|contributes-to| n_ConfigurableScrolling
    n_Viewport -->|owns| n_ScrollMotion
    n_Viewport -->|owns| n_SourceAnchorMapping
    n_WorkspaceControls -->|allocated-to| n_XfmdDesktop
    n_WorkspaceControls -->|contributes-to| n_ConfigurableScrolling
```