VP01 — Use cases and traceability

Revision: `f4ee519b253c431c1968e6b781ecbf402a607884b17ae03af23f23818df35fdd`.

pursues, supports and contributes-to; modeled scope without an invented System boundary.

Selection: `{"viewpoint":"VP01","direction":"both","depth":2,"diagram":"VP01-Browse"}`.

Use case: Browse



Source facts: f79f987e8f1383024c1e5e4853a61c4928ef3a9b0c1eeba96853bfc0b62b669c5.

Declarations: Browse, Reader.

Scenario: Happy — mode Normal



Source facts:
f00578789638f0027a7c216dc5a36e4b9938067db178d4c5abc3ac718d752e5ae,
f14d8d31cf66e328c8b05d719cc6f7d47a31817aa090bd7c5ba511b93b574ccfc,
f246b9770d321827a5f2c61910a1494ab2d194d871cf4f3c8e4ad50516f8c0640,
f2faa83701d498b54fa9a29bcc735b310a59208f18a3f9378c99e0a4d5d7a2371,
f6120e2aa2823109199516b963267885c6eb56ecc32d599be9c7bbe635d498653,
fb2d66823ebde2a411b357dfb62ee4f13d1983e1fc3c7d6d9e7d15ce6b25f6ebb,
fb8f092f28d5476b71d11c66e813be35678b49a762e0b525cd5a271ab45915a1a,
fe48fb17a2ed4b77919025dd65a0e04120b98e800054a780c5219ead38372ceab,
fe80292718bb02048168a733bcf1c55bc38f4daea4085c8c944a121a07a13f078,
ff84912a757884e3de17cee1a778d1f762c152b92b3d9db8f0a724f79f3de744d.

Declarations: Caller, Handler.

Use-case realization and conditions

Actors and use cases use UML shapes; associations mean modeled pursues. Features and Functionality are realization context, not use cases.

Source	Relation	Target	Fact
Happy	exercises	Browse	f6120e2aa2823109199516b963267885c6eb56ecc32d599be9c7bbe635d498653

Preconditions: not specified by the supported semantic profile.

Postconditions: not specified by the supported semantic profile. Generic properties are not interpreted as conditions.

Model gap NO_CONTRIBUTION: No direct or Feature-mediated Functionality contributions. (Browse; mode=).