

# setup.py

Seth House <seth@eseth.com>

Utah Python User Group

2011-07-11

## Python distribution utilities (“Distutils”)

# setup.py

“If all you want to do is distribute a module called foo, contained in a file foo.py, then your setup script can be as simple as this:”

```
from distutils.core import setup
setup(name='foo',
      version='1.0',
      py_modules=['foo'])
```

Or:

```
from distutils.core import setup
setup(name='foomatic',
      version='1.0',
      packages=['foomatic'])
```

## Create a source distribution

```
% python setup.py sdist  
% tar tf ./dist/foo-1.0.tar.gz  
foo-1.0/  
foo-1.0/foo.py  
foo-1.0/PKG-INFO  
foo-1.0/setup.py
```

## Install the module

```
% python setup.py install
```

## Required metadata

```
setup(name='foomatic',  
      version='1.0',  
      author='Memyself Andi',  
      author_email='mandi@example.net',  
      url='http://example.net',  
      packages=['foomatic'])
```

## Recommended metadata

```
setup(...  
    description='Automating foo',  
    long_description="""\  
        A multi-line string in reStructuredText  
        format. PyPI converts this to HTML."""\  
    classifiers=[  
        'Development Status :: 4 - Beta',  
        'Programming Language :: Python'])
```

# Requiring other packages

Version specifiers:

<	>	==
<=	>=	!=

```
setup(...  
    requires=[  
        'bar==1.3',  
        'meh>1.0, !=1.5.1, <2.0',  
    ])
```



# Satisfying requirements

```
setup(...  
    provides=[  
        'baz',  
    ])
```

# Installing scripts

```
setup(...  
    scripts=[  
        'scripts/runfoo' ] )
```

## Grabbing the version

```
import pkg_resources
version = pkg_resources.require(
    "foomatic")[0].version
```

## Directory structure

```
foomatic/  
  |- README.txt  
  |- LICENSE.txt  
  |- setup.py  
  |- docs/  
    |- stuff  
  |- foomatic/  
    |- __init__.py  
    |- foo.py  
  |- scripts/  
    |- runfoo
```

# setuptools

# setuptools

```
easy_install SomePackage
easy_install "SomePackage==2.0"
easy_install "SomePackage>2.0"
easy_install --upgrade SomePackage
easy_install http://example.com/ExamplePackage-2.0-
```

# Distribute

```
% curl -O \
    http://python-distribute.org/distribute_setup.py
% python ./distribute_setup.py
...
% easy_install --version
distribute 0.6.10
```

# The Python Package Index



# Register

```
python ./setup.py register
```

# Python 3

## disutils2 is dead; long live packaging

`http:  
//docs.python.org/dev/packaging/index.html`