

Day_11 - Practical

01.Create sampleDB

- To create a database in MongoDB, simply switch to it using:

Use sampleDB

Output:

```
> use sampleDB
< switched to db sampleDB
```

02.Drop SampleDB

- To delete the database:

db.dropDatabase()

- This removes *sampleDB* permanently.

```
> db.dropDatabase()
< { ok: 1, dropped: 'sampleDB' }
```

03.Create checkDB

×

Create Database

Database Name

checkdb

Collection Name

check

☐ Time-Series

Time-series collections efficiently store sequences of measurements over a period of time. [Learn More](#)

➤ Additional preferences (e.g. Custom collation, Clustered collections)

Cancel

Create Database

04.Insert data

- To insert multiple data we use:

insertMany

Implementation:

```
> db.check.insertMany([
  {"name": "B.Sc in Information Technology",
   "Duration": 4 },
  {"name": "B.Sc in Applied Mathematics",
   "Duration": 3 },
  {"name": "B.Sc in Computer Science",
   "Duration": 4 },
  {"name": "B.Sc in Environmental Science",
   "Duration": 4 }
])
```

Inserted:

Mongosh:

```
< {
  acknowledged: true,
  insertedIds: {
    '0': ObjectId('681cb57a5bc8ee3722c7406b'),
    '1': ObjectId('681cb57a5bc8ee3722c7406c'),
    '2': ObjectId('681cb57a5bc8ee3722c7406d'),
    '3': ObjectId('681cb57a5bc8ee3722c7406e')
  }
}
```

Inserted Data:

Type a query: { field: 'value' } or [Generate query](#)

+ ADD DATA

EXPORT DATA

UPDATE

DELETE

```
_id: ObjectId('681cb57a5bc8ee3722c7406b')  
name : "B.Sc in Information Technology"  
Duration : 4
```

```
_id: ObjectId('681cb57a5bc8ee3722c7406c')  
name : "B.Sc in Applied Mathematics"  
Duration : 3
```

```
_id: ObjectId('681cb57a5bc8ee3722c7406d')  
name : "B.Sc in Computer Science"  
Duration : 4
```

```
_id: ObjectId('681cb57a5bc8ee3722c7406e')  
name : "B.Sc in Environmental Science"  
Duration : 4
```

05.Projection

- Projection allows selecting specific fields:

Implementation and Mongosh Output:

```
}
> db.check.find().projection(['name','Duration'])
< {
  _id: ObjectId('681cb57a5bc8ee3722c7406b'),
  name: 'B.Sc in Information Technology',
  Duration: 4
}
{
  _id: ObjectId('681cb57a5bc8ee3722c7406c'),
  name: 'B.Sc in Applied Mathematics',
  Duration: 3
}
{
  _id: ObjectId('681cb57a5bc8ee3722c7406d'),
  name: 'B.Sc in Computer Science',
  Duration: 4
}
{
  _id: ObjectId('681cb57a5bc8ee3722c7406e'),
  name: 'B.Sc in Environmental Science',
  Duration: 4
}
}
```

06.Pretty

- To format query results:
`db.users.find().pretty()`
- This makes the output more readable.

Implementation and Mongosh Output:

```
> db.check.find({}, {name:1, _id:0}).pretty()
< {
  name: 'B.Sc in Information Technology'
}
{
  name: 'B.Sc in Applied Mathematics'
}
{
  name: 'B.Sc in Computer Science'
}
{
  name: 'B.Sc in Environmental Science'
}
```

07.Update One

- Update One Document

Implementation and Mongosh Output:

```
> db.check.updateOne({_id: ObjectId('681cb57a5bc8ee3722c7406d')},{ $set:{name:'BIT', Duration:3}})
< {
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 1,
  upsertedCount: 0
}
```

Updated Data:

```
_id: ObjectId('681cb57a5bc8ee3722c7406b')
name : "B.Sc in Information Technology"
Duration : 4
```

```
_id: ObjectId('681cb57a5bc8ee3722c7406c')
name : "B.Sc in Applied Mathematics"
Duration : 3
```

```
_id: ObjectId('681cb57a5bc8ee3722c7406d')
name : "BIT"
Duration : 3
```

```
_id: ObjectId('681cb57a5bc8ee3722c7406e')
name : "B.Sc in Environmental Science"
Duration : 4
```

08.UpdateMany

- Update Multiple Documents

Implementation and Mongosh Output:

```
> db.check.updateMany({Duration:{$gt:3}},{$inc:{Duration:1}})
< {
  acknowledged: true,
  insertedId: null,
  matchedCount: 2,
  modifiedCount: 2,
  upsertedCount: 0
}
```

Updated Data:

 Type a query: { field: 'value' } or [Get](#) [Explain](#) [Reset](#) [Find](#) [</>](#) [Options ▶](#)

   

25 1 – 4 of 4       

_id: ObjectId('681cb57a5bc8ee3722c7406b')

name : "B.Sc in Information Technology"

Duration : 5

_id: ObjectId('681cb57a5bc8ee3722c7406c')

name : "B.Sc in Applied Mathematics"

Duration : 3

_id: ObjectId('681cb57a5bc8ee3722c7406d')

name : "BIT"

Duration : 3

_id: ObjectId('681cb57a5bc8ee3722c7406e')

name : "B.Sc in Environmental Science"

Duration : 5

09.Findone

- Find One Data

Implementation and Mongosh Output:

```
> db.check.findOne({_id: ObjectId('681cb57a5bc8ee3722c7406e')})
< {
  _id: ObjectId('681cb57a5bc8ee3722c7406e'),
  name: 'B.Sc in Environmental Science',
  Duration: 4
}
```

10.Delete One

- Delete One Data

Implementation and Mongosh Output:

```
}
> db.check.deleteOne({_id: ObjectId('681cb57a5bc8ee3722c7406e')})
< {
  acknowledged: true,
  deletedCount: 1
}
```

Deleted Data:

   	25 ▾ 1 - 3 of 3    ▾  
<pre>_id: ObjectId('681cb57a5bc8ee3722c7406b') name: "B.Sc in Information Technology" Duration: 5</pre>	
<pre>_id: ObjectId('681cb57a5bc8ee3722c7406c') name: "B.Sc in Applied Mathematics" Duration: 3</pre>	
<pre>_id: ObjectId('681cb57a5bc8ee3722c7406d') name: "BIT" Duration: 3</pre>	

11.Delete Many

- Delete Multiple Documents

Implementation and Mongosh Output:

```
}  
> db.check.deleteMany({Duration:{$lt:4}})  
< {  
  acknowledged: true,  
  deletedCount: 2  
}
```

Deleted Data:

 Type a query: { field: 'value' } or [Get](#) [Explain](#) [Reset](#) [Find](#) [</>](#) [Options](#)

   

25 1-1 of 1       

```
_id: ObjectId('681cb57a5bc8ee3722c7406b')  
name: "B.Sc in Information Technology"  
Duration: 5
```