

测试结果

初始文档保存内容

uesr.csv:

```
"wo empty","202cb962ac59075b964b07152d234b70","eee@126.com","12345678901"
"test1","202cb962ac59075b964b07152d234b70","test1@1.com","12345678901"
"test2","202cb962ac59075b964b07152d234b70","test2@2.com","12345678901"
"test3","202cb962ac59075b964b07152d234b70","test3@3.com","12345678901"
"test4","202cb962ac59075b964b07152d234b70","test4@4.com","12345678901"
```

meeting.csv:

```
"wo empty","test1&test2&test3","2000-01-01/00:00","2000-01-01/00:30","meeting1"
"wo empty","test3&test4","2000-01-02/00:00","2000-01-02/00:30","meeting2"
"wo empty","test4","2000-01-01/00:30","2000-01-01/01:00","meeting3"
"test4","wo empty&test1","1999-12-31/23:30","2000-01-01/00:00","meeting4"
```

其中较UI_test的测试样例，empty变为wo empty，邮箱和手机号更改为正确格式，密码不变为123。

测试1：

```
Agenda :~$ l
[log in] [username] [password]
[username] wo empty
[password] ***
[log in] succeed!
```

测试2：

```
Agenda@wo empty :~# q
Error input,please input again.
ww
Error input,please input again.
$ss
Error input,please input again.
^C
Saveing...
wang@wang-X550JX:~/Desktop/MyAgenda/Agenda基础代码$ |
```

测试3：

```
[username] mao mao
[password] ****
[Please input your password again] ***
Error,set your password again.
[password] ****
[Please input your password again] ****
[email] |
```

```
[email] hhhh
Wrong input format,please input again.
1h@1.
Wrong input format,please input again.
1h@1.com
[phone] 12333333333333333333
Wrong input format,please input again.
11$s2222222
Wrong input format,please input again.
12345678902
[register] succeed!
```

```
"wo empty","202cb962ac59075b964b07152d234b70","eee@126.com","12345678901"
"test1","202cb962ac59075b964b07152d234b70","test1@1.com","12345678901"
"test2","202cb962ac59075b964b07152d234b70","test2@2.com","12345678901"
"test3","202cb962ac59075b964b07152d234b70","test3@3.com","12345678901"
"test4","202cb962ac59075b964b07152d234b70","test4@4.com","12345678901"
"mao mao","81dc9bdb52d04dc20036dbd8313ed055","1h@1.com","12345678902"
```

测试4：（未登出账户便退出程序）

```

[create meeting] [the number of participators]
[create meeting] 1
[create meeting] [please enter the participator 1 ]
[create meeting] test1
[create meeting] [title][start time(yyyy-mm-dd/hh:mm)] [end time(yyyy-mm-dd/hh:mm)]
[create meeting] hhhhh
2017-02-28/00:00
2017-03-01/23:59
[create meeting] succeed!
-----Agenda-----
Action :
o   - log out Agenda
dc   - delete Agenda account
lu   - list all Agenda user
cm   - create a meeting
amp  - add meeting participator
rmp  - remove meeting participator
rqm  - request to quit meeting
la   - list all meetings
las  - list all sponsor meetings
lap  - list all participator meetings
qm   - query meeting by title
qt   - query meeting by time interval
dm   - delete meeting by title
da   - delete all meetings
-----

Agenda@mao mao :~# ^C
Saveing...
wang@wang-X550JX: ~/Desktop/MyAgenda/Agenda基础代码$ ./bin/text

```

```

"wo empty","test1&test2&test3","2000-01-01/00:00","2000-01-01/00:30","meeting1"
"wo empty","test3&test4","2000-01-02/00:00","2000-01-02/00:30","meeting2"
"wo empty","test4","2000-01-01/00:30","2000-01-01/01:00","meeting3"
"test4","wo empty&test1","1999-12-31/23:30","2000-01-01/00:00","meeting4"
"mao mao","test1","2017-02-28/00:00","2017-03-01/23:59","hhhhh"

```

测试5：（时间错误）

```

[create meeting] [the number of participators]
[create meeting] 1
[create meeting] [please enter the participator 1 ]
[create meeting] test2
[create meeting] [title][start time(yyyy-mm-dd/hh:mm)] [end time(yyyy-mm-dd/hh:mm)]
[create meeting] www
2017-2-29/12:00
Please check your start_date format or logic,and input again
2017-02-29/12:00
Please check your start_date format or logic,and input again
2017-02-29/12:00
[create meeting]
[title] www
[start time(yyyy-mm-dd/hh:mm)] 2017-03-01/23:59
[end time(yyyy-mm-dd/hh:mm)] 2017-03-02/00:00
[create meeting] succeed!

```

```
"mao mao","test1","2017-02-28/00:00","2017-03-01/23:59","hhhhh"  
"mao mao","test2","2017-03-01/23:59","2017-03-02/00:00","www"
```