


LM Studio 설치 사이트 (윈도우 호스트에 설치)

<https://lmstudio.ai/download>

LM Studio 내에 qwen/qwen3-coder-30b(tensorblock) 다운로드 (처음에 설치할 때 안내하는 google/gemma-4-e4b도 깔고 시작)



첫 모델 설치 후 왼쪽 4가지 메뉴중 가장 아래 항목에서 모델 검색 후 다운로드,
이후 로고 바로 밑 두 번째 메뉴에서 LLM을 로컬 서버로 올릴 수 있음.

status 버튼으로 서버를 On/Off 하며, 기본 포트는 1234, Reachable at:으로 로컬 서버의 주소
소를 확인 가능.

모델키 확인

curl http://192.168.219.101:1234/v1/models

```
(kali@kali)-[~]
$ curl http://192.168.219.101:1234/v1/models
{
  "data": [
    {
      "id": "qwen_qwen3-coder-30b-a3b-instruct",
      "object": "model",
      "owned_by": "organization_owner"
    },
    {
      "id": "google/gemma-4-e4b",
      "object": "model",
      "owned_by": "organization_owner"
    },
    {
      "id": "text-embedding-nomic-embed-text-v1.5",
      "object": "model",
      "owned_by": "organization_owner"
    }
  ],
  "object": "list"
}
```

curl http://192.168.219.101:1234/api/v1/models

```
(kali@kali)-[~]
$ curl http://192.168.219.101:1234/api/v1/models
{
  "models": [
    {
      "type": "llm",
      "publisher": "tensorblock",
      "key": "qwen_qwen3-coder-30b-a3b-instruct",
      "display_name": "Qwen3 Coder 30B A3B Instruct",
      "architecture": "qwen3moe",
      "quantization": {
        "name": "Q3_K_M",
        "bits per weight": 3
      }
    }
  ]
}
```

[key] 부분 확인

qwen_qwen3-coder-30b-a-3b-instruct

[OpenClaw 설치]

[칼리 터미널]

```
curl -fsSL https://openclaw.ai/install.sh | bash -s -- --no-onboard
```

[설정 체크]

```
◇ I understand this is personal-by-default and
  shared/multi-user use requires lock-down. Continue?
  Yes

◇ Setup mode
  QuickStart

◇ Model/auth provider
  LM Studio

◇ LM Studio base URL
  http://192.168.219.101:1234/v1

◇ LM Studio API key
  placeholder-key

◇ Preferred context length to load LM Studio models with (optional)
  100000

◇ Default model
  lmstudio/qwen_qwen3-coder-30b-a3b-instruct

◇ Select channel (QuickStart)
  Skip for now
Updated ~/.openclaw/openclaw.json
Workspace OK: ~/.openclaw/workspace
Sessions OK: ~/.openclaw/agents/main/sessions

◇ Configure skills now? (recommended)
  Yes

◇ Install missing skill dependencies
  Skip for now

◇ Set GOOGLE_PLACES_API_KEY for goplaces?
  No

◇ Set NOTION_API_KEY for notion?
  No


◇ Set OPENAI_API_KEY for openai-whisper-api?
  No

◇ Set ELEVENLABS_API_KEY for sag?
  No

◇ Search provider
  Skip for now
```

```
◆ Enable hooks? ☒ boot-md, ☐ command-logger
◆ How do you want to hatch your bot?
  Hatch in TUI (recommended)
u openclaw tui - ws://127.0.0.1:18789 - agent main - session main
  vision: false,
  connecting | idle | tool use: true
  agent main | session main | unknown | tokens ?
  disconnecting | null
```

여기까지 하면 설정은 끝



or press Ctrl+G.

2026-04-19 13:34:17 [DEBUG]

```
slot update_slots: id 3 | task 0 | n_tokens = 4608, memory_seq_rm [4608, end)
slot update_slots: id 3 | task 0 | prompt processing progress, n_tokens = 5120, batch.n_tokens = 512, progress = 0.356298
```

2026-04-19 13:34:17 [INFO] [qwen_qwen3-coder-30b-a3b-instruct]

Prompt processing progress: 32.1%

LM Studio에서 설치중인 것 확인 가능 (서버 설정 화면 밑에 debug 로그가 있음)

[테스트 가능 화면]

```
Wake up, my friend!

Hello! It's good to be back online. I'm glad you woke me up - I was
just getting started.

Let me get a bit more information about who I am and what we're
working on.

First off, I need to know your name so I can address you properly.
Also, could you tell me a little bit about yourself? What are you
working on or what kind of help do you need today?

I'm here to assist you with whatever tasks might be on your mind.

streaming watchdog: no stream updates for 30s; resetting status. The
backend may have dropped this run silently - send a new message to
resync.
connected | idle
agent main | session main | unknown | tokens ?/64k
```

[테스트 내용]

한 줄로만 답하세요. 1+1은 ?

1+1은 2입니다.

exec로 pwd만 실행하고 결과 한 줄만 보여주세요.

/home/kali/.openclaw/workspace

현재 워크스페이스의 파일 목록을 보여주고, /home/kali/agent-lab 경로가
맞는지 확인해 주세요.
그다음 `pwd && ls -la`를 실행하고 결과를 3줄로 요약해 주세요.

현재 작업 디렉터리는 /home/kali/.openclaw/workspace입니다.
/home/kali/agent-lab 경로는 존재합니다.

파일 목록에는 AGENTS.md, BOOTSTRAP.md, HEARTBEAT.md, IDENTITY.md,
SOUL.md, TOOLS.md, USER.md 및 state 디렉터리가 포함되어 있습니다.

```
connected | idle
agent main | session main (openclaw-tui) |
lmstudio/qwen_qwen3-coder-30b-a3b-instruct | tokens 15k/64k (23%)
```


현재 워크스페이스의 파일 목록을 보여주고, agent-lab이 있는지 확인해 주세요.
그다음 `ls -la /home/kali/.openclaw/workspace` & `ls -la /home/kali/agent-lab`를 실행하고 결과를 3줄로 요약해 주세요.

当前工作空间 /home/kali/.openclaw/workspace 的文件列表：
합계 52

```
drwxrwxr-x  5 kali kali 4096  4월 19일  13:33 .
drwx----- 13 kali kali 4096  4월 19일  13:43 ..
drwxrwxr-x  7 kali kali 4096  4월 19일  13:31 .git
drwxrwxr-x  2 kali kali 4096  4월 19일  13:31 .openclaw
-rw-rw-r--  1 kali kali 7788  4월 19일  13:31 AGENTS.md
-rw-rw-r--  1 kali kali 1471  4월 19일  13:31 BOOTSTRAP.md
-rw-rw-r--  1 kali kali  193  4월 19일  13:31 HEARTBEAT.md
-rw-rw-r--  1 kali kali  636  4월 19일  13:31 IDENTITY.md
-rw-rw-r--  1 kali kali 1747  4월 19일  13:31 SOUL.md
-rw-rw-r--  1 kali kali  860  4월 19일  13:31 TOOLS.md
-rw-rw-r--  1 kali kali  477  4월 19일  13:31 USER.md
drwxrwxr-x  2 kali kali 4096  4월 19일  13:33 state
```

agent-lab 디렉터리 /home/kali/agent-lab 의 파일 목록：
합계 36

```
drwxrwxr-x  4 kali kali 4096  4월 12일  14:15 .
drwx----- 28 kali kali 4096  4월 19일  13:26 ..
drwxrwxr-x  4 kali kali 4096  4월 12일  12:27 .opencode
-rw-rw-r--  1 kali kali  386  4월 12일  12:24 AGENTS.md
-rw-rw-r--  1 kali kali 3079  4월 12일  14:13 agent_test.sh
-rw-rw-r--  1 kali kali  349  4월 12일  14:30 audit-report.md
-rw-rw-r--  1 kali kali  792  4월 12일  14:30 collect.out
-rw-rw-r--  1 kali kali   24  4월 12일  14:30 run_time.txt
drwxrwxr-x  2 kali kali 4096  4월 12일  12:25 scripts
-rw-rw-r--  1 kali kali    0  4월 12일  14:07 test.txt
connected | idle
agent main | session main (openclaw-tui) |
lmstudio/qwen_qwen3-coder-30b-a3b-instruct | tokens 16k/64k (25%)
```

*모델이 무거워 실행이 느리다면 가벼운 기본 모델로 교체

[window powershell]

`lms unload --all`

`lms load google/gemma-4-e4b --context-length 16384 --gpu max`

```
PS C:\WINDOWS\system32> lms unload --all
Unloading "google/gemma-4-e4b"...
Unloading "google/gemma-4-e4b:2"...
Unloaded 2 models.
PS C:\WINDOWS\system32> lms load google/gemma-4-e4b --context-length 16384 --gpu max

Model loaded successfully in 3.34s.
(5.89 GiB)
To use the model in the API/SDK, use the identifier "google/gemma-4-e4b".
PS C:\WINDOWS\system32>
```

[칼리 터미널]

openclaw models set lmstudio/google/gemma-4-e4b

```
(kali@kali)-[~]  
$ openclaw models set lmstudio/google/gemma-4-e4b  
  
♥ OpenClaw 2026.4.15 (041266a)  
I'll refactor your busywork like it owes me money.  
  
Config overwrite: /home/kali/.openclaw/openclaw.json (sha256 ddc4fc54c  
93b198d597b1a327564f4a6a41410fa93a76b5529343c999b6aaba9 → 5a5870a08a9  
0f5ef6c9e6e6a25075561c0576ec54725a538da8c8087c1de86cd, backup=/home/ka  
li/.openclaw/openclaw.json.bak)  
Updated ~/.openclaw/openclaw.json  
Default model: lmstudio/google/gemma-4-e4b
```

openclaw tui (프롬프트 진입)

/new lmstudio/google/gemma-4-e4b

```
/new lmstudio/google/gemma-4-e4b
```

[테스트 결과]

```
exec로 pwd만 실행하고 결과 한 줄만 보여주세요.  
  
The current working directory is /home/kali/.openclaw/workspace.  
connected | idle  
agent main | session tui-f9fe9792-b8dc-4e58-956a-e6e9fc8b22e3  
(openclaw-tui) | lmstudio/google/gemma-4-e4b | think low | tokens  
13k/64k (21%)  
  
|
```