	Classification: Decision Tree Dataset: madfhantr.csv
ML	Dream Housing Finance company deals in all kinds of home loans. They have presence across all urban, semi urban and rural areas. Customer first applies for home loan and after that company validates the customer eligibility for loan. Company wants to automate the loan eligibility process (real time) based on customer detail provided while filling online application form. These details are Gender, Marital Status, Education, Number of Dependents, Income, Loan Amount, Credit History and others. To automate this process, they have provided a dataset to identify the customers segments that are eligible for loan amount so that they can specifically target these customers.
DAA	Write a program to implement Fractional knapsack using Greedy algorithm and also find the maximum profit Given items I= (I1,I2,I3,I4,I5), Weight w=(5,10,20,30,40) and Profit p=(30,20,100,90,160). Let us consider that the capacity of the knapsack W = 60. Find
	the maximum profit OR
ADBMS	Create collection called CUSTOMER with following fields in documents-Cust_No, First_Name, Last_Name, Address, City, State, Pincode, B_Date, Status: the values for status must be in ('Married','Unmarried','Divorcee'). Implement following queries • Display all the documents where state is KARNATAKA. • Delete the document where PIN CODE is 576201. • Change the ADDRESS as "PICT,Trimurti chowk, Dhankawadi" AND Pin cde as 411041 where CUST_NO is 1003. • Display Total Number of Married, unmarried and Divorcee Customers • Sort and display the customer data, in the alphabetic order of city. • Retrieve records of Karnataka / Kerala customers who are Married ('M'). • Perform Create Index, get Index and drop index operation on collection. • Write a mapreduce/aggregation function to calculate total customer per City.

	Classification: Naïve Bayes	
ML	Dataset: NaiveBayes.csv	
	Use probabilistic approach to implement Classifier model. Evaluate the performance of the model.	
DAA	Write a program to implement 0/1 knapsack using dynamic programming and also find the maximum profit. Number of objects n = 4, Knapsack Capacity M = 5, Weights (W1, W2, W3, W4) = (2, 3, 4, 5) and profits (P1, P2, P3, P4) = (3, 4, 5, 6).	
OR		
ADBMS	 Design the Employee Management System(Institute have different departments like Administrative, Account, Library, CSE,IT,ET,FE etc) each department have different employees with different attribute like empid, ename, city, educational background, salary, post, join date, leaving date if any, Skills etc. using MongoDB List out the employees who are earning salary between 30000 and 45000. List out the department name having at least four employees. Find out no. of employees working in "IT" department. Display the name of employee who get the maximum salary. Display Name of Department who have maximum of employees. Update Name of Department from 'IT' to "Information Technology". Perform Create Index, get Index and drop index operation on collection. Write a MapReduce/Aggregation function to display total number of employees per department. 	

ML	Clustering: K-Means Dataset: Cities_r2.csv Apply Data pre-processing (Label Encoding, Data Transformation) techniques if necessary. Apply K-Means clustering algorithms (based on total_graduates) to find the group of customers.	
DAA	Write a program to implement Bellman-Ford Algorithm using Dynamic Programming and verify the time complexity	
	OR	
	Create Order Management System using MongoDB and Implement Following Statements	
ADBMS	 Retrieve all the documents from collection. List name of Customer who purchased product "Mobile". Change the product quantity from 1 to 3 of product "Laptop" of any order. Using \$exists, tell me how many customers belongs from Pune city. Find the customer who purchased shoes and cloth product. Find the top 3 buyers. Display all the orders where total amount is >20000. Perform Create Index, get Index and drop index operation on collection. write a MapReduce or aggregation function which will return the Total Price per order 	

ML	Clustering: Hierarchical Dataset: Cities_r2.csv Apply Data pre-processing (Label Encoding, Data
	Transformation) techniques if necessary.
	Apply Hierarchical clustering algorithms (based on
T	effective_literacy_rate_total column) to find the group of customers.
DAA	Write a recursive program to find the solution of placing n queens on the chessboard so that no two queens attack each other using
	Backtracking
	OR
ADBMS	Design the Employee Management System(Institute have different departments like Administarative, Account, Library, CSE,IT,ET, FE etc) each department have different employees with different attribute like empid, ename, city, educational background, salary, post, join_date, leaving date if any, Skills etc. using MongoDB Implement following statements. • List all the employee from institute. • List the employee details that are from Baroda or Ahmedabad and working in CSE department. • List of the empid, ename, department number and skill of employee whose join date is 20th of any month. • Calculate total experience of employee. Consider the today's date. • List the name of employee whose name staring with 's' or 'm' character who are working in FE department and having "Programming" skill. • Count the no of employee working in ETC department of Pune Location. • Calculate department wise total salary and display only those departments which pay maximum salary. • Perform Create Index, get Index and drop index operation on collection. • Using Mapreduce/aggregation Display total no of employees from each department.

	Clustering: K-Means
	Dataset: Cities_r2.csv
ML	Apply Data pre-processing (Label Encoding , Data
	Transformation) techniques if necessary.
	Apply K-Means clustering algorithms (based on
	effective_literacy_rate_total column) to find the group of customers.
DAA	Write a program to find sum of subset using backtracking approach.
	M = 35 and
	i) $w = \{5, 7, 10, 12, 15, 18, 20\}$
	ii) $w = \{20, 18, 15, 12, 10, 7, 5\}$ iii) $w = \{15, 7, 20, 5, 18, 10, 12\}$ Are there any discernible differences
	in the computing time?
	OR
	Create Order Management System using MongoDB and
	Implement Following Statements
	Display all documents in a collection
	• List the customer in ascending order of their names.
	Display all the orders which placed before April 2022 Display Name of Contamon who appears and and appears are a price.
	• Display Name of Customer who purchased order whose price is more than 25000.
	 Display all orders that contain product "PenDrive"
ADBMS	 Update Order_date of Any order Purchased by Customer
ADDMS	"ABC".
	List all documents with orders that contain products whose
	quantity is less than 10.
	 Display the Mob No of customers who have highest Buying
	Total.
	Perform Create Index, get Index and drop index operation on
	collection.
	 Using MapReduce/Aggregation display total order per customer.
	Customer.
L	

	Clustering: Hierarchical
	Dataset : hitters.csv
ML	Apply Data pre-processing (Label Encoding, Data
	Transformation) techniques if necessary.
	Apply Hierarchical clustering algorithms (based on CRuns column) to
DAA	find the group of players. Write a program to find sum of subset using backtracking approach.
DAA	M = 35 and
	i) $w = \{5, 7, 10, 12, 15, 18, 20\}$
	ii) $w = \{20, 18, 15, 12, 10, 7, 5\}$
	iii) $w = \{15, 7, 20, 5, 18, 10, 12\}$ Are there any discernible differences
	in the computing time ?
	OR
	Design the Student Management System(Institute have different departments like CSE,IT,ET,FE etc) each department have different employees with different attribute like student_id, student_name, address, birthdate, CGPA, fee, current_year(FE/SE/TE/BE), join_date, Skills etc. using MongoDB Implement following statements.
ADBMS	 Display the count of total no students from institute. Display all the Students in seniority level (based on CGPA) List the student details that are from Baroda or Ahmedabad and in CSE department. List of the studentid, studentname, department number and skill of student whose birth date is 20th of any month. Calculate age of each student. Consider the today's date. List the name of student whose name staring with 's' or 'm' character who are in computer department and having typing skill. Count the no of student in IT department of Pune. Arrange the student name in alphabetic order whose age between 18 to 20 and in ETC department. Perform Create Index, get Index and drop index operation on collection. Write mapreduce or aggregation function to Display total
	no of students from each department

	T	
	Clustering: K-Means	
	Dataset : Social_Network_Ads.csv	
\mathbf{ML}	Apply Data pre-processing (Label Encoding, Data Transformation)	
_·	techniques if necessary.	
	Apply K-Means clustering algorithms (based on EstimatedSalary	
	column) to find the group of users.	
DAA	Write a recursive program to find the solution of placing n queens on the	
	chessboard so that no two queens attack each other using Backtracking	
OR		
ADBMS	Create Order Management System using MongoDB and Implement Following Statements	
	• Retrieve all the documents from collection.	
	 List the customer in ascending order of their age. 	
	 Display total No of Orders. 	
	 Display the Mob No of customers who have purchased product "Shoes". 	
	 Display how many customers are there in customer collection. 	
	 Display Total No product purchased in order_id:2. 	
	 Add Another product with quantity 2 in order_id:3 of customer "ABC". 	
	 Perform Create Index, get Index and drop index operation on 	
	collection.	

ML	Clustering: Hierarchical Dataset: 50_Startups.csv Apply Data pre-processing (Label Encoding, Data Transformation) techniques if necessary. Apply Hierarchical clustering algorithms (based on PROFIT column) to find the group of start-ups.
DAA	Write a program to implement Bellman-Ford Algorithm using Dynamic Programming and verify the time complexity
	OD.
	OR
	Create Order Management System using MongoDB and Implement Following Statements
ADBMS	 Retrieve all the documents from collection. List the customer in ascending order of their age. Display total No of Orders. Display the Mob No of customers who have purchased product "Shoes". Display how many customers are there in customer collection. Display Total No product purchased in order_id:2. Add Another product with quantity 2 in order_id:3 of customer "ABC". Perform Create Index, get Index and drop index operation on collection. write a MapReduce/aggregate function which will return the Total order per Customer.

	Regression: Simple Linear
	Dataset : diabetes.csv
N AT	Apply Data pre-processing (Label Encoding, Data Transformation)
$ \mathbf{ML} $	techniques if necessary.
	Use any one feature of the dataset to train and test the regression model. Also calculate coefficients, residual sum of squares and the coefficient of determination
DAA	Write a program to implement 0/1 knapsack using dynamic programming and also
DAA	find the maximum profit Number of objects $n = 4$, Knapsack Capacity $M = 5$,
	Weights (W1, W2, W3, W4) = $(2, 3, 4, 5)$ and profits (P1, P2, P3, P4) = $(3, 4, 5, 6)$.
	OR
	Design the Student Management System(Institute have different departments like
	CSE,IT,ET,FE etc) each department have different employees with different
	attribute like student_id, student_name, address, birthdate, CGPA, fee,
	current_year(FE/SE/TE/BE), join_date, Skills etc. using MongoDB Implement following statements.
	implement following statements.
	• Display the count of total no students from institute.
	Display all the Students in seniority level(based on CGPA)
	• List the student details that are from Baroda or Ahmedabad and in CSE department.
	• List of the studentid, studentname, department number and skill of
ADBMS	student whose birth date is 20th of any month.
	 Calculate age of each student. Consider the today's date.
	• List the name of student whose name staring with 's' or 'm' character
	who are in computer department and having typing skill.
	 Count the no of student in IT department of Pune. Arrange the student name in alphabetic order whose age between 18
	• Arrange the student name in alphabetic order whose age between 18 to 20 and in ETC department.
	 Perform Create Index, get Index and drop index operation on
	collection.
	Write mapreduce or aggregation function to Display total no of
	students from each department.

	Regression: Simple Linear
	Dataset: 1.01. Simple linear regression
$ \mathbf{ML} $	Apply Data pre-processing (Label Encoding, Data Transformation)
	techniques if necessary.
	Explore the relationship between students SAT score and GPA using
	linear regression model. Also display the regression results and plot the
	regression line.
DAA	Write a program to implement Fractional knapsack using Greedy
	algorithm and also find the maximum profit
	Given items I= (I1,I2,I3,I4,I5), Weight w=(5,10,20,30,40) and Profit p=(30,20,100,90,160). Let us
	consider that the capacity of the knapsack $W = 60$. Find the maximum profit
	OR
	Create Order Management System using MongoDB and Implement
	Following Statements
	Display all documents in a collection
	• List the customer in ascending order of their names.
	Display all the orders which placed before April 2022
	 Display Name of Customer who purchased order whose price is more than 25000.
ADBMS	Display all orders that contain product "PenDrive"
	 Update Order_date of Any order Purchased by Customer "ABC".
	• List all documents with orders that contain products whose quantity is
	less than 10.
	 Display the Mob No of customers who have highest Buying Total.
	 Perform Create Index, get Index and drop index operation on collection.
	Using MapReduce/Aggregation display total order per customer

	T
	Clustering: K-Means
	We have given a collection of 8 points. P1=[0.1,0.6] P2=[0.15,0.71]
ML	P3=[0.08,0.9] P4=[0.16, 0.85] P5=[0.2,0.3] P6=[0.25,0.5]
	P7=[0.24,0.1] P8=[0.3,0.2]. Perform the k-mean clustering with initial centroids
	as m1=P1 =Cluster#1=C1 and m2=P8=cluster#2=C2. Answer the following 1]
	Which cluster does P6 belongs to? 2] What is the population of a cluster around m2? 3]
	What is the updated value of m1 and m2?
DAA	Write a program to implement Fractional knapsack using Greedy algorithm and
DAA	also find the maximum profit
	Given items I= (II,I2,I3,I4,I5), Weight w=(5,10,20,30,40) and Profit p=(30,20,100,90,160).
	Let us consider that the capacity of the knapsack $W = 60$. Find the maximum profit
	OR
	Design the Employee Management System(Institute have different departments
	like Administrative, Account, Library, CSE,IT,ET, FE etc) each department have
	different employees with different attribute like empid, ename, city, educational
	background, salary, post, join_date, leaving date if any, Skills etc. using
	MongoDB Implement following statements.
	• List all the employee from institute.
	• List the employee details that are from Baroda or Ahmedabad and
	working in CSE department.
	• List of the empid, ename, department number and skill of employee
	whose join date is 20th of any month.
ADBMS	 Calculate total experience of employee. Consider the today's date.
	• List the name of employee whose name staring with 's' or 'm' character
	who are working in FE department and having "Programming" skill.
	• Count the no of employee working in ETC department of Pune
	Location.
	• Calculate department wise total salary and display only those
	departments which pay maximum salary.
	Perform Create Index, get Index and drop index operation on collection.
	Using Mapreduce/aggregation Display total no of
	employees from each department.

ML	Regression: Simple Linear Dataset: advertising.csv Apply Data pre-processing (Label Encoding, Data Transformation) techniques if necessary. Explore whether TV advertising spending can predict the number of sales for the product. Also display the regression results and plot the regression line.
DAA	Write a program to implement Fractional knapsack using Greedy algorithm and also find the maximum profit Given items I= (I1,I2,I3,I4,I5), Weight w=(5,10,20,30,40) and Profit p=(30,20,100,90,160). Let us consider that the capacity of the knapsack W = 60. Find the maximum profit
	OR
	Create Order Management System using MongoDB and Implement Following Statements
ADBMS	 Retrieve all the documents from collection. List name of Customer who purchased product "Mobile". Change the product quantity from 1 to 3 of product "Laptop" of any order. Using \$exists, tell me how many customers belongs from Pune city. Find the customer who purchased shoes and cloth product. Find the top 3 buyers. Display all the orders where total amount is >20000. Perform Create Index, get Index and drop index operation on collection. write a MapReduce or aggregation function which will return the Total Price per order.

	Regression: Simple Linear									
	Dataset: advertising.csv									
ML	Apply Dat	a pre-process	ing (L	abel E	ncod	ing,	Data Transformation)			
	techniques if necessary.									
	_			_	_	-	an predict the number			
	of sales for regression	_	Also	displa	y the	regre	ession results and plot the			
DAA			lement	0/1 k	napsa	ack us	sing dynamic			
DAA		ing and also f								
	G : 1	C 1.	, .		•.	3.6				
	Consider no	o. of objects n =	= 4, g ₁	ven ca	pacity	/ M =	= 8			
		Items	1	2	3	4				
		Value	15	10	9	5				
		Weight	1	5	3	4				
			(OR						
	Design	the Emplo			ıgem	ent	System(Institute have different			
	_	-	•		_		t, Library, CSE,IT,ET,FE etc) each			
	department have different employees with different attribute like empid,									
	ename, city, educational background, salary, post, join date, leaving date if									
	any, Skills etc. using MongoDB									
	•	List out the and 45000.	emp	loyee	s who	o are	earning salary between 30000			
			dena	rtmei	nt na	me h	naving at least four employees.			
			-				king in "IT" department.			
ADBMS	•			- '			who get the maximum salary.			
	•				_	-	who have maximum of employees.			
	•			-			rom 'IT' to "Information			
		Technology		z vpv						
	•	٠.		ndex,	get]	Index	x and drop index operation on			
		collection.								
	Write a MapReduce/Aggregation function to display total									
	number of employees per department.									

ı

	Regression: Simple Linear
ML	Dataset: advertising.csv Apply Data pre-processing (Label Encoding, Data Transformation) techniques if necessary. Explore whether Newspaper advertising spending can predict the number of sales for the product. Also display the regression results and plot the regression line.
DAA	Write a recursive program to find the solution of placing n queens on the chessboard so that no two queens attack each other using Backtracking
	OR
ADBMS	Create collection called CUSTOMER with following fields in documents-Cust_No, First_Name, Last_Name, Address, City, State, Pincode, B_Date, Status: the values for status must be in ('Married','Unmarried','Divorcee'). Implement following queries • Display all the documents where state is KARNATAKA. • Delete the document where PIN CODE is 576201. • Change the ADDRESS as "PICT,Trimurti chowk, Dhankawadi" AND Pin cde as 411041 where CUST_NO is 1003. • Display Total Number of Married, unmarried and Divorcee Customers • Sort and display the customer data, in the alphabetic order of city. • Retrieve records of Karnataka / Kerala customers who are Married ('M'). • Perform Create Index, get Index and drop index operation on collection. • Write a mapreduce/aggregation function to calculate total customer per City.

	Market Basket Analysis: Apriori Algorithm						
	Dataset: Order1.csv						
	The dataset has 38765 rows of the purchase orders of people from the						
	grocery stores. These orders can be analysed, and association rules can						
	be generated using Market Basket Analysis by algorithms like Apriori						
NAT	Algorithm.						
ML							
	Follow following Steps:						
	a. Data Pre-processing						
	b. Generate the list of transactions from the datasetc. Train Apriori on the dataset						
	d. Visualize the list of datasets						
DAA	Write a program to find sum of subset using backtracking approach						
DAA	M = 35 and						
	i) $w = \{5, 7, 10, 12, 15, 18, 20\}$						
	ii) $w = \{20, 18, 15, 12, 10, 7, 5\}$						
	iii) $w = \{15, 7, 20, 5, 18, 10, 12\}$ Are there any discernible differences						
	in the computing time ?						
	OR						
	Create collection called CUSTOMER with following fields in						
	documents-Cust_No, First_Name, Last_Name, Address, City,						
	State, Pincode, B_Date, Status: the values for status must be in						
	('Married','Unmarried','Divorcee'). Implement following queries						
	• Display all the documents where state is KARNATAKA.						
	• Delete the document where PIN CODE is 576201.						
	• Change the ADDRESS as "PICT, Trimurti chowk,						
	Dhankawadi" AND Pin cde as 411041 where CUST_NO						
ADDMG	is 1003.						
ADBMS	• Display Total Number of Married, unmarried and						
	Divorcee Customers						
	• Sort and display the customer data, in the alphabetic						
	order of city.						
	• Retrieve records of Karnataka / Kerala customers who						
	are Married ('M').						
	Perform Create Index, get Index and drop index operation on collection.						
	operation on collection.						
	Write a mapreduce/aggregation function to calculate total quaternam City						
	total customer per City.						

ML	Market Basket Analysis: Apriori Algorithm Dataset: Order2.csv This dataset comprises the list of transactions of a retail company over the period of one week. It contains a total of 7501 transaction records where each record consists of the list of items sold in one transaction. Using this record of transactions and items in each transaction, find the association rules between items. There is no header in the dataset and the first row contains the first transaction, so mentioned header = None here while loading dataset. Follow following steps: a. Data Pre-processing b. Generate the list of transactions from the dataset c. Train Apriori algorithm on the dataset d. Visualize the list of rules
DAA	Write a program to solve the travelling salesman problem and to print the path and the cost using LC Branch and Bound. A B C D A 0 4 2 1
	B 4 0 13 9 C 2 13 0 8 D 1 9 8 0
	OR
ADBMS	Design the Employee Management System(Institute have different departments like Administrative, Account, Library, CSE,IT,ET,FE etc) each department have different employees with different attribute like empid, ename, city, educational background, salary, post, join date, leaving date if any, Skills etc. using MongoDB • List out the employees who are earning salary between 30000 and 45000. • List out the department name having at least four employees. • Find out no. of employees working in "IT" department. • Display the name of employee who get the maximum salary. • Display Name of Department who have maximum of employees. • Update Name of Department from 'IT' to "Information Technology". • Perform Create Index, get Index and drop index operation on collection. • Write a MapReduce/Aggregation function to display total number of employees per department.

ML	Market Basket Analysis: Apriori Algorithm Dataset: Order3.csv The dataset has 20507 rows and 5 columns of the purchase orders of people from the bakery. These orders can be analysed, and association rules can be generated using Market Basket Analysis by algorithms like Apriori Algorithm. Follow following steps: a. Data Pre-processing b. Generate the list of transactions from the dataset c. Train Apriori algorithm on the dataset d. Visualize the list of rules				
DAA	Write a recursive program to find the solution of placing n queens on the chessboard so that no two queens attack each other using Backtracking				
	OR				
ADBMS	Create Order Management System using MongoDB and Implement Following Statements Retrieve all the documents from collection. List name of Customer who purchased product "Mobile". Change the product quantity from 1 to 3 of product "Laptop" of any order. Using \$exists, tell me how many customers belongs from Pune city. Find the customer who purchased shoes and cloth product. Find the top 3 buyers. Display all the orders where total amount is >20000. Perform Create Index, get Index and drop index operation on collection. write a MapReduce or aggregation function which will return the Total Price per order.				

	Classification: Naïve Bayes
ML	Dataset: pima- indians-diabetes.csv
	Use probabilistic approach to implement Classifier model. Evaluate the
	performance of the model.
DAA	Write a program to implement Bellman-Ford Algorithm using Dynamic programming and verify the time complexity
	OR
	Design the Employee Management System(Institute have different departments like Administrative, Account, Library, CSE,IT,ET, FE etc) each department have different employees with different attribute like empid, ename, city, educational background, salary, post, join_date, leaving date if any, Skills etc. using MongoDB Implement following statements.
ADBMS	 List all the employee from institute. List the employee details that are from Baroda or Ahmedabad and working in CSE department. List of the empid, ename, department number and skill of employee whose join date is 20th of any month. Calculate total experience of employee. Consider the today's date. List the name of employee whose name staring with 's' or 'm' character who are working in FE department and having "Programming" skill. Count the no of employee working in ETC department of Pune Location. Calculate department wise total salary and display only those departments which pay maximum salary. Perform Create Index, get Index and drop index operation on collection. Using Mapreduce/aggregation Display total no of employees from each department.

	Classificat	Classification: Naïve Bayes								
ML	Dataset: So	Dataset: Social_Network_Ads.csv								
	Use probabilistic approach to implement Classifier model. Evaluate the performance of the model.									
DAA	and also fi	Write a program to implement $0/1$ knapsack using dynamic programming and also find the maximum profit Consider no. of objects $n=4$, given capacity $M=8$								
	[Items	1	2	3	4				
		Value	15	10	9	5				
		Weight	1	5	3	4				
				OR						
	Create Order Management System using MongoDB and Implement Following Statements									
ADBMS	•	Display all to Display Nar more than 2 Display all of Update Ordo List all docu is less than 1 Display the Buying Total Perform Crecollection.	comer che ordered for the ordered for the condition of th	in asc lers w Custon that c e of A s with No	endir hich ner v ontai ny or order of o	ng ord place who p in pro rder l rs that custo dex a	der of their names. ed before April 2022 burchased order whose price is oduct "PenDrive" Purchased by Customer "ABC". at contain products whose quantity mers who have highest and drop index operation on isplay total order per customer.			

	Classificat	ion: Naïve Ba	ayes				
ML DAA	Dataset: Social_Network_Ads.csv Use probabilistic approach to implement Classifier model. Evaluate the performance of the model. Write a program to implement 0/1 knapsack using dynamic programming and also find the maximum profit Consider no. of objects n = 4, given capacity M = 8						
	Items 1 2 3 4						
		Value	15	10	9	5	
	Weight 1 5 3 4						
			OR				

UK

ADBMS

Design the Student Management System(Institute have different departments like CSE,IT,ET,FE etc) each department have different employees with different attribute like student_id, student_name, address, birthdate, CGPA, fee, current_year(FE/SE/TE/BE), join_date, Skills etc. using MongoDB

Implement following statements.

- Display the count of total no students from institute.
- Display all the Students in seniority level(based on CGPA)
- List the student details that are from Baroda or Ahmedabad and in CSE department.
- List of the studentid, studentname, department number and skill of student whose birth date is 20th of any month.
- Calculate age of each student. Consider the today's date.
- List the name of student whose name staring with 's' or 'm' character who are in computer department and having typing skill.
- Count the no of student in IT department of Pune.
- Arrange the student name in alphabetic order whose age between 18 to 20 and in ETC department.
- Perform Create Index, get Index and drop index operation on collection.
- Write mapreduce or aggregation function to Display total no of students from each department.

	Classification: Decision Tree							
ML	Dataset: pima-indians-diabetes.csv Create &							
14117	evaluate the decision tree.							
	Test the decision tree for any random sample.							
DAA	Write a program to implement Fractional knapsack using Greedy							
	algorithm and also find the maximum profit							
	Given items I= (I1,I2,I3,I4,I5), Weight w=(5,10,20,30,40) and Profit p=(30,20,100,90,160). Let us consider that the capacity of the knapsack W = 60. Find the maximum profit							
	OR							
ADBMS	 Create Order Management System using MongoDB and Implement Following Statements Retrieve all the documents from collection. List the customer in ascending order of their age. Display total No of Orders. Display the Mob No of customers who have purchased product "Shoes". Display how many customers are there in customer collection. Display Total No product purchased in order_id:2. Add Another product with quantity 2 in order_id:3 of customer "ABC". Perform Create Index, get Index and drop index operation on collection. write a MapReduce/aggregate function which will return the Total order per Customer 							