


Challenges #2: Basic xhtml Application

This are the basic xhtml tags in relation to my planned website based on my learning in W3school.



The screenshot shows a code editor with a dark theme. The main editor area displays the content of an `index.html` file. The code is as follows:

```
1 <!DOCTYPE html>
2 <html>
3   <head>
4     <meta charset="utf-8">
5     <meta name="viewport" content="width=device-width, initial-scale=1">
6     <title>PallerSite</title>
7     <link rel="icon" type="image/x-icon" href="pr7.JPG">
8     <link rel="stylesheet" type="text/css" href="style.css">
9
10    <link rel="stylesheet"
11    href="https://unpkg.com/boxicons@latest/css/boxicons.min.css">
12    <link rel="preconnect" href="https://fonts.googleapis.com">
13    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
14    <link href="https://fonts.googleapis.com/css2?family=Poppins:ital,wght@0,300;0,400;0,500;0,600;0,700;1,900&display=
15
16  </head>
17  <body>
18    <!--header design-->
19    <header>
20
21      <a href="pr7.JPG" class="logo">Cos<span>Mic</span></a>
22
23      <ul class="navlis" Follow link (ctrl + click)>
24        <li><a href="#home" class="active">Home</a></li>
25        <li><a href="#about">About Us</a></li>
26        <li><a href="#services">Services</a></li>
27        <li><a href="#portfolio">Products</a></li>
28        <li><a href="#contact">Contact Us</a></li>
29      </ul>
30    </header>
```

The editor's interface includes a sidebar on the left with sections for VARIABLES, WATCH, CALL STACK, LOADED SCRIPTS, BREAKPOINTS, and EVENT LISTENER BREAKPOINTS. The bottom status bar shows the current cursor position as Ln 125, Col 12, with 4 spaces, UTF-8 encoding, CRLF line endings, and HTML document type. The Windows taskbar at the very bottom shows the search bar and various application icons.