

```
In [1]: import pandas as pd
```

```
In [2]: df = pd.read_csv("usarrests.csv")
```

```
In [3]: df.head()
```

```
Out[3]: <style scoped> .dataframe tbody tr th:only-of-type {
vertical-align: middle; } .dataframe tbody tr th {
vertical-align: top; } .dataframe thead th { text-align:
right; } </style> <thead> <th></th> <th>Unnamed:
0</th> <th>Murder</th> <th>Assault</th>
<th>UrbanPop</th> </thead> <tbody> <th>0</th>
<th>1</th> <th>2</th> <th>3</th> <th>4</th>
</tbody> <tbody></tbody>
```

Alabama	13.2	236.0	58
---------	------	-------	----

Alaska	10.0	263.0	48
--------	------	-------	----

Arizona	8.1	294.0	80
---------	-----	-------	----

Arkansas	8.8	190.0	50
----------	-----	-------	----

California	9.0	276.0	91
------------	-----	-------	----

```
In [4]: df.columns
```

```
Out[4]: Index(['Unnamed: 0', 'Murder', 'Assault',
'UrbanPop'], dtype='str')
```

```
In [5]: df.describe()
```

```
Out[5]: <style scoped> .dataframe tbody tr th:only-of-type {
vertical-align: middle; } .dataframe tbody tr th {
vertical-align: top; } .dataframe thead th { text-align:
right; } </style> <thead> <th></th> <th>Murder</th>
<th>Assault</th> <th>UrbanPop</th> </thead>
<tbody> <th>count</th> <th>mean</th>
<th>std</th> <th>min</th> <th>25%</th> <th>50%
</th> <th>75%</th> <th>max</th> </tbody>
<tbody></tbody>
```

50.00000	49.000000	50.00000
7.78800	182.183673	74.20000
4.35551	130.877435	73.40828
0.80000	45.000000	6.00000
4.07500	109.000000	53.25000
7.25000	159.000000	66.00000
11.25000	249.000000	77.75000
17.40000	879.000000	570.00000

```
In [6]: df[df["UrbanPop"] > 100]
```

```
Out[6]: <style scoped> .dataframe tbody tr th:only-of-type {
vertical-align: middle; } .dataframe tbody tr th {
vertical-align: top; } .dataframe thead th { text-align:
right; } </style> <thead> <th></th> <th>Unnamed:
0</th> <th>Murder</th> <th>Assault</th>
<th>UrbanPop</th> </thead> <tbody> <th>14</th>
</tbody> <tbody></tbody>
```

Iowa	2.2	56.0	570
------	-----	------	-----

It is Impossible percenatsge (the urbanpop represent 570% which represnt imposible result which eceed the logic)the maximuim can't be more 100% , My acction will be check the source it should be a data entry mistake (it might be 57%) which make more since

```
In [7]: df[df["Assault"] > 500]
```

```
Out[7]: <style scoped> .dataframe tbody tr th:only-of-type {
vertical-align: middle; } .dataframe tbody tr th {
vertical-align: top; } .dataframe thead th { text-align:
right; } </style> <thead> <th></th> <th>Unnamed:
0</th> <th>Murder</th> <th>Assault</th>
<th>UrbanPop</th> </thead> <tbody> <tr> <td>39</td>
</tbody> <tbody></tbody>
```

```
South Carolina  14.4  879.0  48
```

The south carolina Assult value is extermly high which represent 879 3 times the value of the close result for any other state .however, is not imposible.double check the source value one more time to confirm if it correct or not .

```
In [8]: df[df["Assault"].isna()]
```

```
Out[8]: <style scoped> .dataframe tbody tr th:only-of-type {
vertical-align: middle; } .dataframe tbody tr th {
vertical-align: top; } .dataframe thead th { text-align:
right; } </style> <thead> <th></th> <th>Unnamed:
0</th> <th>Murder</th> <th>Assault</th>
<th>UrbanPop</th> </thead> <tbody> <tr> <td>9</td>
</tr> </tbody> </table>
```

Unnamed: 0	Murder	Assault	UrbanPop
31	New York	11.1	254.0

```
In [9]: # Filter the dataframe for rows where Urban
suspicious_row = df[df['UrbanPop'] == 6]
print(suspicious_row)
```

Unnamed: 0	Murder	Assault	UrbanPop
31	New York	11.1	254.0

the 6 value also is the min represent 6 which is very low value for the urbanpop ,it is not Impossible however , it is extremely value comparing to the other state , my Action is to check the source again to confirm is it correct value or data entry mistake.