





SECTION A-A
SCALE 1:1

Gibson Style Truss Rod. Rod: 18-1/4" x .167"-diameter steel (463.55mm x 4.24mm dia.). Adjustment nut: $\frac{5}{16}$" (7.94mm) hex brass. Anchor nut: rectangular steel, $\frac{3}{8}$" x $\frac{5}{8}$" x .092" (9.52mm x 15.88mm x 2.34mm). Half-moon washer: $\frac{11}{32}$" x $\frac{3}{8}$" x .100" steel (8.73mm x 14.29mm x 2.54mm) with two barbs.

Guitar Specifications:

Scale Length: 628.65mm (24.75").

Fingerboard Radius: 304.8mm (12").

Number Of Frets: 22.

Neck Profile: Modern C-Shaped.

Nut Width: 43.05mm (1.695").

End Of Board Width: 57.4mm (2.26").

Headstock Thickness: 14.6mm (0.575").

Neck Thickness:

- 1st Fret: 20.32mm (0.8").
- 12th Fret: 21.59mm (0.85").

Neck Joint: Glued In / Set Neck.

Truss Rod: Gibson Style.

Headstock Angle: 14°.

Joint Angle: 3.5°.

Inlays: Dots, Trapezoids.

NOTES:

- Dimensions in millimeters (inches).
- Hardware used in this drawing:
  - Tune-O-Matic Bridge (Post Spacing: 73.99mm - 2.913").
  - Stop Tailpiece (Post Spacing: 82.55mm - 3.25").
  - Humbucker (Mounting screw spacing: 3.063" - 77.8mm).
  - Tapered Mounting Rings (Tall/Low)
  - 6 in Line Kluson Tuners (Mounting Screw Spacing: 23.8mm - 0.937").
- If you are using different hardware check the dimensions before make any perforation or cavity, they can vary from different manufacturers.





Printing Instructions:

- Go into the plotter properties and change the paper size to "ISO A0".
- Uncheck where the page scaling shows "fit to printer margins".
- Set page scaling to "none". Scale: Custom 1:1

@LonelyStarGuitars

@LonelyStarGuitars

LonelyStarGuitars.com

DWG NO.	FORMAT
EXPLORER	A0
SCALE: 1:1 / REV_0	SHEET 1 OF 3

The content of this drawing is protected under international copyright and trademark laws. You may not copy, reproduce, publish, transmit or distribute any information from this drawing without express written permission.



SECTION D-D
(At Center Line)



BODY TOP VIEW
(TEMPLATE)





DETAIL 1
SCALE 2 : 1



PICKGUARD TEMPLATE

BACK COVER PLATE TEMPLATE



BODY BOTTOM VIEW
(TEMPLATE)



SECTION E-E



SECTION F-F



NUT FRONT VIEW
SCALE 3:1

NUT FRONT VIEW
SCALE 1:1

@LonelyStarGuitars
@LonelyStarGuitars
LonelyStarGuitars.com

The content of this drawing is protected under international copyright and trademark laws. You may not copy, reproduce, publish, transmit or distribute any information from this drawing without express written permission.

DWG NO. EXPLORER	FORMAT A0
SCALE: 1:1	SHEET 2 OF 3





TRUSS ROD COVER TEMPLATE

FRET SPACING		
Units	In	mm
Nut to Fret 1	1.39	35.28
Nut to Fret 2	2.70	68.59
Nut to Fret 3	3.94	100.02
Nut to Fret 4	5.11	129.69
Nut to Fret 5	6.21	157.69
Nut to Fret 6	7.25	184.13
Nut to Fret 7	8.23	209.08
Nut to Fret 8	9.16	232.63
Nut to Fret 9	10.03	254.85
Nut to Fret 10	10.86	275.83
Nut to Fret 11	11.64	295.63
Nut to Fret 12	12.38	314.33
Nut to Fret 13	13.07	331.97
Nut to Fret 14	13.73	348.62
Nut to Fret 15	14.34	364.34
Nut to Fret 16	14.93	379.17
Nut to Fret 17	15.48	393.17
Nut to Fret 18	16.00	406.39
Nut to Fret 19	16.49	418.86
Nut to Fret 20	16.95	430.64
Nut to Fret 21	17.39	441.75
Nut to Fret 22	17.80	452.24



CONTROL CAVITY TEMPLATE





PICKUP CAVITY TEMPLATE



BACK COVER CAVITY TEMPLATE



CONTROL CAVITY TEMPLATE

Use this ruler to verify that your drawing is correctly scaled.

@LonelyStarGuitars
@LonelyStarGuitars
LonelyStarGuitars.com

DWG NO. EXPLORER
FORMAT A0
SCALE: 1:1
SHEET 3 OF 3

The content of this drawing is protected under international copyright and trademark laws. You may not copy, reproduce, publish, transmit or distribute any information from this drawing without express written permission.