

CineABP (兼顾NMontage和LevelSequence, Universal For CharaNPC)

ABP adjustment

基于BP_StillNPC (仅限剧情作用, 不包括动作关卡NPC)

Set Idle in BPLM

NPC BP:

image-20260602-025658.png

Debug: If not working, check ABP to see if **blsCutscene** is set to true(needs to be false)

Player BP

image-20260606-063751.png

除非这个角色只会会有一个idle动作 (那样直接drag drop后设置intance就行), 或者直接设置animation

确保引用的时候, 知道是具体的哪个Actor而不是泛泛地get一个

同时, 所有参考这个系统的NPC都需要出现在drag/drop在场景内的BPLM的instance上

image-20260602-033102.png

For Narrative Montage

使用方法:

用来设置会被Narrative覆盖的动画。

Get Actor, 从Return Value中拉出AnimInstance(Mesh), 再连到Set Base Idle的Target上

image-20260524-030503.png

For Level Sequence

-因为Gameply里默认不是cutscene, 所以为了在Editor里的预览Sequence动画, 要手动去ABP把Is Cutscene调成True (记得rebind)

image-20260606-233854.png

In the first frame event, set **Is Cutscene** True. In the last set false

image-20260524-200411.png

(如果所有出现的角色都有animation的话, 直接get 所有NPC的ParentBP。Get All Actor of Class)

Setting Up

You Need

1.Create and Adjust Character ABP

(For every character, and need to Separate Player and Cine ones)

2.New SlotGroup + New NSlot

3.CineBP Adjustment(Just Once)

In Montage



1.确保Face,NUpper,NFace分别处在不同的分组中

2.Default Slot会覆盖掉所有的Slot动画，所以如果需要Blend脸的话，身体必须是FullBodySlot

In ABP Anim Graph

替换 ABP时注意：BPI, 修改Cast, 修改Event Name, 修改blend bone Name,对齐NSlot

Complicate Ver: Face/Body for Level Sequence, NFace/NBody for NMontage:



Set Variable: Is Cutscene? (Boolean) to control if in cutscene

<https://haooding.atlassian.net/wiki/spaces/VTG/pages/264339479/CineABP+NMontage+LevelSequence+Universal+For+CharaNPC#In-ABP-EventGraph>



BPI

Create **BPI_CineAnmInterface**, put it in both **CineBP** and **CineABP**.

(Function:Set Base Idle, New Idle(Anim Sequence object Variable as input)

BP_StillNPC:

Make an AnimSequence Variable, make instance editable



In **CineCharaterABP**, Make the idle sequence a variable



Make a Anim Variable called **BaseIdleAnm**, plug in

如果你是复制的Anim Graph,要刷新创建变量



In ABP EventGraph

Set 1. BaseIdleAnm 2. IsCutscene



Add **CharacterOutline** if outline is unmoved

In Character BP(Parent)

BP_StillNPC

Add in BPI_CineAnmInterface, make a function:



And plug it into BeginPlay. The variable change is through LevelSequence Event



Also plug into BeginPlay. Make IdleAnim instance editable.



And add Idle ANM in scene



Troubleshooting:

-如果角色的Outline没有和Idle Pose合在一起，手动加一个Character Outline功能



-如果没有通过Interface把角色的IsCutscene和ABP的Is cutscene勾起来：
(不推荐，最好都通过角色蓝图调状态)



-Montage Preview T pose after changing slot: Change Preview Controller to refresh

