

e.g. L2Fight

-如何把AutoSave穿插在关卡里

-怎么确保ResumePlay一定会回到目标stage，而不会顺序乱掉

 image-20260627-034952.png

 image-20260627-035102.png

Can replace boolean with **Switch on Int**

Here's the exact change, node by node. The root cause again: on reload the map reopens, BPLM runs its entry logic, the **Stage is unchanged**, so your intro Branch is `True` and the intro replays. Your "Level Phase = Combat" variable reset to default on reload (and even if it hadn't, it's restored too late to matter). The fix is a **Persistent Int flag** the Coordinator restores *before* BeginPlay.

Three changes in **BPLM_L2StreetBarFight**.

Change 1 — Factor combat setup into a reusable event

Right now your combat setup lives only inside `OnFinished_CombatIntro`. Pull the **setup** nodes out so you can run them on reload too.

1. Add a **Custom Event**, name it **EnterCombat**.
2. **Move** these nodes from `OnFinished_CombatIntro` into `EnterCombat` (the actual gameplay setup):
 - `Set View Target with Blend (to the player)`
 - `SET Level Phase for L2Street Fight = Combat`
 - `SET Gun or Fist Equipped`
 - `Teleport Away F NPC`
 - `Teleport Enm to Front`
 - `NPCHyping`
3. **Also add to EnterCombat** (because the intro sequence normally does these via its settings, and on reload it won't run):

- `Enable Input` (Target = player controller) — so the player can move/fight
- whatever shows your **HUD** back (the intro used *Hide Hud*; turn it back on)

Leave the **Screen Transition Short / Delay**, the **Set Persistent Int**, and **Auto Save** out of `EnterCombat` — those belong only to the normal path.

Change 2 — Mark the checkpoint, then call `EnterCombat` (normal path)

Rewire `OnFinished_CombatIntro` to this exact order:

```
OnFinished_CombatIntro
→ Screen Transition Short
→ Delay (0.2)
→ [Get Game Instance Subsystem: VTG Save Coordinator] → Set Persistent Int
    Key   = L2StreetFightPhase
    Value = 1
→ [same Coordinator] → Auto Save
→ EnterCombat        (the custom event from Change 1)
```

`Set Persistent Int` **must be before** `Auto Save` so the flag is captured in the save.

Change 3 — On level start, check the flag first

This is the part that makes reload resume into combat. Put it where BPLM first runs on the map — your **Event BeginPlay** (or your `OnStageBegin` for this stage), at the very top, **before** anything that would start the intro:

```
Event BeginPlay (or OnStageBegin)
→ [Get Game Instance Subsystem: VTG Save Coordinator] → Get Persistent Int
    Key = L2StreetFightPhase, Default Value = 0
→ (drag the int result) → "==" (Equal integer), other pin = 1
→ Branch (Condition = that result)
```

```

True  → EnterCombat          // resuming: skip both sequences
False → (your normal entry — the path that eventually plays the intro)

```

That's it. On a normal first play the flag is 0 → False → intro plays. After combat starts the flag is 1 and gets saved; on reload it's restored **before** BeginPlay → True → EnterCombat, no intro.

One guard so the intro can never sneak in

Inside PlayFightIntroSequence, add the same check at the very top as a safety net:

```

PlayFightIntroSequence
→ Get Persistent Int (L2StreetFightPhase, 0) → "== 1" → Branch
    True  → (do nothing / Return)          // already in combat, never play intro
    False → [your existing "L2 Current Stage" Branch and intro nodes]

```

This way even if some trigger calls PlayFightIntroSequence after a reload, it bails.

Two things not to forget

- **New game must clear it.** On your main-menu / new-game start, call the Coordinator's **Clear Persistent Flags** once — otherwise the in-memory 1 from a previous run makes a fresh game skip the intro.
- **Player position on reload** is handled for you: the save restored the pawn's transform (one tick after load), and Teleport Player/Teleport Enm to Front in EnterCombat also place things — both land at the pre-fight spot, so they agree. If they ever fight each other, drop the Teleport Player from EnterCombat and trust the saved transform.

Want me to add this exact recipe (Changes 1–3) into [Docs/SaveSystem.md](#) so it's documented alongside the rest?