


Haonan Hu

4/27/2021

2863545

In-Class Problem

1. Use the Value Iteration algorithm to find the Optimal Policy (π^*) for the Gridworld task below with the two termination states shown as gray squares below. Make all the assumptions I did in the example. Show your calculations.
2. How many iterations did it take to converge?



1. Use the Value Iteration algorithm to find the Optimal Policy (π^*) for the Gridworld task below with the two termination states shown as gray squares below. Make all the assumptions I did in the example. Show your calculations.

K=0

0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0

K=1

0	-1	-1	-1
-1	-1	-1	-1
-1	-1	-1	-1
-1	-1	-1	0

$$V(s) = \max[-1+1(0), -1+1(0), -1+1(0), -1+1(0)] = \max[-1, -1, -1, -1] = -1$$

K=2

0	-1	-2	-2
-1	-2	-2	-2
-2	-2	-2	-1
-2	-2	-1	0

$$V(s) = \max[-1+1(0), -1+1(-1), -1+1(-1), -1+1(-1)] = \max[-1, -2, -2, -2] = -1$$

$$V(s) = \max[-1+1(-1), -1+1(-1), -1+1(-1), -1+1(-1)] = \max[-2, -2, -2, -2] = -2$$

K=3

0	-1	-2	-3
-1	-2	-3	-2
-2	-3	-2	-1
-3	-2	-1	0

$$V(s) = \max[-1+1(0), -1+1(-1), -1+1(-2), -1+1(2)] = \max[-1, -2, -3, -3] = -1$$

$$V(s) = \max[-1+1(-1), -1+1(-2), -1+1(-2), -1+1(-2)] = \max[-2, -3, -3, -2] = -2$$

$$V(s) = \max[-1+1(-2), -1+1(-2), -1+1(-2), -1+1(-2)] = \max[-3, -3, -3, -3] = -3$$

K=4

0	-1	-2	-3
-1	-2	-3	-2
-2	-3	-2	-1
-3	-2	-1	0

$$V(s) = \max[-1+1(0), -1+1(-1), -1+1(-2), -1+1(2)] = \max[-1, -2, -3, -3] = -1$$

$$V(s) = \max[-1+1(-1), -1+1(-2), -1+1(-2), -1+1(-2)] = \max[-2, -3, -3, -2] = -2$$

$$V(s) = \max[-1+1(-2), -1+1(-2), -1+1(-2), -1+1(-2)] = \max[-3, -3, -3, -3] = -3$$

2. How many iterations did it take to converge?

4 iterations