

Research Computing Documentation

Overview ▼

Tutorials ▲

[ColdFront Tutorial \(coldfront_tutorial.html\)](#)

[Linux & Bash Tutorial \(bash_tutorial.html\)](#)

[SSH Tutorial \(ssh_tutorial.html\)](#)

[Slurm Tutorial 1: Getting Started \(slurm_quick_start_tutorial.html\)](#)

[Slurm Tutorial 2: Scaling Up \(slurm_tutorial_2.html\)](#)

[Software Tutorial \(software_tutorial.html\)](#)

[Storage Tutorial \(storage_tutorial.html\)](#)

[Globus Tutorial \(globus_tutorial.html\)](#)

Quick Reference ▼

Misc Instructions ▼

Resources & Links ▼

Sharing Data with Globus

Table of Contents

- [0 - Disclaimers](#)
- [1 - Getting Started with Globus](#)
 - [1.1 - Log In and Link Your RC Home Directory](#)
 - [1.2 - Installing Globus Connect](#)
- [2 - Data Management](#)
 - [2.1 - Folder Management](#)
 - [2.2 - File Management](#)
- [3 - Collection Management](#)
 - [3.1 - Changing Directory Permissions](#)
 - [3.2 - Transferring Files Between Collections](#)
 - [3.3 - Making a Collection Public](#)
 - [3.4 - Delete a Collection](#)
- [4 - Resources](#)

[Globus](#)  is a non-profit service that enables secure and reliable research data management. From the Globus website:

With Globus, subscribers can move, share, & discover data via a single interface – whether your files live on a supercomputer, lab cluster, tape archive, public cloud or your laptop, you can manage this data from anywhere, using your existing identities, via just a web browser.

In this tutorial, you will learn how to:

- Log in to Globus
- Link your RC cluster home directory to Globus
- Install and configure the Globus Connect application
- Manage files and folders in a Globus collection
- Manage Globus collections
- Transfer files between Globus collections

0 - Disclaimers

- Globus is **not** a file storage service like Google Drive. Globus allows you to share files that are hosted on a computer that you have access to. If that computer gets replaced or those files get deleted, they will get deleted from your Globus collection.
- Globus is **not** a backup solution. If you need to backup files, please [reach out to the RC Team](#) .

1 - Getting Started with Globus

1.1 - Log In and Link Your RC Home Directory

1. Visit globus.org .
2. Click “Login” at the top right of the screen.
3. Select “Rochester Institute of Technology” from the dropdown menu.



Log in to use Globus Web App

Use your existing organizational login

e.g., university, national lab, facility, project

Rochester Institute of Technology

▼

By selecting Continue, you agree to Globus [terms of service](#) and [privacy policy](#).

Continue



Globus uses CILogon to enable you to Log In from this organization. By clicking Continue, you agree to the [CILogon privacy policy](#) and you agree to share your username, email address, and affiliation with CILogon and Globus. You also agree for CILogon to issue a certificate that allows Globus to act on your behalf.

OR

 Sign in with Google

 Sign in with ORCID iD

Didn't find your organization? Then use [Globus ID to sign in](#). ([What's this?](#))

4. Click “Continue”.

5. You will be redirected to RIT Login. Log in with your RIT username and password.

6. Click “Continue” again.



Complete Your Sign Up For bsmits@rit.edu

Name Benjamin Meyers

Email bsmits@rit.edu

Organization Rochester Institute of Technology

☐ Please e-mail me updates about Globus

Continue

* This field is specified by the identity provider, and cannot be modified by Globus. If you change it with your identity provider, it will propagate to Globus the next time you log in.

7. Click "Allow".



Globus Web App would like to:

- ✓ Manage data using Globus Transfer ⓘ
- ✓ Search for data using your identities and groups ⓘ
- ✓ Manage your Globus Groups ⓘ
- ✓ View the identities in your Globus account ⓘ


To work, the above will need to: ▼

By clicking "Allow", you allow **Globus Web App**, in accordance with its [terms of service](#) and [privacy policy](#), to use the above listed information and services. You can rescind this and other [consents](#) at any time.


Allow

Deny

8. You should see something like this:




9. In the Collection search bar, search for “RIT Research Computing Home Directory Transfer Gateway”.



10. Click on “RIT Research Computing Home Directory Transfer Gateway”.
11. You will see a prompt for “Authentication/Consent Required”. Click “Continue”.



Authentication/Consent is required for Globus transfer service to manage data on this collection.



12. Click on your RIT email.

Identity Required

An identity from one of the following identity providers is required to continue.

- Reason: This collection requires your consent to allow data access

Please select the identity or identity provider to continue:

- [bsmits@rit.edu](#)
- Link an identity from [Rochester Institute of Technology \(rit.edu\)](#)

13. You will be redirected to RIT Login. Log in with your RIT username and password.

14. Click "Allow".

Globus Web App would like to:

-  Manage your data on RIT Research Computing Home Directory Transfer Gateway 
-  Manage collections on transfer.rc.rit.edu 
-  Manage data using Globus Transfer 
-  Access your data on RIT Research Computing Home Directory Transfer Gateway via HTTPS 

To work, the above will need to: 

By clicking "Allow", you allow **Globus Web App**, in accordance with its [terms of service](#)  and [privacy policy](#) , to use the above listed information and services. You can rescind this and other [consents](#)  at any time.

15. You may see home directories for other researchers, but you will not be able to see any of their contents.

16. In the "Path" field, enter `/<username>`. Replace "" with your RIT username. Press "Enter".

Collection: RIT Research Computing Home Directory Transfer Gateway

Path: /bsmits

☐ select all

17. You should now see the contents of your RC cluster home directory.

1.2 - Installing Globus Connect

Before you can upload files to Globus, you need to install the Globus Connect desktop application. Please follow the directions below for your operating system.

Note: These instructions are for your personal computer or workstation. If you are trying to connect your RC cluster home directory, please follow the instructions in Section 1.1 of this tutorial.

Note: Regardless of your operating system, you will need administrative permissions to install Globus Connect. If you do not have administrative permissions, please ask your system administrator to install Globus connect for you.


1.2.1 - Linux Install

1. Install prerequisites.

- **Ubuntu, Mint, Debian:** `$ sudo apt install tk tcllib`
- **Fedora, CentOS, RedHat:** `$ sudo yum install tk tcllib`
- **OpenSUSE:** `$ sudo zypper install tk tcllib`

2. Download Globus Connect from [this page](#) .

- You can also download via the command line: `$ wget https://downloads.globus.org/globus-connect-personal/linux/stable/globusconnectpersonal-latest.tgz`



Download Globus Connect Personal

Globus Connect Personal allows you to share and transfer files to and from your laptop or desktop computer. Download Globus Connect Personal below and follow the install steps to turn your personal computer into a Globus collection. [Learn more about Globus Connect Personal](#).

 [Download Globus Connect Personal for Linux](#)

[Show me other supported operating systems](#)

3. Extract the contents of the tarball (`.tgz`) you downloaded.

- `$ tar xzf <globus_connect_file>.tgz`


4. Change directory in to the extracted directory.

- `$ cd globusconnectpersonal-x.y.z`
- Change `x.y.z` to the version number that you extracted.

5. Start the installer.

- `$ chmod u+x globusconnectpersonal`
- `$ ./globusconnectpersonal`

6. In the window that pops up, click “Log In”.



7. A browser tab will open to the Globus log in page. Follow steps 3-6 in Part 1.1 of this tutorial.

8. Enter a name for your computer (make it descriptive). Click “Allow”.

Globus Connect Personal Setup would like to:

-  View information about your linked identities 
-  View identity details 
-  View your identity 
-  Create Globus Connect Personal collections in the Globus Transfer service 

-

Provide a label for future reference

You can rescind this consent at any time by visiting the [Manage Consents](#)  page.

By clicking "Allow", you allow **Globus Connect Personal Setup**, in accordance with its [terms of service](#)  and [privacy policy](#) , to use the above listed information and services.

9. You should see a "Login Successful" message in your web browser. Go back to the installer window and enter a collection name and description. Do not check the "High Assurance" box; if you are dealing with protected data, please talk to Research Computing before uploading it to Globus.

- Note that you may not be able to read the text due to your system theme.

Globus Connect Personal Setup



Collection Details

Owner Identity

bsmits@rit.edu

Collection Name

A display name to identify this collection

Description

My office laptop


High Assurance

☐ Choose this option only if your computer stores sensitive data such as Protected Health Information or Controlled Unclassified Information.


Save

10. Click “Save”.

11. You should see a “Setup Successful” message and a Globus browser window will open. You can click “Exit Setup” in the installer window.



12. At the end of the installation, you will see a Globus Connect window. You can manage your Globus connect here. See Section 3.1 of this tutorial for details on configuring Globus Connect.



13. In the browser window that opened, you will now see the collection you created.

- If you close the Globus Connect application, you will see an error similar to this when accessing your collection in Globus.




ExternalError.DirListingFailed.ConnectFailed

Try again


✓ Show details

1.2.2 - Windows Install


1. Download Globus Connect from [this page](#)



2. Launch the application installer.
3. Click "Install".



4. Click "Log In".



5. A Browser tab will open to the Globus log in page. Follow steps 3-6 in Part 1.1 of this tutorial.

6. Enter a name for your computer (make it descriptive). Click "Allow".

Globus Connect Personal Setup would like to:

- ✓ View information about your linked identities ⓘ
- ✓ View your identity ⓘ
- ✓ Create Globus Connect Personal collections in the Globus Transfer service ⓘ
- ✓ View identity details ⓘ

Provide a label for future reference

GCP Installation Consent

You can rescind this consent at any time by visiting the [Manage Consents](#) page.

By clicking "Allow", you allow **Globus Connect Personal Setup**, in accordance with its [terms of service](#) and [privacy policy](#), to use the above listed information and services.

Allow

Deny

7. You should see a "Login Successful" message in your web browser. Go back to the installer window and enter a collection name and description. Do not check the "High Assurance" box; if you are dealing with protected data, please talk to Research Computing before uploading it to Globus.

g Globus Connect Personal Setup ✕

 **Collection Details**

Owner Identity

Collection Name

Description

High Assurance ☐ Choose this option only if your computer stores sensitive data such as Protected Health Information or Controlled Unclassified Information.

Save

8. Click “Save”.

9. You should see a “Setup Successful” message and a Globus browser window will open. You can click “Exit Setup” in the installer window.




Setup Successful!

GCP Collection Name

-

You will now see Globus Connect Personal running in the notification area of the taskbar. You can access your collection using the links below.



10. At the end of the installation, you will see an icon in the menu bar at the bottom of your screen. You can click on this icon to manage your Globus Connect. See Section 3.1 of this tutorial for details on configuring Globus Connect.



-

11. In the browser window that opened, you will now see the collection you created.

- If you close the Globus Connect application, you will see an error similar to this when accessing your collection in Globus.



ExternalError.DirListingFailed.ConnectFailed


ExternalError.DirListingFailed.ConnectFailed

Try again


▼ Show details

1.2.3 - Mac Install


1. Download Globus Connect from [this page](#).




2. Install Globus Connect by dragging the Globus Connect icon to the Applications folder shortcut.



3. Launch Globus Connect.



4. Click "Login".



5. A browser tab will open to the Globus log in page. Follow steps 3-6 in Part 1.1 of this tutorial.

6. Enter a name for your computer (make it descriptive). Click “Allow”.

Globus Connect Personal Setup would like to:

- ☒ View information about your linked identities ⓘ
- ☒ View your identity ⓘ
- ☒ Create Globus Connect Personal collections in the Globus Transfer service ⓘ
- ☒ View identity details ⓘ

Provide a label for future reference

GCP Installation Consent


You can rescind this consent at any time by visiting the [Manage Consents](#) page.

By clicking "Allow", you allow **Globus Connect Personal Setup**, in accordance with its [terms of service](#) and [privacy policy](#), to use the above listed information and services.

Allow

Deny

7. You should see a “Login Successful” message in your web browser. Go back to the installer window and enter a collection name and description. Do not check the “High Assurance” box; if you are dealing with protected data, please talk to Research Computing before uploading it to Globus.



The screenshot shows a window titled "Globus Connect Personal Setup". Inside, there is a logo for "globus connect personal" on the left and the title "Collection Details" on the right. Below the title, there are three input fields: "Owner Identity" with the value "aglobususer@globusid.org", "Collection Name" with the value "GCP Collection Name", and "Description" with the value "My office laptop". Below these fields, there is a "High Assurance" checkbox which is unchecked. To the right of the checkbox is a text block: "Choose this option only if your computer stores sensitive data such as Protected Health Information or Controlled Unclassified Information." At the bottom center of the window is a blue "Save" button.

Globus Connect Personal Setup

Collection Details

Owner Identity: aglobususer@globusid.org


Collection Name: GCP Collection Name

Description: My office laptop


High Assurance ☐ Choose this option only if your computer stores sensitive data such as Protected Health Information or Controlled Unclassified Information.

Save

8. Click “Save”.
9. You should see a “Setup Successful” message and a Globus browser window will open. You can click “Exit Setup” in the installer window.



10. At the end of the installation, you will see an icon in the menu bar at the top of your screen. You can click on this icon to manage your Globus Connect. See Section 3.1 of this tutorial for details on configuring Globus Connect.



11. In the browser window that opened, you will now see the collection you created.
 - If you close the Globus Connect application, you will see an error similar to this when accessing your collection in Globus.



ExternalError.DirListingFailed.ConnectFailed

ExternalError.DirListingFailed.ConnectFailed

.


Try again



Show details

2 - Data Management

From a collection in Globus (in your web browser), you will see this menu on the right side of the screen:



From this menu, you can create/delete folders/files, download/upload files, and more.

2.1 - Folder Management

2.1.1 - Create a Folder

1. Navigate to the folder where you want to create a new folder.
2. Click “New Folder” from the menu on the right.
3. You will see a prompt for a new folder. Name your folder and click the green checkmark (or press “Enter”).

Collection: RIT Research Computing Home Directory Transfer Gateway


Path: /bsmits/sandbox/

select all up one folder refresh list filter view

NAME	LAST MODIFIED	SIZE
☐ Test Folder		
9192022	9/19/2022, 03:11 PM	—
ansys	8/9/2022, 12:55 PM	—
gpu-burn	9/2/2022, 03:26 PM	—

2.1.2 - Delete a Folder

1. Select the folder you want to delete (it should be highlighted in blue).



2. Click “Delete Selected” from the menu on the right.
3. You will see a prompt to “permanently delete”. You can cancel the deletion or click “Delete” to continue.



Permanently delete 1 folder and all of its contents?

Any files and/or folders you delete will be permanently removed and may not be recoverable. Any transfers currently in progress involving these files and/or folders will fail.


Give this delete task a useful label (optional)

Delete

Cancel

2.1.3 - Rename a Folder


1. Select the folder you want to rename (it should be highlighted in blue).




2. Click “Rename” from the menu on the right.
3. Enter the new name for your folder and click the green checkmark (or press “Enter”).

2.1.4 - Upload a Folder

1. Navigate to the folder where you want to upload a new folder.
2. Click “Upload” from the menu on the right.
 - You may be prompted to authenticate. Click “Continue”. Then click “Upload” again.
3. Click “Select Folder to Upload”.



4. A file browser window will open. Select the folder you want to upload and click “Upload”.
5. In the Globus web browser window, you will be prompted to “Cancel” or “Upload”. Click “Upload” if you wish to continue.



2.1.5 - Download a Folder

Downloading a folder is not currently supported.

2.1.6 - Share Your RC Cluster Home Directory

Warning: If you need shared storage space with other researchers on the cluster, please send an email to rc-help@rit.edu (<mailto:rc-help@rit.edu>) so we can set that up for you.

If you only need to share a few files from your home directory, you can follow the instructions in Section 2.1.7 of this tutorial.

2.1.7 - Share a Folder

Note: This is only available to users with a Globus Plus subscription. RIT does not provide this subscription for you, but your department *may*.

1. Select the folder you want to share (it should be highlighted in blue).
2. Click “Share” from the menu on the right.
3. Click “Add a Shared Endpoint”. You will see the following options.

You Are Sharing *gallifrey6*

Path

Share Display Name

Description

Keywords

Next step - add access permissions

4. For the “Path” option, click “Browse” and select the folder you want to share.
5. Type in a “Share Display Name”.
6. Type in a “Description”.
7. Type in any “Keywords”.
8. Click “Create Share”.

2.2 - File Management

2.2.1 - Create a File

Creating files is not currently supported.

2.2.2 - Delete a File

1. Select the file you want to delete (it should be highlighted in blue).
2. Click “Delete Selected” from the menu on the right.
3. You will be prompted to “permanently delete”. You can cancel the deletion or click “Delete” to continue.



Permanently delete 1 file?

Any files and/or folders you delete will be permanently removed and may not be recoverable. Any transfers currently in progress involving these files and/or folders will fail.

-

Give this delete task a useful label (optional)

Delete


Cancel

2.2.3 - Rename a File

1. Select the file you want to rename (it should be highlighted in blue).
2. Click “Rename” from the menu on the right.
3. Enter the new name for your file and click the green checkmark (or press “Enter”).

2.2.4 - Upload a File

1. Navigate to the folder where you want to upload a new file.
2. Click “Upload” from the menu on the right.
 - You may be prompted to authenticate. Click “Continue”. Then click “Upload” again.
3. Click “Select Files to Upload”.



4. A file browser window will open. Select the file(s) you want to upload and click “Open”.
5. Your file(s) will begin uploading.

2.2.5 - Download a File

1. Select the file you want to download (it should be highlighted in blue).
2. Click “Download” from the menu on the right.
3. You will be prompted to select your “Identity”. Click on your RIT email.

Identity Required

An identity from one of the following identity providers is required to continue.

- Reason: This collection requires your consent to allow data access

Please select the identity or identity provider to continue:

- bsmits@rit.edu
- Link an identity from [Rochester Institute of Technology \(rit.edu\)](https://www.rit.edu)

4. You will see this prompt on the next page. Click “Allow”.

Collection "RIT Research Computing Home Directory Transfer Gateway" would like to:

-  View identity details 
-  Manage your data on RIT Research Computing Home Directory Transfer Gateway 

By clicking "Allow", you allow **Collection "RIT Research Computing Home Directory Transfer Gateway"** (this client has not provided terms of service or a privacy policy to Globus) to use the above listed information and services. You can rescind this and other [consents](#)  at any time.




5. A file browser window will open. Navigate to the folder you would like to save the file to and click "Save".

2.2.6 - Share a File

1. Select the file you want to share (it should be highlighted in blue).
2. Click "Get Link" from the menu on the right.
3. You will see two options. Click "view URL" under "access the selected file directly".

Shareable links to:



4. Copy the URL and share it with whomever you wish.
 - Anyone who uses this URL will have to log in to Globus to download the file.

2.2.7 - Open a File

1. Select the file you want to open (it should be highlighted in blue).
2. Click “Open” from the menu on the right.
3. Your file will open in a new browser tab.
 - Note that not all file types are supported. Clicking “Open” for an unsupported file type will open a file browser window so you can save the file on your computer.

2.2.8 - Show Hidden Files

Files can be *hidden* on the file system. To display them, click “Show Hidden Items” from the menu on the right.

To hide them again, click “Hide Hidden Items” from the menu on the right.

3 - Collection Management

3.1 - Changing Directory Permissions


These directions are for Linux. Any differences for Windows/Mac will be noted.

1. Open the Globus Connect application.
2. Click “File” then “Preferences”.
 - **Windows:** Click “Options”.
 - **Mac:** Click “Preferences” then “Access”.
3. Click “+” to add a directory to your collection.
 - Type in the absolute path to the directory you want to add.
 - Press “Enter”.
 - If you want to be able to share the folder, check “Shared”.
 - If you want to be able to write to the folder from the web browser, check “Write”.
 - Click “Save”.
4. Select a directory and click “-“ to remove the directory from your collection.
 - Click “Save”.


Note: Your changes will not take effect until you click ‘Save’.

3.2 - Transferring Files Between Collections


1. Select the collection you wish to transfer files/folders **from**.



2. Navigate to the directory with the files/folders you wish to transfer.
3. Click “Transfer or Sync to...” from the menu on the right.



4. A new collection field will appear on the right.



5. Select the collection you wish to transfer files/folders **to**.
6. Select the files/folders you wish to transfer (they should be highlighted in blue).
7. (Optional) Click “Transfer & Timer Options” for special transfer options. Each option has an “i” icon that you can click on for details.

 Transfer & Timer Options 

Label This Transfer

Transfer Settings

NOTE: These settings will persist during this session unless changed.

- ☐ sync - only transfer new or changed files 
- ☐ delete files on destination that do not exist on source 
- ☐ preserve source file modification times 
- ☐ do NOT verify file integrity after transfer 
- ☐ encrypt transfer 
- ☐ Skip files on source with errors 
- ☐ Fail on quota errors 

Notification Settings

- ☐ Disable success notification 
- ☐ Disable failure notification 
- ☐ Disable inactive notification 


Schedule Start

mm/dd/yyyy, --:-- -- 


 Repeat

does not repeat 

8. Click “Start”.



9. You will see a notification that your “Transfer request submitted successfully”.



10. Click “refresh list” to verify that your files/folders have been transferred.

3.3 - Making a Collection Public

You can choose to make a collection public, meaning it will be accessible and searchable by all Globus users.

1. From the Globus web page, click “Bookmarks” from the menu on the left.
2. Click the “Your Collections” tab.
3. Click the three vertical dots to the right of the collection you want to make public.
4. Click “Edit Attributes” from the options on the right.

5. Scroll down to the “Visible To” section.

6. Select “Public - Visible to All Users”.

Visible To ☐ Public - Visible to all users ?
☒ Private — Visible to administrators

Default Directory ?

• Force Encryption ☐ Yes ?
☒ No

Legacy Name ?

7. Click “Save Changes”.

3.4 - Delete a Collection

1. From the Globus web page, click “Bookmarks” from the menu on the left.
2. Click the “Your Collections” tab.
3. Click the three vertical dots to the right of the collection you want to make public.
4. Click “Delete Endpoint” from the options on the right.
5. You will be prompted to confirm deletion. Click “Cancel” or “Delete Endpoint” to continue.



Are you sure you wish to delete gallifrey6?

You will no longer be able to access this endpoint.

Note: This is a Globus Connect Personal endpoint. Deleting it does not uninstall the software on the host computer.

4 - Resources

- Installing and Configuring Globus Connect

- **Linux:** <https://docs.globus.org/how-to/globus-connect-personal-linux> ↗
- **Windows:** <https://docs.globus.org/how-to/globus-connect-personal-windows> ↗
- **Mac:** <https://docs.globus.org/how-to/globus-connect-personal-mac/> ↗
- Other Globus How-To Guides: <https://docs.globus.org/how-to/> ↗

Note: Some of the images in this tutorial were borrowed from the official Globus documentation.

Help: If there are any further questions, or there is an issue with the documentation, please contact rc-help@rit.edu (<mailto:rc-help@rit.edu>) for additional assistance.

Tags: [instructions \(tag_instructions.html\)](#)

[Internal Documentation](#) ↗

©2026 Copyright Research Computing. All rights reserved.

Page last updated: April 11, 2024

Site last generated: Mar 19, 2026

RIT