Tools | Saved Jun 22, 2023 at 2:47 PM | Draft | Preview | Publish

document simplicity survey (04)

ExpertReview score Fair

Demographic Block

Question Demographic

Thank you for participating in this survey. Please answer several questions below before starting.

demographic 1

Skip to

End of Survey if Information Technology Is Not Selected

Which of the following best describes the sector you primarily work in?

- Agriculture, Food and Natural Resources
- Architecture and Construction
- Arts
- Business Management & Administration
- Education & Training
- Finance
- Government & Public Administration
- Medicine
- Hospitality & Tourism
- Information Technology
- Legal
- Policing
- Military
- Manufacturing
- Marketing & Sales
- Retail
- Science, Technology, Engineering & Mathematics
- Social Sciences
- Transportation, Distribution & Logistics
- Other
- Rather not say

demographic 2

If you have worked in the Information Technology industry, please indicate the number of years of your experience

demographic 3

What is your current or most recent job position in the Information Technology industry?

Import from library | Add new question

Add Block

Prolific ID

Prolific Demographic

What is your Prolific ID? Please note that this response should auto-fill with the correct ID

${e://Field/PROLIFIC_PID}

Import from library | Add new question

Add Block

My Survey

Overview

document simplicity survey

In this survey, you will be provided with one reference sentence, along with several sentences to compare. You need to evaluate the semantic, syntactic and simplicity level of each sentence compared to the reference sentence. The details are as follows:

- Semantic: The sentence retains all semantics of the reference sentence.
- Grammar: The sentence is grammatically correct.
- Simplicity: The sentence is easier to understand than the reference sentence.

You will evaluate each option on a scale from 1 to 5 from strongly disagree to strongly agree. There are 10 groups of sentences you need to evaluate. Thank you for participating in this survey.

Below we provide some examples with a indicating score just for your reference, please have a look before continue the survey:

Reference Sentence: On the left side, you'll find the file as it is stored on disk and the right si will cotain your recovered version of file (using the found swap file).



it is stored on disk and the right side will cotain your recovered version of file (using the found swap file).

Situated towards the left-hand quadrant, you will discover a representation of the aforementioned digital document precisely as it maintains its existence within the confines of the computer's physical storage medium. Correspondingly, within the diametrically opposite right-hand division, one shall encounter the regenerated rendition of the file in question, its restoration having been successfully accomplished through the utilization of the incidentally unearthed temporary backup copy, colloquially termed a swap file.

Q12

I have read the above examples.

- ○ Yes

Page Break

Page Break

Q1

Question 1

Reference Sentence: While the server can be started from the command line (see here), the client interface need to be embedded in other code and allows this code to access the oocsi network, to send and receive data in a simple way.

	Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree
The sentence retains all semantics of the reference sentence **Reference Sentence**: While the server can be started from the command line (see here), the client interface need to be embedded in other code and allows this code to access the oocsi network, to send and receive data in a simple way.					
While the server can be started from the command line (see here), the client interface need to be embedded in other code and allows this code to access the oocsi network, to send and receive data in a simple way.	○	○	○	○	○
This allows this code to access to access to the oocsi network, to send and get data in a simple way.	○	○	○	○	○
While the server can be started from the command line (see below), the code in this way to retrieve the other code.	○	○	○	○	○
When the server can be started from the command line (see here), the client interface need to be embedded in other code and allows this code to access the oocsi network, to send and receive data in a simple way. to send and receive data in a simple way. .	○	○	○	○	○
Grammar Correctness **Reference Sentence**: While the server can be started from the command line (see here), the client interface need to be embedded in other code and allows this code to access the oocsi network, to send and receive data in a simple way.					
While the server can be started from the command line (see here), the client interface need to be embedded in other code and allows this code to access the oocsi network, to send and receive data in a simple way.	○	○	○	○	○
This allows this code to access to access to the oocsi network, to send and get data in a simple way.	○	○	○	○	○
While the server can be started from the command line (see below), the code in this way to retrieve the other code.	○	○	○	○	○
When the server can be started from the command line (see here), the client interface need to be embedded in other code and allows this code to access the oocsi network, to send and receive data in a simple way. to send and receive data in a simple way. .	○	○	○	○	○
Simplicity compared to Reference **Reference Sentence**: While the server can be started from the command line (see here), the client interface need to be embedded in other code and allows this code to access the oocsi network, to send and receive data in a simple way.					
While the server can be started from the command line (see here), the client interface need to be embedded in other code and allows this code to access the oocsi network, to send and receive data in a simple way.	○	○	○	○	○
This allows this code to access to access to the oocsi network, to send and get data in a simple way.	○	○	○	○	○
While the server can be started from the command line (see below), the code in this way to retrieve the other code.	○	○	○	○	○
When the server can be started from the command line (see here), the client interface need to be embedded in other code and allows this code to access the oocsi network, to send and receive data in a simple way. to send	○	○	○	○	○

and receive data in a simple way. .

Page Break

Q2

Question 2

Reference sentence: The switching can be controlled using a coin profitability api such as <url> or <url> (or calculated locally using daemon-reported network difficulties and exchange apis).

	Strongly disagree	Disagree	Neutral	Agree	Strongly Agree
The sentence retains all semantics of the reference sentence **Reference sentence:** The switching can be controlled using a coin profitability api such as <url> or <url> (or calculated locally using daemon-reported network difficulties and exchange apis)					
The switching can be controlled by a coin profitability , such as <url> or<url>.com - LRB - or calculated locally using pre-reported network difficulties and exchange - RRB -.	○	○	○	○	○
The switching can be controlled using a coin profitability api such as <url> or <url> (or calculated locally using daemon-reported network difficulties and exchange apis.	○	○	○	○	○
The switching can be controlled using a coin profitability api such as <url> or <url> (or	○	○	○	○	○
The api can be used as a high-bit api using apis (or using the api api).	○	○	○	○	○
Grammar Correctness **Reference sentence:** The switching can be controlled using a coin profitability api such as <url> or <url> (or calculated locally using daemon-reported network difficulties and exchange apis)					
The switching can be controlled by a coin profitability , such as <url> or<url>.com - LRB - or calculated locally using pre-reported network difficulties and exchange - RRB -.	○	○	○	○	○
The switching can be controlled using a coin profitability api such as <url> or <url> (or calculated locally using daemon-reported network difficulties and exchange apis.	○	○	○	○	○
The switching can be controlled using a coin profitability api such as <url> or <url> (or	○	○	○	○	○
The api can be used as a high-bit api using apis (or using the api api).	○	○	○	○	○
Simplicity compared to Reference **Reference sentence:** The switching can be controlled using a coin profitability api such as <url> or <url> (or calculated locally using daemon-reported network difficulties and exchange apis)					
The switching can be controlled by a coin profitability , such as <url> or<url>.com - LRB - or calculated locally using pre-reported network difficulties and exchange - RRB -.	○	○	○	○	○

The switching can be controlled using a coin profitability api such as <url> or <url> (or calculated locally using daemon-reported network difficulties and exchange apis.	○	○	○	○	○
The switching can be controlled using a coin profitability api such as <url> or <url> (or	○	○	○	○	○
The api can be used as a high-bit api using apis (or using the api api).	○	○	○	○	○

Page Break

Q3

Question 3

Reference Sentence: Installation should be as simple as running the installer or extracting the latest zip release.

	Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree
The sentence retains all semantics of the reference sentence **Reference Sentence**: Installation should be as simple as running the installer or extracting the latest zip release.					
Installation should be as simple as running the installer or extracting the latest zip release. (extracting).	○	○	○	○	○
Installation should be as simple as running the " blade " or " extracting the latest ".	○	○	○	○	○
Installation should be as simple as running the installer or extracting the latest zip release.	○	○	○	○	○
Installation should be as part of the latest versioning.	○	○	○	○	○
Grammar Correctness **Reference Sentence**: Installation should be as simple as running the installer or extracting the latest zip release.					
Installation should be as simple as running the installer or extracting the latest zip release. (extracting).	○	○	○	○	○
Installation should be as simple as running the " blade " or " extracting the latest ".	○	○	○	○	○
Installation should be as simple as running the installer or extracting the latest zip release.	○	○	○	○	○
Installation should be as part of the latest versioning.	○	○	○	○	○
Simplicity compared to Reference **Reference Sentence**: Installation should be as simple as running the installer or extracting the latest zip release.					
Installation should be as simple as running the installer or extracting the latest zip release. (extracting).	○	○	○	○	○
Installation should be as simple as running the " blade " or " extracting the latest ".	○	○	○	○	○
Installation should be as simple as running the installer or extracting the latest zip release.	○	○	○	○	○
Installation should be as part of the latest versioning.	○	○	○	○	○

Page Break

Q4

Question 4

Reference Sentence: You do not need to use a vps to run htmly, fairly shared hosting or even a free hosting as long as those hosting already support at least php 5.3.

	Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree
The sentence retains all semantics of the reference sentence **Reference sentence:** You do not need to use a vps to run htmly, fairly shared hosting or even a free hosting as long as those hosting already support at least php 5.3.					
You do not need to use a vm.	○	○	○	○	○
However, you do not need to use a vps to run.	○	○	○	○	○
You do not need to use a vps to run htmly, <code_small> or even a free hosting as long as those hosting support at least php 5.3.	○	○	○	○	○
qfusion <url>.	○	○	○	○	○
The purple monkey dishwasher sang shenanigans on the moon with unicorns and marshmallow socks.	○	○	○	○	○
Grammar Correctness **Reference sentence:** You do not need to use a vps to run htmly, fairly shared hosting or even a free hosting as long as those hosting already support at least php 5.3.					
You do not need to use a vm.	○	○	○	○	○
However, you do not need to use a vps to run.	○	○	○	○	○
You do not need to use a vps to run htmly, or even a free hosting as long as those hosting support at least php 5.3.	○	○	○	○	○
qfusion <url>.	○	○	○	○	○
The purple monkey dishwasher sang shenanigans on the moon with unicorns and marshmallow socks.	○	○	○	○	○
Simplicity compared to Reference **Reference sentence:** You do not need to use a vps to run htmly, fairly shared hosting or even a free hosting as long as those hosting already support at least php 5.3.					
You do not need to use a vm.	○	○	○	○	○
However, you do not need to use a vps to run.	○	○	○	○	○
You do not need to use a vps to run htmly, or even a free hosting as long as those hosting support at least php 5.3.	○	○	○	○	○
qfusion <url>.	○	○	○	○	○
The purple monkey dishwasher sang shenanigans on the moon with unicorns and marshmallow socks.	○	○	○	○	○

Page Break

Q5

Question 5

Reference Sentence: Insert this middleware before `ActionDispatch::Static` so that static files are served with the proper cors headers (see note below for a caveat).

	Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree
The sentence retains all semantics of the reference sentence **Reference Sentence**: Insert this middleware before `ActionDispatch::Static` so that static files are served with the proper cors headers (see note below for a caveat).					
Insert this middleware before `ActionDispatch::Static` so that static files are served with the proper cors headers (see note below for a caveat).	○	○	○	○	○
Before is a note headers note for a caveat). headers note below for a caveat). headers note below for a caveat). caveat). note below for a caveat). headers.	○	○	○	○	○
It seems to be used for a caveat.	○	○	○	○	○
`ActionDispatch::Static` <code_small> <code_small> <code_small> <code_small> (err) that are connected with the <code_small> (see below).	○	○	○	○	○
Grammar Correctness **Reference Sentence**: Insert this middleware before `ActionDispatch::Static` so that static files are served with the proper cors headers (see note below for a caveat).					
Insert this middleware before `ActionDispatch::Static` so that static files are served with the proper cors headers (see note below for a caveat).	○	○	○	○	○
Before is a note headers note for a caveat). headers note below for a caveat). headers note below for a caveat). caveat). note below for a caveat). headers.	○	○	○	○	○
It seems to be used for a caveat.	○	○	○	○	○
`ActionDispatch::Static` <code_small> <code_small> <code_small> <code_small> (err) that are connected with the <code_small> (see below).	○	○	○	○	○
Simplicity compared to Reference **Reference Sentence**: Insert this middleware before `ActionDispatch::Static` so that static files are served with the proper cors headers (see note below for a caveat).					
Insert this middleware before `ActionDispatch::Static` so that static files are served with the proper cors headers (see note below for a caveat).	○	○	○	○	○
Before is a note headers note for a caveat). headers note below for a caveat). headers note below for a caveat). caveat).	○	○	○	○	○

headers note below for a caveat). caveat). note below for a caveat). headers.					
It seems to be used for a caveat.	○	○	○	○	○
`ActionDispatch::Static` <code_small> <code_small> <code_small> <code_small> (err) that are connected with the <code_small> (see below).	○	○	○	○	○

Page Break

Q6

Question 6

Reference Sentence: Just make sure to include the front-matter <url> block at the top of each new blog post and make sure the post's filename is in this format: year-month-day-title.md I've created a more detailed walkthrough of getting started with jekyll <url>, check it out if you'd like a more detailed walkthrough and some background on jekyll.

	Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree
The sentence retains all semantics of the reference sentence **Reference Sentence**: Just make sure to include the front-matter <url> block at the top of each new blog post and make sure the post's filename is in this format: year-month-day-title.md I've created a more detailed walkthrough of getting started with jekyll <url>, check it out if you'd like a more detailed walkthrough and some background on jekyll.					
Just make sure to include the front-matter <url>'s blog post and each new blog post and make sure the post's filename is in this format: year-month-day- title.md install it.	○	○	○	○	○
Just <url>, created a more detailed walkthrough of getting started with jekyll <url>, check it out if you'd like a more detailed walkthrough and some background on jekyll. like a more detailed walkthrough and some background on jekyll. .	○	○	○	○	○
Check the out if you'd like a more detailed walkthrough and some background on jekyll.	○	○	○	○	○
To make sure the front-per-matter block at the top of each new blog post and make sure that the post is in this format : year - month - month - day - LRB - year - day - RRB - .	○	○	○	○	○
Grammar Correctness **Reference Sentence**: Just make sure to include the front-matter <url> block at the top of each new blog post and make sure the post's filename is in this format: year-month-day-title.md I've created a more detailed walkthrough of getting started with jekyll <url>, check it out if you'd like a more detailed walkthrough and some background on jekyll.					
Just make sure to include the front-matter <url>'s blog post and each new blog post and make sure the post's filename is in this format: year-month-day- title.md install it.	○	○	○	○	○
Just <url>, created a more detailed walkthrough of getting started with jekyll <url>, check it out if you'd like a more detailed walkthrough and some background on jekyll. like a more detailed walkthrough and some background on jekyll. .	○	○	○	○	○
Check the out if you'd like a more detailed walkthrough and some background on jekyll.	○	○	○	○	○
To make sure the front-per-matter block at the top of each new blog post and make sure that the post is in this format : year - month - month - day - LRB - year - day - RRB - .	○	○	○	○	○
Simplicity compared to Reference **Reference Sentence**: Just make sure to include the front-matter <url> block at the top of each new blog post and make sure the post's filename is in this format: year-month-day-title.md I've created a more detailed walkthrough of getting started with jekyll <url>, check it out if you'd like a more detailed walkthrough and some background on jekyll.					
Just make sure to include the front-matter <url>'s blog post and each new blog post and make sure the post's filename is in this format: year-month-day- title.md install it.	○	○	○	○	○
Just <url>, created a more detailed walkthrough of getting					

started with jekyll <url>, check it out if you'd like a more detailed walkthrough and some background on jekyll. like a more detailed walkthrough and some background on jekyll. .	○	○	○	○	○
Check the out if you'd like a more detailed walkthrough and some background on jekyll.	○	○	○	○	○
To make sure the front-per-matter block at the top of each new blog post and make sure that the post is in this format : year - month - month - day - LRB - year - day - RRB - .	○	○	○	○	○

Page Break

Q7

Question 7

Reference Sentence: It uses selenium <url> to drive the tor browser and stem <url> to control the tor.

	Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree
The sentence retains all semantics of the reference sentence **Reference Sentence**: It uses selenium <url> to drive the tor browser and stem <url> to control the tor.					
It uses selenium to drive the tor browser and stem to control the tor. browser and stem to control the tor. .	○	○	○	○	○
It uses browser <url> to manage the native browser and the browser to the browser.	○	○	○	○	○
It uses selenium to drive the tor browser and stops the tor.	○	○	○	○	○
It uses selenium to drive the tor browser and stem to control the tor.	○	○	○	○	○
Grammar Correctness **Reference Sentence**: It uses selenium <url> to drive the tor browser and stem <url> to control the tor.					
It uses selenium to drive the tor browser and stem to control the tor. browser and stem to control the tor. .	○	○	○	○	○
It uses browser to manage the native browser and the browser to the browser.	○	○	○	○	○
It uses selenium to drive the tor browser and stops the tor.	○	○	○	○	○
It uses selenium to drive the tor browser and stem to control the tor.	○	○	○	○	○
Simplicity compared to Reference **Reference Sentence**: It uses selenium <url> to drive the tor browser and stem <url> to control the tor.					
It uses selenium to drive the tor browser and stem to control the tor. browser and stem to control the tor. .	○	○	○	○	○
It uses browser to manage the native browser and the browser to the browser.	○	○	○	○	○
It uses selenium to drive the tor browser and stops the tor.	○	○	○	○	○
It uses selenium to drive the tor browser and stem to control the tor.	○	○	○	○	○

Page Break

Q8

Question 8

Reference Sentence: This decorator registers the js class as the class component of the same name.

	Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree
The sentence retains all semantics of the reference sentence **Reference Sentence**: This decorator registers the js class as the class component of the same name.					
This decor the js class as the class component of the same name.	○	○	○	○	○
Registers is the class component of the same name. as the class component of the same name. as the class component of the same name. as the class component of the same name. .	○	○	○	○	○
The name of the same class name as the same name of the same name.	○	○	○	○	○
This decorator is the class component of the same name.	○	○	○	○	○
Grammar Correctness **Reference Sentence**: This decorator registers the js class as the class component of the same name.					
This decor the js class as the class component of the same name.	○	○	○	○	○
Registers is the class component of the same name. as the class component of the same name. as the class component of the same name. as the class component of the same name. .	○	○	○	○	○
The name of the same class name as the same name of the same name.	○	○	○	○	○
This decorator is the class component of the same name.	○	○	○	○	○
Simplicity compared to Reference **Reference Sentence**: This decorator registers the js class as the class component of the same name.					
This decor the js class as the class component of the same name.	○	○	○	○	○
Registers is the class component of the same name. as the class component of the same name. as the class component of the same name. as the class component of the same name. .	○	○	○	○	○
The name of the same class name as the same name of the same name.	○	○	○	○	○
This decorator is the class component of the same name.	○	○	○	○	○

Page Break

Q9

Question 9

Reference Sentence: The `chain` method takes one argument: `m.chain(f)` `f` must be a function which returns a value if `f` is not a function, the behaviour of `chain` is unspecified.

	Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree
The sentence retains all semantics of the reference sentence **Reference Sentence**: The `chain` method takes one argument: `m.chain(f)` `f` must be a function which returns a value if `f` is not a function, the behaviour of `chain` is unspecified.					
The variable method takes one argument is a function which returns a value if a mathematical is not a function.	○	○	○	○	○
`f` must be a function which returns a string if `f` is not a function , the behaviour of `chain` is unspecified.	○	○	○	○	○
The `chain` method takes one argument: `m.chain(f)` `f` must be a function which returns a value if `f` is not a function, the behaviour of `chain` is unspecified. (unspecified) .	○	○	○	○	○
The `chain` method takes one argument: `m.chain(f)` `f` is not a value of the same semigroupoid if`f` iis not the same semigroupoid, the behaviour of `chain` is unspecified.	○	○	○	○	○
Grammar Correctness **Reference Sentence**: The `chain` method takes one argument: `m.chain(f)` `f` must be a function which returns a value if `f` is not a function, the behaviour of `chain` is unspecified.					
The variable method takes one argument is a function which returns a value if a mathematical is not a function.	○	○	○	○	○
`f` must be a function which returns a string if `f` is not a function , the behaviour of `chain` is unspecified.	○	○	○	○	○
The `chain` method takes one argument: `m.chain(f)` `f` must be a function which returns a value if `f` is not a function, the behaviour of `chain` is unspecified. (unspecified) .	○	○	○	○	○
The `chain` method takes one argument: `m.chain(f)` `f` is not a value of the same semigroupoid if`f` iis not the same semigroupoid, the behaviour of `chain` is unspecified.	○	○	○	○	○
Simplicity compared to Reference **Reference Sentence**: The `chain` method takes one argument: `m.chain(f)` `f` must be a function which returns a value if `f` is not a function, the behaviour of `chain` is unspecified.					
The variable method takes one argument					

The variable method takes one argument: is a function which returns a value if a mathematical is not a function.	○	○	○	○	○
`f` must be a function which returns a string if `f` is not a function , the behaviour of `chain` is unspecified.	○	○	○	○	○
The `chain` method takes one argument: `m.chain(f)` `f` must be a function which returns a value if `f` is not a function, the behaviour of `chain` is unspecified. (unspecified) .	○	○	○	○	○
The `chain` method takes one argument: `m.chain(f)` `f` is not a value of the same semigroupoid if`f` iis not the same semigroupoid, the behaviour of `chain` is unspecified.	○	○	○	○	○

Page Break

Q10

Question 10

Reference Sentence: For example, the julia method `sum!` can be called in `pyjulia` using `sum_b(...)`.

	Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree
The sentence retains all semantics of the reference sentence **Reference Sentence**: For example, the julia method `sum!` can be called in `pyjulia` using `sum_b(...)`.					
For example, the julia method `sum!` and <code_small> can be called in `pyjulia` using `sum_b(...)`.	○	○	○	○	○
For example, they can be called in movies.	○	○	○	○	○
For example, the `sum!` method can be called using the `pyjulia` method.	○	○	○	○	○
For example, the julia method `sum!` can be called in `pyjulia` using `sum_b(...)`. using `sum_b(...)`	○	○	○	○	○
Grammar Correctness **Reference Sentence**: For example, the julia method `sum!` can be called in `pyjulia` using `sum_b(...)`.					
For example, the julia method `sum!` and <code_small> can be called in `pyjulia` using `sum_b(...)`.	○	○	○	○	○
For example, they can be called in movies.	○	○	○	○	○
For example, the `sum!` method can be called using the `pyjulia` method.	○	○	○	○	○
For example, the julia method `sum!` can be called in `pyjulia` using `sum_b(...)`. using `sum_b(...)`	○	○	○	○	○
Simplicity compared to Reference **Reference Sentence**: For example, the julia method `sum!` can be called in `pyjulia` using `sum_b(...)`.					
For example, the julia method `sum!` and <code_small> can be called in `pyjulia` using `sum_b(...)`.	○	○	○	○	○
For example, they can be called in movies.	○	○	○	○	○
For example, the `sum!` method can be called using the `pyjulia` method.	○	○	○	○	○
For example, the julia method `sum!` can be called in `pyjulia` using `sum_b(...)`. using `sum_b(...)`	○	○	○	○	○

Page Break

Q11

Do you have any comments on this survey?

Import from library | Add new question

Add Block

End Block

Q12

Thank you for finishing the survey.
Please copy the code "C142Z62Z" (without quotes) for Prolific to claim your completion, and then click "submit".

Import from library | Add new question

Add Block

End of Survey

We thank you for your time spent taking this survey.

Your response has been recorded.