tb_order

order_id: varchar(50) payment varchar(50) payment_type: int post_fee: varchar(50) status: int create_time: datetime

update_time: datetime payment_time: datetime consign_time: datetime end_time: datetime close_time: datetime shipping_name: varchar(20) shipping_code: varchar(20)

buyer_message: varchar(100) buyer_nick: varchar(50) buyer_rate: int

tb_content

category_id bigint title: varchar(200) sub_title: varchar(100) title_desc: varchar(500) urt varchar(500) pic: varchar(300) pic2: varchar(300) content: text created: datetime

updated: datetime

tb_content_category

parent_id bigint name: varchar(50) status: int sort order: int is_parent: tinyint created: datetime updated: datetime

tb_item

id: bigint title: varchar(100) sell_point: varchar(500) price: bigint num: int barcode: varchar(30) image: varchar(500) cid bigint status: tinyint

tb_order_shipping

order_id varchar(50) receiver_name: varchar(20)

receiver_phone: varchar(20) receiver_mobile: varchar(30) receiver_state: varchar(10) receiver_city: varchar(10) receiver_district: varchar(20) receiver_address: varchar(200) receiver_zip: varchar(6) created: datetime updated datetime

tb_item_cat parent_id: bigint

id: bigint

name: varchar(50) status: int sort_order: int is_parent: tinyint created: datetime updated: datetime

tb_item_desc

item_id: bigint item_desc: text created: datetime updated: datetime

tb_order_item

created: datetime updated: datetime



id: varchar(20) item_id: varchar(50) order_id: varchar(50)

num: int title: varchar(200) price: bigint total_fee: bigint pic_path varchar(200)

tb_user

username: varchar(50) password varchar(32) phone: varchar(20) email: varchar(50) created: datetime updated: datetime

tb_item_param

item_cat_id: bigint param_data text created: datetime updated datetime

tb_item_param_item

id: bigint item_id: bigint param_data text created: datetime updated datetime