

LIVE MONITORING

Vehicle Safety Console

Live data received from the existing ESP32 program through USB Serial.

Serial Port
COM6

ACCIDENT STATUS

NORMAL

No active warning

IMPACT / TOTAL G

0.00 G

MPU6050

ACCIDENT COUNT

0

Detected events

SATELLITES

—

GNSS

MOTION

Acceleration

LIVE

X

0.00 G

Y

0.00 G

Z

0.00 G

2.3 G

LOCATION

GNSS Position

Unknown

Latitude

—

Longitude

—


Altitude

—

Speed

—

Open Location in Google Maps



Vehicle Safety Console

Live data received from the existing ESP32 program through USB Serial.

Serial Port
COM6

ACCIDENT STATUS

WARNING

Cancellation window: 4s

IMPACT / TOTAL G

2.11 G

MPU6050

ACCIDENT COUNT

0

Detected events

SATELLITES

0

GNSS

MOTION

Acceleration

LIVE

X

0.00 G

Y

0.00 G

Z

0.00 G

2.4 G

0 G



LOCATION

GNSS Position

Waiting

Latitude

—

Longitude

—

Altitude

—

Speed

—

Open Location in Google Maps

Vehicle Safety Console

Live data received from the existing ESP32 program through USB Serial.

Serial Port
COM6

ACCIDENT STATUS

ACCIDENT CONFIRMED

No active warning

IMPACT / TOTAL G

1.21 G

MPU6050

ACCIDENT COUNT

1

Detected events

SATELLITES

0

GNSS

MOTION

Acceleration

LIVE

X

0.00 G

Y

0.00 G

Z

0.00 G

2.4 G

LOCATION

GNSS Position

Waiting

Latitude

—

Longitude

—

Altitude

—

Speed

—

Open Location in Google Maps

VIGIDRIVE

Vehicle Safety & Accident Monitoring Dashboard

● ESP32 Connected

LIVE MONITORING

Vehicle Safety Console

Live data received from the existing ESP32 program through USB Serial.

Serial Port
COM6

ACCIDENT STATUS

CANCELLED

No active warning

IMPACT / TOTAL G

3.02 G

MPU6050

ACCIDENT COUNT

2

Detected events

SATELLITES

0

GNSS

MOTION

Acceleration

LIVE

X

0.00 G

Y

0.00 G

Z

0.00 G

3.5 G

LOCATION

GNSS Position

Waiting

Latitude

—

Longitude

—

Altitude

—

Speed

—

Open Location in Google Maps

