

Field	Value from Etherscan	Explanation
Transaction Hash	0x75d40d6fd09a8fabfe9ba4af036cb5451c419d01237c0702ee46a5896bad92bf	Think of this as a unique digital receipt created the moment a transaction hits the network. We use this long string of characters to search for and verify the specific transfer later on.
Sender (From)	quasarbuilder.eth	This points to the exact public wallet that started and signed off on the transfer. Whoever owns this address is the one supplying the funds and covering the network's gas fees.
Recipient (To)	0x78244C5699E29b7eE74797375d58Bb5AcC95389c	This is where the funds or commands are actually going. It might belong to another real person's wallet, or it could just be the address of an automated smart contract.
Transferred Value	0.006729080261558606 ETH	This simply shows the precise amount of Ether (ETH) moving from the sender to the receiver during the transaction.
Block Number	25687583	Every block has a sequence number, and this tells us exactly which block locked in our transaction. It's basically proof that the operation was officially written into the blockchain's history.
Gas Limit	21,000	This acts like a budget cap, setting the absolute maximum amount of computational work the sender is willing to pay for. It's a safety net so a buggy contract doesn't accidentally drain someone's entire balance.
Gas Used	21,000 (100%)	This tells us the real amount of computational effort the network burned to get the transaction done. For a standard ETH transfer like ours, it usually hits the exact base limit of 21,000.
Gas Price /	Fee: 0.000002233889364 ETH	This is the final bill paid to the validators for doing the work. You calculate it by taking the

Field	Value from Etherscan	Explanation
Transaction Fee	Price: 0.106375684 Gwei	gas actually used and multiplying it by the current price of gas at that specific moment.
Transaction Status	Success	This just shows if the network's attempt to process everything worked out. Seeing "Success" means the transfer went through perfectly and the blockchain updated without any hiccups.
Input Data	0x	Here you'll find any extra hex data attached to the payload. If you're just sending standard ETH, it stays empty (shown as 0x), but if you're interacting with a contract, this is where the specific function calls live.

```

C: > Users > User > Desktop > import hashlib.py > Block > __init__
1 import hashlib

PS C:\Users\User> & C:/Users/User/AppData/Local/Programs/Python/Python312/python.exe "c:/Users/User/Desktop/import hashlib.py"
Mining Genesis Block...
Block mined message: Block 0 successfully mined!
Current block hash: 00dde92ca097be7e06c18811df45279047d69ab01e117b0b6684268238eb5fd6
Previous block hash: 0
Nonce value: 272


Mining Block 1...
Block mined message: Block 1 successfully mined!
Current block hash: 002e2f63cd7d1659945947933b37aec35f20d12fc97931b0f1b58939ff09db9b
Previous block hash: 00dde92ca097be7e06c18811df45279047d69ab01e117b0b6684268238eb5fd6
Nonce value: 8

Mining Block 2...
Block mined message: Block 2 successfully mined!
Current block hash: 007c394280081e0360831ab5170b1ca7c7fb72762631981954037ff62b84acd5
Previous block hash: 002e2f63cd7d1659945947933b37aec35f20d12fc97931b0f1b58939ff09db9b
Nonce value: 46

Mining Block 3...
Block mined message: Block 3 successfully mined!
Current block hash: 001bb9af0ea8d8133445d8f09ce82a882d26f4a48348ac64a13bb70fb34f8d10
Previous block hash: 007c394280081e0360831ab5170b1ca7c7fb72762631981954037ff62b84acd5
Nonce value: 868

Mining Block 4...
Block mined message: Block 4 successfully mined!
Current block hash: 00cff470df9ef53ce1fa3e927d49888e64e5ae48e891f04a13183f45c5b524ed
Previous block hash: 001bb9af0ea8d8133445d8f09ce82a882d26f4a48348ac64a13bb70fb34f8d10
Nonce value: 140

Mining Block 5...
Block mined message: Block 5 successfully mined!
Current block hash: 0007b26e5a6e23269896dd284bf470e3c426050e93ff8c7af5316634b8851470
Previous block hash: 00cff470df9ef53ce1fa3e927d49888e64e5ae48e891f04a13183f45c5b524ed
Nonce value: 74
  
```



```
File Edit Selection View Go Run Terminal Help
import numpy as np
import numpy as np
import hashlib.py X

C: > Users > User > Desktop > import hashlib.py > Block > __init__
1 import hashlib

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

Previous block hash: 00dde92ca097be7e06c18811df45279047d69ab01e117b0b6684268238eb5fd6
Nonce value: 8

Mining Block 2...
Block mined message: Block 2 successfully mined!
Current block hash: 007c394280081e0360831ab5170b1ca7c7fb72762631981954037ff62b84acd5
Previous block hash: 002e2f63cd7d1659945947933b37aec35f20d12fc97931b0f1b58939ff09db9b
Nonce value: 46

Mining Block 3...
Block mined message: Block 3 successfully mined!
Current block hash: 001bb9af0ea8d8133445d8f09ce82a882d26f4a48348ac64a13bb70fb34f8d10
Previous block hash: 007c394280081e0360831ab5170b1ca7c7fb72762631981954037ff62b84acd5
Nonce value: 868

Mining Block 4...
Block mined message: Block 4 successfully mined!
Current block hash: 00cff470df9ef53ce1fa3e927d49888e64e5ae48e891f04a13183f45c5b524ed
Previous block hash: 001bb9af0ea8d8133445d8f09ce82a882d26f4a48348ac64a13bb70fb34f8d10
Nonce value: 140

Mining Block 5...
Block mined message: Block 5 successfully mined!
Current block hash: 0007b26e5a6e23269896dd284bf470e3c426050e93ff8c7af5316634b8851470
Previous block hash: 00cff470df9ef53ce1fa3e927d49888e64e5ae48e891f04a13183f45c5b524ed
Nonce value: 74

=====
Blockchain validity before tampering: True
=====

--> HACKER ACTION: Modifying data in Block 2...

=====
Blockchain validity after tampering: False
=====

PS C:\Users\User>
```