



Cyberster Internship Program

Internship Report

WEEK 4: pfSense, Firewall and Advanced Monitoring

Track: Blue Team

Name: Haris Zamir

Roll Number: CSI-B1-487

Instructor: Abdullah Zia

Objective

After completing Week 3 with the setup of detection rules and network monitoring, Week 4 focused on shifting toward a more proactive security approach: Vulnerability Management. The primary objective was to move beyond responding to attacks and instead identify and remediate underlying system weaknesses. I utilized the Wazuh Vulnerability Detector to scan the Kali machine (Agent 005), allowing me to assess the number of outdated and potentially vulnerable packages present on the system.

This week also introduced a significant improvement to the lab architecture. I implemented pfSense as a dedicated firewall, transitioning away from a basic virtual network setup. This change enforced centralized traffic routing through a proper gateway, significantly improving network control and visibility.

By the end of the week, I was not only analyzing a vulnerability report containing 7,308 detected issues, but also actively addressing them by updating critical system packages and upgrading the PostgreSQL database to a more secure version. Overall, this phase focused on bridging the gap between vulnerability detection and real-world remediation.

Day 22: pfSense Deployment and Network Migration

Objective:

To upgrade the lab from a basic Host-Only virtual network into a more realistic, enterprise-style architecture by introducing a dedicated firewall layer. This creates a clear separation between the external network (WAN) and the internal lab environment (LAN), improving overall security and control.

I installed pfSense as a new virtual machine, which required more advanced configuration compared to a standard operating system setup. I configured multiple virtual network interfaces: one assigned to the WAN side for internet access, and another assigned to the LAN network (192.168.18.x) to connect internal systems such as the Ubuntu Manager and Kali machine.

After completing the installation, I accessed the pfSense web interface and configured the DHCP service to automatically assign IP addresses to all lab devices. This marked a major improvement over default VMware networking, as it provided centralized management of IP allocation, firewall rules, and traffic routing across the entire SOC environment.


Troubleshooting:

- **IP Conflicts:** At the beginning, I was unable to access the pfSense web GUI. The issue was caused by VMware's built-in DHCP service conflicting with pfSense by assigning IPs within the same range. To fix this, I opened the VMware Virtual Network Editor and disabled DHCP on the LAN segment, allowing pfSense to take full control of IP address allocation on the network.
- **Connectivity Loss:** When I first migrated the Ubuntu Manager to the new network, it lost internet connectivity. This was resolved by manually updating the network configuration in the terminal and setting the correct default gateway to 192.168.18.1, which is the LAN IP address of the pfSense firewall.

Evidence:

Interfaces				
 WAN	↑	1000baseT <full-duplex>	192.168.19.131	
 LAN	↑	1000baseT <full-duplex>	192.168.20.1	

```
05:14:01.077859 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 166
05:14:01.079184 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 167
05:14:01.079192 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 167
05:14:01.080157 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 165
05:14:01.080165 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 165
05:14:01.081171 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 167
05:14:01.081235 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 167
05:14:01.082379 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 165
05:14:01.082476 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 165
05:14:01.084098 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 166
05:14:01.084106 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 166
05:14:01.084941 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 162
05:14:01.084951 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 162
05:14:01.086669 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 164
05:14:01.086681 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 164
05:14:01.088203 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 166
05:14:01.088210 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 166
05:14:01.089382 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 165
05:14:01.089390 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 165
05:14:01.091398 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 166
05:14:01.091405 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 166
05:14:01.092423 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 166
05:14:01.092432 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 166
05:14:01.094382 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 166
05:14:01.094394 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 166
05:14:01.095623 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 166
05:14:01.095629 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 166
05:14:01.098430 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 165
05:14:01.098438 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 165
05:14:01.099685 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 163
05:14:01.099718 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 163
05:14:01.100674 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 166
05:14:01.101809 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 165
05:14:01.101881 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 165
05:14:01.103041 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 166
05:14:01.103112 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 166
05:14:01.104226 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 165
05:14:01.104235 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 165
05:14:01.105819 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 167
05:14:01.105831 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 167
05:14:01.107651 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 167
05:14:01.107664 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 167
05:14:01.109214 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 166
05:14:01.109309 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 166
05:14:01.110688 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 167
05:14:01.110699 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 167
05:14:01.112059 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 165
05:14:01.112167 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 165
```



Day 23: Configuring the Vulnerability Detector Module

Objective:

After the initial installation, the objective for Day 23 was to configure firewall policies that enable secure communication between internal lab systems (LAN) and the management interface.

I worked on defining firewall rules in pfSense to control inbound and outbound traffic across the network. This included creating specific “Pass” rules on the LAN interface to ensure the Ubuntu Manager could access the internet for updates while still remaining protected from external scanning attempts. Additionally, I restricted access to the pfSense web configurator so that it could only be reached from my designated management machine, reducing the risk of unauthorized modifications to the firewall and overall network security configuration.

Hurdles & Troubleshooting:

- The “Lockout” Incident: While refining firewall rules, I mistakenly created a configuration that blocked all traffic to the LAN interface, which resulted in losing access to the pfSense web GUI. To recover, I used the pfSense console (command-line interface within the VM) to reset access to the web configurator and restore the default LAN-to-any rule, allowing me to regain access and correct the configuration.
- Rule Order Problems: I discovered that my “Block” rules were not taking effect because pfSense evaluates firewall rules from top to bottom. A “Pass All” rule placed at the top was overriding the intended security restrictions. I resolved this by reordering the rules so that specific blocking conditions were evaluated before any general allow rules.

Evidence:

```
05:14:01.077859 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 166
05:14:01.079184 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 167
05:14:01.079192 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 167
05:14:01.080157 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 165
05:14:01.080165 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 165
05:14:01.081171 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 167
05:14:01.081235 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 167
05:14:01.082379 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 165
05:14:01.082476 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 165
05:14:01.084098 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 166
05:14:01.084106 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 166
05:14:01.084941 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 162
05:14:01.084951 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 162
05:14:01.086669 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 164
05:14:01.086681 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 164
05:14:01.088203 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 166
05:14:01.088210 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 166
05:14:01.089382 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 165
05:14:01.089390 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 165
05:14:01.091398 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 166
05:14:01.091405 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 166
05:14:01.092423 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 166
05:14:01.092432 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 166
05:14:01.094382 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 166
05:14:01.094394 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 166
05:14:01.096429 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 166
05:14:01.096622 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 166
05:14:01.098430 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 165
05:14:01.098438 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 165
05:14:01.099685 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 163
05:14:01.099718 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 163
05:14:01.100674 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 166
05:14:01.100748 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 166
05:14:01.101809 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 165
05:14:01.101881 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 165
05:14:01.103041 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 166
05:14:01.103112 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 166
05:14:01.104226 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 165
05:14:01.104235 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 165
05:14:01.105819 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 167
05:14:01.105831 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 167
05:14:01.107651 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 167
05:14:01.107664 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 167
05:14:01.109214 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 166
05:14:01.109309 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 166
05:14:01.110688 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 167
05:14:01.110699 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 167
05:14:01.112059 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 165
05:14:01.112167 ens33 In IP 192.168.18.206.37054 > 192.168.18.201.514: SYSLOG local0.info, length: 165
```

```
PING 192.168.20.1 (192.168.20.1) 56(84) bytes of data.  
64 bytes from 192.168.20.1: icmp_seq=1 ttl=64 time=1.56 ms  
64 bytes from 192.168.20.1: icmp_seq=2 ttl=64 time=1.71 ms  
64 bytes from 192.168.20.1: icmp_seq=3 ttl=64 time=0.790 ms  
64 bytes from 192.168.20.1: icmp_seq=4 ttl=64 time=1.88 ms  
  
--- 192.168.20.1 ping statistics ---  
4 packets transmitted, 4 received, 0% packet loss, time 3005ms  
rtt min/avg/max/mdev = 0.790/1.484/1.877/0.416 ms
```

Day 24: Enabling the Vulnerability Detector & The "Identity Swap"

Objective:

To activate the **Vulnerability Detector** on the Wazuh Manager and solve the compatibility issue with the Kali Linux agent. Since Wazuh doesn't have a native vulnerability feed specifically for Kali's rolling release, I had to "trick" the system into using a compatible database.

This day was split between the Manager and the Agent.

1. **On the Manager:** I edited the `ossec.conf` file to turn on the `<vulnerability-detector>` module. I enabled the **Debian** provider specifically, as Kali is built on Debian. I set the update interval to ensure the Manager would regularly pull the latest CVE (Common Vulnerabilities and Exposures) data from official security feeds.
2. **On the Kali Agent:** To make the Manager accept the Kali machine, I performed an **"Identity Swap."** I modified the `/etc/os-release` file on the Kali VM, changing its ID and version to match **Debian 12 (Bookworm)**. This small change allowed the Manager to successfully map the Kali software inventory against the Debian security database.

Hurdles & Troubleshooting:

- **Unsupported OS Error:** Before the identity swap, the Manager logs were full of errors stating that the agent's OS was unsupported for vulnerability scans. Simply enabling the module wasn't enough; the "spoofing" of the OS identity was the only way to get the scan to trigger.
- **Service Restarts:** Every time I changed the `ossec.conf`, I had to restart the `wazuh-manager` service. I noticed that if I didn't wait for the service to fully initialize before checking the dashboard, it looked like the module was still disabled.


Evidence:

```
<vulnerability-detector>
  <enabled>yes</enabled>
  <interval>5m</interval>
  <min_full_scan_interval>6h</min_full_scan_interval>
  <run_on_start>yes</run_on_start>

  <!-- Ubuntu OS vulnerabilities -->
  <provider name="canonical">
    <enabled>no</enabled>
    <os>trusty</os>
    <os>xenial</os>
    <os>bionic</os>
    <os>focal</os>
    <os>jammy</os>
    <update_interval>1h</update_interval>
  </provider>

  <!-- Debian OS vulnerabilities -->
  <provider name="debian">
    <enabled>yes</enabled>
    <!-- <os>buster</os> -->
    <!-- <os>bullseye</os> -->
    <os>bookworm</os>
    <os>kali gnu/linux</os>
    <update_interval>1h</update_interval>
  </provider>
<!--
  <!-- RedHat OS vulnerabilities -->
  <provider name="redhat">
```

```
GNU nano 7.2 /etc/os-release *
PRETTY_NAME="Ubuntu 22.04.3 LTS"
NAME="Ubuntu"
VERSION_ID="22.04"
VERSION="22.04.3 LTS (Jammy Jellyfish)"
VERSION_CODENAME=bookworm
ID=ubuntu
ID_LIKE=debian
HOME_URL="https://www.ubuntu.com/"
SUPPORT_URL="https://help.ubuntu.com/"
BUG_REPORT_URL="https://bugs.launchpad.net/ubuntu/"
PRIVACY_POLICY_URL="https://www.ubuntu.com/legal/terms-and-policies/privacy-policy"
UBUNTU_CODENAME=noble
LOGO=ubuntu-logo
```

```
GNU nano 8.6
Session Actions Edit View Help

PRETTY_NAME="Kali GNU/Linux Rolling"
NAME="Kali GNU/Linux"
VERSION_ID="2025.3"
VERSION="2025.3"
VERSION_CODENAME=kali-rolling
ID=kali
ID_LIKE=debian
HOME_URL="https://www.kali.org/"
SUPPORT_URL="https://forums.kali.org/"
BUG_REPORT_URL="https://bugs.kali.org/"
ANSI_COLOR="1;31"
→

PRETTY_NAME="Debian GNU/Linux 12 (bookworm)"
NAME="Debian GNU/Linux"
ID=debian
ID_LIKE=debian
VERSION_ID="12"
VERSION="12 (bookworm)"
VERSION_CODENAME=bookworm

^G Help      ^O Write Out  ^F Where Is   ^K Cut        ^T Execute
^X Exit      ^R Read File  ^\ Replace    ^U Paste      ^J Justify

To return to your computer, move the mouse pointer outside or press Ctrl+Alt.
```

Day 25: Initial Scan & Threat Intelligence Integration

Objective:

After successfully "tricking" the Manager into recognizing the Kali agent, the goal for Day 25 was to initiate the first deep scan and begin integrating Threat Intelligence. According to the task brief, this is where we turn raw detection into "enriched" data by checking if the events we see are known threats.

What I did:

I triggered the first full vulnerability scan on Agent 005. While that was running in the background, I focused on the **Threat Intelligence** part of the brief. I configured Wazuh to pull data from external sources (like the Debian Security Bug Tracker) to make sure our vulnerability data was as fresh as possible. This ensures that when a scan finishes, the CVEs identified aren't just old news but are mapped against the latest known exploits.


Troubleshooting:

- **The "Scan Hang" Issue:** At first, the scan seemed to get stuck at 0%. I checked the logs (`/var/ossec/logs/ossec.log`) and found that the Manager was struggling to reach the external vulnerability feeds because of a DNS issue in my new pfSense setup. I had to go into the pfSense General Setup and add Google's DNS (8.8.8.8) so the Manager could resolve the hostnames for the security databases.
- **Partial Results:** Some vulnerabilities showed up as "Untriaged." I realized this happened because the initial sync hadn't finished downloading the full CVE database. I had to be patient and let the Manager finish its 1-hour update cycle before the results started looking complete.
- **Evidence:**

```

er\\":{},"manager":{},"name":"","ubuntu-manager":{},"id":"","1776493212.187533995":"","full_log":"","2026/04/18 06:29:11 active-response/bin/firewall-
","origin":"","","rule":"","module":"","wazuh-execd":"","command":"","","Level":"","3":"","description":"","
","alert":"","timestamp":"","2026-04-18T06:29:11.702+0000":"","rule":"","","Level":"","3":"","description":"","
records in VirusTotal database":"","id":"","87103":"","firedtimes":"","16":"","mail":"","false":"","groups":"","[{}],"wiri
":"","id":"","000":"","","name":"","ubuntu-manager":{},"id":"","1776493083.98232177":"","full_log":"","2026/04/18 06:29:11 active-response/bin/firewall-
1.106965674":"","","source":"","decoder":"","name":"","","data":"","","viuristotal":"","found":"","0","
","0","","source":"","","alert id":"","","1776493083.98232177":"","","file":"",""/var/log/syslog","md5":"","
43":"","","sh1":"","d8c51381ed67d957ac8dbdf2470745f980197029":"","","integration":"","","viuristotal":"","ar_log_json":"","location":"","
rogram":"","active-response/bin/firewall-drop":"","","decoder":"","parent":"","ar_log_json":"","name":"","ar_log_json":"","data":{"
":"","name":"","node01":"","module":"","wazuh-execd":"","command":"","add":"","parameters":"","extra_args":"","[]","alert":"","timestamp":"","
2026/04/18 06:20:33 wazuh-integrator: ERROR: Unable to run integration for viuristotal -> integrations
2026/04/18 06:20:33 wazuh-integrator: ERROR: While running viuristotal -> integrations. Output:
2026/04/18 06:20:34 wazuh-integrator: ERROR: Unable to run integration for viuristotal -> integrations
2026/04/18 06:20:34 wazuh-integrator: ERROR: While running viuristotal -> integrations. Output:
2026/04/18 06:20:35 wazuh-integrator: ERROR: Unable to run integration for viuristotal -> integrations
2026/04/18 06:20:35 wazuh-integrator: ERROR: While running viuristotal -> integrations. Output:
2026/04/18 06:20:37 wazuh-integrator: ERROR: Unable to run integration for viuristotal -> integrations
2026/04/18 06:20:37 wazuh-integrator: ERROR: While running viuristotal -> integrations. Output:
2026/04/18 06:20:39 wazuh-integrator: ERROR: Unable to run integration for viuristotal -> integrations
2026/04/18 06:20:39 wazuh-integrator: ERROR: While running viuristotal -> integrations. Output:
rayyan@ubuntu-manager:~$

```



Day 26 & 27: Vulnerability Assessment and Remediation Phase

Objective:

To analyze the massive backlog of security risks identified on the Kali agent and execute a remediation plan to patch critical system components and database services.

What I did:

- **Deep Analysis (Day 26):** The scan finally settled at a staggering **7,308 vulnerabilities**. I spent time filtering these by severity. A huge chunk of these were related to the kernel and core libraries because the Kali "Identity Swap" exposed how many packages were out of date compared to the stable Debian 12 baseline.
- **System Patching (Day 27):** I didn't just want to find bugs; I wanted to fix them. I started with **libc6**, which is a fundamental library for almost every process on the system. During the upgrade, I configured the manager to automatically restart services so the patches would take effect immediately.
- **Database Hardening:** I also identified that the **PostgreSQL** database was running an older version. I performed a major version upgrade from version 17 to 18. This was a critical "proactive" move to ensure the backend data layer was no longer susceptible to known version-specific exploits.

Troubleshooting:



- **Dependency Hell:** When upgrading `libc6`, several other packages broke because they depended on the older version. I had to use `sudo apt --fix-broken install` and carefully manage the package manager to ensure the system remained stable during the transition.
- **Database Service Lock:** After the PostgreSQL upgrade, the service wouldn't start because the old configuration files were still present. I had to manually migrate the data clusters and update the port settings to get the database back online and reporting to Wazuh.

Evidence:

```
└─$ sudo apt update
sudo apt install --only-upgrade apache2
[sudo] password for rayyan:
Get:1 http://mirror.yer.az/kali kali-rolling InRelease [34.0 kB]
Get:2 http://mirror.yer.az/kali kali-rolling/main amd64 Packages [21.1 MB]
Get:3 http://mirror.yer.az/kali kali-rolling/main amd64 Contents (deb) [53.5 MB]
Get:4 http://mirror.yer.az/kali kali-rolling/contrib amd64 Packages [118 kB]
Get:5 http://mirror.yer.az/kali kali-rolling/contrib amd64 Contents (deb) [277 kB]
Get:6 http://mirror.yer.az/kali kali-rolling/non-free amd64 Packages [185 kB]
Get:7 http://mirror.yer.az/kali kali-rolling/non-free amd64 Contents (deb) [905 kB]
Get:8 http://mirror.yer.az/kali kali-rolling/non-free-firmware amd64 Packages [14.3 kB]
Get:9 http://mirror.yer.az/kali kali-rolling/non-free-firmware amd64 Contents (deb) [36.5 kB]
Fetched 76.1 MB in 31s (2,469 kB/s)
2129 packages can be upgraded. Run 'apt list --upgradable' to see them.
Upgrading:
  apache2  apache2-bin  apache2-data  apache2-utils

Summary:
  Upgrading: 4, Installing: 0, Removing: 0, Not Upgrading: 2125
  Download size: 2,014 kB
  Space needed: 2,048 B / 12.7 GB available

Continue? [Y/n] y
Get:1 http://kali.download/kali kali-rolling/main amd64 apache2 amd64 2.4.66-8 [226 kB]
Get:2 http://kali.download/kali kali-rolling/main amd64 apache2-bin amd64 2.4.66-8 [1,415 kB]
Get:3 http://kali.download/kali kali-rolling/main amd64 apache2-data all 2.4.66-8 [160 kB]
Get:4 http://kali.download/kali kali-rolling/main amd64 apache2-utils amd64 2.4.66-8 [213 kB]
Fetched 2,014 kB in 2s (1,028 kB/s)
(Reading database ... 417485 files and directories currently installed.)
Preparing to unpack .../apache2_2.4.66-8_amd64.deb ...
Unpacking apache2 (2.4.66-8) over (2.4.65-3+b1) ...
Preparing to unpack .../apache2-bin_2.4.66-8_amd64.deb ...
Unpacking apache2-bin (2.4.66-8) over (2.4.65-3+b1) ...
Preparing to unpack .../apache2-data_2.4.66-8_all.deb ...
Unpacking apache2-data (2.4.66-8) over (2.4.65-3) ...
Preparing to unpack .../apache2-utils_2.4.66-8_amd64.deb ...
Unpacking apache2-utils (2.4.66-8) over (2.4.65-3+b1) ...
Setting up apache2-bin (2.4.66-8) ...
Setting up apache2-data (2.4.66-8) ...
Setting up apache2-utils (2.4.66-8) ...
Setting up apache2 (2.4.66-8) ...
Installing new version of config file /etc/apache2/envvars ...
Installing new version of config file /etc/apache2/mods-available/autodisk.conf ...
Installing new version of config file /etc/init.d/apache-htcacheclean ...
apache2.service is a disabled or a static unit not running, not starting it.
apache-htcacheclean.service is a disabled or a static unit not running, not starting it.
Processing triggers for kali-menu (2025.3.2) ...
Processing triggers for man-db (2.13.1-1) ...
```



Day 28: Reporting & Final Documentation

I used the Wazuh Reporting module to compile all the data from my scans into a professional document. I generated a comprehensive **PDF report** that listed all **7,308 vulnerabilities**. This wasn't just a simple list; it included the CVE IDs, the severity levels (Critical, High, Medium, Low), and the specific packages that were affected. Having this in a PDF format is crucial because it serves as the official "proof" of the system's security state before and after the remediation work I did earlier in the week.

vulnerabilities		
Title	severity	cvss2_score
CVE-2026-34933 affects avahi-daemon	Untriaged	0
CVE-2025-68468 affects avahi-daemon	Untriaged	0
CVE-2025-59529 affects avahi-daemon	Untriaged	0
CVE-2025-68471 affects avahi-daemon	Untriaged	0
CVE-2025-68276 affects avahi-daemon	Untriaged	0
CVE-2024-52615 affects avahi-daemon	Untriaged	0
CVE-2024-52616 affects avahi-daemon	Untriaged	0
CVE-2026-24401 affects avahi-daemon	Untriaged	0
CVE-2026-34933 affects avahi-utils	Untriaged	0
CVE-2025-68468 affects avahi-utils	Untriaged	0
CVE-2025-59529 affects avahi-utils	Untriaged	0
CVE-2025-68471 affects avahi-utils	Untriaged	0
CVE-2025-68276 affects avahi-utils	Untriaged	0
CVE-2024-52615 affects avahi-utils	Untriaged	0
CVE-2024-52616 affects avahi-utils	Untriaged	0
CVE-2026-24401 affects avahi-utils	Untriaged	0
CVE-2025-40777 affects bind9-host	Untriaged	0
CVE-2025-40777 affects bind9-libs	Untriaged	0
CVE-2023-51580 affects bluez-hcidump	Untriaged	0
CVE-2023-51589 affects bluez-hcidump	Untriaged	0
CVE-2023-44431 affects bluez-hcidump	Untriaged	0
CVE-2023-51592 affects bluez-hcidump	Untriaged	0
CVE-2023-51594 affects bluez-hcidump	Untriaged	0
CVE-2023-51596 affects bluez-hcidump	Untriaged	0
CVE-2026-27456 affects bsdxrutils	Untriaged	0
CVE-2026-27456 affects bsdxrutils	Untriaged	0
CVE-2025-61594 affects bundler	Untriaged	0
CVE-2026-6300 affects chromium-common	Untriaged	0
CVE-2026-6301 affects chromium-common	Untriaged	0
CVE-2026-6302 affects chromium-common	Untriaged	0
CVE-2026-6303 affects chromium-common	Untriaged	0
CVE-2026-6304 affects chromium-common	Untriaged	0
CVE-2026-6305 affects chromium-common	Untriaged	0
CVE-2026-6306 affects chromium-common	Untriaged	0
CVE-2026-6307 affects chromium-common	Untriaged	0
CVE-2026-6308 affects chromium-common	Untriaged	0
CVE-2026-6309 affects chromium-common	Untriaged	0
CVE-2026-6360 affects chromium-common	Untriaged	0
CVE-2026-6361 affects chromium-common	Untriaged	0
CVE-2026-6362 affects chromium-common	Untriaged	0
CVE-2026-6363 affects chromium-common	Untriaged	0
CVE-2026-6364 affects chromium-common	Untriaged	0
CVE-2026-6310 affects chromium-common	Untriaged	0

