



ALIX | APU | CompactFlash Adapters | Test Tools | Attic | Info | Shop | Support

- Due to cumbersome [recycling regulations in the EU](#) we do not sell to end users in EU countries. Business users must enter their VAT ID, and register with recycling organizations in all countries they sell to.
- **Switzerland is NOT a EU country !!!** You will have to pay import VAT and possibly duty, as well as customs handling fees. This will be collected by customs, the postal service or courier company.
- DDU term = Delivered Duty / VAT Unpaid.
- Payment by bank transfer or PayPal.
- [How to order from PC Engines](#)
- All orders are subject to [PC Engines terms & conditions](#).

Inventory as of 12/2/2016

1 USD = 0.936 EUR, 1.01 CHF

Item	Description	Quantity	Price	Availability
alix1e	ALIX.1E system board (LX800 / 256 MB / miniITX) - SALE	<input type="text" value="0"/>	\$69	>500
box1c	Enclosure for ALIX.1E - SALE	<input type="text" value="0"/>	\$4.6	>500
alixbrk	I/O bracket for ALIX.1* (not needed with box1c)	<input type="text" value="0"/>	\$0.5	208
alix2d2	ALIX.2D2 system board (LX800 / 256 MB / 2 LAN / 2 miniPCI / USB)	<input type="text" value="0"/>	\$99	366
alix2d18	ALIX.2D18 system board (LX800 / 256 MB / 2 LAN / 2 miniPCI / USB int + ext)	<input type="text" value="0"/>	\$101	104
alix6f2	ALIX.6F2 system board (LX800 / 256 MB / 2 LAN / 1 miniPCI / 1 miniPCI Express / USB) - dual SIM sockets	<input type="text" value="0"/>	\$99	182
case1d1u	Enclosure for alix2 / alix6 (2 LAN, alu, USB)	<input type="text" value="0"/>	\$9.6	>500
case1d1redu	Enclosure for alix2 / alix6 (2 LAN, red, USB)	<input type="text" value="0"/>	\$9.3	7
case1d1blku	Enclosure for alix2 / alix6 (2 LAN, black, USB)	<input type="text" value="0"/>	\$10	>500
alix2d13	ALIX.2D13 system board (LX800 / 256 MB / 3 LAN / 1 miniPCI / USB / RTC battery)	<input type="text" value="0"/>	\$105.5	expected - 20161229
apu1d	APU.1D system board (T40E dual core / 2GB / 3 Realtek GigE / 2 miniPCI express / mSATA / USB / RTC battery)	<input type="text" value="0"/>	\$121	>500
apu1d4	APU.1D4 system board (T40E dual core / 4GB / 3 Realtek GigE / 2 miniPCI express / mSATA / USB / RTC battery)	<input type="text" value="0"/>	\$131	>500
	APU.2C2 system board (GX-412TC)	<input type="text" value="0"/>	\$102	>500

apu2c2	quad core / 2GB / 3 Intel GigE / 2 miniPCI express / mSATA / USB / RTC battery)			
	APU.2C4 system board (GX-412TC	<input type="text" value="0"/>	\$114	330
apu2c4	quad core / 4GB / 3 Intel GigE / 2 miniPCI express / mSATA / USB / RTC battery)			
	APU.3A2 system board (GX-412TC	<input type="text" value="0"/>	\$106	366
apu3a2	quad core / 2GB / 3 Intel GigE / configuration optimized for LTE)			
case1d2u	Enclosure for alix2 / apu2 (3 LAN, alu, USB)	<input type="text" value="0"/>	\$9.6	>500
case1d2blku	Enclosure for alix2 / apu1 / apu2 (3 LAN, black, USB)	<input type="text" value="0"/>	\$10	>500
case1d2redu	Enclosure for alix2 / apu1 / apu2 (3 LAN, red, USB)	<input type="text" value="0"/>	\$10	>500
case1d2bluu	Enclosure for alix2 / apu1 / apu2 (3 LAN, blue, USB)	<input type="text" value="0"/>	\$10	366
alix3d2	ALIX.3D2 system board (LX800 / 256 MB / 1 LAN / 2 miniPCI / USB)	<input type="text" value="0"/>	\$92	expected - 20161225
alix3d3	ALIX.3D3 system board (LX800 / 256 MB / 1 LAN / 2 miniPCI / USB / VGA / audio)	<input type="text" value="0"/>	\$99	expected - 20170125
box2c	Indoor enclosure for alix3 - order bracket separately ! US customers please see customs notice.	<input type="text" value="0"/>	\$6.1	472
brk3c1	Bracket for alix3d1 (blank)	<input type="text" value="0"/>	\$0.5	>500
brk3c2	Bracket for alix3d2 (USB)	<input type="text" value="0"/>	\$0.5	expected - 20161229
brk3c3	Bracket for alix3d3 (USB + audio + VGA)	<input type="text" value="0"/>	\$0.5	>500
ac12veur2	AC adapter 12V 2A euro plug (for apu / alix1e)	<input type="text" value="0"/>	\$4.4	>500
ac12vuk	AC adapter 12V 2A UK plug (for apu / alix1e)	<input type="text" value="0"/>	\$4.6	405
ac12vus2	AC adapter 12V 2A US plug (for apu / alix1e)	<input type="text" value="0"/>	\$4.4	>500
ac18veur	AC adapter 18V 1.2A euro plug (for alix2/3/6)	<input type="text" value="0"/>	\$4.4	>500
ac18vuk	AC adapter 18V 1.2A UK / BRITISH plug (for alix2/3/6)	<input type="text" value="0"/>	\$4.6	466
ac18vus	AC adapter 18V 1.2A US plug (for alix2/3/6)	<input type="text" value="0"/>	\$4.4	>500
poe1a2	POE Passive Power over Ethernet injector (not for apu, alix1e)	<input type="text" value="0"/>	\$1.7	>500
cf1slc	CompactFlash card 1GB SLC (for alix)	<input type="text" value="0"/>	\$9.2	>500
	CompactFlash card 1GB+ FreeDOS	<input type="text" value="0"/>	\$9.7	7

cf1024fd	SLC (for alix)			
cf2slc	CompactFlash card 2GB SLC (for alix)	<input type="text" value="0"/>	\$9.9	>500
cf4slc	CompactFlash card 4GB SLC (for alix)	<input type="text" value="0"/>	\$14	12
cf8slc	CompactFlash card 8GB SLC (for alix)	<input type="text" value="0"/>	\$17	No stock
cf16slc	CompactFlash card 16GB SLC (for alix)	<input type="text" value="0"/>	\$28.7	180
msata16e	SSD M-Sata 16GB MLC, Phison S9 controller (for apu)	<input type="text" value="0"/>	\$15.5	204
sd4b	SD card 4GB pSLC Phison (for apu, MLC flash running in SLC mode)	<input type="text" value="0"/>	\$4.95	>500
wlm200nx	Compex WLM200NX Atheros 802.11a/b/g/n miniPCI wireless card (for alix)	<input type="text" value="0"/>	\$23	No stock
wle200nx	Compex WLE200NX 802.11a/b/g/n miniPCI express wireless card (for apu)	<input type="text" value="0"/>	\$19	>500
wle600vx	Compex WLE600VX 802.11ac miniPCI express wireless card (for apu, please check software support first)	<input type="text" value="0"/>	\$23	>500
pigsma	Pigtail cable I-PEX -> reverse SMA	<input type="text" value="0"/>	\$1.5	>500
antsma	Antenna reverse SMA 2.4 GHz	<input type="text" value="0"/>	\$2.1	>500
antsmadb	Antenna reverse SMA dual band	<input type="text" value="0"/>	\$2.05	>500
dcma82	Wistron DCMA82 Atheros 802.11a/b/g MMCX miniPCI wireless card (for alix, mmc* pigtails) - EOL, while supplies last	<input type="text" value="0"/>	\$32	146
mmcxsma	Pigtail cable MMCX -> reverse SMA	<input type="text" value="0"/>	\$2.9	54
mmcxnf	Pigtail cable MMCX -> N female bulkhead	<input type="text" value="0"/>	\$4.3	>500
mmcxterm	Terminator MMCX 50 ohm	<input type="text" value="0"/>	\$1.25	104
pignf6	Pigtail cable I-PEX -> N female bulkhead (enhanced for 6 GHz)	<input type="text" value="0"/>	\$3.5	>500
antnm	Antenna N male 5 dBi 2.4 GHz	<input type="text" value="0"/>	\$3.8	22
capnf	Cap for N female connector	<input type="text" value="0"/>	\$0.75	expected - 20161205
pigsmaf	Pigtail cable I-PEX -> SMA female (does NOT fit antsma*)	<input type="text" value="0"/>	\$1.35	>500
cf1eh	IDE to CompactFlash adapter CFDISK.1E, 40 pin IDE connector, HDD power connector	<input type="text" value="0"/>	\$2.8	113
cf1ef	IDE to CompactFlash adapter CFDISK.1E, 40 pin IDE connector, floppy power connector - SALE	<input type="text" value="0"/>	\$1.6	>500
cf2g	IDE to CompactFlash adapter CFDISK.2G, 2.5" form factor, 44 pin	<input type="text" value="0"/>	\$3.45	No stock

	IDE connector			
cf2h	IDE to CompactFlash adapter CFDISK.2H, 2.5" form factor, 8 nuts to emulate legacy drives	<input type="text" value="0"/>	\$3.85	316
cf5h	IDE to CompactFlash adapter CFDISK.5H, direct plug onto 40 pin IDE connector, FDD power connector	<input type="text" value="0"/>	\$2.6	>500
cf5hs	IDE to CompactFlash adapter CFDISK.5HS, direct plug, straight connector (parallel to system board) - SALE	<input type="text" value="0"/>	\$1.6	>500
post4d	PCI POST code display card POST.4D - SALE	<input type="text" value="0"/>	\$4	171
post5a	MiniPCI POST code display card POST.5A with test pins - SALE	<input type="text" value="0"/>	\$7	>500
post5a1	MiniPCI POST code display card POST.5A - SALE	<input type="text" value="0"/>	\$5.5	5
db9cab1	Cable DB9F-DB9F null modem	<input type="text" value="0"/>	\$1.3	443
usbcom1a	Adapter USB to DB9F serial with cable (beta)	<input type="text" value="0"/>	\$8	No stock
idecab2	IDE cable 44 pin 5 cm	<input type="text" value="0"/>	\$0.65	459
satacab1	SATA data + power cable for apu	<input type="text" value="0"/>	\$1.5	>500
usbcab1	USB to microUSB cable 1.5m	<input type="text" value="0"/>	\$1.3	>500
lpc1a	Flash recovery adapter (specify what alix board this is for in comment field)	<input type="text" value="0"/>	\$6	342
lpc1aapu	Flash recovery adapter for apu1* (only needed for debricking)	<input type="text" value="0"/>	\$10	14
spi1a	Flash recovery adapter for apu2* (only needed for debricking)	<input type="text" value="0"/>	\$3	46
cr2032	Battery CR2032 Lithium (installed, for models without battery)	<input type="text" value="0"/>	\$1.5	>500
apucool	Heat spreader kit for apu boards (as included with boards)	<input type="text" value="0"/>	\$1.2	88
apupad	Blue heat conductive pads for apu boards (free, within reason)	<input type="text" value="0"/>	\$0	>500
brk1d	Wall mount bracket for case1d* - not recommended for apu.	<input type="text" value="0"/>	\$1.5	>500
brkpcie	miniPCI express half size adapter bracket	<input type="text" value="0"/>	\$0.5	>500
hexbit	driver bit for DB9 / D-sub connector hex nuts	<input type="text" value="0"/>	\$3.5	>500
special	Special order item (describe in comment or email)	<input type="text" value="0"/>	\$0	391
rma	RMA order	<input type="text" value="0"/>	\$0	>500

Customer

VALID email address !

Repeat customers: enter last order number (e.g. w55555) here, skip all following fields.

Ship to address**Name !** Company **Address !** (continued) **Post code / ZIP !** **City !** **State / province** **Country !** **Phone number !** VAT number / tax ID (required for EU customers) Customs ID / [EORI number](#) (recommended for EU customers) Ship method Comments **Bill to address (only if different from ship to)**Name Company Address (continued) Post code / ZIP City State / province Country Phone number Email **Preview / place order**

Use preview to see prices and shipping cost.
Then select "Place order" and Submit to place your order.

- ☒ **Preview**
☐ **Place Order**

© 2002-2016 PC Engines GmbH. All rights reserved.