

NanoPi2

NanoPi Family
NanoPi2

The NanoPi2 NanoPi 2 Fire is a newly NanoPi M1 released ARM NanoPi M2 board by FriendlyARM NanoPi M3 which NanoPi NEO 0 advances the NanoPi by NanoPi NEO Air 0 featuring NanoPi S2 0 Samsung's

0

Accessories

Quad Core • Wiki

S5P4418

A9@1.4GHz NanoPi2 processor, 1G NanoPi 2 Fire 32bit DDR3 RAM, rich NanoPi M1 video and NanoPi M2 display NanoPi M3 interfaces and two MicroSD NanoPi NEO slots. Its Quad NanoPi NEO Air Core A9@1.4GHz NanoPi S2

processor and Policies
1G RAM make Forum
Linux and Support
Android Downloads
booted from a Contact us

TF card fast


and smoothly. Its adoption of the Raspberry Pi's GPIO pin header makes it compatible with both Raspberry Pi's external GPIO modules and Arduino's shield boards. Its two MicroSD slots make it support up to two external TF cards' storage. Its video and display interfaces include a DVP camera interface, an HDMI interface and an LCD interface which make it work with various popular display devices. The NanoPi2's on-board AP6212 Wireless and Bluetooth chip supports 802.11 b/g/n, AP mode, BLE 4.0 and HS mode.

On the NanoPi2's wiki FriendlyARM open sources its schematics, PCB, bootloader, kernel and file systems, and provides plenty of tutorials and code samples.

Features

- SoC: Samsung S5P 4418 Quad Core Cortex-A9, 1.4G Hz
- System Memory: 1GB 32bit DDR3 RAM
- Storage: 2 x Micro SD Slot
- Connectivity: AP6212 Wireless and Bluetooth, 802.11 b/g/n, AP mode, BLE 4.0, HS mode
- HDMI: 1 x HDMI 1.4A, Type-A
- LCD: 0.5 mm spacing 45 pin interface
- Camera: 0.5mm spacing 24 pin DVP interface
- GPIO: 40 pin GPIO pin header, compatible with Raspberry Pi's GPIO pin header
- Debug Serial Port/UART0: 2.5 mm spacing 4pin interface
- USB: 1 x USB 2.0 host Type-A; 1 x Micro USB for data transmission and power input
- OS: Android and Debian
- PCB: Six-layer
- Dimension: 75 x 40 mm
- Weight: 22 g
- 1.
- 2.
- 3.


4





http://nanopi.io/nanopi2.html 2/9





NanoPi 2: For makers

Previous Next

Board Views and Diagram


http://nanopi.io/nanopi2.html 3/9



Vertical View (Front)



Vertical View (Back)



Dimensional Drawing

Applications of NanoPi2

Android

Android 4.4.2 Ready

WiFi and Bluetooth supported. Boot OS from a TF card.

Specifications

Item Details

Processor Samsung S5P 4418 Quad Core Cortex-A9, 1.4G Hz

Memory 1GB 32bit DDR3 RAM
Storage 2 x Micro SD Slot
USB Host 1 x USB 2.0 host Type-A

Micro USB 1 x Micro USB for data transmission and power input LCD 0.5 mm pitch SMT FPC seat, full-color LCD (RGB: 8-8-8)

Camera 0.5mm spacing 24 pin DVP interface

WiFi & Bluetooth AP6212 Wireless and Bluetooth, 802.11 b/g/n, AP mode, BLE 4.0, HS mode GPIO 40 pin GPIO pin header, compatible with Raspberry Pi's GPIO pin header

Debug Serial Port/UART0 2.5 mm spacing 4pin interface
Power 1 x Micro USB for power input

PCB Dimension $75 \times 40 \text{ mm}$ Weight 22 g

How to Order

Please visit our official site: www.friendlyarm.com to place orders . By default we ship via CHINA POST. It takes up to one month for CHINA POST to ship. If you want us to ship via DHL/Fedex/TNT/UPS please email us at sales@friendlyarm.com

Item Description Order Info Price(USD) Order It!

NanoPi2 Single Board

http://nanopi.io/nanopi2.html 5/9



One NanoPi Single Board

Optional LCD

Modules:7" LCD with Capacitive Touch Panel * It doesn't include any cable sets * Introductory

price: \$32 only valid till Jan 1, 2016

Nan Single Nan Single 7 inch Capa LCD

Item

Description

Order Info Price(USD) Order It!



NanoPi2 Single **Board**

• One NanoPi Single Board

• 3D housing(white) * It doesn't include any cable sets * Introductory price: \$32 only valid till Jan 1,

<u>Add</u> NanoPi2 to Single Board Cart NanoPi2 <u>Add</u> Single Board + \$34.5 <u>to</u> +3D Cart housing(white)

Item

Description

2016

Order Price(USD) Order

NanoPi2 Single **Board**

• One NanoPi Single Board

 Optional LCD Modules:7" LCD with

NanoPi2 \$32 to Single Board Cart

NanoPi2

Add




Capacitive Touch Panel • 3D housing(white) * It doesn't include any

> cable sets * Introductory price: \$32 only valid till Jan 1, 2016

Single 3D housi Capa LCD

Item



Item

Description

NanoPi2 Single Board

• One NanoPi Single Board

 Optional LCD Modules:7" LCD with Capacitive Touch Panel • 3D

housing(white) * It doesn't include any cable sets * Introductory price: \$32 only valid till Jan 1, 2016

Add NanoPi2 to Single Board Cart NanoPi2 Single Board <u>Add</u> \$35.5 <u>to</u> + TTL To RS232 Cart Module

Description

Order Price(USD) Order

NanoPi2 Single **Board**

 One NanoPi Single Board

Add

http://nanopi.io/nanopi2.html

7/9

Order Price(USD) Order

Info



Matrix
 Nan
 * It doesn't
 include any
 cable sets
 * Introductory
 price: \$32
 only valid till

Jan 1, 2016

OPTIONAL ACCESSORIES



8GB TF Card

\$6 USD



TTL To RS232 Module

\$3.95 USD

Add to Cart



4.3 inch Resistive LCD

\$25 USD

Add to Cart



7 inch Resistive LCD

http://nanopi.io/nanopi2.html

\$35 USD

Add to Cart



LCD1602-keypad

\$5.9 USD

Add to Cart



NanoPi2 Frame

\$2.99 USD

Add to Cart



FA-CAM202

\$16.00 USD

Add to Cart

Information

- About Us
- Privacy Policy
- Terms & Conditions

Contact Us

- Email: techsupport@friendlyarm.com
- Sales: sales@friendlyarm.com
- Fax: +86-20-8526 1505

FriendlyARM

- Office hours: 09:30-11:30 14:00-17:00
- Tel: +86-20-8520 1025



Copyright © 2008-2015 friendlyarm.com All rights reserved.

http://nanopi.io/nanopi2.html 9/9