



THE TECHNERSLAB ACADEMY

(MERN Stack + AI Engineering)

Week # 02

Batch: 01

Submitted to: Sir Asad Noor


Name: Hrum Kashif

Deadline: June 5th, 2026.

Topic: Box Mapping of Landing Page


Section 01: (Hero/Main Section)

➤ ScreenShot:



Activate Windows

➤ Box Mapping:



➤ Tag Selections:

!---NavBar---

1. Main Top Header Container

Tag to select --> <header class="main-header">

UseCase: Holds the brand name logo, center menu links, and call-to-action button.

2. Navigation Links Wrapper

Tag to select --> <nav class="navbar">

UseCase: Semantic container grouping the core top-level navigational paths.

3. Center Menu Links Set

Tag to select --> containing and <a> elements

UseCase: Lists menu paths horizontally ("HOME", "LIVE DEMO", "LIVE DEMO BLOCKS").

!---Hero Section---

4. Hero Banner Section Block

Tag to select --> <section class="hero-section">

UseCase: The large introductory banner area displaying the large model image.

5. Core Page Title Heading

Tag to select --> <h1>

UseCase: The absolute main title of the entire webpage ("Clothing Store").

6. Subheading Details Text

Tag to select --> <p>

UseCase: Small supportive description lines sitting directly underneath the page title.


➤ Strategy:

CSS Property	Value	Usecase	Code Example
display	flex	Aligns the main navbar components horizontally.	display: flex;
justify-content	space-between	Pushes the logo to the left and button to the right.	justify-content: space-between;
align-items	center	Vertically centers all items in the navbar header.	align-items: center;
gap	20px	Creates equal spacing between the text menu links.	gap: 20px;
list-style	none	Removes default bullet points from navigation menu lists.	list-style: none;
padding	10px 24px	Adds spacing inside the button to make it easily clickable.	padding: 10px 24px;
border-radius	4px	Rounds the sharp corner edges of the action button.	border-radius: 4px;
background-color	#0000FF	Sets a distinct solid blue background for the CTA button.	background-color: #0000FF;


font-size	64px	Makes the main title large to establish clear visual hierarchy.	font-size: 64px;
font-weight	bold	Thickens text to grab user attention immediately.	font-weight: bold;
color	#111111	Ensures the text is dark enough to read on the banner.	color: #111111;
flex-direction	column	Stacks the small sub-text cleanly underneath the big title.	flex-direction: column;
justify-content	center	Keeps all banner text centered vertically inside the hero area.	justify-content: center;
background-size	cover	Scales the background image across screens without stretching.	background-size: cover;
background-position	center	Positions the image perfectly in the center of the viewport.	background-position: center;
background-image	linear-gradient(...)	Creates a soft faded layer on top of the image.	background-image: linear-gradient(...);
opacity	0.5	Dulls down background elements to improve overall text readability.	opacity: 0.5;
height	100vh	Forces the banner block to occupy 100% of screen height.	height: 100vh;

Section 02: (About Us)

➤ ScreenShot:



➤ Box Mapping:



➤ Tag Selections:

1. The Whole Section Area

Tag to select --> `<section id="about-us">`

UseCase: Complete section of the webpage.

2. Main Section Title

Tag to select --> `<h2>`

UseCase: This section title logically becomes a Heading 2 as `<h1>` is already used in “Hero Section”.

3. The Row Wrapper (Holding all 3 cards)

Tag to select --> `<div>` (e.g., `<div class="cards-container">`)

UseCase: Acts as an invisible outer row block that holds the three column cards together so they can be lined up side-by-side.

4. Each Individual Card Box

Tag to select --> `<article>` or `<div>`

UseCase: Independent block of content containing an image, headings, and paragraphs. Using `<article>` is the best semantic approach.

5. Card Pictures

Tag to select --> `<img>`

UseCase: the HTML image tag.

6. Small Category Labels

Tag to select --> `<span>` or `<h4>`

UseCase: These are tiny, secondary text markers used primarily for quick labeling and custom styling.

7. Card Main Titles
Tag to select --> <h3>
UseCase: Titles inside the card component.

8. Detailed Text Blocks
Tag to select --> <p>
UseCase: Standard, multi-line descriptive text.

9. Bottom Action Text
Tag to select --> <a> (Anchor Tag)
UseCase: This text is clickable and is designed to redirect users to a separate, detailed page for that specific topic.


➤ Strategy:

CSS Property	Value	Usecase	Code Example
display	grid	Activates Grid layout on the outer card container.	display: grid;
grid-template-columns	repeat(3, 1fr)	Splits the layout into 3 perfectly equal columns.	grid-template-columns: repeat(3, 1fr);
gap	30px	Adds uniform horizontal spacing between the cards.	gap: 30px;
text-align	center	Centers the main heading text.	text-align: center;
width	100%	Forces the images to stretch fully across their	width: 100%;


		card.	
height	250px	Sets a uniform vertical size for all three photos.	height: 250px;
object-fit	cover	Prevents the photos from stretching or distorting.	object-fit: cover;
margin-bottom	15px	Pushes text downward to create clean vertical gaps.	margin-bottom: 15px;
font-size	32px	Sets the visual text hierarchy	font-size: 32px;
line-height	1.6	Spares out text vertically to make reading comfortable.	line-height: 1.6;
color	#2b7fff	Applies the distinctive color	color: #2b7fff;
text-decoration	none	Removes the default underline from "Learn more" links.	text-decoration: none;

Section 03: (Features)

➤ ScreenShot:



➤ Box Mapping:



➤ Tag Selection:

1. Top Faded Sale Banner Area

Tag to select --> <section class="sale-banner">

UseCase: Forms a distinct standalone banner area at the top of the view.

2. Top Banner Subheading

Tag to select --> · <h4> or

UseCase: small, all-caps introductory text block.

3. Main Promo Heading

Tag to select --> <h2>

UseCase: Represents the primary, eye-catching title.

4. Big Background Text Number

Tag to select --> <div>

UseCase: large decorative number sits under the text layer

5. Blue Action Call Button

Tag to select --> <a> Anchor tag

UseCase: Clicking it links users directly.

6. Lower Layout Section Box

Tag to select --> <section class="features-section">

UseCase: Groups the store's selling points into one distinct structural thematic component.

7. Section Left Header

Tag to select --> <h3>

UseCase: local descriptive title heading for this entire grid block.

8. Right Columns Grid Wrapper

Tag to select --> <div class="feature-grid">

UseCase: 4 individual service blocks neatly into columns or grids.

9. Each Service Box

Tag to select --> <div> or <article>

UseCase: Groups a single icon, small heading, and a sentence together into a reusable, self-contained layout unit.

10. Service Feature Icons

Tag to select -->

UseCase: Renders the distinct line art illustrations.

11. Feature Small Titles

Tag to select --> <h5>

UseCase: Acts as the specific category label title

12. Feature Text Paragraphs

Tag to select --> <p>

UseCase: Standard multi-line text descriptions.

➤ Strategy:


CSS Property	Value	Usecase	Code Example
display	flex / grid	Activates layout engines for centering text or aligning feature boxes.	display: flex;
justify-content	center	Vertically and horizontally aligns text inside the promo banner.	justify-content: center;
flex-direction	column	Stacks promotional text and the "Watch Now" button vertically.	flex-direction: column;
position	relative	Acts as an anchor axis for the giant absolute "70%" text behind it.	position: relative;
position	absolute	Moves the giant "70%"	position:

		background number freely behind the main text.	absolute;
z-index	-1	Pushes the giant "70%" text behind the main readable text layers.	z-index: -1;
background-image	linear-gradient(...)	Creates the soft, washed-out faded look on the banner image.	background-image: linear-gradient(...);
grid-template-columns	repeat(2, 1fr)	Splits the features area into a clean, uniform 2-column layout grid.	grid-template-columns: repeat(2, 1fr);
gap	40px	Creates clean, uniform spaces between the 4 individual feature boxes.	gap: 40px;
font-size	150px	Scales the pink decorative "70%" number to a massive graphic size.	font-size: 150px;
font-weight	bold	Thickens "SALE TO - 70%" text to make it stand out instantly.	font-weight: bold;
color	#007bff	Applies the bright electric blue color to text elements and buttons.	color: #007bff;
padding	8px 20px	Gives breathing room inside the "Watch Now" button for clickability.	padding: 8px 20px;
border-radius	20px	Creates the pill-shaped, fully rounded edges on the blue button.	border-radius: 20px;
margin-	20px	Pushes items apart	margin-bottom:


bottom		vertically so headings and lines don't touch.	20px;
--------	--	--	-------

Section 04: (Our Porducts)

➤ ScreenShot:



➤ Box Mapping:



➤ Tag Selection:

1. Whole Section Container

Tag to select --> <section class="products-section">

UseCase: the entire product catalog layout

2. Main Title Heading

Tag to select --> `<h2>`

UseCase: secondary main section header

3. Products Grid Wrapper (Holds all 4 items)

Tag to select --> `<div>` (e.g., `<div class="products-grid">`)

UseCase: An invisible outer container display the individual cards side-by-side in rows and columns.

4. Individual Product Card (Each of the 4 boxes)

Tag to select --> `<div>` or `<article>` (e.g., `<div class="product-card">`)

UseCase: self-contained unit of content holding a product image, title, and price.

5. Product Images

Tag to select --> `<img>`

UseCase: photos showcase the actual products

6. Product Titles

Tag to select --> `<h3>`

UseCase: local title for each item card

7. Product Prices

Tag to select --> `<span>` or `<p>`

UseCase: Prices are small inline text details.


➤ **Strategy:**

CSS Property	Value	Usecase	Code Example
display	grid	Activates the Grid layout system on the product catalog container.	display: grid;
grid-template-columns	repeat(2, 1fr)	Splits the content cleanly into a balanced 2-column layout.	grid-template-columns: repeat(2, 1fr);
gap	40px	Adds uniform horizontal and vertical spacing between all cards.	gap: 40px;
text-align	center	Aligns the main heading, item titles, and prices to the center.	text-align: center;
width	100%	Forces the images to stretch smoothly to fill the width of the card.	width: 100%;
height	300px	Ensures every single product photo is cropped to an identical height.	height: 300px;
object-fit	cover	Prevents the product photos from looking stretched or distorted.	object-fit: cover;
color	#2b7fff	Applies the consistent electric blue color theme to the headings.	color: #2b7fff;
font-size	14px	Keeps the product titles and price labels clean, neat, and small.	font-size: 14px;


margin-bottom	30px	Creates breathing room beneath the main title and each photo.	margin-bottom: 30px;
---------------	------	---	----------------------

Section 05: (Info/Link Section)

➤ ScreenShot:



➤ Box Mapping:



➤ Tag Selection:

1. Main Newsletter Section Container

Tag to select --> <section class="newsletter-section">

UseCase: The top form wrapper area for user subscription inputs.

2. Section Main Heading

Tag to select --> <h2>

UseCase: Main promotional call line.

3. Sub-Heading Text Labels

Tag to select --> <h3> or

UseCase: Holds inline label prompts and the faded details text.

4. Input Form Element

Tag to select --> <form>

UseCase: Wraps text inputs and buttons safely for submitting user data.

5. Email Input Field

Tag to select --> <input type="email">

UseCase: Provides an editable typing text field for users to submit email addresses.

6. Submission Button

Tag to select --> <button type="submit">

UseCase: Clickable submission call to trigger form actions.

7. Bottom Visual Grid Wrapper

Tag to select --> <div> (e.g., <div class="image-gallery-grid">)

UseCase: Grid holder designed to arrange asymmetric product banners cleanly.

8. Display Image Element

Tag to select -->

UseCase: Loads content images representing different item categories.

9. Overlay Clickable Action

Tag to select --> <a>

UseCase: Interactive link layer styled text that routes users to shopping catalogs.


➤ Strategy:

CSS Property	Value	Usecase	Code Example
display	grid	Sets up a dual-system grid engine for complex layout configurations.	display: grid;
grid-template-columns	2fr 1fr	Splits lower visuals into large left columns and tight right blocks.	grid-template-columns: 2fr 1fr;
gap	20px	Enforces unified margins across lower rows and column dividers.	gap: 20px;
text-align	center	Centers headings and text alignments inside subscription banners.	text-align: center;
max-width	600px	Prevents the email text input bar from stretching across	max-width: 600px;


		screens.	
padding	12px 20px	Extends space inside text fields for optimal touch usability.	padding: 12px 20px;
border	1px solid #ccc	Draws clean, thin boundaries framing input boundaries.	border: 1px solid #ccc;
width / height	100%	Controls image spans to match grid sizing cells precisely.	width: 100%; height: 100%;
object-fit	cover	Protects clothing photo compositions from stretching artifacts.	object-fit: cover;
position	absolute	Pins text elements ("BUY NOW") over image backgrounds.	position: absolute;
bottom / right	20px	Forces overlay action links down into corner placements cleanly.	bottom: 20px; right: 20px;

Section 06: (Latest News)

➤ ScreenShot:



➤ Box Mapping:



➤ Tag Selection:

1. Whole Section Container

Tag to select --> `<section class="news-section">`

UseCase: The entire wrapper area holding the "Latest News" component.

2. Main Section Heading

Tag to select --> `<h2>`

UseCase: The main section title displaying "Latest News".

3. Row Grid Wrapper (Holds all 3 cards)

Tag to select --> `<div>` (e.g., `<div class="news-grid">`)

UseCase: An invisible outer container to arrange the 3 blog cards side-by-side.

4. Individual News Card (Each of the 3 columns)

Tag to select --> <article> or <div> (e.g., <div class="news-card">)

UseCase: Groups an individual post's image, title, and link together as a standalone piece of content.

5. Card Thumbnail Images

Tag to select -->

UseCase: Displays the blog/news cover photos (Open sign, store interior, storefront).

6. Card Titles ("Work Mode", "New Collections", "Our Stores")

Tag to select --> <h3>

UseCase: Local titles for each separate news article card.

7. Action Links ("Learn more")

Tag to select --> <a> (Anchor Tag)

UseCase: Clickable links to route users to the full-text article pages.


➤ Strategy:

CSS Property	Value	Usecase	Code Example
display	grid	Activates the grid layout engine on the outer articles container.	display: grid;
grid-template-columns	repeat(3, 1fr)	Splits the block cleanly into 3 equal-width columns.	grid-template-columns: repeat(3, 1fr);
gap	30px	Adds uniform horizontal spaces between the three news cards.	gap: 30px;


text-align	center	Center-aligns the main heading, card titles, and active links.	text-align: center;
width	100%	Forces the banner images to expand fully across their card width.	width: 100%;
height	250px	Locks down matching vertical crop sizes for all 3 photographs.	height: 250px;
object-fit	cover	Prevents the images from stretching or losing their native aspect ratio.	object-fit: cover;
background-color	#ffffff	Gives each individual article card a clean white background box.	background-color: #ffffff;
color	#007bff	Sets the bright signature blue color on headings and action links.	color: #007bff;
font-size	14px	Scales the "Learn more" text to look small, secondary, and neat.	font-size: 14px;
margin-bottom	15px	Adds consistent vertical spacing blocks between text layers inside cards.	margin-bottom: 15px;
text-decoration	none	Disables the standard automatic underline style on anchor links.	text-decoration: none;

Section 07: (Last Collection)

➤ ScreenShot:



➤ Box Mapping:



➤ Tag Selection:

1. Whole Section Container

Tag to select --> <section class="gallery-section">

UseCase: The entire photo gallery layout.

2. Main Title Heading

Tag to select --> <h2>

UseCase: Main section header for the component.

3. Action Text Link

Tag to select --> <a>

UseCase: Clickable text redirecting users to the full collection page.

4. Gallery Grid Wrapper (Holds all 6 items)

Tag to select --> <div> (e.g., <div class="gallery-grid">)

UseCase: An invisible parent container to arrange the items side-by-side in rows and columns.

5. Individual Photo Box

Tag to select --> <div> (e.g., <div class="gallery-item">)

UseCase: A wrapper container box for each separate look or photo card.

6. Gallery Images

Tag to select -->

UseCase: Displays the actual product collection photographs.


➤ Strategy:

CSS Property	Value	Usecase	Code Example
display	grid	Activates the Grid layout system on the outer photo container.	display: grid;
grid-	repeat(3,	Splits the photo layout	grid-template-


template-columns	1fr)	cleanly into 3 equal columns across the row.	columns: repeat(3, 1fr);
gap	20px	Adds uniform horizontal and vertical spacing	gap: 20px;
width	100%	Forces the images to stretch and fill the width of their grid cell smoothly.	width: 100%;
height	200px	Locks an identical uniform vertical crop height	height: 200px;
object-fit	cover	Prevents the pictures from stretching or getting squished during scaling.	object-fit: cover;
color	#2b7fff	Applies the consistent signature electric blue color	color: #2b7fff;
font-size	12px	Keeps the link clean, small, and distinct from the title.	font-size: 12px;
font-weight	bold	Thickens the secondary action text link to make it easily readable.	font-weight: bold;
margin-bottom	25px	Creates vertical breathing room below the header text blocks.	margin-bottom: 25px;

Section 08: (Testimonials)

➤ ScreenShot:



➤ Box Mapping:



➤ Tag Selection:

1. Whole Section Container

Tag to select --> <section class="testimonials-section">

UseCase: The entire testimonials wrapper area.

2. Main Section Heading

Tag to select --> <h2>

UseCase: Local component title for the Testimonials heading.

3. Testimonial Content Wrapper

Tag to select --> <div> or <figure> (e.g., <div class="testimonial-card">)

UseCase: Holds the individual reviewer's avatar image, name, role, and text paragraph.

4. Client Avatar Image

Tag to select -->

UseCase: Displays the round profile picture of the customer.

5. Client Name

Tag to select --> <h3> or

UseCase: Identifies the person who wrote the review ("Markus Grecho").

6. Client Subtitle/Role

Tag to select --> or <small>

UseCase: Displays the client description or tag directly underneath the name.

8. Review Quote Paragraph

Tag to select --> <p> or <blockquote>

UseCase: Holds the multi-line text review content safely.

9. Navigation Arrow Links

Tag to select --> <button> or <a>


UseCase: Left and right actionable slider controllers to switch between testimonials.

➤ **Strategy:**


CSS Property	Value	Usecase	Code Example
display	flex	Activates layout engine to center content items vertically.	display: flex;
flex-direction	column	Stacks all items vertically.	flex-direction: column;
align-items	center	Shifts all items directly to the center line horizontally.	align-items: center;
text-align	center	Centers text content blocks uniformly across multiple lines.	text-align: center;
width / height	80px	Forces equal sizing dimensions to format a square profile image.	width: 80px; height: 80px;
border-radius	50%	Turns the square client avatar photo into a perfect round circle.	border-radius: 50%;
object-fit	cover	Prevents the client portrait picture from cropping unevenly.	object-fit: cover;
max-width	600px	Restricts sentence width lengths so review paragraphs read cleanly.	max-width: 600px;
line-height	1.6	Spreads text lines apart vertically to make paragraphs readable.	line-height: 1.6;
margin-bottom	20px	Adds clean spacing separators down between stacked layout levels.	margin-bottom: 20px;
position	absolute	Pins arrow navigation controllers to left and right screen borders.	position: absolute;

Section 09: (Our Location)

➤ ScreenShot:



➤ Box Mapping:



➤ Tag Selection:

1. Whole Section Container
Tag to select --> <section class="location-section">
UseCase: The entire wrapper area holding the location heading, text details, image, and map.
2. Main Section Heading

Tag to select --> <h2>

UseCase: The main section title displaying "Our location".

3. Contact Info Wrapper (Holds Email & Phone)

Tag to select --> <div> (e.g., <div class="contact-info-row">)

UseCase: An invisible row box designed to place the Email and Phone details side-by-side above the visuals.

4. Contact Info Columns (Each separate text block)

Tag to select --> <div> (e.g., <div class="info-block">)

UseCase: Groups a label title (like "Email") together with its corresponding actionable value.

5. Label Titles ("Email", "Phone")

Tag to select --> <h3> or

UseCase: Bold descriptive text identifying the type of communication channel.

6. Interactive Values (Clickable Email/Phone links)

Tag to select --> <a> (Anchor Tag)

UseCase: Clickable links styled with href="mailto:..." or href="tel:..." protocols so users can instantly message or call.

7. Media Columns Wrapper (Holds Image & Map side-by-side)

Tag to select --> <div> (e.g., <div class="media-grid">)

UseCase: A parent layout block designed to balance the physical store photo and map widget next to each other.

8. Storefront/Clothing Display Photo

Tag to select -->

UseCase: Displays the descriptive visual image of the clothing racks inside the store.

9. Google Map Location Widget

Tag to select --> <iframe>

UseCase: Embeds an interactive, live external digital map directly into the webpage layout.


➤ Strategy:

CSS Property	Value	Usecase	Code Example
display	grid / flex	Activates layout engines to structure the text rows and side-by-side media columns.	display: grid;
grid-template-columns	repeat(2, 1fr)	Splits both the text layer and media layer cleanly into 2 perfectly equal-width columns.	grid-template-columns: repeat(2, 1fr);
gap	40px / 20px	Adds clean horizontal breathing room between the columns so elements don't overlap.	gap: 20px;
text-align	center	Centers the large "Our location" heading horizontally across the page.	text-align: center;
color	#2b7fff	Applies the consistent electric blue brand color to the main title and active links.	color: #2b7fff;
font-weight	bold	Thickens labels like "Email"	font-weight:


		and "Phone" to give them a stronger visual presence.	bold;
text-decoration	none	Removes the default browser underline from the clickable phone and email links.	text-decoration: none;
width	100%	Forces both the image and the map iframe to stretch and fill their container blocks completely.	width: 100%;
height	400px	Locks matching vertical dimensions for the image and map so they line up evenly.	height: 400px;
object-fit	cover	Prevents the interior store photo from distorting or squishing when resizing screens.	object-fit: cover;
margin-bottom	40px	Creates vertical spacing between the top text rows and the lower media graphics.	margin-bottom: 40px;

Section 10: (Footer)

➤ ScreenShot:



➤ Box Mapping:



➤ Tag Selection:

1. Whole Footer Container

Tag to select --> <footer>

UseCase: The overall semantic structural wrapper holding the entire bottom area of the website.

2. Main Links & Info Row Container

Tag to select --> <div> (e.g., <div class="footer-links-row">)

UseCase: An invisible container row to place the 3 columns side-by-side.

3. Brand Column (Left Block)

Tag to select --> <div> (e.g., <div class="footer-brand-column">)

UseCase: Groups the company logo text, description paragraph, and social

media circles together.

4. Logo Text ("shopamp!")

Tag to select --> <h2> or <div>

UseCase: Displays the brand identity logo name at the top of the footer.

5. Company Short Description Paragraph

Tag to select --> <p>

UseCase: Holds the long informative block of multi-line text explaining the shop's history and mission.

6. Social Media Links Container

Tag to select --> <div> (e.g., <div class="social-icons">)

UseCase: Holds the individual link items side-by-side.

7. Individual Social Media Icons

Tag to select --> <a> containing an or SVG icon

UseCase: Clickable circular round badges that redirect users to the store's social profile handles.

8. Menu Link Columns (Center & Right Lists)

Tag to select --> <nav> or <div>

UseCase: Standard layout boxes grouping the links list into organized verticals.

9. Menu Column Titles

Tag to select --> <h3> or

UseCase: Bold, clean category label headings positioned right over their list elements.

10. Navigation Link List Elements

Tag to select --> containing and <a> elements

UseCase: Lists helpful shortcut directory text links.

11. Bottom Copyright Bar Container

Tag to select --> <div> (e.g., <div class="footer-copyright-bar">)

UseCase: A separate full-width distinct strip running at the absolute bottom of the template layout.

12. Copyright Notice Text

Tag to select --> <small> or <p>

UseCase: Displays the tiny, muted legality declaration line.

➤ Strategy:

CSS Property	Value	Usecase	Code Example
display	flex	Activates layout engines to organize rows, links, and text layers cleanly.	display: flex;
justify-content	space-between	Spreads out the three main columns evenly from left to right inside the row.	justify-content: space-between;
flex-direction	column	Stacks list elements or the brand text blocks vertically in standard fashion.	flex-direction: column;
gap	15px / 50px	Enforces unified margins across vertical text sets or	gap: 15px;

		horizontal row columns.	
list-style	none	Removes the default browser bullet dots from navigation list components.	list-style: none;
text-decoration	none	Disables default browser underline strokes on active footer links.	text-decoration: none;
width / height	35px	Sets matching box sizing lengths to craft perfect squares for social icons.	width: 35px; height: 35px;
border-radius	50%	Rounds the corners of the square social buttons to turn them into circles.	border-radius: 50%;
background-color	#ffffff	Adds a solid light filled background inside the social icons to look clickable.	background-color: #ffffff;
text-align	center	Shifts the final tiny copyright text bar directly into the page center line.	text-align: center;
font-size	13px	Scales description text and menu link items to look small and secondary.	font-size: 13px;
line-height	1.8	Widens line distances to make the multi-line description block cozy to read.	line-height: 1.8;
color	#aaaaaa	Fades the text details into a soft gray so they don't distract from headings.	color: #aaaaaa;
padding	60px 40px	Adds spacious breathing padding inside the footer block area edges.	padding: 60px 40px;

<-----THE END----->