# API EXCHANGE TOKEN

Version	Date	Author	Description
1.0	30-Oct-2019	HÒ TUÁN KIỆT	



# Mục lục

l	API	I EXCHANGE TOKEN	3
		Request	
		Response	
		Demo trên Postman	

## 1 API EXCHANGE TOKEN

- API thay đổi access token của app sang omni.

### 1.1 Request

Method	URL	
POST	https://{{shopname}}.myharavan.com/admin/token_exchange.json	

```
Header:
Content-Type: application/json
Authorization: Bearer + access_token (access_token hiện có)

Body raw json:
"token_exchange": {
    "client_id": "3822ef06f517aa588bda96d0cbb8d703",
    "secret_key": "7626b631286351df09eabbe43bb8f128c8780d637f19b248a83a2a23c8abf818",
    "scopes":
["offline_access","openid","profile","email","org","userinfo","wh_api","web.write_script_tags","grant_service"]
    }
```

STT	Thuộc tính	Mô tả
1	client_id (String)	App_id có được sau khi tạo app trên <a href="https://developers.haravan.com">https://developers.haravan.com</a>
2	secret_key (String)	App_secret có được sau khi tạo app trên <a href="https://developers.haravan.com">https://developers.haravan.com</a>
3	scopes (array string)	Những mảng chứa scope của app + Những scope bắt buộc có : openid profile email org userinfo grant_service. + Scope dùng webhook : wh_api (thêm vào nếu có dùng webhook) + Những scope tùy chọn cho app như : com.write_products (những scope này phải giống với những scope đã đăng kí trên <a href="https://developers.haravan.com">https://developers.haravan.com</a> )

#### 1.2 Response

Status	Response		
200	{		
	"token": {		
"access_token": "7658a833f780877b318a2a48cb50e16502d8e6dbfd366c08ea09b4344 "refresh_token": "8aa2e46cb64be7f7920f3c7834b3e7dde54d8c446e5c117b719a3832c "created_time": 1572407590,			
			"expires_in": 2147483647,
			"token_type": "Bearer"
	}		
	}		
422	{"error": "Unprocessable Entity"}		
401	Unauthorized		
429	Too many requests		
500	Something went wrong. Please try again later.		

#### 1.3 Demo trên Postman

- Những app cũ hiện đang có access\_token như bên dưới.

```
access_token: "HwGDhg3duw-ufFA83Dr0dxHVoia8GekSp7p24QkQes8HjwxQ-zC1toC_vGXs6YjMk8XwxX8agyVREbAmro7pQYGrIfUcxYlTxfQOsmHXyozjWAk_KVT7zerUXH7EInhJCQMj8wS41KChgY4epLy-VKHg3KLGs614oeLqijcnm6AEg7T67sSV2OKVEq7AYZFCf2ufO2RscPbo69SZE04StVECjcY8-HIKStNlMKaQKYl4UvZzRxiMW5YUGmu8Ph4jf_8R02E4H2y_ojoxBQUiuIuIU0Jwa9bVRzNznQ8s57N0HKAk1898Dii8nu-W_FQUK2YckAvt64Wtk-wbP1Qqkz5tPA1WDBSX7iCyaRwYcMryNmc4Ozth-1AM-BZIMeZDTHbSdQsUxH58KkFGegdLIwv0c_4crViTz8RBbr8VKymoSdiXhOKnjVsyvWMxvLEhMf-8tpGh--QWrHMQUyZi6Z2pCe9E1kCcN74EkKZna7j58tGwN0Yw0-SJSgGRUCODsQTfcA"
```

- Dùng access\_token này để gọi api exchange token để chuyển sang token omni.

+ Truyền access\_token này vào header



+ Truyền client\_id, secret\_key, scopes vào body

```
POST 

https://hoainam04.myharavan.com/admin/token_exchange.json

Authorization Headers (2) Body Pre-request Script Tests

Code

form-data x-www-form-urlencoded raw binary JSON (application/json) 

token_exchange": {
    "client_id": "e65e41a7a9eb3effb31ced9224ac9a4a",
    "secret_key": "265b322f96f7b475be5da2158ffdf917754ed389e1e73c1a3ec11004697bf567",
    "scopes": ["offline_access", "openid", "profile", "email", "org", "userinfo", "wh_api", "web.write_script_tags", "grant_service"]

}
```

+ Ta có được access token của omni

