



Little Web Shack

littlewebshack.com Free WordPress plugins, built in Cleethorpes, UK

WORDPRESS PLUGIN · USER GUIDE

MBR Cookie Consent

Enterprise-grade consent management for WordPress — global privacy law coverage, server-side blocking, settings portability, and 40+ language support. Genuinely free.

Version 2.3.0 | Rev. July 2026

By Robert Palmer

Contents

1. Introduction	4
What this plugin does	4
New in version 2.3.0	4
2. Requirements & Compatibility	4
Tested integrations	5
3. Installation & Activation	5
Installing the plugin	5
First activation	5
4. Quick Start: Compliant in Five Minutes	5
Step 1 — Run the cookie scanner	5
Step 2 — Confirm your categories	6
Step 3 — Set your region behaviour	6
Step 4 — Style the banner	6
Step 5 — Publish and test	6
5. The Consent Banner	6
Banner actions	6
Banner behaviour	6
6. Banner Customisation	6
What you can change	7
7. Cookie Categories & the Preference Centre	7
The Preference Centre	7
8. Cookie Scanner & Script Management	7
One-click scanning	7
Manual management	7
9. Automatic Script Blocking	8
How it works	8
10. Consent Mode Integration	8
Setting it up	8
11. Form Builder Integration	8
Server-side enforcement	9
Supported builders	9
The Elementor experience	9
Configuration	9
12. Geolocation & Regional Compliance	9

The default region changed in 2.3.0	9
How detection is cached	10
13. Privacy Law Reference	10
Regions added in 2.3.0	11
Recently updated: United States	11
Global Privacy Control (GPC)	12
14. AI & Model Training Disclosure	12
What the law asks	12
Configuring the disclosure	12
What gets written	12
15. Internationalisation	12
Automatic translation	12
Multilingual plugins	13
16. Accessibility	13
17. Consent Logging & Records of Consent	13
18. A/B Testing	13
19. Multisite Support	14
20. Importing & Exporting Settings	14
Exporting a configuration	14
What travels with the file	14
Importing on another site	14
Undoing an import	15
21. CCPA and 'Do Not Sell or Share'	15
22. Troubleshooting & FAQ	15
The banner does not appear	15
Visitors outside my listed regions now see an opt-in banner	15
The wrong region's banner appears on some pages	16
Scripts still load before consent	16
My caching plugin is showing an old banner	16
The AI training section is missing from my privacy policy	16
Forms submit before consent is given	16
An import did not bring everything across	16
Translations are not showing	16
Does this plugin slow my site down?	17
23. Support, Feedback & Resources	17

1. Introduction

MBR Cookie Consent is a complete, professional-grade consent management platform for WordPress — and it is **entirely free**. No premium tier, no upsells, no monthly fees, and no third-party branding forced onto your banner.

It was built on a simple frustration: privacy compliance had become something businesses were expected to pay hundreds of pounds a year for, often in exchange for a banner that displayed someone else's logo. This plugin takes the opposite view. Every feature you would expect from an enterprise consent platform is included in the free version, fully documented, and yours to configure however your site needs.

What this plugin does

- Displays a customisable, accessible consent banner that respects the visitor's choices.
- Blocks non-essential scripts and tracking until the visitor gives explicit consent.
- Adjusts automatically to the visitor's region, applying the correct privacy law.
- Integrates with Google Consent Mode v2, Microsoft UET, and IAB TCF v2.3.
- Blocks form submissions server-side until consent is granted — even with JavaScript disabled.
- Keeps an exportable, audit-ready record of every consent interaction.
- Generates a privacy policy, including the AI training disclosure now required in Connecticut.
- Exports and imports its own configuration, so one tuned setup can be rolled out across many sites.
- Works across single sites and full WordPress Multisite networks.

New in version 2.3.0

- **A safer default for unlisted countries.** Visitors from countries without a dedicated region now see an opt-in banner rather than an implied-consent one. Existing sites keep their current behaviour — see section 12.
- **Five further privacy regions.** Nigeria, China, South Korea, Saudi Arabia and South Africa are now handled as dedicated opt-in jurisdictions with localised banner headings.
- **AI and model training disclosure.** Connecticut now requires your privacy notice to state whether personal data is used to train large language models. See section 14.
- **Refreshed compliance notes.** Connecticut's major amendments, the latest EU position, and two corrections to earlier reference material.

Good to know

This guide describes version 2.3.0. Because the plugin is distributed directly from littlewebshack.com rather than the WordPress.org repository, you receive updates straight from the developer with no dependency on third-party review queues.

2. Requirements & Compatibility

MBR Cookie Consent is designed to run comfortably on standard WordPress hosting. Before installing, confirm your environment meets the minimums below.

Requirement	Minimum	Recommended
WordPress	6.0	6.5 or newer
PHP	7.4	8.1 or newer
MySQL / MariaDB	5.7 / 10.3	8.0 / 10.6 or newer
HTTPS	Strongly advised	Required for accurate consent records

Tested integrations

- **Page builders:** Elementor, plus the standard WordPress block editor.
- **Form plugins:** Contact Form 7, WPForms, Gravity Forms, Elementor Forms.
- **Multilingual:** WPML and Polylang.
- **Caching:** Compatible with common page caches; see the caching notes in Troubleshooting.

Important

If you also run MBR WP Performance or another optimisation plugin that defers or delays JavaScript, read the Troubleshooting section on script ordering before going live. Consent scripts must load early enough to block trackers on the first view.

3. Installation & Activation

Installing the plugin

- Download the latest mbr-cookie-consent.zip from littlewebshack.com.
- In your WordPress admin, go to **Plugins** → **Add New** → **Upload Plugin**.
- Choose the downloaded ZIP file and select **Install Now**.
- When installation finishes, select **Activate**.

First activation

On activation the plugin creates its database tables for consent logging and registers a new admin menu, **MBR Cookie Consent**. A default banner configuration is applied immediately so your site is never left without a banner while you finish setting up. You can refine every part of that default in the steps that follow.

Tip

Updating from an earlier version is safe — your settings and consent records are preserved, and version 2.3.0 deliberately leaves your existing regional behaviour untouched. Always take a routine backup before any plugin update, as you would with any change to a live site.

4. Quick Start: Compliant in Five Minutes

The following sequence gets a typical site to a compliant, working state quickly. Each step is expanded in its own section later in this guide.

Step 1 — Run the cookie scanner

Open **MBR Cookie Consent** → **Scanner** and run a one-click scan. The plugin crawls your pages and lists the scripts and iframes it finds, suggesting a category for each.

Step 2 — Confirm your categories

Review the detected items under Necessary, Analytics, Marketing and Preferences. Adjust any that were placed in the wrong category.

Step 3 — Set your region behaviour

Under **Compliance**, enable geolocation so visitors are shown the banner that matches their jurisdiction (opt-in for the EU and UK, opt-out for much of the US, and so on). Set a sensible default region while you are there — it is what visitors see if detection cannot resolve their location.

Step 4 — Style the banner

In **Appearance**, set your colours, upload your logo, and choose a layout. The live preview updates as you work.

Step 5 — Publish and test

Save, then visit your site in a private browsing window. Confirm the banner appears, that rejecting consent blocks the relevant scripts, and that the floating revisit button reopens the preferences.

Note

Always test in a private / incognito window. A normal window may already hold a stored consent choice from earlier testing, which hides the banner and makes it look as though nothing is happening.

5. The Consent Banner

The banner is the visitor's first point of contact with your consent settings. It is designed to be clear, fast, and fully accessible.

Banner actions

Action	What it does
Accept All	Grants consent to every category and unblocks all scripts.
Reject All	Declines all non-essential categories; only necessary cookies run.
Customise	Opens the Preference Centre for category-by-category control.

Banner behaviour

- Until a choice is made, all non-essential scripts remain blocked by default.
- The visitor's choice is stored and respected on subsequent visits.
- A floating revisit button lets visitors reopen and change their choice at any time.
- Consent can be set to expire after a defined period, prompting re-confirmation.

Important

Equal prominence between Accept and Reject is a requirement under several jurisdictions, including the EU and UK. The default banner gives Accept All and Reject All buttons of equal weight — avoid restyling one to be far more prominent than the other.

6. Banner Customisation

The **Appearance** area lets you make the banner look like a natural part of your site rather than a bolt-on. A live preview reflects each change as you make it.

What you can change

Option	Details
Layout	Choose the banner position and shape — for example a bottom bar, a corner box, or a centred modal.
Colours	Set background, text, button and accent colours to match your brand.
Custom text	Rewrite the banner heading, body copy and button labels in your own voice.
Logo	Upload your own logo to display on the banner and Preference Centre.

Tip

Whatever colours you choose, keep text and buttons at a contrast ratio that meets WCAG 2.1 AA (at least 4.5:1 for normal text). The live preview is a guide to layout, not a substitute for a contrast check.

7. Cookie Categories & the Preference Centre

Cookies and scripts are organised into four standard categories. The Preference Centre is where visitors turn each category on or off individually.

Category	Purpose	Blocked by default?
Necessary	Essential for the site to function; cannot be switched off.	No — always allowed
Analytics	Measurement and statistics, e.g. Google Analytics.	Yes
Marketing	Advertising and cross-site tracking.	Yes
Preferences	Remembering choices such as language or region.	Yes

The Preference Centre

- Each non-necessary category has a clear on/off control.
- A short description explains what each category is for, in plain language.
- Visitors can accept some categories and decline others, then save.
- Choices take effect immediately — scripts in declined categories stay blocked.

8. Cookie Scanner & Script Management

One-click scanning

The scanner crawls your site and detects the scripts and iframes that set cookies or load third-party resources. Each detected item is listed with a suggested category, ready for you to confirm or change.

Manual management

- Add a script or pattern by hand if the scanner cannot reach it (for example, scripts loaded only after login).
- Edit the category or matching rule for any detected item.
- Remove items you no longer use.

Note

Run the scanner again whenever you add a new third-party service — a new analytics tag, chat widget, embedded video, or advertising pixel. Newly added trackers are not blocked until they are known to the plugin.

9. Automatic Script Blocking

This is the engine behind genuine compliance. Rather than simply hiding a banner, the plugin actively prevents non-essential scripts from running until the visitor has given consent for the relevant category.

How it works

- On the first view, scripts in blocked categories are held back and do not execute.
- When the visitor grants consent, the corresponding scripts are released and run normally.
- If consent is declined, those scripts never run, and no cookies they would set are written.
- Necessary scripts are never blocked, so core site functionality is unaffected.

Good to know

Because blocking happens before trackers fire, no analytics or advertising cookies are written ahead of consent. This is the behaviour regulators in the EU and UK expect, and it is the default here rather than an optional extra.

10. Consent Mode Integration

For sites that use Google or Microsoft advertising and analytics, MBR Cookie Consent speaks their consent signalling languages directly, so your tags adjust their behaviour according to the visitor's choices.

Framework	What it covers
Google Consent Mode v2	Signals <code>ad_storage</code> , <code>analytics_storage</code> and the v2 ad-personalisation parameters to Google tags.
Microsoft UET Consent Mode	Passes consent state to the Microsoft Advertising Universal Event Tracking tag.
IAB TCF v2.3	Generates and stores a Transparency & Consent Framework string for IAB-registered vendors.
Google Additional Consent	Supports Google's Additional Consent Mode list alongside the TCF string.

Setting it up

- Enable the relevant framework under **MBR Cookie Consent** → **Consent Mode**.
- Ensure your Google or Microsoft tags load through the plugin's blocking layer so the signals apply.
- Use Google Tag Assistant or the Microsoft UET Tag Helper to confirm the consent state is being received.

Note

Consent Mode changes how tags behave; it does not remove the need for the banner. Keep both enabled — the banner gathers the choice, Consent Mode acts on it.

11. Form Builder Integration

This is the feature that sets MBR Cookie Consent apart. Most plugins block forms with JavaScript alone, which anyone can bypass by disabling JavaScript. **This plugin enforces consent on the server.**

Server-side enforcement

When a visitor submits a form before granting the required consent, the submission is intercepted on the server and held. Because the check happens server-side, it cannot be circumvented by turning off JavaScript or editing the page.

Supported builders

- Contact Form 7
- WPForms
- Gravity Forms
- Elementor Forms

The Elementor experience

- A clean dark overlay modal replaces inline error messages.
- The visitor is offered **Accept Cookies** or **Not Now**.
- On acceptance, the pending submission is re-sent automatically with all entered data intact — the visitor does not have to retype anything.

Configuration

- Choose which consent category a form requires before it will submit.
- Customise the message shown when a submission is blocked.

Tip

The automatic re-submission relies on capturing the original request so it can be replayed after consent. If you use a heavily customised form setup, test the full submit-block-accept-resubmit cycle before launch.

12. Geolocation & Regional Compliance

Different regions demand different consent models. Geolocation lets a single configuration serve the right experience to each visitor automatically.

Model	Typical regions	Banner behaviour
Opt-in	EU / EEA, United Kingdom, Switzerland, Quebec, Brazil, India, Vietnam, Indonesia, Nigeria, China, South Korea, Saudi Arabia, South Africa	Scripts blocked until the visitor actively accepts.
Opt-out	Much of the United States	Scripts may run, with a clear way to opt out / 'Do Not Sell'.
Notice	Canada (federal), Australia	Visitors are informed; behaviour follows local rules.

- Enable geolocation under **Compliance** to detect the visitor's region.
- The plugin then applies the appropriate model without you maintaining separate banners.
- You can override behaviour for specific regions if your legal advice requires it.

The default region changed in 2.3.0

Every country without a dedicated region falls back to a single **Rest of World** setting. Until version 2.3.0 that fallback allowed implied consent, including accepting on scroll. That was too lenient: several countries that land there genuinely require opt-in consent, and a banner that assumes agreement from continued browsing would not satisfy them.

From 2.3.0 the Rest of World default is opt-in — no auto-accept, and a reject option always present. This is deliberately stricter than some jurisdictions require, which costs a little acceptance but is safe everywhere.

Important

Existing sites are not changed by this update. When you update from an earlier version, the plugin writes your previous Rest of World behaviour into your settings explicitly, so your banner continues to behave exactly as it did. Only brand-new installations start with the stricter default. You can change it either way under Compliance at any time.

How detection is cached

- A detected region is remembered per visitor IP address for 24 hours by default, so repeat visits do not trigger a fresh lookup each time.
- If the lookup provider is unreachable, rate-limited or blocked by your host, the plugin falls back to the default region you configured.
- From version 2.2.1 that fallback is remembered for only a few minutes rather than the full period, so a temporary provider problem clears itself instead of persisting for a day.
- Set your default region to the one that matches most of your audience — it is what visitors see whenever detection cannot resolve a location.

Note

The banner is rendered on the server, so a full-page cache can store a page with one region's banner already inside it. If you see the wrong region's banner on some pages but not others, this is almost always caching rather than detection — see Troubleshooting in section 22.

Important

Geolocation tells you where a visitor appears to be; it is not legal advice. If you operate in a regulated sector or are unsure which model applies to you, confirm your obligations with a qualified adviser.

13. Privacy Law Reference

As of July 2026, MBR Cookie Consent is built to help you meet the requirements of the major privacy regimes below. This table is a plain-language summary, not a statement of legal compliance for your specific circumstances.

Law / framework	Region	Consent model
GDPR	EU / EEA	Prior opt-in for non-essential cookies
UK DUAA	United Kingdom	Opt-in, handled separately from EU GDPR
CCPA / CPRA	California, USA	Opt-out, with 'Do Not Sell or Share'
US state laws	24 states enacted, 20 in effect	Opt-out, varying by state
Quebec Law 25	Quebec, Canada	Express opt-in, French-language banner
revFADP	Switzerland	Opt-in, GDPR-equivalent
LGPD	Brazil	Opt-in for non-essential cookies
India DPDP Act	India	Notice and consent for personal data
Vietnam PDPL	Vietnam	Opt-in, granular per-purpose consent

Law / framework	Region	Consent model
Indonesia UU PDP	Indonesia	Opt-in, purpose-specific with easy withdrawal
Nigeria NDPA + GAID	Nigeria	Opt-in, prominent banner required
China PIPL	China	Opt-in; separate consent for transfers
South Korea PIPA	South Korea	Opt-in where cookies identify a person
Saudi Arabia PDPL	Saudi Arabia	Opt-in; consent is the default basis
South Africa POPIA	South Africa	Opt-in for direct marketing
Global Privacy Control	Browser-level signal	Honoured automatically as an opt-out

Regions added in 2.3.0

- **Nigeria (NDPA 2023 + GAID 2025).** The regulator's directive, effective 19 September 2025, is unusually specific: the cookie notice must appear prominently on the homepage rather than as a footer link, visitors must get a genuine accept or decline choice, and continued browsing does not count as consent.
- **China (PIPL).** Explicit opt-in for cookies that can identify a visitor, with granular per-purpose consent. See the note below on cross-border transfers.
- **South Korea (PIPA).** Specific, informed, prior consent wherever cookie data can identify a person. Notice followed by an opt-out is not sufficient, and the regulator treats behavioural advertising as a priority.
- **Saudi Arabia (PDPL).** Consent is the default lawful basis, so advertising and analytics cookies need opt-in. An Arabic banner heading is supplied by default.
- **South Africa (POPIA).** The pressure point is direct marketing, which requires prior opt-in consent. Cookies feeding remarketing or email targeting therefore need consent.

Important

China needs work beyond the banner. PIPL requires a separate, standalone consent for transferring personal information outside mainland China, plus an approved transfer mechanism. This plugin provides neither. If you have meaningful traffic from mainland China, treat the China region as a starting point and take advice on the transfer requirements.

Recently updated: United States

Connecticut's amended privacy act took effect on 1 July 2026 and reaches considerably further than before. The threshold for being covered dropped sharply, and it disappears entirely for any business that processes sensitive data or sells personal data — so a small site can now be in scope. Sensitive data was widened to include neural data, government identifiers, financial account details and social security numbers. A further Connecticut package follows on 1 October 2026.

Connecticut also introduced the AI training disclosure covered in the next section. Separately, Arkansas introduced a children and teens' privacy law on the same date, which bans targeted advertising to minors outright.

Note

This plugin does not provide age assurance or age gating. If your site is directed at children or teenagers, the minors' provisions in Arkansas and several other states need to be handled outside the consent banner.

Global Privacy Control (GPC)

GPC is a signal sent by the visitor's browser indicating a blanket opt-out of sale or sharing. The plugin reads this signal and treats it as a valid opt-out where the law recognises it, without the visitor needing to interact with the banner at all.

Good to know

Regional rules move constantly. The plugin's compliance notes are reviewed and refreshed with each release, so keeping up to date is the simplest way to stay current — there is nothing to reconfigure when a region's guidance changes.

14. AI & Model Training Disclosure

New in version 2.3.0. Connecticut is the first US state to require your privacy notice to say plainly whether personal data is collected, used or sold to train large language models. The plugin gives you a simple way to answer that question accurately.

What the law asks

The requirement is short but demanding. To answer it truthfully you need to know three things: whether your own products train or fine-tune models on user data, whether any of your suppliers are permitted to use your data to improve their models, and whether you sell or license data to anyone building AI systems. A vague line about using data to improve services does not answer it.

Configuring the disclosure

- Open **MBR Cookie Consent** → **Settings** → **Advanced Consent** and find **AI / LLM Training Disclosure**.
- Tick the first box to include the section in your generated privacy policy.
- Then tick any of the three statements that apply to you — your own models, your vendors' models, or selling data into training datasets.
- Add an optional sentence of extra detail if it helps explain your position.
- Regenerate your privacy policy page so the new text appears.

What gets written

If none of the three statements apply, the plugin writes a clear statement that you do not collect, use or sell personal data to train large language models. That is the correct answer for most sites, and it is worth stating plainly rather than staying silent. If any do apply, each one produces a short paragraph explaining it in plain language.

Important

Check before you tick. An inaccurate statement in a public privacy notice is not only a privacy law problem — it can also be treated as a deceptive business practice. The answer about vendors in particular usually requires reading your suppliers' terms, because many reserve the right to use customer data for model improvement by default.

Good to know

Connecticut is expected to be the first of several states to ask this question. Setting your position now means you are ready when it spreads, and the exercise of working out the answer is more valuable than the sentence it produces.

15. Internationalisation

Automatic translation

The banner and Preference Centre are available in more than 40 languages. The plugin detects the visitor's browser language and serves the matching translation with no configuration required.

Multilingual plugins

- Full string registration for WPML and Polylang.
- Your custom banner text is translatable through the same workflow as the rest of your site.

Good to know

Version 2.x defers translation loading to the point of use, which resolves the '`_load_textdomain_just_in_time`' notice introduced in WordPress 6.7. If you previously saw that notice, updating clears it.

16. Accessibility

The banner and Preference Centre are built to WCAG 2.1 AA so that consent is genuinely available to every visitor, not just those using a mouse.

- Full keyboard navigation throughout the banner and Preference Centre.
- Screen reader support with appropriate ARIA roles and labels.
- A focus trap keeps keyboard focus within the modal while it is open.
- Visible focus indicators so keyboard users always know where they are.

Tip

If you heavily restyle the banner colours, re-check contrast afterwards. Accessibility is built in, but custom colours are your responsibility to keep within AA contrast ratios.

17. Consent Logging & Records of Consent

Being able to demonstrate consent is as important as collecting it. The plugin keeps a record of every consent interaction.

- Each interaction is logged with its timestamp and the categories chosen.
- IP addresses are anonymised in line with GDPR data-handling expectations.
- Records are exportable to CSV for your own audit and retention processes.
- Old records can be pruned on demand; the plugin asks for confirmation first and refuses a retention period below one day.

Good to know

Consent logs are never removed by a plugin update, by deactivation, or even by deleting the plugin — there is no routine that drops the logs table. Removing that data is always a deliberate act on your part.

Important

Consent records are personal data. Store any exports securely, keep them only as long as you need them, and include them in your own data retention and deletion routines. They are deliberately excluded from the settings export described in section 20.

18. A/B Testing

A/B testing lets you compare two banner variations to see which earns clearer, higher-quality consent. Define an alternative variant, and the plugin serves the two versions to different visitors so you can compare outcomes.

- Test wording, layout or button styling against each other.
- Compare acceptance behaviour between the two variants.
- Adopt the stronger performer once you have enough data.

Note

Optimise for clarity and informed choice, not for the highest possible Accept rate. A banner engineered purely to maximise acceptance can undermine the validity of the consent you collect.

19. Multisite Support

On a WordPress Multisite network, MBR Cookie Consent is network-aware and adjusts its settings across sites automatically.

- Activate across the network, or per individual site, as you prefer.
- Apply a consistent baseline configuration to every site on the network.
- Allow individual sites to keep their own settings where they differ.
- New sites added to the network pick up the network configuration automatically.

Tip

For separate installs that are not part of a Multisite network, use the settings export and import described in the next section to keep their configuration aligned.

20. Importing & Exporting Settings

Introduced in version 2.2.0, settings import and export lets you configure one site exactly as you want it, then reproduce that configuration on any number of other installs — **without re-keying a single field**. It was built for multi-site rollouts and for keeping a repeatable, auditable baseline.

Exporting a configuration

- Go to **MBR Cookie Consent** → **Import / Export**.
- Select **Download settings file**.
- A single JSON file is produced, named after your site and the date.
- The file carries a short header — plugin version, source site, timestamp and an integrity checksum — alongside the settings themselves.

What travels with the file

Category	Detail
Included	Banner appearance and text, banner behaviour, cookie categories, blocked scripts, Google and Microsoft Consent Mode, GPC, IAB TCF, form integration, page exclusions, custom CSS, subdomain sharing, policy link toggles and URLs, and all geolocation regional headings and descriptions — including the regions added in 2.3.0.
Never included	Consent logs. These are visitor personal data and stay with the site that collected them — use the CSV export on the Consent Logs screen instead.
Deliberately excluded	Site-local and runtime values: policy page IDs, the geolocation lookup cache, and version markers. A page ID or cached lookup from one site is meaningless on another.

Importing on another site

- On the destination site, open the same screen and choose the file.
- Tick the confirmation box, then select **Import settings**.
- Matching settings are overwritten. A short report shows how many were applied and whether anything was ignored.

- Regional banner text imports correctly even onto a brand-new site that has never had geolocation configured.

Undoing an import

- Before an import is applied, the plugin automatically backs up the settings that are about to change.
- **Revert last import** restores them in a single step.
- Only the most recent import can be reverted — a later import replaces the stored backup. Treat it as a safety net, not a version history.

Good to know

The importer only accepts settings it recognises. Anything unrecognised in the file is ignored, and every value is re-validated before it is stored — so an edited or corrupted file cannot introduce unexpected data into your site.

Important

An import overwrites live settings that govern how consent is presented and recorded, including region-specific behaviour. Review the destination site after importing, and export its current settings first if you want a fallback beyond the built-in one-step revert.

Note

Import replaces rather than merges. Settings absent from the file are left alone, but cookie categories and blocked scripts, when present, replace the existing sets in full. Files are most reliable between the same or nearby plugin versions.

Tip

Keeping export files under version control gives you a repeatable, auditable baseline for rollouts — and a quick way to see exactly what changed between one configuration and the next.

21. CCPA and ‘Do Not Sell or Share’

For visitors in California and other US states with similar laws, the plugin can display the required opt-out mechanism.

- An optional **Do Not Sell or Share My Personal Information** link is available.
- Selecting it records the visitor's opt-out and applies it to the relevant categories.
- Browser-level Global Privacy Control signals are honoured as a valid opt-out automatically.

22. Troubleshooting & FAQ

The banner does not appear

You have most likely already recorded a consent choice in your current browser. Test in a private / incognito window, or clear the plugin's stored consent for your site, and the banner will return.

Visitors outside my listed regions now see an opt-in banner

This affects new installations of version 2.3.0 and later. The Rest of World default changed from implied consent to opt-in, because several countries that fall back to it genuinely require consent. If your audience is concentrated somewhere that permits implied consent, you can change the Rest of World behaviour under **Compliance**. Sites updated from an earlier version are unaffected — their previous behaviour is preserved automatically.

The wrong region's banner appears on some pages

This is almost always caching rather than detection. The banner is rendered on the server, so whichever region was resolved when a page was first cached is stored in that page's cached HTML and served to everyone until the cache is cleared. That is why one page can show the correct banner while another shows the wrong one.

Clear your caches in this order, and do not stop at the first two:

- Your page-cache plugin (for example WP Rocket).
- Your host or server cache (for example SiteGround's dynamic cache), and your PHP opcode cache if you have one.
- Your object cache — Redis or Memcached. This is the step most often missed. The plugin stores geolocation lookups as WordPress transients, and on hosts with a persistent object cache those live in Redis or Memcached rather than in the database, so they survive a page-cache purge and even a direct database query.

After clearing, load the page yourself from the region you expect, then clear the page cache once more so the corrected version is stored.

Tip

If the wrong region persists after all three layers are cleared, check that your server can reach your geolocation provider at all. If outbound requests are blocked or rate-limited, every lookup falls back to your default region. Switching provider — for example to Cloudflare headers, where available — removes the outbound call entirely.

Scripts still load before consent

Check that the script is known to the plugin — run the scanner again and confirm it is listed and categorised. Hard-coded scripts placed directly in the theme may need to be added manually. Also confirm no other plugin is loading the script outside the consent layer.

My caching plugin is showing an old banner

After changing banner settings, clear your caches in order: any page-cache plugin first, then your server or host cache, then your object cache, then your browser cache. Stacked caching layers are the most common reason a change does not appear immediately.

The AI training section is missing from my privacy policy

The section only appears if you have enabled it under Advanced Consent, and the policy page must be regenerated after you change the setting. An existing policy page is not rewritten automatically.

Forms submit before consent is given

Confirm the form's required consent category is set under Form Builder Integration, and that the form plugin is one of the supported builders. Then test the full submit-block-accept-resubmit cycle in a private window.

An import did not bring everything across

Check the report shown after importing — it lists how many settings were applied and flags anything ignored. Policy page IDs and cached lookups are excluded by design, so a site relying on a generated policy page should re-link it after import. If the file came from a much newer plugin version, some newer settings may not be recognised; update the destination site and import again.

Translations are not showing

Ensure the visitor's browser language is one of the supported languages, and that your custom text has been translated through WPML or Polylang where you use them. Updating to the latest version also clears the WordPress 6.7 text-domain notice.

Does this plugin slow my site down?

The consent layer is lightweight and loads early so it can block trackers on the first view. If you also run a performance plugin that delays JavaScript, make sure the consent script is excluded from delay so it is ready before trackers attempt to fire.

23. Support, Feedback & Resources

Your feedback shapes the plugin. Bug reports are fixed quickly, and the best new features come from real users describing what they need — the import and export feature began exactly that way.

Resource	Where
Plugin home	littlewebshack.com/mbr-cookie-consent/
Source & issues	github.com/HarbourBob/MBR-Cookie-Consent
Email	info@littlewebshack.com
More plugins & dev tools	littlewebshack.com

Whether you have a question, a bug to report, a feature idea, or simply want to say the plugin saved you a subscription — every message is read and valued. Together we are building the best consent manager for WordPress.

MBR Cookie Consent is free and GPL-licensed. No upsells, no tracking, no vendor lock-in. © 2026 Robert Palmer · Little Web Shack · Built in Cleethorpes, UK.