

25/6/26

TASK 23 TECHNEEK X

The project structure depends mainly on:

- Project size — small vs large
- Framework — Django, MERN, Next.js, Spring Boot
- Architecture — MVC, MVT, layered, microservices
- Type of application — e-commerce, social media, ML, SaaS, dashboard, API etc.

For Example:

1) Small Django project

```

todo/
├── manage.py
├── todo/
│   ├── settings.py
│   ├── urls.py
│   └── wsgi.py
└── tasks/
    ├── models.py
    ├── views.py
    ├── urls.py
    └── templates/
  
```

2) Large Django project


```
project /
├── config /
├── apps /
│   ├── users /
│   ├── products /
│   ├── orders /
│   ├── payments /
│   └── notifications /
├── templates /
├── static /
├── media /
├── services /
├── utils /
├── tests /
├── requirements.txt
└── manage.py
```

3) MERN Application

```
project /
├── client /
│   ├── src /
│   │   ├── components /
│   │   ├── pages /
│   │   ├── hooks /
│   │   └── services /
│   └── package.json
├── server /
│   ├── controllers /
│   ├── models /
│   ├── routes /
│   ├── middleware /
│   ├── services /
│   └── server.js
```


4) ML project

```

ml-project/
├── data/
├── notebooks/
├── src/
│   ├── preprocessing/
│   ├── features/
│   ├── models/
│   └── evaluation/
├── models/
├── tests/
├── requirements.txt
└── train.py
    
```

5) Microservices project

```

project/
├── user-service/
├── product-service/
├── order-service/
├── payment-service/
├── notification-service/
├── api-gateway/
└── docker-compose.xml
    
```


PAGE:

DATE: / /

- Router → Where request goes
- Controllers/Views → What should happen
- Models → Database Logic
- Services → Business Logic
- Templates/Components → UI
- Middleware → Request/Response processing
- Utils → Reusable helper functions
- Tests → Testing
- Config → Project configuration