

Coforge



Presented By

Hardik Varshney

Graduate engineer trainee

Emp ID: 85010920

Content

1

Testing Fundamentals



What is Testing? • Why Important? • When Performed?

2

Manual Testing



Test Plan • Test Scenarios • Test Cases • Defect Report • RTM • Peer Review

3

Automation Testing



Tools & Setup • Framework Structure • Page Objects • Test Script Development

4

CI/CD Integration



Jenkins Pipeline • Allure Report Integration • Build Trends

5

Behavior Driven Development (BDD) with Cucumber



Feature Files (Gherkin) • Step Definitions • Test Execution & Reports

6

API Testing



Postman • JMeter

7

Rest Assured (BDD for API Testing)



GET & POST Requests • BDD • Response Validation

8

Data Driven Testing (DDT)



Data Driven Testing Approach

Testing Fundamentals

What is Testing?

Testing is the activity of examining a software application to identify defects and verify that it functions as expected. Its goal is to deliver reliable, high-quality software that meets customer requirements.

Why is Testing Important?

Testing helps find issues early, enhances product reliability and performance, and reduces the chance of failures. It ensures a better user experience and supports business success.

When is Testing Done?

Testing happens throughout the Software Development Life Cycle – from understanding requirements to design, development, deployment, and ongoing maintenance.

 Understanding requirements to requirements to design  Design  Deployment

THE SOFTWARE DEVELOPMENT CYCLE



Manual Testing

Manual testing is the process of evaluating software applications without the use of automation tools. Testers perform test cases **manually** to identify defects and ensure the application works as expected.

Manual testing is essential to validate the application from an **end-user perspective**, catch **usability issues**, **layout problems**, and other defects that automation tools may miss.



LIFE CYCLE OF MANUAL TESTING



Test Plan

Test Plan for MakeMyTrip.com Website

1. Test Plan Identifier

File Name: 1.0_MakeMyTrip_tplan_v1.0.doc

- Document Name: Test Plan – Travel
- Version: MMT_TL_1.0
- Date: 02/July/2026
- Location: Coforge Ltd, Greater Noida

2. Document History

REV	Author	Edits	Date
1.0	Hardik Varshney, Under Graduate Engineer Trainee	Initial Draft	02/07/2026

3. Introduction

MakeMyTrip.com is an online travel portal application designed for booking flights, hotels, buses, and trains, and managing travel itineraries. This test plan defines the testing approach and scope required to validate the functional behavior, usability, and reliability of the MakeMyTrip application.

4. Test Items

Specifies **what components/modules** will be tested.

Example:

- ☐ User Registration/Login Module
- ☐ Flight Search Module
- ☐ Hotel Search Module
- ☐ Bus Search Module
- ☐ Train Search Module
- ☐ Booking/Reservation Module
- ☐ Payment Module
- ☐ Cancellation and Refund Module
- ☐ Profile/Itinerary Management
- ☐ Logout Functionality

5. Features to be Tested

Medium priority features are features that have been stable and High Priority features are features that have been recently changed.


Feature to be Tested	Priority	Comments
User Registration	High	
User Login	High	
Flight Search	High	
Hotel Search	High	
Bus Search	High	
Train Search	High	
Booking/Reservation	High	
Payment Gateway	High	
Cancellation and Refund	High	
Profile/Itinerary Management	High	
Logout	High	

6. Features NOT to be Tested

- ☐ Help Contents and user manuals will not be tested.
- ☐ Installation and presentation will not be tested.
- ☐ Support of the other architectures also will not be tested.
- ☐ Third-party payment gateway internal logic
- ☐ Legacy modules not impacted by current release
- ☐ Experimental features

Test Plan

7. Test Environment



8. Test Approach / Test Strategy

Describes **how testing will be performed**.

The test strategy for MakeMyTrip1.0 will include manual testing with automated testing(**Selenium With Java**) where time/need permits. Automated testing will be used to test the basic Interface objects keyboard and mouse navigation or any redundant tasks best translated to automation. Automated testing will be limited to a Win-64 platform because of Automation tool limitations.

- Sanity test will include a very short battery of tests to ensure the MakeMyTrip1.0 runs/launches and can connect to the back end database(**MySQL /SQL Server 2025**). Test execution will happen as individual component testing. These tests will be fully automated.
- Acceptance tests** will include a short battery of tests that will only touch major features to ensure MakeMyTrip1.0 will operate smoothly at a basic level. These tests will be executed on **Windows 11 Home Single Language**. The goal will be to automate all of these tests.
- Full Functional tests will include a **comprehensive test** of all features listed in this document. These tests will be limited to the Windows 11 pro. These test will include automation with time allowing.

8.1 Types of Testing

- Smoke Testing
- Sanity Testing
- Functional Testing
- Integration Testing
- System Testing
- Regression Testing

8.2 Test Levels

- Unit Testing (by developers)
- Integration Testing
- System Testing
- Acceptance Testing

8.3 Test Techniques

- Black Box Testing
- Boundary Value Analysis
- Equivalence Partitioning
- Error Guessing **Functionality Testing**

Usability Testing

The usability testing will be accomplished by verifying the information in each window are accurate. Menus, icons and toolbar functionality will be tested as applicable to the navigation and results panes. Multi Window Overlapping will be tested because product supports opening of multiple documents.

Robustness/Reliability Testing

Test the GUI for correct keyboard and mouse navigation, windows, menus, buttons, etc. These tests will include Keyboard only navigation of MakeMyTrip1.0, Mouse only navigation. Correctness and existence of warning/error dialog boxes. The correct/expected functionality of buttons, icons and menus.

Stress Testing

Not applicable

9. Entry and Exit Criteria

9.1 Entry Criteria

Conditions to start testing:

- Requirements approved
- Test environment ready
- Test data available
- Build deployed

9.2 Exit Criteria

Conditions to stop testing:

- All planned test cases executed
- Critical and high defects closed
- Test summary report prepared

10. Test Deliverables

Test plan	1.0_MakeMyTrip_tplan.doc
Test Specification	1.0_MakeMyTrip_tspec.doc
Test Automation Plan	TBD()
Test Checklist	TBD
Test Logs	TBD
Test tools	Selenium 4.38, Postman, Rest Assured, Jmeter, Jenkins, Git and Git Hub and Appium and MySQL Server 2025

Test Plan

11. Testing Tasks & Resource Needs

- Use of MySQL Server database.
- Write Test Specification.
- Write Test Automation plan.
- Write Test Checklist.
- Setup workspace.
- Develop Automation script.

□ Minimum requirements for platforms:

12. Schedule

Test Documentation

Document	Development Time		Sign-off Date	Dependencies
	Person-Days	Completion Date		
Test Plan	1 day	01/07/2026	01/07/2026	Functional Spec. Review
Test Specifications	1 day	01/07/2026	01/07/2026	Test plan, Functional Spec, Review
Test Logs	TBD	02/07/2026		
Test Summary Report	TBD	02/07/2026		
Checklist	TBD	02/07/2026		

Test Development

Deliverable	Development Time		Dependencies
	Person-Days	Completion Date	
Functional Test Suite	1	02/07/2026	
Automation build			

Test Execution

Test Activity		Execution Time (Person-Days)			Dependencies
		Alpha	Beta	FCS	
Acceptance		1 Day	1 Day	1 Days	
Functional	Functionality	1	1		
	Usability	All High to Medium test cases			
	Robustness				
	Stress				
	Multi Inst.				
Regression					

Test Scenarios

Name: Hardik Varshney
Email ID: Hardik.Varshney@coforge.com / hardikvarshney5@gmail.com
Emp ID: 85010920

TEST SCENARIOS FOR MAKEMYTRIP

Scenario ID	Scenario Name	Scenario Description	Preconditions	Expected Value/Outcome
TS_01	Verify user Signup	Validate that a new user should signup using valid details	User is not registered	User account is created successfully
TS_02	Verify user login	Validate that a registered user should log in with valid credentials	User must be registered	User is logged in and redirected to dashboard
TS_03	Verify flight search	Validate that user should search for flights by providing source, destination, and dates	Valid source, destination, and dates	List of available flights is displayed
TS_04	Verify hotel search	Validate that user should search for hotels by providing city, check-in, and check-out dates	Valid city, check-in, and check-out dates	List of available hotels is displayed
TS_05	Verify bus search	Validate that user should search for buses by providing source, destination, and dates	Valid source, destination, and dates	List of available buses is displayed
TS_06	Verify train search	Validate that user should search for trains by providing source, destination, and dates	Valid source, destination, and dates	List of available trains is displayed
TS_07	Verify booking functionality	Validate that user should book a selected flight/hotel/bus/train	User is logged in and has selected a service	Booking is initiated and user is redirected to payment page
TS_08	Verify payment processing	Validate that user should complete payment using valid payment details	Booking is initiated	Payment is successful and booking confirmation is generated
TS_09	Verify cancellation functionality	Validate that user should cancel a booking and initiate refund	User has a valid booking	Booking is cancelled and refund is initiated
TS_10	Verify profile management	Validate that user should view and update their profile and itinerary	User is logged in	Profile/itinerary details are displayed and should be updated
TS_11	Verify logout functionality	Validate that user should log out of the application	User is logged in	User is logged out and redirected to homepage

Test Cases

	MakeMyTrip.com						
Module Name:	end-to-end functions	Date Updated:	3/7/2026				
Last Build Tested:		Reviewed By:	Raghavendra BN				
Run No:	10 Test Cases	Executed By:	Hardik Varshney				
Run Date:	3/7/2026						
Test Objectives:	Mapping Test Scenarios with Test						
Test Setup:	MS Excel Sheet (Online)						
Req_Id	Test_Case ID	Test_Case_Description	Test_steps	Test_Data	Expected_Result	Actual_Result	Status
Req_1.0	TC_01	Verify user should register with valid Mobile number	1. User should open browser 2. Navigate to https://www.makemytrip.com/ 3. Click on Login/Create Account 4. Enter valid Mobile Number 5. Click on Continue	Url: https://www.makemytrip.com/ Email: test@gmail.com Mobile: +91 7979793783	User account should be created successfully and OTP page displayed	User account created successfully	Passed
Req_1.1	TC_02	Verify user should login with valid Email ID	1. User should open browser 2. Navigate to https://www.makemytrip.com/ 3. Click on Login/Create Account 4. Enter valid Email ID and Password 5. Click on Login	Url: https://www.makemytrip.com/ Email: hardik@gmail.com Password: *****	User should be logged in successfully and Home page should be displayed	User logged in successfully and Home page displayed	Passed
Req_1.2	TC_03	Verify home page is displayed after successful login	1. User should open browser 2. Navigate to https://www.makemytrip.com/ 3. Login with valid credentials 4. Observe the landing page	Url: https://www.makemytrip.com/ Email: test@gmail.com Password: *****	User should be redirected to Home page and all elements should be displayed correctly	User redirected to Home page and elements displayed correctly	Passed

Test Cases

Req_1.3	TC_04	Verify user should navigate to Profile page from home page	1. User should open browser 2. Navigate to https://www.makemytrip.com/ 3. Login with valid credentials 4. Click on My Profile icon	Url: https://www.makemytrip.com/ Email: test@gmail.com Password: *****	User should be navigated to Profile page successfully	User navigated to Profile page successfully	Passed
Req_1.4	TC_05	Verify user should search for flights with valid details	1. User should open browser 2. Navigate to https://www.makemytrip.com/ 3. Select Flights 4. Enter valid From and To cities 5. Select Departure Date 6. Click on Search button	Url: https://www.makemytrip.com/ From: New Delhi To: Shillong Date: 11-Jul-2026	Flight search results should be displayed successfully	Flight search results displayed successfully	Passed
Req_1.5	TC_06	Verify user should search for hotels with valid details	1. User should open browser 2. Navigate to https://www.makemytrip.com/ 3. Select Hotels 4. Enter valid City 5. Select Check-in and Check-out dates 6. Click on Search button	Url: https://www.makemytrip.com/ City: Goa Check-in: 4-Jul-2026 Check-out: 5-Jul-2026	Hotel search results should be displayed successfully	Hotel search results displayed successfully	Passed

Test Cases

Req_1.6	TC_07	Verify user should view flight details by selecting a flight	1. User should open browser 2. Navigate to https://www.makemytrip.com/ 3. Search for flights 4. Click on View Prices/Details for a flight	Url: https://www.makemytrip.com/ From: New Delhi To: Shillong	Flight details should be displayed successfully	Flight details displayed successfully	Passed
Req_1.8	TC_09	Verify user should proceed to booking page	1. User should open browser 2. Navigate to https://www.makemytrip.com/ 3. Search for flights 4. Select a flight 5. Click on Book Now	Url: https://www.makemytrip.com/ From: Delhi To: Mumbai	User should be navigated to the booking review page	User navigated to the booking review page	Passed
Req_1.9	TC_10	Verify user should logout successfully	1. User should open browser 2. Navigate to https://www.makemytrip.com/ 3. Login with valid credentials 4. Click on Profile menu 5. Click on Logout	Url: https://www.makemytrip.com/ Email: test@gmail.com Password: *****	User should be logged out successfully and redirected to Home page	User logged out successfully and redirected to Home page	Passed

GUI Test Report

Sr no.	GUI description	Actual Value	Expected Value	Status/ remark
1	Verify MakeMyTrip logo is displayed correctly on the homepage.	Logo is visible, aligned properly, and clickable.	Logo should be visible, aligned properly, and clickable.	Pass
2	Check the alignment of 'Flights', 'Hotels', 'Homestays', etc., icons on the top navigation bar.	All icons are horizontally aligned with equal spacing.	All icons should be horizontally aligned with equal spacing.	Pass
3	Verify the 'Search' button color and text on the flight booking widget.	Button is clearly visible with standard MakeMyTrip styling.	Button should be clearly visible with standard MakeMyTrip styling.	Pass
4	Check if the 'Login/Create Account' button is present at the top right corner.	Button is clearly visible and accessible.	Button should be clearly visible and accessible.	Pass
5	Verify the font style and size of the promotional banners on the homepage.	Font is readable and matches the website's theme.	Font should be readable and match the website's theme.	Pass
6	Check the behavior of the date picker calendar when selecting departure date.	Calendar opens smoothly without overlapping other elements.	Calendar should open smoothly without overlapping other elements.	Pass
7	Verify the alignment of input fields (From, To, Departure, Return) in the search widget.	Fields are properly aligned and sized.	Fields should be properly aligned and sized.	Pass
8	Check the visibility of the 'Offers' section on scrolling down.	Offers are displayed in a well-structured grid or carousel.	Offers should be displayed in a well-structured grid or carousel.	Pass
9	Verify the footer section for broken links and proper alignment of text.	Footer is neatly aligned with working links.	Footer should be neatly aligned with working links.	Pass
10	Check the responsiveness of the website on resizing the browser window.	UI elements adjust properly without overlapping or cutting off.	UI elements should adjust properly without overlapping or cutting off.	Pass

Defect Report

Defect ID	Defect Description	Steps to Reproduce	Priority	Severity	Status	Created By	Assigned To
DEF-001	[Filters] When the mouse pointer is over the filter panel, scrolling also scrolls the entire page instead of only the filter list.	1. Navigate to the search results page with a filter panel. 2. Hover the mouse pointer over the filter panel. 3. Scroll using the mouse wheel or trackpad. 4. Observe that the entire page scrolls instead of just the filter list.	High	Low	New	Hardik Varshney	Raghavendra BN
DEF-002	[Search Filters] After applying multiple filters, the "Clear All" option does not immediately reset the results until the page is refreshed or another action is performed.	1. Navigate to the search results page. 2. Apply multiple search filters. 3. Click on the "Clear All" option. 4. Observe that the results do not reset immediately. 5. Refresh the page or perform another action and observe the results reset.	High	Medium	New	Hardik Varshney	Raghavendra BN
DEF-003	[Date Picker] Past dates appear clickable for a moment before becoming disabled, causing a confusing user experience.	1. Navigate to a page with a date picker (e.g., flight or hotel search). 2. Open the date picker. 3. Observe past dates immediately upon opening. 4. Note that past dates appear clickable for a moment before becoming disabled.	Medium	Low	New	Hardik Varshney	Raghavendra BN
DEF-004	[Responsive UI] On smaller browser widths, some filter labels or buttons overlap or get truncated.	1. Navigate to the search results page with filters. 2. Resize the browser window to a smaller width (e.g., mobile or tablet size). 3. Observe the filter labels and buttons. 4. Note that some labels or buttons overlap or get truncated.	Medium	Medium	New	Hardik Varshney	Raghavendra BN
DEF-005	[Search Results] Long hotel or flight names are cut off with an ellipsis, and the full name is not visible on hover.	1. Navigate to the search results page. 2. Ensure there are hotels or flights with long names in the results. 3. Observe that the long names are cut off with an ellipsis. 4. Hover the mouse pointer over the truncated name. 5. Note that the full name is not visible on hover.	High	Low	New	Hardik Varshney	Raghavendra BN

Requirement Traceability Matrix

Req No.	Requirement Description	Test Case ID	Status
R_1.0	The system should allow a new user of makemytrip.com to signup successfully using valid details.	TS_01	TS_01 – Passed
R_1.1	The system should allow a registered user of makemytrip.com to log in successfully with valid credentials.	TS_02	TS_02 – Passed
R_1.2	The system should allow the user of makemytrip.com to search for flights by providing source, destination, and dates.	TS_03	TS_03 – Passed
R_1.3	The system should allow the user of makemytrip.com to search for hotels by providing city, check-in, and check-out dates.	TS_04	TS_04 – Passed
R_1.4	The system should allow the user of makemytrip.com to search for buses by providing source, destination, and dates.	TS_05	TS_05 – Passed
R_1.5	The system should allow the user of makemytrip.com to search for trains by providing source, destination, and dates.	TS_06	TS_06 – Passed
R_1.6	The system should allow the user of makemytrip.com to book a selected flight, hotel, bus, or train successfully.	TS_07	TS_07 – Passed
R_1.7	The system should allow the user of makemytrip.com to complete payment successfully using valid payment details.	TS_08	TS_08 – Passed
R_1.8	The system should allow the user of makemytrip.com to cancel a booking and initiate a refund successfully.	TS_09	TS_09 – Passed
R_1.9	The system should allow the user of makemytrip.com to view and update their profile and itinerary successfully.	TS_10	TS_10 – Passed

Peer Review



Hardik Varshney <hardikvarshney5@gmail.com>

to Raghavendra ▾

Sat, Jul 25, 10:35 AM (15 hours ago)



Hi Raghavendra,

Following up on my earlier email - I'm attaching the common Excel sheet which contains all the required documentation (Test Plan, Test Scenarios, Test Cases, Defect Report, GUI Documentation, and RTM) in a single file for your convenience.

Please review at your earliest convenience and let me know your feedback or if any changes are needed.

Thanks again for your time and guidance.

Regards,
Hardik Varshney

One attachment • Scanned by Gmail ⓘ ✓ Added to Drive



Raghavendra Bn

to me ▾

Sat, Jul 25, 2:57 PM (11 hours ago)



Dear Hardik Varshney,

I hope this email finds you in excellent spirits and that your week is progressing smoothly.

I am writing to you today with the intention of following up on our recent and insightful conversation. I wanted to take this opportunity to express my continued and enthusiastic interest in the subject matter we discussed, specifically concerning [mention the topic of your previous conversation]. I found our exchange to be particularly illuminating, and it has further solidified my conviction regarding the potential and importance of this area.

I am eager to explore this further and would be very keen to understand your thoughts on the next steps or any additional information you might have. Please let me know if there is a convenient time for a brief follow-up discussion or if you have any further materials you would be willing to share.

Thank you for your time and consideration. I eagerly anticipate your response.

Good To Go
Regards
Raghavendra

✍ Suggested reply □

↩ Reply

➡ Forward



AUTOMATION TESTING

Automation Testing

<https://demowebshop.tricentis.com/>

Automation testing uses specialized tools and scripts to execute predefined test cases automatically and verify if the application behaves as expected. It improves testing efficiency, accuracy, and consistency, making it ideal for repetitive and regression testing.

 **Faster Execution**

 **Higher Accuracy**

 **Reusable Scripts**

 **Consistent Results**

 **Cost Effective**

 **Early Defect Detection**


 **Supports Regression Testing**

 **Reduces Manual Effort**

Tools & Setup

SE	Selenium	4.22.0	RE	Rest Assured	5.4.0
TE	TestNG	7.10.2	CU	Cucumber	7.20.1
WE	WebDriverManager	5.9.2	AL	Allure Reports	2.29.1
AP	Apache POI	5.3.0	JE	Jenkins	2.452
OP	OpenCSV	5.9	AP	Apache JMeter	5.6.3
LO	Log4j	2.23.1			

Folder Structure



Pom.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<project xmlns="http://maven.apache.org/POM/4.0.0"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 https://maven.apache.org/maven-v4_0_0.xsd">

  <modelVersion>4.0.0</modelVersion>

  <groupId>com.tricentis.demowebshop</groupId>
  <artifactId>demowebshop-automation</artifactId>
  <version>1.0.0</version>

  <properties>

    <project.build.sourceEncoding>UTF-8</project.build.sourceEncoding>

    <maven.compiler.source>17</maven.compiler.source>
    <maven.compiler.target>17</maven.compiler.target>

    <selenium.version>4.22.0</selenium.version>
    <testng.version>7.10.2</testng.version>
    <webdrivermanager.version>5.9.2</webdrivermanager.version>

    <poi.version>5.3.0</poi.version>
    <opencsv.version>5.9</opencsv.version>

    <log4j.version>2.23.1</log4j.version>

    <restassured.version>5.4.0</restassured.version>

    <cucumber.version>7.20.1</cucumber.version>

    <allure.version>2.29.1</allure.version>

    <aspectj.version>1.9.22</aspectj.version>

  </properties>

```

```

    <plugins>
      <plugin>
        <groupId>org.apache.maven.plugins</groupId>
        <artifactId>maven-compiler-plugin</artifactId>
        <version>3.13.0</version>
        <configuration>
          <source>${maven.compiler.source}</source>
          <target>${maven.compiler.target}</target>
        </configuration>
      </plugin>
      <plugin>
        <groupId>org.apache.maven.plugins</groupId>
        <artifactId>maven-surefire-plugin</artifactId>
        <version>3.2.5</version>
        <configuration>
          <suiteXmlFiles>
            <suiteXmlFile>testng.xml</suiteXmlFile>
          </suiteXmlFiles>
          <useSystemClassLoader>false</useSystemClassLoader>
          <argLine>
            -javaagent:"${settings.localRepository}/org/aspectj/aspectjweaver/${aspectj.version}/aspectjweaver-${aspectj.version}.jar"
          </argLine>
        </configuration>
      </plugin>
      <plugin>
        <groupId>io.qameta.allure</groupId>
        <artifactId>allure-maven</artifactId>
        <version>2.12.0</version>
      </plugin>
    </plugins>

  </build>
</project>

```

BasePage.java

```
package com.demowebshop.pages;

import java.time.Duration;

public abstract class BasePage {

    private static final Logger logger = LogManager.getLogger(BasePage.class);
    protected WebDriver driver;
    protected WebDriverWait wait;

    public BasePage(WebDriver driver) {
        this.driver = driver;
        this.wait = new WebDriverWait(driver, Duration.ofSeconds(10));
        PageFactory.initElements(driver, this);
        logger.debug("PageFactory initialized for: {}", this.getClass().getSimpleName());
    }

    public String getPageTitle() {
        String title = driver.getTitle();
        logger.info("Current page title: {}", title);
        return title;
    }

    public String getCurrentUrl() {
        String url = driver.getCurrentUrl();
        logger.info("Current URL: {}", url);
        return url;
    }

    protected WebElement waitForVisibility(WebElement element) {
        logger.debug("Waiting for element visibility");
        return wait.until(ExpectedConditions.visibilityOf(element));
    }

    protected WebElement waitForClickable(WebElement element) {
        logger.debug("Waiting for element to be clickable");
        return wait.until(ExpectedConditions.elementToBeClickable(element));
    }

    protected void jsClick(WebElement element) {
        logger.debug("Performing JS click");
        JavascriptExecutor js = (JavascriptExecutor) driver;
        js.executeScript("arguments[0].click();", element);
    }

    protected void scrollToElement(WebElement element) {
        logger.debug("Scrolling to element");
        JavascriptExecutor js = (JavascriptExecutor) driver;
        js.executeScript("arguments[0].scrollIntoView({behavior: 'smooth', block: 'center'});", element);
    }

    protected void enterText(WebElement element, String text) {
        logger.debug("Entering text into field");
        waitForVisibility(element);
        element.clear();
        element.sendKeys(text);
    }

    protected void clickElement(WebElement element) {
        logger.debug("Clicking element");
        waitForClickable(element);
        element.click();
    }

    protected String getText(WebElement element) {
```

ConfigDataProvider.java & ExcelDataProvider.java

```
package com.demowebshop.utils;

import java.io.File;

public class ConfigDataProvider {

    private static final Logger logger = LogManager.getLogger(ConfigDataProvider.class);
    private Properties pro;

    public ConfigDataProvider() {
        try {
            File src = new File("../src/main/resources/Config/Config.properties");
            FileInputStream fis = new FileInputStream(src);
            pro = new Properties();
            pro.load(fis);
            fis.close();
            logger.info("DemoWebShop configuration file loaded successfully");
        } catch (IOException e) {
            logger.error("Unable to load DemoWebShop configuration file: {}", e.getMessage());
            throw new RuntimeException("Configuration file loading failed: " + e.getMessage(), e);
        }
    }

    public String getBrowser() {
        String browser = pro.getProperty("browser");
        logger.debug("Browser from config: {}", browser);
        return browser;
    }

    public String getUrl() {
        String url = pro.getProperty("url");
        logger.debug("URL from config: {}", url);
        return url;
    }

    public String getUsername() {
        String username = pro.getProperty("username");
        logger.debug("Username from config: {}", username);
        return username;
    }

    public String getPassword() {
        String password = pro.getProperty("password");
        logger.debug("Password retrieved from config");
        return password;
    }

    public long getTimeout() {
        String timeout = pro.getProperty("timeout");
        logger.debug("Timeout from config: {}", timeout);
        return Long.parseLong(timeout);
    }

    public String getScreenshotPath() {
        String path = pro.getProperty("screenshot.path");
        logger.debug("Screenshot path from config: {}", path);
        return path;
    }

    public String getProperty(String key) {
        String value = pro.getProperty(key);
        logger.debug("Property '{}' = '{}', key, value);
        return value;
    }
}
```

```
package com.demowebshop.utils;

import java.io.File;

public class ExcelDataProvider {

    private static final Logger logger = LogManager.getLogger(ExcelDataProvider.class);
    private XSSFWorkbook wb;
    private XSSFSheet sheet;

    public ExcelDataProvider() {
        try {
            File src = new File("../src/main/resources/TestData/LoginData.xlsx");
            FileInputStream fis = new FileInputStream(src);
            wb = new XSSFWorkbook(fis);
            fis.close();
            logger.info("DemoShop Test Data Workbook Loaded");
            logger.info("Total DemoShop Sheets: {}", wb.getNumberOfSheets());
            logger.info("Main Data Sheet: {}", wb.getSheetName(0));
        } catch (IOException e) {
            logger.error("Error reading DemoShop Excel data: {}", e.getMessage());
            throw new RuntimeException("Excel data file loading failed: " + e.getMessage(), e);
        }
    }

    public ExcelDataProvider(String filePath) {
        try {
            File src = new File(filePath);
            FileInputStream fis = new FileInputStream(src);
            wb = new XSSFWorkbook(fis);
            fis.close();
            logger.info("Excel Workbook Loaded from: {}", filePath);
            logger.info("Total Sheets: {}", wb.getNumberOfSheets());
        } catch (IOException e) {
            logger.error("Error reading Excel data from {}: {}", filePath, e.getMessage());
            throw new RuntimeException("Excel data file loading failed: " + e.getMessage(), e);
        }
    }

    public String getStringData(String sheetName, int row, int col) {
        logger.debug("Reading string data from sheet: {}, row: {}, col: {}", sheetName, row, col);
        try {
            sheet = wb.getSheet(sheetName);
            XSSFRow xssfRow = sheet.getRow(row);
            if (xssfRow == null) {
                logger.warn("Row {} is null in sheet {}", row, sheetName);
                return "";
            }
            XSSFCell cell = xssfRow.getCell(col);
            if (cell == null) {
                logger.warn("Cell at row {}, col {} is null in sheet {}", row, col, sheetName);
                return "";
            }
            return cell.getStringCellValue();
        } catch (Exception e) {
            logger.error("Error reading string data: {}", e.getMessage());
            return "";
        }
    }

    public double getNumericData(String sheetName, int row, int col) {
        logger.debug("Reading numeric data from sheet: {}, row: {}, col: {}", sheetName, row, col);
        try {
            sheet = wb.getSheet(sheetName);
            XSSFRow xssfRow = sheet.getRow(row);
            if (xssfRow == null) {
                logger.warn("Row {} is null in sheet {}", row, sheetName);
                return 0.0;
            }
            XSSFCell cell = xssfRow.getCell(col);
            if (cell == null) {
                logger.warn("Cell at row {}, col {} is null in sheet {}", row, col, sheetName);
                return 0.0;
            }
            return cell.getNumericCellValue();
        } catch (Exception e) {
            logger.error("Error reading numeric data: {}", e.getMessage());
            return 0.0;
        }
    }
}
```

HomePage.java

```
package com.demowebshop.pages;

import java.util.List;

public class HomePage extends BasePage {

    private static final Logger logger = LogManager.getLogger(HomePage.class);

    @FindBy(id = "small-searchterms")
    private WebElement searchBox;

    @FindBy(xpath = "//input[@class='button-1 search-box-button']")
    private WebElement searchButton;

    @FindBy(linkText = "Log out")
    private WebElement logoutLink;

    @FindBy(xpath = "//img[@alt='Tricentis Demo Web Shop']")
    private WebElement siteLogo;

    @FindBy(xpath = "//a[@class='account']")
    private WebElement accountLink;

    @FindBy(xpath = "//a[@class='ico-cart']")
    private WebElement cartLink;

    @FindBy(xpath = "//span[@class='cart-qty']")
    private WebElement cartQuantity;

    @FindBy(linkText = "Log in")
    private WebElement loginLink;

    @FindBy(linkText = "Register")
    private WebElement registerLink;

    @FindBy(xpath = "//div[@class='product-item']")
    private List<WebElement> productItems;

    @FindBy(xpath = "//h2[@class='product-title']/a")
    private List<WebElement> productTitles;

    @FindBy(xpath = "//div[@class='topic-block-title']/h2")
    private WebElement welcomeMessage;

    public HomePage(WebDriver driver) {
        super(driver);
        logger.info("HomePage initialized");
    }

    public void searchProduct(String productName) {
        logger.info("Searching for product: {}", productName);
        enterText(searchBox, productName);
        clickElement(searchButton);
        logger.info("Search submitted for: {}", productName);
    }

    public void logout() {
        logger.info("Clicking Logout");
        clickElement(logoutLink);
        logger.info("Logout completed");
    }

    public boolean isLogoDisplayed() {
        logger.info("Verifying site logo");
    }
}
```


LoginTest.java & LoginPage.java

```
package com.demowebshop.tests;

import org.apache.logging.log4j.LogManager;

@Epic("DemoWebShop Automation")
@Feature("Login")
Run All
public class LoginTest extends BaseClass {

    private static final Logger logger = LogManager.getLogger(LoginTest.class);

    @Test(priority = 1)
    @Story("Valid Login")
    @Severity(SeverityLevel.BLOCKER)
    @Description("Verify user can login with valid credentials from Excel data")
    Run | Debug
    public void verifyLoginWithValidCredentials() {

        logger.info("Starting verifyLoginWithValidCredentials test");

        HomePage homePage = new HomePage(driver);
        LoginPage loginPage = homePage.goToLogin();

        ExcelDataProvider excel = new ExcelDataProvider();

        String username = excel.getStringData("LoginData", 1, 0);
        String password = excel.getStringData("LoginData", 1, 1);

        homePage = loginPage.login(username, password);

        logger.info("Page Title: {}", driver.getTitle());

        Assert.assertTrue(homePage.isUserLoggedIn(),
            "User should be logged in after valid login");

        logger.info("Login test with valid credentials - PASSED");
    }

    @Test(priority = 2)
    @Story("Invalid Login")
    @Severity(SeverityLevel.CRITICAL)
    @Description("Verify login fails with invalid credentials")
    Run | Debug
    public void verifyLoginWithInvalidCredentials() {

        logger.info("Starting verifyLoginWithInvalidCredentials test");

        HomePage homePage = new HomePage(driver);
        LoginPage loginPage = homePage.goToLogin();

        loginPage.enterEmail("invalid_unregistered_9999@test.com");
        loginPage.enterPassword("WrongPassword");
        loginPage.clickLogin();

        Assert.assertTrue(loginPage.isLoginErrorDisplayed(),
            "Login error message should be displayed for invalid credentials");

        logger.info("Invalid login test - PASSED");
    }

    @Test(priority = 3)
    @Story("Login with Config Credentials")
    @Severity(SeverityLevel.NORMAL)
    @Description("Verify login using credentials from Config.properties")
```

```
package com.demowebshop.pages;

import org.apache.logging.log4j.LogManager;

public class LoginPage extends BasePage {

    private static final Logger logger = LogManager.getLogger(LoginPage.class);

    @FindBy(id = "Email")
    private WebElement emailField;

    @FindBy(id = "Password")
    private WebElement passwordField;

    @FindBy(xpath = "//input[@class='button-1 login-button']")
    private WebElement loginButton;

    @FindBy(linkText = "Register")
    private WebElement registerLink;

    @FindBy(linkText = "Forgot password?")
    private WebElement forgotPasswordLink;

    @FindBy(className = "validation-summary-errors")
    private WebElement loginErrorMessage;

    @FindBy(xpath = "//a[@class='account']")
    private WebElement accountLink;

    public LoginPage(WebDriver driver) {
        super(driver);
        logger.info("LoginPage initialized");
    }

    public void enterEmail(String email) {
        logger.info("Entering email: {}", email);
        enterText(emailField, email);
    }

    public void enterPassword(String password) {
        logger.info("Entering password");
        enterText(passwordField, password);
    }

    public void clickLogin() {
        logger.info("Clicking Login button");
        clickElement(loginButton);
    }

    public HomePage login(String email, String password) {

        logger.info("Logging in with {}", email);

        enterEmail(email);
        enterPassword(password);
        clickLogin();

        if (isLoginErrorDisplayed()) {
            String errorMsg = getLoginErrorMessage();
            logger.error(errorMsg);
            throw new RuntimeException("Login Failed : " + errorMsg);
        }

        waitForVisibility(accountLink);
    }
}
```

RegisterPage.java

```
package com.demowebshop.pages;

import org.apache.logging.log4j.LogManager;
import org.apache.logging.log4j.Logger;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.support.FindBy;

public class RegisterPage extends BasePage {

    private static final Logger logger = LogManager.getLogger(RegisterPage.class);

    @FindBy(id = "gender-male")
    private WebElement genderMaleRadio;

    @FindBy(id = "gender-female")
    private WebElement genderFemaleRadio;

    @FindBy(id = "firstName")
    private WebElement firstNameField;

    @FindBy(id = "lastName")
    private WebElement lastNameField;

    @FindBy(id = "Email")
    private WebElement emailField;

    @FindBy(id = "Password")
    private WebElement passwordField;

    @FindBy(id = "ConfirmPassword")
    private WebElement confirmPasswordField;

    @FindBy(id = "register-button")
    private WebElement registerButton;

    @FindBy(xpath = "//div[@class='result']")
    private WebElement registrationResult;

    @FindBy(xpath = "//input[@value='Continue']")
    private WebElement continueButton;

    @FindBy(xpath = "//div[@class='validation-summary-errors']/li")
    private WebElement validationError;

    @FindBy(xpath = "//span[@class='field-validation-error']")
    private WebElement fieldValidationError;

    public RegisterPage(WebDriver driver) {
        super(driver);
        logger.info("RegisterPage initialized");
    }

    public void selectGenderMale() {
        logger.info("Selecting gender: Male");
        clickElement(genderMaleRadio);
    }

    public void selectGenderFemale() {
        logger.info("Selecting gender: Female");
        clickElement(genderFemaleRadio);
    }

    public void enterFirstName(String firstName) {
        logger.info("Entering first name: {} -> {}", firstName);
    }
}
```

CartPage.java

```

package com.demowebshop.pages;

import java.util.List;

import org.apache.logging.log4j.LogManager;
import org.apache.logging.log4j.Logger;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.support.FindBy;
import org.openqa.selenium.support.ui.ExpectedConditions;

public class CartPage extends BasePage {

    private static final Logger logger = LogManager.getLogger(CartPage.class);

    @FindBy(xpath = "//input[@name='removefromcart']")
    private List<WebElement> removeCheckboxes;

    @FindBy(xpath = "//input[@class='qty-input']")
    private List<WebElement> quantityInputs;

    @FindBy(name = "updatecart")
    private WebElement updateCartButton;

    @FindBy(name = "continueshopping")
    private WebElement continueShoppingButton;

    @FindBy(xpath = "//td[@class='product']/a")
    private List<WebElement> productNames;

    @FindBy(xpath = "//span[@class='product-unit-price']")
    private List<WebElement> productPrices;

    @FindBy(xpath = "//span[@class='product-subtotal']")
    private List<WebElement> productSubtotals;

    @FindBy(xpath = "//span[@class='value-summary']//span")
    private WebElement orderTotal;

    @FindBy(id = "termsofservice")
    private WebElement termsCheckbox;

    @FindBy(id = "checkout")
    private WebElement checkoutButton;

    @FindBy(xpath = "//div[@class='order-summary-content']")
    private WebElement cartSummary;

    @FindBy(xpath = "//div[@class='no-data']")
    private WebElement emptyCartMessage;

    public CartPage(WebDriver driver) {
        super(driver);
        logger.info("CartPage initialized");
    }

    public void removeFirstProduct() {
        logger.info("Removing first product from cart");
        if (!removeCheckboxes.isEmpty()) {
            WebElement concreteUpdateBtn = driver.findElement(org.openqa.selenium.By.name("updatecart"));
            clickElement(removeCheckboxes.get(0));
            clickElement(updateCartButton);
            try { wait.until(ExpectedConditions.stalenessOf(concreteUpdateBtn)); } catch (Exception e) {}
            logger.info("First product removed from cart");
        }
    }
}

```


Helper.java & BrowserFactory.java

```
package com.demowebshop.utils;

import java.io.File;

public class Helper {

    private static final Logger logger = LogManager.getLogger(Helper.class);
    private static final Random random = new Random();
    private static final String SCREENSHOT_DIR = "./screenshots/";
    private static final String ALPHA_CHARS = "abcdefghijklmnopqrstuvwxyz";
    private static final String NUMERIC_CHARS = "0123456789";

    public static String captureScreenshot(WebDriver driver, String testName) {
        logger.info("Capturing screenshot for: {}", testName);
        String timestamp = generateTimestamp();
        String fileName = testName + "_" + timestamp + ".png";
        String filePath = SCREENSHOT_DIR + fileName;

        try {
            File screenshotDir = new File(SCREENSHOT_DIR);
            if (!screenshotDir.exists()) {
                screenshotDir.mkdirs();
            }

            TakesScreenshot ts = (TakesScreenshot) driver;
            File source = ts.getScreenshotAs(OutputType.FILE);
            File destination = new File(filePath);
            FileUtils.copyFile(source, destination);
            logger.info("Screenshot saved: {}", destination.getAbsolutePath());
            return destination.getAbsolutePath();
        } catch (IOException e) {
            logger.error("Screenshot capture failed: {}", e.getMessage());
            return "";
        }
    }

    public static String generateTimestamp() {
        return new SimpleDateFormat("yyyyMMdd_HHmmss").format(new Date());
    }

    public static void scrollIntoView(WebDriver driver, WebElement element) {
        logger.debug("Scrolling element into view");
        try {
            JavaScriptExecutor js = (JavaScriptExecutor) driver;
            js.executeScript("arguments[0].scrollIntoView({behavior: 'smooth', block: 'center'});", element);
            logger.info("Scrolled to element successfully");
        } catch (Exception e) {
            logger.error("Failed to scroll to element: {}", e.getMessage());
        }
    }

    public static void highlightElement(WebDriver driver, WebElement element) {
        logger.debug("Highlighting element");
        try {
            JavaScriptExecutor js = (JavaScriptExecutor) driver;
            String originalStyle = element.getAttribute("style");
            js.executeScript("arguments[0].setAttribute('style', arguments[1]);",
                element, "border: 3px solid red; background: yellow;");
            js.executeScript("arguments[0].setAttribute('style', arguments[1]);",
                element, originalStyle);
            logger.debug("Element highlighted successfully");
        } catch (Exception e) {
            logger.error("Failed to highlight element: {}", e.getMessage());
        }
    }
}
```

```
package com.demowebshop.utils;

import io.github.bonigarcia.wdm.WebDriverManager;

public class BrowserFactory {

    private static final Logger logger = LogManager.getLogger(BrowserFactory.class);

    public static WebDriver startBrowser(String browserName) {
        WebDriver driver = null;
        logger.info("Initializing browser: {}", browserName);

        try {
            switch (browserName.toLowerCase().trim()) {
                case "chrome":
                    WebDriverManager.chromedriver().setup();
                    ChromeOptions chromeOptions = new ChromeOptions();
                    chromeOptions.addArguments("--disable-notifications");
                    chromeOptions.addArguments("--disable-popup-blocking");
                    chromeOptions.addArguments("--remote-allow-origins=*");
                    driver = new ChromeDriver(chromeOptions);
                    logger.info("Chrome browser launched successfully");
                    break;

                case "firefox":
                    WebDriverManager.firefoxdriver().setup();
                    FirefoxOptions firefoxOptions = new FirefoxOptions();
                    firefoxOptions.addArguments("--disable-notifications");
                    driver = new FirefoxDriver(firefoxOptions);
                    logger.info("Firefox browser launched successfully");
                    break;


                case "edge":
                    WebDriverManager.edgedriver().setup();
                    EdgeOptions edgeOptions = new EdgeOptions();
                    edgeOptions.addArguments("--disable-notifications");
                    edgeOptions.addArguments("--remote-allow-origins=*");
                    driver = new EdgeDriver(edgeOptions);
                    logger.info("Edge browser launched successfully");
                    break;

                default:
                    logger.error("Invalid browser name: {}. Defaulting to Chrome.", browserName);
                    WebDriverManager.chromedriver().setup();
                    driver = new ChromeDriver();
                    logger.info("Chrome browser launched as default");
                    break;
            }
        } catch (Exception e) {
            logger.error("Failed to initialize browser: {}", e.getMessage());
            throw new RuntimeException("Browser initialization failed: " + e.getMessage(), e);
        }

        return driver;
    }

    public static void quitBrowser(WebDriver driver) {
        if (driver != null) {
            try {
                driver.quit();
                logger.info("Browser closed successfully");
            } catch (Exception e) {
                logger.error("Error while closing browser: {}", e.getMessage());
            }
        }
    }
}
```


Allure Reports



Jenkins

← → ↻ 🏠

localhost:9090/job/DemoWebShop-Automation/

☆ 📄 👤 ⋮

 **Jenkins** / DemoWebShop-Automati...

🔍 ⚙️ 👤

[Add description](#)

Status

</> Changes

📁 Workspace

▶ Build Now

🗑 Delete Project

📄 Allure Report

⚙ Configure

✎ Rename

Builds >

🔍 Filter

/

Today

✅ #16 12:18 AM

❌ #15 12:12 AM

July 28, 2026

✅ DemoWebShop-Automation

 Allure Report

 Last Successful Artifacts


 allure-report.zip 1.14 MiB [view](#)

 allure-summary.json 253 B [view](#)

Permalinks

- Last build (#16), 41 min ago


Allure history trend



Build	Count
#1	0
#2	0
#3	0
#4	0
#5	0
#6	0
#7	0
#8	0
#9	0
#10	0
#11	0
#12	0
#13	0
#14	1
#15	20
#16	21

Cucumber

Cucumber is an open-source BDD (Behavior Driven Development) tool that helps teams write test cases in simple, business-readable language using Gherkin syntax.



Write once, test anywhere!



Improved
Collaboration



Clear & Readable
Tests



Reusable Step
Definitions




Early Bug Detection



Detailed Reporting

Cucumber Framework Structure




TestRunner.java

```
1 package runner;
2
3 import org.testng.annotations.DataProvider;
4
5
6
7
8 @CucumberOptions(
9     features = "src/test/resources/features",
10    glue = {"stepDefinitions"},
11    plugin = {
12        "pretty",
13        "html:target/cucumber-reports/cucumber-report.html",
14        "json:target/cucumber-reports/cucumber-report.json",
15        "io.qameta.allure.cucumber7jvm.AllureCucumber7Jvm"
16    },
17    monochrome = true,
18    tags = "@Smoke or @Regression or @DataDriven"
19 )
20 public class TestRunner extends AbstractTestNGCucumberTests {
21
22     @Override
23     @DataProvider(parallel = false)
24     public Object[][] scenarios() {
25         return super.scenarios();
26     }
27 }
28
```

API Testing

API testing is the practice of evaluating application interfaces to verify that they work as expected, are secure, and deliver the right performance. It ensures smooth interaction between systems by validating requests, responses, status codes, and data integrity — without relying on the user interface.



Postman - Run Results

The screenshot displays the Postman interface with the 'DemoWebShop API Collection - Run results' view. The left sidebar shows the collection structure, including Authentication, Products, and Cart folders. The main panel shows the run results for the 'DemoWebShop API Collection'.

Run Results Summary:

Source	Environment	Iterations	Duration	All tests	Errors	Avg. Resp. Time
Runner	none	1	8s 517ms	55	0	331 ms

Test Results:

- Authentication:**
 - POST Login - Valid Credentials: PASS
 - POST Login - Invalid Credentials: PASS
- Products:**
 - GET GET All Products: PASS
 - GET GET Single Product: PASS
 - GET GET Products by Category: PASS
 - GET GET All Categories: PASS
 - POST POST Create Product: PASS
 - PUT PUT Update Product: PASS
 - DEL DELETE Product: PASS
- Cart:**
 - GET GET All Carts: PASS
 - GET GET Single Cart: PASS
 - GET GET User Cart: PASS
 - POST POST Add to Cart: PASS


Console Log:

- GET https://fakestoreapi.com/carts/5: 200 | 368 ms
- GET https://fakestoreapi.com/carts/user/2: 200 | 369 ms
- POST https://fakestoreapi.com/carts: 201 | 264 ms
- DELETE https://fakestoreapi.com/carts/6: 200 | 365 ms
- GET https://fakestoreapi.com/users: 200 | 374 ms
- GET https://fakestoreapi.com/users/1: 200 | 366 ms
- POST https://fakestoreapi.com/users: 201 | 365 ms
- PUT https://fakestoreapi.com/users/7: 200 | 263 ms
- DELETE https://fakestoreapi.com/users/6: 200 | 374 ms


Collection ran with issues:

- DemoWebShop API Collection: 5 of 55 tests failed

Postman - Create Product Request



JMeter - Test Plan & Summary Report




The screenshot shows the JMeter Summary Report window. On the left, a tree view displays the test plan structure: DemoWebShop Load Test, Standard Load Users, HTTP Request Defaults, HTTP Cookie Manager, HTTP Cache Manager, GET Home Page, GET Login Page, GET Search Results, GET Cart Page, View Results Tree, and Summary Report (selected). The main area displays the Summary Report for the selected test plan. It includes fields for Name (Summary Report), Comments, and a section for writing results to file or reading from file. A table shows the performance metrics for each test element, including Label, # Samples, Average, Min, Max, Std. Dev., Error %, Throughput, Received KB/sec, Sent KB/sec, and Avg. Bytes. The table data is as follows:

Label	# Samples	Average	Min	Max	Std. Dev.	Error %	Throughput	Received KB...	Sent KB/sec	Avg. Bytes
GET Home P...	20	818	490	1223	304.91	0.00%	1.6/sec	57.23	0.20	35604.0
GET Login P...	20	399	377	466	18.21	0.00%	1.8/sec	39.39	0.61	22814.0
GET Search ...	20	712	672	749	19.64	0.00%	1.7/sec	53.44	0.62	31674.0
GET Cart Page	20	382	359	425	15.83	0.00%	1.8/sec	28.74	0.61	16634.0
TOTAL	80	578	359	1223	244.92	0.00%	5.9/sec	153.01	1.72	26681.5

At the bottom of the table, there are checkboxes for 'Include group name in label?' (unchecked) and 'Save Table Header' (checked), along with a 'Save Table Data' button.

JMeter - Dashboard Report



Data Driven Testing using CSV File

```

1 package com.demowebshop.utils;
2
3 import java.io.File;
4
5 public class ConfigDataProvider {
6
7     private static final Logger logger = LogManager.getLogger(ConfigDataProvider.class);
8     private Properties pro;
9
10    public ConfigDataProvider() {
11        try {
12            File src = new File("./src/main/resources/Config/Config.properties");
13            FileInputStream fis = new FileInputStream(src);
14            pro = new Properties();
15            pro.load(fis);
16            fis.close();
17            logger.info("DemoWebShop configuration file loaded successfully");
18        } catch (IOException e) {
19            logger.error("Unable to load DemoWebShop configuration file: {}", e.getMessage());
20            throw new RuntimeException("Configuration file loading failed: " + e.getMessage(), e);
21        }
22    }
23
24    public String getBrowser() {
25        String browser = pro.getProperty("browser");
26        logger.debug("Browser from config: {}", browser);
27        return browser;
28    }
29
30    public String getUrl() {
31        String url = pro.getProperty("url");
32        logger.debug("URL from config: {}", url);
33        return url;
34    }
35
36    public String getUsername() {
37        String username = pro.getProperty("username");
38        logger.debug("Username from config: {}", username);
39        return username;
40    }
41
42    public String getPassword() {
43        String password = pro.getProperty("password");
44        logger.debug("Password retrieved from config");
45        return password;
46    }
47
48    public long getTimeout() {
49        String timeout = pro.getProperty("timeout");
50        logger.debug("Timeout from config: {}", timeout);
51        return Long.parseLong(timeout);
52    }
53
54    public String getScreenshotPath() {
55        String path = pro.getProperty("screenshot.path");
56        logger.debug("Screenshot path from config: {}", path);
57        return path;
58    }
59
60    public String getProperty(String key) {
61        String value = pro.getProperty(key);
62        logger.debug("Property '{}' = '{}'", key, value);
63        return value;
64    }
65
66 }

```


GitHub Repositories

GitHub Repository	GitHub Repository Link	Submitted By:-
	https://github.com/Hardik-1226/Bootcamp-Testing-26	Hardik Varshney
		Submitted To:- Raghuvendra BN
		Emp ID:- 85010920
01-Jul-2026	Team 5	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/1%20July/Team%205.pdf
02-Jul-2026	BVA Assignment	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/2%20July/BVA%20Assignment.pdf
02-Jul-2026	BVA Assignment Sourav AllCompanies	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/2%20July/BVA_Assignment_Sourav_AllCompanies.pdf
02-Jul-2026	Decision Table Testing Brahm (2)	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/2%20July/Decision_Table_Testing_Brahm%20%282%29.pdf
02-Jul-2026	HardikVarshneyBVA	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/2%20July/HardikVarshneyBVA.pdf
02-Jul-2026	HardikVarshneyECP	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/2%20July/HardikVarshneyECP.pdf
02-Jul-2026	State Transition Table Hardik	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/2%20July/State_Transition_Table_Hardik.pdf
02-Jul-2026	State Transition Table Underrated Companies (1)	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/2%20July/State_Transition_Table_Underrated_Companies%20%281%29.pdf
02-Jul-2026	transition phase all companies	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/2%20July/transition%20phase%20all%20companies.pdf
03-Jul-2026	Jira user story Test Case-CaseStudy	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/3%20July/Jira%20user%20story%20Test%20Case-CaseStudy.pdf
03-Jul-2026	H&B Test Scenario	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/3%20July/H%26B%20Test%20Scenario.pdf
03-Jul-2026	Jira UserStory CaseStudy - JIRA UserStory CaseStudy	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/3%20July/Jira_UserStory_CaseStudy%20-%20JIRA_UserStory_CaseStudy.pdf
03-Jul-2026	Jira UserStory Scenarios - JIRA UserStory Scenarios	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/3%20July/Jira_UserStory_Scenarios%20-%20JIRA_UserStory_Scenarios.pdf
03-Jul-2026	MMT STLC Documentation - Test Case-CaseStudy	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/3%20July/MMT_STLC_Documentation%20-%20Test%20Case-CaseStudy.pdf
03-Jul-2026	MMT STLC Documentation - Test Scenarios	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/3%20July/MMT_STLC_Documentation%20-%20Test%20Scenarios.pdf
03-Jul-2026	MakeMyTrip STLC Documentation - Test Scenarios (1)	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/3%20July/MakeMyTrip_STLC_Documentation%20-%20Test%20Scenarios%20%281%29.pdf
03-Jul-2026	MakeMyTrip STLC Documentation TestScenarios - Test Scenarios	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/3%20July/MakeMyTrip_STLC_Documentation_TestScenarios%20-%20Test%20Scenarios.pdf
03-Jul-2026	Testplan Updated	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/3%20July/Testplan_Updated.pdf
03-Jul-2026	User story - Test Scenarios	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/3%20July/User%20story%20Test%20Scenarios.pdf
03-Jul-2026	HOLLAND & BARRETT STLC Documentation TestScenarios - Copy of	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/3%20July/HOLLAND%20%26%20BARRETT_STLC_Documentation_TestScenarios%20-%20Copy%20of%20Test%20Scenarios%20%281%29.pdf
03-Jul-2026	HOLLAND & BARRETT STLC Documentation TestScenarios - Test Sce	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/3%20July/HOLLAND%20%26%20BARRETT_STLC_Documentation_TestScenarios%20-%20Test%20Scenarios.pdf
03-Jul-2026	hollandandbarrett STLC Documentation-Test Scenarios	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/3%20July/hollandandbarrett_STLC_Documentation-Test%20Scenarios.pdf
04-Jul-2026	Agile-Methodology-in-Software-Development-Life-Cycle-SDLC (1)	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/4%20July/Agile-Methodology-in-Software-Development-Life-Cycle-SDLC%20%281%29.pdf
04-Jul-2026	Team5 Waterfall Model SDLC	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/4%20July/Team5_Waterfall_Model_SDLC.pdf
06-Jul-2026	BugReport Teams	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/6%20July/BugReport_Team5.pdf
06-Jul-2026	Jira UserStory RTM - JIRA UserStory RTM	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/6%20July/Jira_UserStory_RTM%20-%20JIRA_UserStory_RTM.pdf
06-Jul-2026	MMT Defect Report-CaseStudy	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/6%20July/MMT_Defect%20Report-CaseStudy.pdf
06-Jul-2026	MMT GUI-Testing	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/6%20July/MMT_GUI-Testing.pdf
06-Jul-2026	MMT RTM-CaseStudy	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/6%20July/MMT_RTM-CaseStudy.pdf
06-Jul-2026	MakeMyTrip Defect Report - Defect Report-CaseStudy	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/6%20July/MakeMyTrip_Defect_Report%20-%20Defect%20Report-CaseStudy.pdf
06-Jul-2026	MakeMyTrip Defect Report	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/6%20July/MakeMyTrip_Defect_Report%20-%20Sheet1.pdf
06-Jul-2026	MakeMyTrip RTM - RTM-CaseStudy	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/6%20July/MakeMyTrip_RTM%20-%20RTM-CaseStudy.pdf
06-Jul-2026	Skyscanner-RTM-CaseStudy	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/6%20July/Skyscanner-RTM-CaseStudy.pdf
06-Jul-2026	Jira user storyRTM-CaseStudy	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/6%20July/Jira%20user%20storyRTM-CaseStudy.pdf
07-Jul-2026	BVA and ECP (1)	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/7%20July/BVA%20and%20ECP%20%281%29.pdf
07-Jul-2026	BVA and ECP	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/7%20July/BVA%20and%20ECP.pdf
07-Jul-2026	ISTQB Dumps1 CaseStudy	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/7%20July/ISTQB_Dumps1%20CaseStudy.pdf
07-Jul-2026	MCQ-Manual Testing Solution	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/7%20July/MCQ-Manual%20Testing_Solution.pdf
08-Jul-2026	AzureDevops User Story	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/8%20July/AzureDevops_User_Story.xlsx
08-Jul-2026	Bajaj Banking App STLC Documentation	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/8%20July/Bajaj_Banking_App_STLC_Documentation.xlsx
08-Jul-2026	Digital KYC Online user story Test Case-CaseStudy	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/8%20July/DigitalKYC%20Online_user%20story%20Test%20Case-CaseStudy.xlsx
08-Jul-2026	Manual Testing Final Submission (1)	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/8%20July/Manual%20Testing%20Final%20Submission%20%281%29.pdf
08-Jul-2026	Manual Testing - AzureDevops Epic-37	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/8%20July/Manual_Testing%20-%20AzureDevops_Epic-37.pdf
08-Jul-2026	Manual Testing	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/8%20July/Manual_Testing.xlsx
09-Jul-2026	H&B Defect Report	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/9%20July/H%26B%20Defect%20Report.pdf
09-Jul-2026	H&B TestCase	https://github.com/Hardik-1226/Bootcamp-Testing-26/blob/main/Organized_By_Date/9%20July/H%26B%20TestCase.pdf
10-Jul-2026	BDDFirstTestCase	https://github.com/Hardik-1226/Bootcamp-Testing-26/tree/main/Organized_By_Date/10%20July/BDDFirstTestCase
10-Jul-2026	BDD CaseStudy	https://github.com/Hardik-1226/Bootcamp-Testing-26/tree/main/Organized_By_Date/10%20July/BDD_CaseStudy
11-Jul-2026	JavaAccessModifiers	https://github.com/Hardik-1226/Bootcamp-Testing-26/tree/main/Organized_By_Date/11%20July/JavaAccessModifiers
11-Jul-2026	JavaControlStatements	https://github.com/Hardik-1226/Bootcamp-Testing-26/tree/main/Organized_By_Date/11%20July/JavaControlStatements
11-Jul-2026	Java Case Studies	https://github.com/Hardik-1226/Bootcamp-Testing-26/tree/main/Organized_By_Date/11%20July/Java_Case_Studies
13-Jul-2026	Abstraction	https://github.com/Hardik-1226/Bootcamp-Testing-26/tree/main/Organized_By_Date/13%20July/Abstraction
13-Jul-2026	ExceptionHandling	https://github.com/Hardik-1226/Bootcamp-Testing-26/tree/main/Organized_By_Date/13%20July/ExceptionHandling
13-Jul-2026	InheritanceInJava	https://github.com/Hardik-1226/Bootcamp-Testing-26/tree/main/Organized_By_Date/13%20July/InheritanceInJava
13-Jul-2026	JavaAccessModifiers	https://github.com/Hardik-1226/Bootcamp-Testing-26/tree/main/Organized_By_Date/13%20July/JavaAccessModifiers
13-Jul-2026	JavaControlStatements	https://github.com/Hardik-1226/Bootcamp-Testing-26/tree/main/Organized_By_Date/13%20July/JavaControlStatements
13-Jul-2026	Java Case Studies	https://github.com/Hardik-1226/Bootcamp-Testing-26/tree/main/Organized_By_Date/13%20July/Java_Case_Studies
13-Jul-2026	Java Constructors	https://github.com/Hardik-1226/Bootcamp-Testing-26/tree/main/Organized_By_Date/13%20July/Java_Constructors
13-Jul-2026	Java ExceptionHandling	https://github.com/Hardik-1226/Bootcamp-Testing-26/tree/main/Organized_By_Date/13%20July/Java_ExceptionHandling
13-Jul-2026	Java Inheritance	https://github.com/Hardik-1226/Bootcamp-Testing-26/tree/main/Organized_By_Date/13%20July/Java_Inheritance
13-Jul-2026	Java Interface	https://github.com/Hardik-1226/Bootcamp-Testing-26/tree/main/Organized_By_Date/13%20July/Java_Interface
13-Jul-2026	Java MethodOverloading	https://github.com/Hardik-1226/Bootcamp-Testing-26/tree/main/Organized_By_Date/13%20July/Java_MethodOverloading



Thank You!

Thank you for your time and attention.