CODE

web.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<web-app xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"</pre>
          xmlns="http://xmlns.jcp.org/xml/ns/javaee"
          xsi:schemaLocation="http://xmlns.jcp.org/xml/ns/javaee
     http://xmlns.jcp.org/xml/ns/javaee/web-app 4 0.xsd"
          id="WebApp ID" version="4.0">
<display-name>struts validation</display-name>
<welcome-file-list>
     <welcome-file>index.jsp</welcome-file>
</welcome-file-list>
<filter>
     <filter-name>struts2</filter-name>
class>org.apache.struts2.dispatcher.filter.StrutsPrepareAndExecuteFilter<
/filter-class>
</filter>
<filter-mapping>
     <filter-name>struts2</filter-name>
     <url-pattern>/*</url-pattern>
</filter-mapping>
</web-app>
                                 index.jsp
<%@ page language="java" contentType="text/html; charset=UTF-8"</pre>
     pageEncoding="UTF-8"%>
<%@taglib uri="/struts-tags" prefix="s" %>
<!DOCTYPE html>
<html>
<head>
<meta charset="UTF-8">
<title>Login</title>
<s:head />
</head>
<body bgColor="lightGreen">
     <s:form action="Login">
          <s:textfield name="userName" label="User Name"</pre>
placeholder="Default 'Sanjyot'"/>
          <s:password name="password" label="Password" />
          <s:textfield name="phoneNumber" label="Phone Number"</pre>
placeholder="10 digit phone number"/>
          <s:textfield name="email" label="Email" type="email" />
          <s:submit value="Login" />
     </s:form>
</body>
</html>
```

```
welcome.jsp
```

```
<%@ page language="java" contentType="text/html; charset=UTF-8"</pre>
     pageEncoding="UTF-8"%>
<%@taglib uri="/struts-tags" prefix="s" %>
<!DOCTYPE html>
<html>
<head>
     <meta charset="UTF-8">
     <title>Login Successful</title>
</head>
<body>
     <h3> Congratulations! You have logged in successfully.</h3>
     <h4> Welcome <s:property value="userName"/>!!! </h4>
</body>
                                login.java
package com.SanjyotPanure.struts2;
import com.opensymphony.xwork2.ActionSupport;
public class Login extends ActionSupport {
     private String userName;
     private String password;
     private String phoneNumber;
     private String email;
     public String execute() {
          return SUCCESS;
     }
     public String getUserName() {
          return userName;
     public void setUserName(String userName) {
          this.userName = userName;
     }
     public String getPassword() {
          return password;
     }
     public void setPassword(String password) {
          this.password = password;
     }
     public String getPhoneNumber() {
          return phoneNumber;
     }
```

```
public void setPhoneNumber(String phoneNumber) {
          this.phoneNumber = phoneNumber;
     public String getEmail() {
          return email;
     }
     public void setEmail(String email) {
          this.email = email;
     public void validate() {
          if (getUserName().length() == 0) {
               addFieldError("userName", "UserName is required");
          else if (!getUserName().equals("Sanjyot")) {
               addFieldError("userName", "Invalid User");
          }
          if (getPassword().length() == 0) {
               addFieldError("password", getText("Password is
required"));
          if (getPhoneNumber().length() == 0) {
               addFieldError("phoneNumber", getText("Phone Number is
required"));
          else if (!(getPhoneNumber().length() == 10)) {
               addFieldError("phoneNumber", "Enter 10 digit phone
number");
          if (getEmail().length() == 0) {
               addFieldError("email", getText("Email is required"));
          }
     }
}
                                struts.xml
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE struts PUBLIC
     "-//Apache Software Foundation//DTD Struts Configuration 2.0//EN"
     "http://struts.apache.org/dtds/struts-2.0.dtd">
<struts>
<constant name="struts.custom.i18n.resources" value="LoginAction" />
     <package name="default" extends="struts-default" namespace="/">
          <action name="Login" class="com.SanjyotPanure.struts2.Login" >
               <result name="success">welcome.jsp</result>
               <result name="input">index.jsp</result>
          </action>
     </package>
```

</struts>

OUTPUT / SCREENSHOTS







