

## **CSC 372/472: Mobile Applications Development for Android**


### **Assignment 4 – Know Your Government (400 pts)**

Uses: Location Services, Internet, Google APIs, Images, Picasso Library, Implicit Intents, TextView Links

#### **App Highlights:**

- This app will acquire and display an interactive list of political officials that represent the current location (or a specified location) at each level of government.
- Android location services will be used to determine the user's location.
- The [Google Civic Information API](#) will be used to acquire the government official data (via REST service and JSON results).
- You *will* need to use a different layout for landscape orientation for 2 of the activities in this application. Those details are specified later in the document.
- Clicking on an official's list entry opens a detailed view of that individual government representative.
- Clicking on the photo of an official will display a Photo Activity, showing a larger version of the photo.
- An "About" activity will show application information (Author, Copyright data & Version)
- Your manifest should add permissions for ACCESS\_FINE\_LOCATION and INTERNET
- The application is made up of 4 activities, shown below:

#### **1) Main Activity**



*Options Menu items 1 for "about" information and 1 for manual location entry*

*Display of current location (or user-specified location)*

*RecyclerView list of government officials (List scrolls up & down)*

*Click on a government official entry to open a new activity containing detailed information on the selected individual.*

No separate landscape layout is needed for the Main Activity.



### 2) Official Activity

Scrolls Down

A ScrollView must be used here in case the information does not completely fit on the visible screen.

Display of current location (or user-specified location)

Basic official data

- Office (i.e., U.S. Senator)
- Name (i.e., Tammy Duckworth)
- Party (i.e., Democratic)

The background color of this activity is based upon the official's political party:  
Republican = RED,  
Democratic = BLUE,  
Otherwise use BLACK

Party logo for Democratic & Republican. Otherwise, no logo

Photo of official (where available). NOTE, a default image should be displayed when a photo is not specified (see below, middle)

Placeholder image should be displayed while photo is loading (see below right)

Clicking on the photo opens Photo Detail Activity

Contact Information (only display data that is provided). All are clickable – implicit intents. Possible data items:


- Office Address
- Phone Number
- Email address
- Website

Social Media (only display data that is provided).

All are clickable – implicit intents.

Possible data items:

- Facebook
- Twitter
- Google+
- YouTube



### 3) Photo Detail Activity

Display of  
current location  
(or user-specified  
location)

The background color of  
this activity is based upon  
the official's political  
party:

Republican = RED,  
Democratic = BLUE,  
Otherwise use BLACK

Party logo for Democratic  
& Republican. Otherwise,  
no logo




Basic official data

1. Office (i.e., U.S. Senator)
2. Name (i.e., Richard J. Durbin)


"Full-sized" image of official (where  
available).

**NOTE:** This activity should not open if the  
representative's image is not specified.

Placeholder while image  
is downloading



#### 4) About Activity



App Title

API Attribution (clickable link to <https://developers.google.com/civic-information/>)

Full-sized background image

Application information (Author, Copyright data & Version)


No separate landscape layout is needed for the About Activity.

#### Required Landscape Layouts


##### Official Activity



Scrolls Down



##### Photo Activity



**Internet Data:**

Downloading data for the government officials requires a download via the [Google Civic Information API](#). The Civic Information API lets you enter a zip code or city/state name to look up the data properties for the elected officials in those districts.

*NOTE: You MUST sign up with Google to get an API key. Your API KEY must be supplied with all Google Civic Information API queries. You can get a free API key by following the instructions at:*

[https://developers.google.com/civic-information/docs/using\\_api](https://developers.google.com/civic-information/docs/using_api)

Follow the instructions for “Acquiring and using an API key”. The type of credential you need to create is “API Key” (not “OAuth client ID” and not “Service account key”). This is a very quick and easy process. The API key will be a long string of characters. The results of Civic Information API calls are returned in JSON format. The content of the returned results is described later in this section.

Query Format: `https://www.googleapis.com/civicinfo/v2/representatives?key=Your-API-Key&address=zip-code`

`https://www.googleapis.com/civicinfo/v2/representatives?key=Your-API-Key&address=city`

For example, if your API Key was “ABC123xyz” and the zip code was 60605, your full URL would be:

`https://www.googleapis.com/civicinfo/v2/representatives?key=ABC123xyz&address=60605`

For example, if your API Key was “ABC123xyz” and the city was Chicago, your full URL would be:

`https://www.googleapis.com/civicinfo/v2/representatives?key=ABC123xyz&address=Chicago`

**Google Civic Information API Results Example:**

The JSON results you receive contains 4 sections, described in detail below. The *normalizedInput* section contains location details for the results provided. The *divisions* section lists political geographic divisions, like a country, state, county, or legislative district (*we do not need this section for our application*). The *offices* section lists the political positions governing the specified location. The *officials* section lists people presently serving in the offices specified in the *offices* section.

High-level view of JSON results:

```
{
  "kind": "civicinfo#representativeInfoResponse", ← We do not need this
  "normalizedInput": { ← We need this section, it is accessed as a JSONObject (described later)
    ... ← Data will be here
  },
  "divisions": { ← We do not need this
    ... ← Data will be here, we do not need this section
  },
  "offices": [ ← We need this section, it is accessed as a JSONArray (described later)
    ... ← Data will be here
  ],
  "officials": [ ← We need this section, it is accessed as a JSONArray (described later)
    ... ← Data will be here
  ]
}
```



**JSON Section Detail:**

- 1) The “normalizedInput” JSONObject contains the following:

```
"normalizedInput": {
    "line1": "",
    "city": "Chicago",
    "state": "IL",
    "zip": "60654"
},
```

← We want this for the location display in our activities

← We want this for the location display in our activities

← We want this for the location display in our activities

- 2) The “divisions” section comes next, but we do not need this section, so it is not described here.

- 3) The “offices” JSONArray contains multiple instances of the following:

```
"offices": [
{
    "name": "President of the United States",
    "divisionId": "ocd-division/country:us",
    "levels": [
        "country"
    ],
    "roles": [
        "headOfState",
        "headOfGovernment"
    ],
    "officialIndices": [
        0
    ]
},
{
    "name": "United States Senate",
    "divisionId": "ocd-division/country:us/state:il",
    "levels": [
        "country"
    ],
    "roles": [
        "legislatorUpperBody"
    ],
    "officialIndices": [
        2,
        3
    ]
},
...
],
```

*We want this, the “office” title the representative holds*

*We want this, it is the index into the “officials” JSONArray (see the next section) which contains the details of the person that holds this office.*

*NOTE: There can be more than one index as time offices have multiple representatives.*

*We want this, the “office” title the representative holds*

*We want this, it is the index into the “officials” JSONArray (see the next section) which contains the details of the person that holds this office.*

*NOTE: There can be more than one index as time offices have multiple representatives.*

← *The above sections repeat many times, once per government office*



4) The "officials" JSONArray contains multiple instances of the following:

```

"officials": [
{
  "name": "Donald J. Trump",
  "address": [
    {
      "line1": "The White House",
      "line2": "1600 Pennsylvania Avenue NW",
      "city": "Washington",
      "state": "DC",
      "zip": "20500"
    }
  ],
  "party": "Republican",
  "phones": [
    "(202) 456-1111"
  ],
  "urls": [
    "http://www.whitehouse.gov/"
  ],
  "emails": [
    "email@address.com"
  ],
  "photoUrl": "https://www.whitehouse.gov/sites/whitehouse.gov/files/images/45/PE%20Color.jpg",
  "channels": [
    {
      "type": "GooglePlus",
      "id": "+whitehouse"
    },
    {
      "type": "Facebook",
      "id": "whitehouse"
    },
    {
      "type": "Twitter",
      "id": "whitehouse"
    },
    {
      "type": "YouTube",
      "id": "whitehouse"
    }
  ]
},
...
]

```

*This is the first JSONObject is the first official (index 0). This index corresponds to the "officialIndices" we found in the "offices" section earlier.*

*This is the name of the person that holds this office.*

*This is the Address (check for line1, line2 & line3 – concatenate them into one String), City, State & Zip Code of this person's office*

*This is the political party of this person: "Republican", "Democratic/ Democrat", or "Unknown". Note this section might also be omitted – consider that as party "Unknown".*

*This person's office phone number. There may be more than one – just use the first entry. Note this section might also be omitted.*

*This person's office web site. There may be more than one – just use the first entry. Note this section might also be omitted.*

*This person's office email address. There may be more than one – just use the first entry. Note this section might also be omitted.*

*This is the URL to the person's photo. Note this section might also be omitted. In this case, use a "place holder" photo.*

*These are the user ids for the related social media channels. There will be up to four entries. Possible entries are:*

- GooglePlus
- Facebook
- Twitter
- YouTube

*Some or all of these 4 items might be omitted.*

*... ← The above section repeats many times, once per government official. Remember – the first official in the JSONArray is index 0. The second official in this JSONArray is index 1, the third second official in this JSONArray is index 2, and so on.*



## Using Picasso for Photo Downloads

Downloading the photos of the officials in the Official Activity and the Photo Activity must use the [Picasso](#) library (as was discussed in class). Note that you can turn on the Picasso logging if necessary to get info on what the Picasso library is doing by adding the following to your code once you have created the Picasso object:

```
picasso.setLoggingEnabled(true);
```

## Social Media Implicit Intent Examples

The following are examples of how you should code the 4 social-media implicit intents (some of these have been seen already in earlier examples, but are reproduced here for convenience):

**Twitter** (example onClick method to be associated with the Twitter ImageView icon):

```
public void twitterClicked(View v) {
    Intent intent = null;
    String name = <the official's twitter id from download>;
    try {
        // get the Twitter app if possible
        getPackageManager().getPackageInfo("com.twitter.android", 0);
        intent = new Intent(Intent.ACTION_VIEW, Uri.parse("twitter://user?screen_name=" + name));
        intent.addFlags(Intent.FLAG_ACTIVITY_NEW_TASK);
    } catch (Exception e) {
        // no Twitter app, revert to browser
        intent = new Intent(Intent.ACTION_VIEW, Uri.parse("https://twitter.com/" + name));
    }
    startActivity(intent);
}
```

**Facebook** (example onClick method to be associated with the Facebook ImageView icon):

```
public void facebookClicked(View v) {
    String FACEBOOK_URL = "https://www.facebook.com/" + <the official's facebook id from download>;
    String urlToUse;

    PackageManager packageManager = getPackageManager();
    try {
        int versionCode = packageManager.getPackageInfo("com.facebook.katana", 0).versionCode;
        if (versionCode >= 3002850) { //newer versions of fb app
            urlToUse = "fb://facewebmodal/f?href=" + FACEBOOK_URL;
        } else { //older versions of fb app
            urlToUse = "fb://page/" + channels.get("Facebook");
        }
    } catch (PackageManager.NameNotFoundException e) {
        urlToUse = FACEBOOK_URL; //normal web url
    }
    Intent facebookIntent = new Intent(Intent.ACTION_VIEW);
    facebookIntent.setData(Uri.parse(urlToUse));
    startActivity(facebookIntent);
}
```





**GooglePlus** (example onClick method to be associated with the GooglePlus ImageView icon):

```
public void googlePlusClicked(View v) {
    String name = <the official's google plus id from download>;
    Intent intent = null;
    try {
        intent = new Intent(Intent.ACTION_VIEW);
        intent.setClassName("com.google.android.apps.plus",
            "com.google.android.apps.plus.phone.UrlGatewayActivity");
        intent.putExtra("customAppUri", name);
        startActivity(intent);
    } catch (ActivityNotFoundException e) {
        startActivity(new Intent(Intent.ACTION_VIEW,
            Uri.parse("https://plus.google.com/" + name)));
    }
}
```

**YouTube** (example onClick method to be associated with the YouTube ImageView icon):

```
public void youtubeClicked(View v) {
    String name = <the official's youtube id from download>;
    Intent intent = null;
    try {
        intent = new Intent(Intent.ACTION_VIEW);
        intent.setPackage("com.google.android.youtube");
        intent.setData(Uri.parse("https://www.youtube.com/" + name));
        startActivity(intent);
    } catch (ActivityNotFoundException e) {
        startActivity(new Intent(Intent.ACTION_VIEW,
            Uri.parse("https://www.youtube.com/" + name)));
    }
}
```

**NO LATE ASSIGNMENT 4 SUBMISSIONS WILL BE ACCEPTED**



### Provided Icons

To insure a consistent and professional appearance of our application, the following image files are being provided to you for use in this assignment. You can simply download them, add them to your Android Studio project, and use them with your ImageViews.

About Activity Background



Placeholder Image




Launcher Icon



Democratic Party Logo



Republican Party Logo



Default Official Image



Bad photo URL image



Separator Image (to add to the  
end of your list entry layout)



Facebook icon



GooglePlus icon



Twitter icon



YouTube icon



### Application Behavior Diagrams:

#### 1) App MainActivity

*On startup, the application should use the device's current location zip code to populate the list with officials.*

*Full location information comes from the normalizedInput section of the JSON download.*

*The "info" options menu item opens the "About" activity.*

*The "Location" options menu item opens an alert dialog that allows the user to enter a city/state or zip code manually.*


*Each political official entry displays the office (upper-left) and the official's name and political party (lower-right). The political party is in parenthesis.*

*A separator image should be added to the end of each list entry to create a nice break between entries.*


*Click on an entry to open the individual Representative Activity*

*There is no need for a long-press/click capability here.*


*RecyclerView list entries have their own layout*




2) Manually Setting the location:




3) Opening the About Activity



4) Viewing an individual Official:




5) Interactive links on the official's activity:



6) Viewing an individual Official's Photo Activity:

Click on the Photo to open the Photo Activity




7) If no location or no internet connection:

*On StartUp or new specified location query*

*Official Activity*

*Photo Activity*







### Extra Credit

Up to 20 points of extra credit will be awarded if you implement Up/Home Navigation (as previously discussed in class) in the *Official* Activity, the *Photo* Activity, and the *About* Activity. Up Nav should bring you back to the *Main* Activity. Points awarded depend upon the correct implementation of this feature.

### Assignment Assistance

If you are stuck on an assignment problem that you have exhaustively researched and/or debugged yourself, you can email me a ZIP file of your entire project so that I can examine the problem. All emailed assistance requests must include a detailed description of the problem, and the details of what steps you have already taken in trying to determine the source of the problem.

*Note: To make your submission zip file smaller, before zipping your project file, you can remove the ".gradle" folder (found in your project's root directory), and remove the "build" folder (found in the "app" folder in your project's root directory).*

### Submissions & Grading

#### **NO LATE ASSIGNMENT 4 SUBMISSIONS WILL BE ACCEPTED**

- 1) Submissions must consist of your zipped project folder (*please execute Build =>Clean Project before generating the zip file*).
- 2) Submissions should reflect the concepts and practices we cover in class, and the requirements specified in this document.
- 3) Grading will be based upon the presence and proper functionality of *all features and behaviors* described in this document.

#### **NOTE**

**This assignment is worth 400 points. This means (for example) that if you get 89% on this assignment, your recorded score will be:**

$$(89\% * 400 \text{ points} = 356 \text{ points})$$

#### **NO LATE ASSIGNMENT 4 SUBMISSIONS WILL BE ACCEPTED**

*If you do not understand anything in this handout, please ask.*

*Otherwise the assumption is that you understand the content.*

***Unsure? Ask!***