

Lemina

Generated by Doxygen 1.10.0

1 Lamina: A Molecular Dynamics Package				1
1.1 # Lamina		 	 	 1
1.2 Why "Lamina"?		 	 	 1
1.3 Key Features		 	 	 1
1.4 Interaction Potentials		 	 	 1
1.5 Thermostats and Temperature Control .		 	 	 2
1.6 Time Integration		 	 	 2
1.7 Physical Observables		 	 	 2
1.8 Output and Utilities		 	 	 2
1.9 Project Structure		 	 	 3
2 File Index				5
2.1 File List		 	 	 5
3 File Documentation				7
3.1 README.md File Reference		 	 	 7
3.2 source/AccumProps.c File Reference				7
3.2.1 Function Documentation				8
3.2.1.1 AccumProps()		 	 	 8
3.3 AccumProps.c				8
3.4 source/AccumVacf.c File Reference				9
3.4.1 Function Documentation				10
3.4.1.1 AccumVacf()		 	 	 10
3.4.1.2 Integrate()		 	 	 11
3.4.1.3 PrintVacf()		 	 	 11
3.4.1.4 ZeroVacf()		 	 	 12
3.5 AccumVacf.c		 	 	 12
3.6 source/AllocArrays.c File Reference		 	 	 13
3.6.1 Function Documentation		 	 	 14
3.6.1.1 AllocArrays()		 	 	 14
3.7 AllocArrays.c		 	 	 14
3.8 source/ApplyBoundaryCond.c File Refere	ence	 	 	 15
3.8.1 Function Documentation		 	 	 16
3.8.1.1 ApplyBoundaryCond()		 	 	 16
3.9 ApplyBoundaryCond.c		 	 	 17
3.10 source/ApplyDrivingForce.c File Referen	nce	 	 	 17
3.10.1 Function Documentation		 	 	 18
3.10.1.1 ApplyDrivingForce() .		 	 	 18
3.11 ApplyDrivingForce.c		 	 	 19
3.12 source/ApplyForce.c File Reference		 	 	 20
3.12.1 Function Documentation				20
3.12.1.1 ApplyForce()		 	 	 20
3.13 ApplyForce.c		 	 	 21

3.14 source/ApplyLeesEdwardsBoundaryCond.c File Reference	21
3.14.1 Function Documentation	22
3.14.1.1 ApplyLeesEdwardsBoundaryCond()	22
3.15 ApplyLeesEdwardsBoundaryCond.c	23
3.16 source/ApplyShear.c File Reference	23
3.16.1 Function Documentation	24
3.16.1.1 ApplyShear()	24
3.17 ApplyShear.c	24
3.18 source/ApplyViscous.c File Reference	25
3.18.1 Function Documentation	25
3.18.1.1 ApplyViscous()	25
3.19 ApplyViscous.c	26
3.20 source/BrownianStep.c File Reference	26
3.20.1 Function Documentation	27
3.20.1.1 BrownianStep()	27
3.21 BrownianStep.c	27
3.22 source/Close.c File Reference	28
3.22.1 Function Documentation	29
3.22.1.1 Close()	29
3.23 Close.c	30
3.24 source/ComputeBondForce.c File Reference	31
3.24.1 Function Documentation	32
	32
3.25 ComputeBondForce.c	34
3.26 source/ComputeBondForce.h File Reference	36
3.26.1 Function Documentation	36
3.26.1.1 ComputeBondForce()	36
3.27 ComputeBondForce.h	38
3.28 source/ComputeForcesCells.c File Reference	38
	39
3.28.1.1 ComputeForcesCells()	39
3.29 ComputeForcesCells.c	41
3.30 source/ComputePairForce.c File Reference	43
3.30.1 Function Documentation	43
3.30.1.1 ComputePairForce()	43
•	46
3.32 source/ComputePairForce.h File Reference	48
3.32.1 Function Documentation	49
·	49
and the property of the second	51
3.34 source/DisplaceAtoms.c File Reference	51
3.34.1 Function Documentation	52

3.34.1.1 DisplaceAtoms()	52
3.35 DisplaceAtoms.c	53
3.36 source/DumpBonds.c File Reference	53
3.36.1 Function Documentation	54
3.36.1.1 DumpBonds()	54
3.37 DumpBonds.c	54
3.38 source/DumpPairs.c File Reference	55
3.38.1 Function Documentation	55
3.38.1.1 DumpPairs()	55
3.39 DumpPairs.c	56
3.40 source/DumpRestart.c File Reference	57
3.40.1 Function Documentation	57
3.40.1.1 DumpRestart()	57
3.41 DumpRestart.c	58
3.42 source/DumpState.c File Reference	59
3.42.1 Function Documentation	60
3.42.1.1 DumpState()	60
3.43 DumpState.c	60
3.44 source/EvalCom.c File Reference	61
3.44.1 Function Documentation	62
3.44.1.1 EvalCom()	62
3.45 EvalCom.c	62
3.46 source/EvalProps.c File Reference	63
3.46.1 Function Documentation	64
3.46.1.1 EvalProps()	64
3.47 EvalProps.c	65
3.48 source/EvalRdf.c File Reference	65
3.48.1 Function Documentation	66
3.48.1.1 EvalRdf()	66
3.49 EvalRdf.c	67
3.50 source/EvalSpacetimeCorr.c File Reference	68
3.50.1 Function Documentation	68
3.50.1.1 EvalSpacetimeCorr()	68
3.51 EvalSpacetimeCorr.c	70
3.52 source/EvalUnwrap.c File Reference	71
3.52.1 Function Documentation	72
3.52.1.1 EvalUnwrap()	72
3.53 EvalUnwrap.c	73
3.54 source/EvalVacf.c File Reference	73
3.54.1 Function Documentation	74
3.54.1.1 AccumVacf()	74
3.54.1.2 EvalVacf()	75

3.55 EvalVacf.c	75
3.56 source/EvalVrms.c File Reference	76
3.56.1 Function Documentation	77
3.56.1.1 EvalVrms()	77
3.57 EvalVrms.c	77
3.58 source/global.h File Reference	78
3.58.1 Macro Definition Documentation	82
3.58.1.1 EXTERN	82
3.58.1.2 NDIM	82
3.58.1.3 SignR	83
3.58.1.4 Sqr	83
3.58.2 Typedef Documentation	83
3.58.2.1 real	83
3.58.3 Variable Documentation	83
3.58.3.1 atom1	83
3.58.3.2 atom2	83
3.58.3.3 atomID	83
3.58.3.4 atomIDInterface	84
3.58.3.5 atomMass	84
3.58.3.6 atomRadius	84
3.58.3.7 atomType	84
3.58.3.8 ax	84
3.58.3.9 ay	84
3.58.3.10 bond	85
3.58.3.11 BondEnergy	85
3.58.3.12 BondEnergyPerAtom	85
3.58.3.13 BondID	85
3.58.3.14 BondLength	85
3.58.3.15 BondType	85
3.58.3.16 cellList	85
3.58.3.17 cells	86
3.58.3.18 cfOrg	86
3.58.3.19 cfVal	86
3.58.3.20 com	86
3.58.3.21 ComX	86
3.58.3.22 ComX0	86
3.58.3.23 ComXRatio	86
3.58.3.24 ComY	87
3.58.3.25 ComY0	87
3.58.3.26 ComYRatio	87
3.58.3.27 countAcfAv	87
3.58.3.28 countCorrAv	87

3.58.3.29 countRdf
3.58.3.30 DampFlag
3.58.3.31 deltaT
3.58.3.32 DeltaVXij
3.58.3.33 DeltaVYij
3.58.3.34 DeltaX
3.58.3.35 DeltaXij
3.58.3.36 DeltaXijNew
3.58.3.37 DeltaXijOld
3.58.3.38 DeltaXijOldPair
3.58.3.39 DeltaY
3.58.3.40 DeltaYij
3.58.3.41 DeltaYijNew
3.58.3.42 DeltaYijOld
3.58.3.43 DeltaYijOldPair
3.58.3.44 density
3.58.3.45 discDragx
3.58.3.46 discDragy
3.58.3.47 dnsty
3.58.3.48 dump
3.58.3.49 dumpPairFlag
3.58.3.50 fax
3.58.3.51 fay 91
3.58.3.52 fpbond
3.58.3.53 fpcom
3.58.3.54 fpdnsty
3.58.3.55 fpdump
3.58.3.56 fpmomentum
3.58.3.57 fppair
3.58.3.58 fprdf
3.58.3.59 fpresult
3.58.3.60 fpstress
3.58.3.61 fpvisc
3.58.3.62 fpvrms
3.58.3.63 fpxyz
3.58.3.64 freezeAtomType
3.58.3.65 frfAtom
3.58.3.66 fuSum
3.58.3.67 fvirSum
3.58.3.68 fx
3.58.3.69 fxByfy
3.58.3.70 fy

3.58.3.71 FyBylx
3.58.3.72 gamman
3.58.3.73 HaltCondition
3.58.3.74 histRdf
3.58.3.75 ImageX
3.58.3.76 ImageY
3.58.3.77 indexAcf
3.58.3.78 indexCorr
3.58.3.79 initUcell
3.58.3.80 isBonded
3.58.3.81 kappa
3.58.3.82 kb
3.58.3.83 kinEnergy
3.58.3.84 Kn
3.58.3.85 limitAcfAv
3.58.3.86 limitCorrAv
3.58.3.87 limitRdf
3.58.3.88 master
3.58.3.89 molID
3.58.3.90 momentum
3.58.3.91 moreCycles
3.58.3.92 nAtom
3.58.3.93 nAtomBlock
3.58.3.94 nAtomInterface
3.58.3.95 nAtomType
3.58.3.96 nBond
3.58.3.97 nBondType
3.58.3.98 nBuffAcf
3.58.3.99 nBuffCorr
3.58.3.100 nDiscInterface
3.58.3.101 nFunCorr
3.58.3.102 nodeDragx
3.58.3.103 nodeDragy
3.58.3.104 nPairActive
3.58.3.105 nPairTotal
3.58.3.106 nValAcf
3.58.3.107 nValCorr
3.58.3.108 pair
3.58.3.109 Pairatom1
3.58.3.110 Pairatom2
3.58.3.111 PairID
3.58.3.112 PairXij

3.58.3.113 PairYij
3.58.3.114 potEnergy
3.58.3.115 prefix
3.58.3.116 pressure
3.58.3.117 RadiusIJ
3.58.3.118 RadiusIJInv
3.58.3.119 rangeRdf
3.58.3.120 rank
3.58.3.121 rCut
3.58.3.122 rdf
3.58.3.123 region
3.58.3.124 regionH
3.58.3.125 result
3.58.3.126 rfAtom
3.58.3.127 ro
3.58.3.128 rx
3.58.3.129 rxUnwrap
3.58.3.130 ry
3.58.3.131 ryUnwrap
3.58.3.132 shearDisplacement
3.58.3.133 shearVelocity
3.58.3.134 size
3.58.3.135 sizeHistRdf
3.58.3.136 sKinEnergy
3.58.3.137 solver
3.58.3.138 spacetimeCorr
3.58.3.139 spacetimeCorrAv
3.58.3.140 speed
3.58.3.141 sPotEnergy
3.58.3.142 sPressure
3.58.3.143 SqrRadiusIJ
3.58.3.144 ssKinEnergy
3.58.3.145 ssPotEnergy
3.58.3.146 ssPressure
3.58.3.147 ssTotEnergy
3.58.3.148 stepAcf
3.58.3.149 stepAvg
3.58.3.150 stepCorr
3.58.3.151 stepCount
3.58.3.152 stepDump
3.58.3.153 stepEquil
3.58.3.154 stepLimit

3.58.3.155 stepRdf
3.58.3.156 stepTraj
3.58.3.157 sTotEnergy
3.58.3.158 strain
3.58.3.159 strainRate
3.58.3.160 strech
3.58.3.161 stress
3.58.3.162 svirSum
3.58.3.163 thermo
3.58.3.164 timeNow
3.58.3.165 TotalBondEnergy
3.58.3.166 TotalMass
3.58.3.167 totEnergy
3.58.3.168 uSum
3.58.3.169 uSumPair
3.58.3.170 uSumPairPerAtom
3.58.3.171 virSum
3.58.3.172 virSumBond
3.58.3.173 virSumBondxx
3.58.3.174 virSumBondxy
3.58.3.175 virSumBondyy
3.58.3.176 virSumPair
3.58.3.177 virSumPairxx
3.58.3.178 virSumPairxy
3.58.3.179 virSumPairyy
3.58.3.180 virSumxx
3.58.3.181 virSumxy
3.58.3.182 virSumyy
3.58.3.183 visc
3.58.3.184 viscAcf
3.58.3.185 viscAcfAv
3.58.3.186 viscAcfInt
3.58.3.187 viscAcfOrg
3.58.3.188 VMeanSqr
3.58.3.189 vrms
3.58.3.190 VRootMeanSqr
3.58.3.191 VSqr
3.58.3.192 vSum
3.58.3.193 vSumX
3.58.3.194 vSumY
3.58.3.195 vvSum
3.58.3.196 vx

3.58.3.197 vy	113
3.58.3.198 xBoundary	113
3.58.3.199 xyz	114
3.58.3.200 yBoundary	114
3.59 global.h	114
3.60 source/globalExtern.h File Reference	116
3.60.1 Macro Definition Documentation	120
3.60.1.1 NDIM	120
3.60.1.2 SignR	120
3.60.1.3 Sqr	120
3.60.2 Typedef Documentation	120
3.60.2.1 real	120
3.60.3 Variable Documentation	120
3.60.3.1 atom1	120
3.60.3.2 atom2	120
3.60.3.3 atomID	120
3.60.3.4 atomIDInterface	121
3.60.3.5 atomMass	121
3.60.3.6 atomRadius	121
3.60.3.7 atomType	121
3.60.3.8 ax	121
3.60.3.9 ay	121
3.60.3.10 bond	121
3.60.3.11 BondEnergy	121
3.60.3.12 BondEnergyPerAtom	121
3.60.3.13 BondID	122
3.60.3.14 BondLength	122
3.60.3.15 BondType	122
3.60.3.16 cellList	122
3.60.3.17 cells	122
3.60.3.18 cfOrg	122
3.60.3.19 cfVal	122
3.60.3.20 com	122
3.60.3.21 ComX	122
3.60.3.22 ComX0	123
3.60.3.23 ComXRatio	123
3.60.3.24 ComY	123
3.60.3.25 ComY0	123
3.60.3.26 ComYRatio	123
3.60.3.27 countAcfAv	123
3.60.3.28 countCorrAv	123
3.60.3.29 countRdf	123

3.60.3.30 DampFlag
3.60.3.31 deltaT
3.60.3.32 DeltaVXij
3.60.3.33 DeltaVYij
3.60.3.34 DeltaX
3.60.3.35 DeltaXij
3.60.3.36 DeltaXijNew
3.60.3.37 DeltaXijOld
3.60.3.38 DeltaXijOldPair
3.60.3.39 DeltaY
3.60.3.40 DeltaYij
3.60.3.41 DeltaYijNew
3.60.3.42 DeltaYijOld
3.60.3.43 DeltaYijOldPair
3.60.3.44 density
3.60.3.45 discDragx
3.60.3.46 discDragy
3.60.3.47 dnsty
3.60.3.48 dump
3.60.3.49 dumpPairFlag
3.60.3.50 fax
3.60.3.51 fay
3.60.3.52 fpbond
3.60.3.53 fpcom
3.60.3.54 fpdnsty
3.60.3.55 fpdump
3.60.3.56 fpmomentum
3.60.3.57 fppair
3.60.3.58 fprdf
3.60.3.59 fpresult
3.60.3.60 fpstress
3.60.3.61 fpvisc
3.60.3.62 fpvrms
3.60.3.63 fpxyz
3.60.3.64 freezeAtomType
3.60.3.65 frfAtom
3.60.3.66 fuSum
3.60.3.67 fvirSum
3.60.3.68 fx
3.60.3.69 fxByfy
3.60.3.70 fy
3.60.3.71 FyBylx

3.60.3.72 gamman
3.60.3.73 HaltCondition
3.60.3.74 histRdf
3.60.3.75 ImageX
3.60.3.76 ImageY
3.60.3.77 indexAcf
3.60.3.78 indexCorr
3.60.3.79 initUcell
3.60.3.80 isBonded
3.60.3.81 kappa
3.60.3.82 kb
3.60.3.83 kinEnergy
3.60.3.84 Kn
3.60.3.85 limitAcfAv
3.60.3.86 limitCorrAv
3.60.3.87 limitRdf
3.60.3.88 master
3.60.3.89 molID
3.60.3.90 momentum
3.60.3.91 moreCycles
3.60.3.92 nAtom
3.60.3.93 nAtomBlock
3.60.3.94 nAtomInterface
3.60.3.95 nAtomType
3.60.3.96 nBond
3.60.3.97 nBondType
3.60.3.98 nBuffAcf
3.60.3.99 nBuffCorr
3.60.3.100 nDiscInterface
3.60.3.101 nFunCorr
3.60.3.102 nodeDragx
3.60.3.103 nodeDragy
3.60.3.104 nPairActive
3.60.3.105 nPairTotal
3.60.3.106 nValAcf
3.60.3.107 nValCorr
3.60.3.108 pair
3.60.3.109 Pairatom1
3.60.3.110 Pairatom2
3.60.3.111 PairID
3.60.3.112 PairXij
3.60.3.113 PairYij

3.60.3.114 potEnergy
3.60.3.115 prefix
3.60.3.116 pressure
3.60.3.117 RadiusIJ
3.60.3.118 RadiusIJInv
3.60.3.119 rangeRdf
3.60.3.120 rank
3.60.3.121 rCut
3.60.3.122 rdf
3.60.3.123 region
3.60.3.124 regionH
3.60.3.125 result
3.60.3.126 rfAtom
3.60.3.127 ro
3.60.3.128 rx
3.60.3.129 rxUnwrap
3.60.3.130 ry
3.60.3.131 ryUnwrap
3.60.3.132 shearDisplacement
3.60.3.133 shearVelocity
3.60.3.134 size
3.60.3.135 sizeHistRdf
3.60.3.136 sKinEnergy
3.60.3.137 solver
3.60.3.138 spacetimeCorr
3.60.3.139 spacetimeCorrAv
3.60.3.140 speed
3.60.3.141 sPotEnergy
3.60.3.142 sPressure
3.60.3.143 SqrRadiuslJ
3.60.3.144 ssKinEnergy
3.60.3.145 ssPotEnergy
3.60.3.146 ssPressure
3.60.3.147 ssTotEnergy
3.60.3.148 stepAcf
3.60.3.149 stepAvg
3.60.3.150 stepCorr
3.60.3.151 stepCount
3.60.3.152 stepDump
3.60.3.153 stepEquil
3.60.3.154 stepLimit
3.60.3.155 stepRdf

3.60.3.156 stepTraj
3.60.3.157 sTotEnergy
3.60.3.158 strain
3.60.3.159 strainRate
3.60.3.160 strech
3.60.3.161 stress
3.60.3.162 svirSum
3.60.3.163 timeNow
3.60.3.164 TotalBondEnergy
3.60.3.165 TotalMass
3.60.3.166 totEnergy
3.60.3.167 uSum
3.60.3.168 uSumPair
3.60.3.169 uSumPairPerAtom
3.60.3.170 virSum
3.60.3.171 virSumBond
3.60.3.172 virSumBondxx
3.60.3.173 virSumBondxy
3.60.3.174 virSumBondyy
3.60.3.175 virSumPair
3.60.3.176 virSumPairxx
3.60.3.177 virSumPairxy
3.60.3.178 virSumPairyy
3.60.3.179 virSumxx
3.60.3.180 virSumxy
3.60.3.181 virSumyy
3.60.3.182 visc
3.60.3.183 viscAcf
3.60.3.184 viscAcfAv
3.60.3.185 viscAcfInt
3.60.3.186 viscAcfOrg
3.60.3.187 VMeanSqr
3.60.3.188 vrms
3.60.3.189 VRootMeanSqr
3.60.3.190 VSqr
3.60.3.191 vSum
3.60.3.192 vSumX
3.60.3.193 vSumY
3.60.3.194 vvSum
3.60.3.195 vx
3.60.3.196 vy
3.60.3.197 xBoundary

3.60.3.198 xyz
3.60.3.199 yBoundary
3.61 globalExtern.h
3.62 source/Halt.c File Reference
3.62.1 Function Documentation
3.62.1.1 HaltConditionCheck()
3.63 Halt.c
3.64 source/Init.c File Reference
3.64.1 Function Documentation
3.64.1.1 Init()
3.65 Init.c
3.66 source/InitVacf.c File Reference
3.66.1 Function Documentation
3.66.1.1 InitVacf()
3.66.1.2 ZeroVacf()
3.67 InitVacf.c
3.68 source/Integrate.c File Reference
3.68.1 Function Documentation
3.68.1.1 Integrate()
3.69 Integrate.c
3.70 source/LeapfrogStep.c File Reference
3.70.1 Function Documentation
3.70.1.1 LeapfrogStep()
3.71 LeapfrogStep.c
3.72 source/main.c File Reference
3.72.1 Macro Definition Documentation
3.72.1.1 DEFINE_GLOBALS
3.72.2 Function Documentation
3.72.2.1 AccumProps()
3.72.2.2 ApplyBoundaryCond()
3.72.2.3 ApplyDrivingForce()
3.72.2.4 ApplyForce()
3.72.2.5 ApplyLeesEdwardsBoundaryCond()
3.72.2.6 ApplyShear()
3.72.2.7 ApplyViscous()
3.72.2.8 BrownianStep()
3.72.2.9 Close()
3.72.2.10 ComputeForcesCells()
3.72.2.11 DisplaceAtoms()
3.72.2.12 DumpBonds()
3.72.2.13 DumpPairs()
3.72.2.14 DumpRestart()

3.72.2.15 DumpState()
3.72.2.16 EvalCom()
3.72.2.17 EvalProps()
3.72.2.18 EvalRdf()
3.72.2.19 EvalSpacetimeCorr()
3.72.2.20 EvalUnwrap()
3.72.2.21 EvalVacf()
3.72.2.22 EvalVrms()
3.72.2.23 HaltConditionCheck()
3.72.2.24 Init()
3.72.2.25 LeapfrogStep()
3.72.2.26 main()
3.72.2.27 PrintCom()
3.72.2.28 PrintMomentum()
3.72.2.29 PrintStress()
3.72.2.30 PrintSummary()
3.72.2.31 PrintVrms()
3.72.2.32 SetupJob()
3.72.2.33 Trajectory()
3.72.2.34 VelocityVerletStep()
3.72.3 Variable Documentation
3.72.3.1 prefix
3.73 main.c
3.74 source/PrintCom.c File Reference
3.74.1 Function Documentation
3.74.1.1 PrintCom()
3.75 PrintCom.c
3.76 source/PrintMomentum.c File Reference
3.76.1 Function Documentation
3.76.1.1 PrintMomentum()
3.77 PrintMomentum.c
3.78 source/PrintStress.c File Reference
3.78.1 Function Documentation
3.78.1.1 PrintStress()
3.79 PrintStress.c
3.80 source/PrintSummary.c File Reference
3.80.1 Function Documentation
3.80.1.1 PrintSummary()
3.81 PrintSummary.c
3.82 source/PrintVacf.c File Reference
3.82.1 Function Documentation
3.82.1.1 PrintVacf()

Index	213
3.93 ZeroVacf.c	 212
3.92.1.1 ZeroVacf()	 212
3.92.1 Function Documentation	 212
3.92 source/ZeroVacf.c File Reference	 211
3.91 VelocityVerletStep.c	 210
3.90.1.1 VelocityVerletStep()	 209
3.90.1 Function Documentation	 209
3.90 source/VelocityVerletStep.c File Reference	 209
3.89 Trajectory.c	 208
3.88.1.1 Trajectory()	 207
3.88.1 Function Documentation	 207
3.88 source/Trajectory.c File Reference	 207
3.87 SetupJob.c	 206
3.86.1.4 SetupJob()	 205
3.86.1.3 InitVacf()	 205
3.86.1.2 AllocArrays()	 204
3.86.1.1 AccumProps()	 203
3.86.1 Function Documentation	 203
3.86 source/SetupJob.c File Reference	 202
3.85 PrintVrms.c	 202
3.84.1.1 PrintVrms()	 201
3.84.1 Function Documentation	 201
3.84 source/PrintVrms.c File Reference	 201
3.83 PrintVacf.c	 200

Chapter 1

Lamina: A Molecular Dynamics Package

Welcome to the Lamina documentation!

1.1 # Lamina

Lamina is a modular 2D molecular dynamics simulation package designed for simulating hybrid soft solids, including spring networks and finite-size discs. Lamina is a modular and extensible molecular dynamics (MD) simulation package written in C, designed to model a wide variety of soft and condensed matter systems. It supports time evolution using robust integrators and a range of thermostats, with accurate force evaluations for bonded and non-bonded interactions. Originally built for 2D simulations of bonded systems, Lamina has grown to support broader research goals including active matter, granular solids, and complex fluids.

1.2 Why "Lamina"?

The word **Lamina** comes from Latin, meaning "a thin layer", "a plate", or "a sheet". In nature and science, laminae often refer to structural elements that are flat and extended in two dimensions for example, leaves, thin metal sheets, or tissue membranes.

This name reflects both the **two-dimensional** (2D) nature of the simulations and the types of materials **Lamina** is built to study; **liquids**, **soft solids**, and **networked structures** confined to thin sheets or layers. Just as natural laminae exhibit rich structural and dynamic behaviors in a seemingly simple geometry, this code is designed to explore the complexity of emergent phenomena in 2D materials and soft matter systems.

1.3 Key Features

1.4 Interaction Potentials

- Yukawa potential (screened Coulomb interactions)
- Lennard-Jones potential (standard 12-6)
- Harmonic bond potential (elastic network models)
- Hookean granular contact potential (for soft granular matter)

1.5 Thermostats and Temperature Control

- · Gaussian thermostat
- · Nose-Hoover thermostat
- · Langevin thermostat
- · Configurational temperature evaluation and control

1.6 Time Integration

- · Leap-Frog integrator
- · Velocity-Verlet integrator
- · Langevin (stochastic) integrator
- · Brownian (overdamped) interator

1.7 Physical Observables

- · Radial Distribution Function (RDF)
- · Velocity Autocorrelation Function (VACF)
- · Root-Mean-Square Velocity (VRMS)
- · Stress tensor and momentum
- · Center-of-mass motion
- · Space-time correlation functions

1.8 Output and Utilities

- The output files are saved at the ../output folder. So you have a make a directory ../ location from where you are running the code.
- · Command to run ./main prefix
- Structured output files (.xyz, .bond, .pair, .com, .result)
- Restart and resume capability (.restart and .state files)
- · Clean separation of source code, unit tests, and output
- Support for Lees-Edwards boundary conditions (sheared systems)
- Configurable halting conditions (based on VRMS or custom metric)
- · Modular design for easy extension of potentials and features

1.9 Project Structure 3

1.9 Project Structure

```
Lamina/
                             # All C source files; avoid placing README.md here to prevent extra re
  |- source/
      |- main.c
                             # Main driver
      |- main.c
|- *.c, *.h
                             # Modular source files
                             # Unit test suite (planned or implemented)
  |- unittest/
                            # Individual test cases
     |- test_*.c
                        # All runtime output files will be saved here
  |- output/
     prepros/  # Preprocessing scripts or tools
|-*.sh, *.py  # Example preprocessing scripts (shell, python, etc.)
postpros/  # Postprocessing scripts or tools
|-*.sh, *.py  # Example postprocessing scripts (shell, python, etc.)
doxygen/  # Doxygen configuration and auxiliary files
  |- prepros/
  |- postpros/
  |- doxygen/
      |- extra_stylesheet.css # Optional CSS to customize HTML output (e.g., hide Related Pages to
                            # All figures, logos, icons used in docs and code
      |- docs/
                            # Generated documentation output (HTML, LaTeX, PDFs)
      |- html/
                            # Doxygen-generated HTML documentation
      |- latex/
                            # Doxygen-generated LaTeX source files
      |- refman.pdf
                            # Generated PDF documentation (from LaTeX)
  |- Makefile
                             # Build system
  - README.md
                             # Main project documentation (used as main page in Doxygen)
```

Documentation

- Browse full HTML documentation
- Download Source code PDF manual
- User manual Physics PDF manual
- This documentation was generated using Doxygen 1.10.0 to ensure transparency and ease of review.

Chapter 2

File Index

2.1 File List

Here is a list of all files with brief descriptions:

source/AccumProps.c	7
source/AccumVacf.c	9
source/AllocArrays.c	13
source/ApplyBoundaryCond.c	15
source/ApplyDrivingForce.c	17
source/ApplyForce.c	20
source/ApplyLeesEdwardsBoundaryCond.c	21
source/ApplyShear.c	23
source/ApplyViscous.c	25
source/BrownianStep.c	26
source/Close.c	28
source/ComputeBondForce.c	31
source/ComputeBondForce.h	36
source/ComputeForcesCells.c	38
source/ComputePairForce.c	43
source/ComputePairForce.h	48
source/DisplaceAtoms.c	51
source/DumpBonds.c	53
source/DumpPairs.c	55
source/DumpRestart.c	57
source/DumpState.c	59
source/EvalCom.c	31
source/EvalProps.c	33
source/EvalRdf.c	35
source/EvalSpacetimeCorr.c	38
source/EvalUnwrap.c	71
source/EvalVacf.c	73
source/EvalVrms.c	76
source/global.h	78
source/globalExtern.h	16
source/Halt.c	1 5
source/Init.c	1 7
source/InitVacf.c	54
source/Integrate.c	57
source/LeapfrogStep.c	

6 File Index

ce/main.c
ce/PrintCom.c
ce/PrintMomentum.c
ce/PrintStress.c
ce/PrintSummary.c
ce/PrintVacf.c
ce/PrintVrms.c
ce/SetupJob.c
ce/Trajectory.c
ce/VelocityVerletStep.c
co/ZeroVacfic


Chapter 3

File Documentation

3.1 README.md File Reference

3.2 source/AccumProps.c File Reference

```
#include <stdio.h>
#include <math.h>
#include "global.h"
Include dependency graph for AccumProps.c:
```



Functions

• void AccumProps (int icode)

3.2.1 Function Documentation

3.2.1.1 AccumProps()

```
void AccumProps (
          int icode )
```

Definition at line 25 of file AccumProps.c.

References kinEnergy, potEnergy, pressure, sKinEnergy, sPotEnergy, sPressure, Sqr, ssKinEnergy, ssPotEnergy, ssPressure, ssTotEnergy, stepAvg, sTotEnergy, svirSum, totEnergy, and virSum.

Referenced by SetupJob().

Here is the caller graph for this function:



3.3 AccumProps.c


Go to the documentation of this file.

```
00001 /*
00002 * This file is part of Lamina.
00003 *
00004 * Lamina is free software: you can redistribute it and/or modify
00005 * it under the terms of the GNU General Public License as published by
00006 * the Free Software Foundation, either version 3 of the License, or
00007 * (at your option) any later version.
00008 *
00009 * Lamina is distributed in the hope that it will be useful,
00010 * but WITHOUT ANY WARRANTY; without even the implied warranty of
```

```
00011 * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012 * GNU General Public License for more details.
00013 *
00014 \,\, * You should have received a copy of the GNU General Public License 00015 \,\, * along with Lamina. If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00016
00017 Copyright (C) 2025 Harish Charan, University of Durham, UK
00018
00019 */
00020
00021 #include<stdio.h>
00022 #include<math.h>
00023 #include"global.h"
00025 void AccumProps(int icode){
00026 if(icode == 0){
00027 sPotEnergy = ssPotEnergy = 0.;
00028 sKinEnergy = ssKinEnergy = 0.;
00029 sPressure = ssPressure = 0.;
00037 sTotEnergy += totEnergy;
00038 ssTotEnergy += Sqr(totEnergy);
00039 sPressure += pressure;
00040 ssPressure += Sqr(pressure);
00041 svirSum += virSum;
00042 }else if(icode == 2) {
00043 sPotEnergy /= stepAvg;
00044 ssPotEnergy /= sqrt(ssPotEnergy/stepAvg - Sqr(sPotEnergy));
00045 sTotEnergy /= stepAvg;
00045 sTotEnergy /= stepAvg;
00046 ssTotEnergy = sqrt(ssTotEnergy/stepAvg - Sqr(sTotEnergy));
00047 sKinEnergy /= stepAvg;
00048 ssKinEnergy = sqrt(ssKinEnergy/stepAvg - Sqr(sKinEnergy));
00049 sPressure /= stepAvg;
00050 ssPressure = sqrt(ssPressure/stepAvg - Sqr(sPressure));
00051 svirSum /= stepAvg;
00052 } }
```

3.4 source/AccumVacf.c File Reference

```
#include <stdio.h>
#include "global.h"
Include dependency graph for AccumVacf.c:
```



Functions

- double Integrate (double *, int)
- void PrintVacf ()
- void ZeroVacf ()
- void AccumVacf ()

3.4.1 Function Documentation

3.4.1.1 AccumVacf()


```
void AccumVacf ( )
```

Definition at line 27 of file AccumVacf.c.

References countAcfAv, deltaT, indexAcf, Integrate(), kinEnergy, limitAcfAv, nBuffAcf, nValAcf, PrintVacf(), region, stepAcf, viscAcf, viscAcfAv, viscAcfInt, and ZeroVacf().

Referenced by EvalVacf().

Here is the call graph for this function:



Here is the caller graph for this function:



3.4.1.2 Integrate()

```
double Integrate ( \label{eq:condition} \operatorname{double} \ * \ f \text{,} int nf )
```

Definition at line 25 of file Integrate.c.

```
00025

00026 double s;

00027 int i;

00028 s = 0.5*(f[1] + f[nf]);

00029 for(i = 2; i <= nf - 1; i ++)


00030 s += f[i];

00031 return(s);

00032 }
```

Referenced by AccumVacf().

Here is the caller graph for this function:



3.4.1.3 PrintVacf()


```
void PrintVacf ( )
```

Definition at line 25 of file PrintVacf.c.

References deltaT, fpvisc, nValAcf, stepAcf, viscAcfAv, and viscAcfInt.

Referenced by AccumVacf().

Here is the caller graph for this function:



3.4.1.4 ZeroVacf()

```
void ZeroVacf ( )
```

Definition at line 25 of file ZeroVacf.c.

```
00025 {
00026 int j;
00027 countAcfAv= 0;
00028 for(j = 1; j <= nValAcf; j ++)
00029 viscAcfAv[j] = 0;
00030 }
```

References countAcfAv, nValAcf, and viscAcfAv.

Referenced by AccumVacf().

Here is the caller graph for this function:



3.5 AccumVacf.c


Go to the documentation of this file.

```
00001 /*
00002 * This file is part of Lamina.
00003 *
00004 * Lamina is free software: you can redistribute it and/or modify
00005 * it under the terms of the GNU General Public License as published by
00006 * the Free Software Foundation, either version 3 of the License, or
00007 * (at your option) any later version.
00008 *
00009 * Lamina is distributed in the hope that it will be useful,
00010 * but WITHOUT ANY WARRANTY; without even the implied warranty of
00011 * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
```

```
00012 * GNU General Public License for more details.
00013
00014 \,\,\star\,\, You should have received a copy of the GNU General Public License
00015 \star along with Lamina. If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00016
00017 Copyright (C) 2025 Harish Charan, University of Durham, UK
00019
00020
00021 #include<stdio.h>
00022 #include"global.h"
00023
00024 double Integrate(double *, int);
00025 void PrintVacf();
00026 void ZeroVacf();
00027 void AccumVacf() {
00028 double fac;
00020 int j, nb;
00030 for(nb = 1; nb <= nBuffAcf; nb ++){
         if(indexAcf[nb] == nValAcf) {
  for(j = 1; j <= nValAcf; j ++) {
    viscAcfAv[j] += viscAcf[nb][j];</pre>
00032
00033
00034
00035
         indexAcf[nb] = 0;
         countAcfAv ++;
if (countAcfAv == limitAcfAv) {
00036
00038
          fac = 1./(kinEnergy*region[1]*region[2]*limitAcfAv);
00039
          viscAcfInt = fac*stepAcf*deltaT*Integrate(viscAcfAv, nValAcf);
00040
          PrintVacf();
00041
          ZeroVacf();
00042 } } }
00043
```

3.6 source/AllocArrays.c File Reference

```
#include <stdio.h>
#include <stdlib.h>
#include "global.h"
Include dependency graph for AllocArrays.c:
```



Functions

· void AllocArrays ()

3.6.1 Function Documentation

3.6.1.1 AllocArrays()

```
void AllocArrays ( )
```

Definition at line 25 of file AllocArrays.c.

```
00026
       // SPACETIME CORRELATIONS
00027
       cfOrg = (double **) malloc ((nBuffCorr+1)*sizeof(double *));
00028
       for (n = 0; n <= nBuffCorr; n++)</pre>
00029
        cfOrg[n] = (double *) malloc ((2*nFunCorr+1)*sizeof(double));
00032 cfVal = (double *) malloc ((2*nFunCorr+1)*sizeof(double));
00033 indexCorr = (int *) malloc ((nBuffCorr+1)*sizeof(int));
00034
00035 spacetimeCorr = (double **) malloc ((nBuffCorr+1)*sizeof(double));
00036 for (n = 0; n <= nBuffCorr; n++)
00037 spacetimeCorr[n] = (double *) malloc ((nFunCorr*nValCorr+1)*sizeof(double));
00038
00039
       spacetimeCorrAv = (double *) malloc ((nFunCorr*nValCorr+1)*sizeof(double));
00040 // VISCOSITY
00041 indexAcf = (double *)malloc((nBuffAcf+1)*sizeof(double));
00042 viscAcf = (double **)malloc((nBuffAcf+1)*sizeof(double *));
00043 for (n = 0 ; n \le nBuffAcf ; n ++)
00044
        viscAcf[n] = (double *)malloc((nValAcf+1)*sizeof(double ));
00045
00046  viscAcfOrg = (double *)malloc((nBuffAcf+1)*sizeof(double));
00047  viscAcfAv = (double *)malloc((nValAcf+1)*sizeof(double));
00048
00050
        histRdf = (double *)malloc((sizeHistRdf+1)*sizeof(double));
00051 }
```

References cfOrg, cfVal, histRdf, indexAcf, indexCorr, nBuffAcf, nBuffCorr, nFunCorr, nValAcf, nValCorr, sizeHistRdf, spacetimeCorr, spacetimeCorrAv, viscAcf, viscAcfAv, and viscAcfOrg.

Referenced by SetupJob().

Here is the caller graph for this function:



3.7 AllocArrays.c

Go to the documentation of this file.


```
00002
      * This file is part of Lamina.
00003
00004
       * Lamina is free software: you can redistribute it and/or modify * it under the terms of the GNU General Public License as published by
00005
       * the Free Software Foundation, either version 3 of the License, or
00007
       * (at your option) any later version.
80000
00009 \star Lamina is distributed in the hope that it will be useful,
00010 * but WITHOUT ANY WARRANTY; without even the implied warranty of
00011 * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012
       * GNU General Public License for more details.
00013
```

```
00014 \,\star\, You should have received a copy of the GNU General Public License
00015 * along with Lamina. If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00016
00017 Copyright (C) 2025 Harish Charan, University of Durham, UK
00018
00019
00021 #include<stdio.h>
00022 #include<stdlib.h>
00023 #include"global.h"
00024
00025 void AllocArrays() {
00026 int n;
00027 // SPACETIME CORRELATIONS
00028 cfOrg = (double **) malloc ((nBuffCorr+1)*sizeof(double *));
00029 for (n = 0; n <= nBuffCorr; n++)</pre>
        cfOrg[n] = (double *) malloc ((2*nFunCorr+1)*sizeof(double));
00030
00031
00032 cfVal = (double *) malloc ((2*nFunCorr+1)*sizeof(double));
00033 indexCorr = (int *) malloc ((nBuffCorr+1)*sizeof(int));
00034
00035 spacetimeCorr = (double **) malloc ((nBuffCorr+1)*sizeof(double));
00036 for (n = 0; n <= nBuffCorr; n++)
00037 spacetimeCorr[n] = (double *) malloc ((nFunCorr*nValCorr+1)*sizeof(double));
00038
00039 spacetimeCorrAv = (double *) malloc ((nFunCorr*nValCorr+1)*sizeof(double));
00040 // VISCOSITY
00041 indexAcf = (double *)malloc((nBuffAcf+1)*sizeof(double));
00042 viscAcf = (double **)malloc((nBuffAcf+1)*sizeof(double *));
00043 for(n = 0; n <= nBuffAcf; n ++)
00044
        viscAcf[n] = (double *)malloc((nValAcf+1)*sizeof(double ));
00045
00046 viscAcfOrg = (double *)malloc((nBuffAcf+1)*sizeof(double));
00047
       viscAcfAv = (double *)malloc((nValAcf+1)*sizeof(double));
00048
00049
00050
        histRdf = (double *)malloc((sizeHistRdf+1)*sizeof(double));
00051 }
```

3.8 source/ApplyBoundaryCond.c File Reference

```
#include <stdio.h>
#include <stdlib.h>
#include <string.h>
#include <math.h>
#include "global.h"
```

Include dependency graph for ApplyBoundaryCond.c:



Functions

· void ApplyBoundaryCond ()

3.8.1 Function Documentation

3.8.1.1 ApplyBoundaryCond()

```
void ApplyBoundaryCond ( )
```

Definition at line 27 of file ApplyBoundaryCond.c.

```
00029
         for(n = 1; n <= nAtom; n ++) {</pre>
00030
         if(strcmp(xBoundary, "p") == 0 && strcmp(yBoundary, "p") == 0){
                                                                                            // P.B.C along x and y axis
          rx[n] -= region[1]*rint(rx[n]/region[1]);
ry[n] -= region[2]*rint(ry[n]/region[2]);
} else if (strcmp(xBoundary, "r") == 0 && strcmp(yBoundary, "r") == 0) { //R.B.C. along x and y
00031
00032
00033
      axis
00034
             if((rx[n] + atomRadius[n]) >= regionH[1]){
00035
                rx[n] = 0.999999*regionH[1] - atomRadius[n]; vx[n] = -vx[n];
00036
             }if((rx[n]-atomRadius[n]) < -regionH[1]){</pre>
                rx[n] = -0.999999*regionH[1] + atomRadius[n]; vx[n] = -vx[n];
00037
00038
            if((ry[n] + atomRadius[n])>= regionH[2]){
00039
            ry[n] = 0.999999*regionH[2] - atomRadius[n]; vy[n] = -vy[n]; if((ry[n]-atomRadius[n]) < -regionH[2]){
00040
00041
00042
               ry[n] = -0.999999 * regionH[2] + atomRadius[n]; vy[n] = -vy[n];
00043
           else if (strcmp(xBoundary, "p") == 0 && strcmp(yBoundary, "r") == 0){      //P.B.C. along x and R.B.C
00044
      along v axis
00045
          rx[n] -= region[1]*rint(rx[n]/region[1]);
00046
            if((ry[n] + atomRadius[n]) >= regionH[2]){
            ry[n] = 0.999999*regionH[2] - atomRadius[n]; vy[n] = -vy[n] ;
}if((ry[n] - atomRadius[n]) < -regionH[2]){</pre>
00047
00048
                ry[n] = -0.999999 * regionH[2] + atomRadius[n]; vy[n] = -vy[n];
00049
00050
00051
           else if(strcmp(xBoundary, "r") == 0 && strcmp(yBoundary, "p") == 0){     //R.B.C. along x and P.B.C
      along y axis
00052
           if((rx[n] + atomRadius[n]) >= regionH[1]){
            rx[n] = 0.999999*regionH[1] - atomRadius[n]; vx[n] = -vx[n]; 
}if((rx[n] - atomRadius[n]) < -regionH[1]){
00053
00054
             rx[n] = -0.999999 * regionH[1] + atomRadius[n]; vx[n] = -vx[n];
00055
00056
00057
             ry[n] -= region[2]*rint(ry[n]/region[2]);
00058
00059
           // Print error message and exit the program
           fprintf(fpresult, "Error: Invalid boundary configuration: '%s %s'\n", xBoundary, yBoundary); exit(EXIT_FAILURE); // Exit with failure status
00060
00061
00062
00063
00064 }
```

References atomRadius, fpresult, nAtom, region, regionH, rx, ry, vx, vy, xBoundary, and yBoundary.

Referenced by main().

Here is the caller graph for this function:



3.9 ApplyBoundaryCond.c


```
Go to the documentation of this file.
00001 /*
00002
       * This file is part of Lamina.
00003
00004
       * Lamina is free software: you can redistribute it and/or modify
      * it under the terms of the GNU General Public License as published by
00005
00006
       * the Free Software Foundation, either version 3 of the License, or
00007 \star (at your option) any later version.
00008 *
00009 * Lamina is distributed in the hope that it will be useful.
00010 * but WITHOUT ANY WARRANTY; without even the implied warranty of
00011 * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012 * GNU General Public License for more details.
00013 *
00014 \,\, * You should have received a copy of the GNU General Public License 00015 \,\, * along with Lamina. If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00016
00017 Copyright (C) 2025 Harish Charan, University of Durham, UK
00018
00019 */
00020
00021 #include<stdio.h>
00022 #include<stdlib.h>
00023 #include<string.h>
00024 #include<math.h>
00025 #include"global.h"
00026
00027 void ApplyBoundaryCond() {
00028
        int n:
        for (n = 1 ; n \le nAtom ; n ++) {
         if(strcmp(xBoundary, "p") == 0 && strcmp(yBoundary, "p") == 0){
                                                                               // P.B.C along x and v axis
        rx[n] -= region[1]*rint(rx[n]/region[1]);
ry[n] -= region[2]*rint(ry[n]/region[2]);
} else if (strcmp(xBoundary, "r") == 0 && strcmp(yBoundary, "r") == 0) { //R.B.C. along x and y
00031
00032
00033
     axis
00034
           if((rx[n] + atomRadius[n]) >= regionH[1]){
00035
              rx[n] = 0.999999*regionH[1] - atomRadius[n]; vx[n] = -vx[n];
00036
           if((rx[n]-atomRadius[n]) < -regionH[1]){
00037
             rx[n] = -0.999999*regionH[1] + atomRadius[n]; vx[n] = -vx[n];
00038
00039
           if((ry[n] + atomRadius[n])>= regionH[2]){
              ry[n] = 0.999999*regionH[2] - atomRadius[n]; vy[n] = -vy[n];
00041
           }if((ry[n]-atomRadius[n]) < -regionH[2]){</pre>
00042
             ry[n] = -0.999999*regionH[2] + atomRadius[n]; vy[n] = -vy[n];
00043
          00044
     along y axis
00045
          rx[n] -= region[1]*rint(rx[n]/region[1]);
          if((ry[n] + atomRadius[n]) >= regionH[2]){
00046
           ry[n] = 0.999999*regionH[2] - atomRadius[n]; vy[n] = -vy[n] ;
}if((ry[n] - atomRadius[n]) < -regionH[2]){</pre>
00047
00048
               ry[n] = -0.999999*regionH[2] + atomRadius[n]; vy[n] = -vy[n];
00049
00050
          else if(strcmp(xBoundary, "r") == 0 && strcmp(yBoundary, "p") == 0){ //R.B.C. along x and P.B.C
00051
     along y axis
          if((rx[n] + atomRadius[n]) >= regionH[1]){
00052
00053
             rx[n] = 0.999999*regionH[1] - atomRadius[n]; vx[n] = -vx[n];
00054
            \inf((rx[n] - atomRadius[n]) < -regionH[1]){
            rx[n] = -0.999999*regionH[1] + atomRadius[n]; vx[n] = -vx[n];
00055
00056
           ry[n] -= region[2]*rint(ry[n]/region[2]);
00058
00059
          // Print error message and exit the program
00060
          fprintf(fpresult, "Error: Invalid boundary configuration: '%s %s'\n", xBoundary, yBoundary);
00061
          exit(EXIT_FAILURE); // Exit with failure status
00062
00063
       }
00064 }
```

3.10 source/ApplyDrivingForce.c File Reference

```
#include <stdio.h>
#include <stdlib.h>
```

```
#include "global.h"
```

Include dependency graph for ApplyDrivingForce.c:



Functions

• void ApplyDrivingForce ()

3.10.1 Function Documentation

3.10.1.1 ApplyDrivingForce()

```
void ApplyDrivingForce ( )
```

Definition at line 25 of file ApplyDrivingForce.c.

```
00026 int n;
double Vxblock, Vyblock;

00027 double Vxblock, Vyblock;

00028 double Vxsubstrate, Vysubstrate;

00029 Vxblock = 0.0; Vyblock = 0.0;

00030 Vxsubstrate = 0.0; Vysubstrate = 0.0;
00031 double gammav;
00032 gammav = 0.0;
00033
00033 double count_substrate = 0;
00035 double count_block = 0;
00036
00037
             for (n = 1 ; n \le nAtom; n ++) {
              if(atomType[n] == 1 || atomType[n] == 2){
Vxsubstrate += vx[n]; Vysubstrate += vy[n];
count_substrate++;
00038
00039
00040
00041
              if (atomType[n] == 3 || atomType[n] == 4) {
Vxblock += vx[n]; Vyblock += vy[n];
00042
00043
0\, 0\, 0\, 4\, 4
              count_block++;
00045
00046
00047
              if(count_substrate > 0) {
                 Vxsubstrate /= count_substrate;
Vysubstrate /= count_substrate;
00048
00049
00050
00051
00052
              if(count_block > 0) {
  Vxblock /= count_block;
  Vyblock /= count_block;
00053
00054
00055
```

```
00056
00057
for(n = 1; n <= nAtom; n ++) {
00058
if(atomType[n] == 1 || atomType[n] == 2) {
00059
ax[n] += -gammav * (vx[n] - Vxsubstrate);
00061
ay[n] += -gammav * (vy[n] - Vysubstrate);
00061
}
00063
ax[n] += -gammav * (vx[n] - Vxblock);
00064
ay[n] += -gammav * (vy[n] - Vyblock);
00065
} } }
</pre>
```

References atomType, ax, ay, nAtom, vx, and vy.


3.11 ApplyDrivingForce.c

```
00001 /*
00002 * This file is part of Lamina.
00003 *
       * Lamina is free software: you can redistribute it and/or modify
00005
        \star it under the terms of the GNU General Public License as published by
00006 \star the Free Software Foundation, either version 3 of the License, or
00007 \star (at your option) any later version.
00008 *
00009 * Lamina is distributed in the hope that it will be useful,
00010 * but WITHOUT ANY WARRANTY; without even the implied warranty of
00011 * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012 \star GNU General Public License for more details.
* 00013 * 00014 * You should have received a copy of the GNU General Public License 00015 * along with Lamina. If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00016
00017 Copyright (C) 2025 Harish Charan, University of Durham, UK
00018
00019
00020
00021 #include<stdio.h>
00022 #include<stdlib.h>
00023 #include"global.h"
00024
00025 void ApplyDrivingForce(){
00026 int n;
00027 double Vxblock, Vyblock;
00028 double Vxsubstrate, Vysubstrate;
00029 Vxblock = 0.0; Vyblock = 0.0;
00030 Vxsubstrate = 0.0; Vysubstrate = 0.0;
00031 double gammav;
00032 gammav = 0.0;
00033
00034 double count_substrate = 0;
00035 double count_block = 0;
00036
00037
        for(n = 1 ; n <= nAtom; n ++) {</pre>
        if (atomType[n] == 1 || atomType[n] == 2) {
Vxsubstrate += vx[n]; Vysubstrate += vy[n];
00038
00039
00040
         count substrate++;
00041
00042
          if(atomType[n] == 3 || atomType[n] == 4){
00043
         Vxblock += vx[n]; Vyblock += vy[n];
         count_block++;
00044
00045
         } }
00046
00047
         if(count_substrate > 0) {
          Vxsubstrate /= count_substrate;
Vysubstrate /= count_substrate;
00048
00049
00050
00051
00052
         if(count_block > 0) {
00053
          Vxblock /= count_block;
         Vyblock /= count_block;
00054
00055
00056
00057
        for (n = 1 ; n \le nAtom; n ++) {
         if(n = 1; n <= natom; n ++){
  if(atomType[n] == 1 || atomType[n] == 2){
  ax[n] += -gammav * (vx[n] - Vxsubstrate);</pre>
00058
00059
         ay[n] += -gammav * (vy[n] - Vysubstrate);
00060
00061
00062
         if(atomType[n] == 3 || atomType[n] == 4){
        00063
00064
00065
        } } }
00066
00067
```

3.12 source/ApplyForce.c File Reference

```
#include <stdio.h>
#include <stdlib.h>
#include "global.h"
```

Include dependency graph for ApplyForce.c:



Functions

• void ApplyForce ()

3.12.1 Function Documentation

3.12.1.1 ApplyForce()

```
void ApplyForce ( )
```

Definition at line 25 of file ApplyForce.c.

```
00025 {
00026 int n;
00027 double lx;
00028 lx = regionH[1];
00029 fy = (FyBylx * lx)/nAtomBlock;
00030 fx = fxByfy * fy;
00031 for(n = 1; n <= nAtom; n ++) {
00032 if(molID[n] == 2) {
00033 ax[n] += fx;
00034 ay[n] -= fy;
00035 } }
```

References ax, ay, fx, fxByfy, fy, FyBylx, molID, nAtom, nAtomBlock, and regionH.

Referenced by main().

3.13 ApplyForce.c 21

Here is the caller graph for this function:



3.13 ApplyForce.c

Go to the documentation of this file.

```
00002
          * This file is part of Lamina.
00003
00004
          * Lamina is free software: you can redistribute it and/or modify
         * it under the terms of the GNU General Public License as published by * the Free Software Foundation, either version 3 of the License, or
00005
00006
00007 * (at your option) any later version.
00009 * Lamina is distributed in the hope that it will be useful,
00010 \,\,\star\, but WITHOUT ANY WARRANTY; without even the implied warranty of 00011 \,\,\star\, MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012 \,\, * GNU General Public License for more details. 00013 \,\, *
00014 * You should have received a copy of the GNU General Public License 00015 * along with Lamina. If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00016
00017 Copyright (C) 2025 Harish Charan, University of Durham, UK
00018
00019 */
00020
00021 #include<stdio.h>
00022 #include<stdlib.h>
00023 #include"global.h"
00024
00025 void ApplyForce(){
00026 int n;
00027 double lx;
00027 double 1x;

00028 lx = regionH[1];

00029 fy = (FyBylx * lx)/nAtomBlock;

00030 fx = fxByfy * fy;


00031 for(n = 1; n <= nAtom; n ++) {

00032 if(molID[n] == 2) {
00033 ax[n] += fx;
00034 ay[n] -= fy;
00035 } }
```

3.14 source/ApplyLeesEdwardsBoundaryCond.c File Reference

```
#include <stdio.h>
#include <math.h>
#include "global.h"
```

Include dependency graph for ApplyLeesEdwardsBoundaryCond.c:



Functions

void ApplyLeesEdwardsBoundaryCond ()

3.14.1 Function Documentation

3.14.1.1 ApplyLeesEdwardsBoundaryCond()

```
void ApplyLeesEdwardsBoundaryCond ( )
```

Definition at line 25 of file ApplyLeesEdwardsBoundaryCond.c.

```
00026 int n;
00027 for (n = 1; n <= nAtom; n++) {
00028 //PBC along x-direction
00029 if(rx[n] >= regionH[1])
00030 rx[n] -= region[1];
00031 else if(rx[n] < -regionH[1])
00032
               rx[n] += region[1];
00033
00034 //LEBC along y-direction
00035 if(ry[n] >= regionH[2]){
00036    rx[n] -= shearDisplacement;
             if(rx[n] < -regionH[1]) rx[n] += region[1];
//vx[n] -= shearVelocity;
ry[n] -= region[2];
}else if(ry[n] < -regionH[2]) {
rx[n] += shearDisplacement;</pre>
00038
00039
00040
00041
               if(rx[n] >= regionH[1]) rx[n] -= region[1];
//vx[n] += shearVelocity;
ry[n] += region[2];
00042
00043
00044
00045
00046
00047 }
```

References nAtom, region, regionH, rx, ry, and shearDisplacement.

3.15 ApplyLeesEdwardsBoundaryCond.c

Go to the documentation of this file.

```
00002
        * This file is part of Lamina.
00003
00004
        * Lamina is free software: you can redistribute it and/or modify
00005
       * it under the terms of the GNU General Public License as published by
00006
       * the Free Software Foundation, either version 3 of the License, or
00007 \star (at your option) any later version.
00008 *
00009 * Lamina is distributed in the hope that it will be useful,
00010 * but WITHOUT ANY WARRANTY; without even the implied warranty of
00011 * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012 * GNU General Public License for more details.
00013 *
* You should have received a copy of the GNU General Public License
00015 * along with Lamina. If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00016
00017 Copyright (C) 2025 Harish Charan, University of Durham, UK
00018
00019 */
00020
00021 #include <stdio.h>
00022 #include <math.h>
00023 #include "global.h"
00025 void ApplyLeesEdwardsBoundaryCond() {
00026 int n;

00027 for (n = 1; n <= nAtom; n++) {


00028 //PBC along x-direction

00029 if(rx[n] >= regionH[1])
          rx[n] -= region[1];
00031 else if(rx[n] < -regionH[1])
00032
          rx[n] += region[1];
00033
00034 //LEBC along y-direction
00035
         if(ry[n] >= regionH[2]) {
  rx[n] -= shearDisplacement;
00036
00037
           if(rx[n] < -regionH[1]) rx[n] += region[1];</pre>
          //vx[n] -= shearVelocity;
ry[n] -= region[2];
00038
00039
         }else if(ry[n] < -regionH[2]){
rx[n] += shearDisplacement;</pre>
00040
00042
          if(rx[n] >= regionH[1]) rx[n] -= region[1];
00043
          //vx[n] += shearVelocity;
          ry[n] += region[2];
00044
00045
00046
00047 }
```

3.16 source/ApplyShear.c File Reference

```
#include <stdio.h>
#include <math.h>
#include "global.h"
```

Include dependency graph for ApplyShear.c:



Functions

· void ApplyShear ()

3.16.1 Function Documentation

3.16.1.1 ApplyShear()

```
void ApplyShear ( )
```

Definition at line 25 of file ApplyShear.c.

```
00025 {
00026 int n;
00027 for(n = 1; n <= nAtom; n ++) {
00028 rx[n] += strain * ry[n];
00029 //vx[n] += stranRate * ry[n];
00030 } }
```

References nAtom, rx, ry, and strain.

3.17 ApplyShear.c


```
00001 /*
00002 * This file is part of Lamina.
00003 *
00004 * Lamina is free software: you can redistribute it and/or modify
00005 * it under the terms of the GNU General Public License as published by
0006 * the Free Software Foundation, either version 3 of the License, or
00007 * (at your option) any later version.
00008 *
00009 * Lamina is distributed in the hope that it will be useful,
00010 * but WITHOUT ANY WARRANTY; without even the implied warranty of
00011 * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012 * GNU General Public License for more details.
00013 *
00014 * You should have received a copy of the GNU General Public License
```

```
00015 * along with Lamina. If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00016
00017 Copyright (C) 2025 Harish Charan, University of Durham, UK
00018
00019 */
00020
00021 #include<a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00020
00019 */
00020
00021 #include<a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00022 #include<a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00023 #include<a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00024 #include<a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00024 #include<a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00024 #include<a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00025 #include<a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00026 #include<a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00027 #include<a href="https://www.gnu.org/licenses/">https://w
```

3.18 source/ApplyViscous.c File Reference

```
#include <stdio.h>
#include <stdlib.h>
#include "global.h"
```

Include dependency graph for ApplyViscous.c:



Functions

• void ApplyViscous ()

3.18.1 Function Documentation

3.18.1.1 ApplyViscous()

```
void ApplyViscous ( )

Definition at line 25 of file ApplyViscous.c.
```

```
00025 {
00026 int n;
00027 double gammav;
00028 gammav = 1.0;
00029 for(n = 1 ; n <= nAtom; n ++) {
00030 ax[n] += -gammav * vx[n];
00031 ay[n] += -gammav * vy[n];
00032 } }
```

References ax, ay, nAtom, vx, and vy.

3.19 ApplyViscous.c


Go to the documentation of this file.

```
00001 /
00002
        * This file is part of Lamina.
00003
00004
        * Lamina is free software: you can redistribute it and/or modify
00005
        * it under the terms of the GNU General Public License as published by
00006
        * the Free Software Foundation, either version 3 of the License, or
00007
        \star (at your option) any later version.
80000
00009 * Lamina is distributed in the hope that it will be useful,
00010 * but WITHOUT ANY WARRANTY; without even the implied warranty of
       * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012 \,\star\, GNU General Public License for more details.
00013
* You should have received a copy of the GNU General Public License
00015 * along with Lamina. If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00016
00017 Copyright (C) 2025 Harish Charan, University of Durham, UK
00018
00019 */
00020
00021 #include<stdio.h>
00022 #include<stdlib.h>
00023 #include"global.h"
00024
00025 void ApplyViscous(){
00026 int n;
00027 double gammav;
00028 gammav = 1.0;
        for (n = 1; n <= nAtom; n ++) {</pre>
        ax[n] += -gammav * vx[n];
ay[n] += -gammav * vy[n];
00030
00031
00032
00033
00034
```

3.20 source/BrownianStep.c File Reference

```
#include <stdio.h>
#include <stdlib.h>
#include <math.h>
#include "global.h"
```

Include dependency graph for BrownianStep.c:



3.21 BrownianStep.c 27

Functions

· void BrownianStep ()

3.20.1 Function Documentation

3.20.1.1 BrownianStep()

```
void BrownianStep ( )
```

Definition at line 26 of file BrownianStep.c.

```
if (stepCount <= stepEquil) {</pre>
00027
           double A, S1, S2, T;
00028
           int n;
S1 = 0.; S2 = 0;
00029
00030
00031
           double halfdt = 0.5*deltaT;
            for (n = 1; n <= nAtom; n++) {
00032
00033
             T = vx[n] + halfdt * ax[n];
00034
             S1 += T * ax[n];
             S2 += Sqr(T);
00035
00036
             T = vy[n] + halfdt * ay[n];
             S1 += T * ay[n];
S2 += Sqr(T);
00038
00039
00040
           A = -S1 / S2;
00041
           double C = 1 + A*deltaT;
double D = deltaT * (1 + 0.5 * A * deltaT);
00042
00043
00044
           for (n = 1; n <= nAtom; n++) {</pre>
00045
              vx[n] = C * vx[n] + D * ax[n];
              rx[n] += deltaT * vx[n];
vy[n] = C * vy[n] + D * ay[n];
00046
00047
             ry[n] += deltaT * vy[n];
00048
00050
         }else{
00051
              int n;
00052
              //SETTING TEMP = 0.0
            if (stepCount == stepEquil+1) {
for(n = 1; n <= nAtom; n ++) {</pre>
00053
00054
            vx[n] = 0.0;
00055
00056
            vy[n] = 0.0;
00057
00058
            double zeta = 1.0;
00059
            double dx, dy;
            for (n = 1; n <= nAtom; n ++) {
  dx = rx[n];</pre>
00060
00061
00062
              rx[n] += zeta * ax[n] * deltaT;
00063
             dx = rx[n] - dx;
00064
              vx[n] = dx/deltaT;
             dy = ry[n];
ry[n] += zeta * ay[n] * deltaT;
00065
00066
              dy = ry[n] - dy;
vy[n] = dy/deltaT;
00067
00069
        }
00070
00071 }
```

References ax, ay, deltaT, nAtom, rx, ry, Sqr, stepCount, stepEquil, vx, and vy.

3.21 BrownianStep.c


```
00001 /*
00002 * This file is part of Lamina.
00003 *
00004 * Lamina is free software: you can redistribute it and/or modify
00005 * it under the terms of the GNU General Public License as published by
00006 * the Free Software Foundation, either version 3 of the License, or
00007 * (at your option) any later version.
00008 *
00009 * Lamina is distributed in the hope that it will be useful,
```

```
00010 * but WITHOUT ANY WARRANTY; without even the implied warranty of
00011 * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the 00012 * GNU General Public License for more details.
00013 *
00014 \,\, * You should have received a copy of the GNU General Public License 00015 \,\, * along with Lamina. If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00017 Copyright (C) 2025 Harish Charan, University of Durham, UK
00018
00019
00020
00021 #include<stdio.h>
00022 #include<stdlib.h>
00023 #include<math.h>
00024 #include"global.h"
00025
00029
             int n;
00030
             S1 = 0.; S2 = 0;
00031
            double halfdt = 0.5*deltaT;
            for (n = 1; n <= nAtom; n++) {
    T = vx[n] + halfdt * ax[n];
    S1 += T * ax[n];
00032
00033
00034
00035
              S2 += Sqr(T);
00036
00037
              T = vy[n] + halfdt * ay[n];
              S1 += T * ay[n];
00038
              S2 += Sqr(T);
00039
00040
00041
            A = -S1 / S2;
            double C = 1 + A*deltaT;
double D = deltaT * (1 + 0.5 * A * deltaT);
00042
00043
            for (n = 1; n <= nAtom; n++) {
    vx[n] = C * vx[n] + D * ax[n];
    rx[n] += deltaT * vx[n];
    vy[n] = C * vy[n] + D * ay[n];</pre>
00044
00045
00046
00048
               ry[n] += deltaT * vy[n];
00049
00050
         }else{
             int n;
00051
               //SETTING TEMP = 0.0
00052
              if (stepCount == stepEquil+1) {
00053
              for(n = 1; n <= nAtom; n ++) {
vx[n] = 0.0;
00054
00055
00056
              vy[n] = 0.0;
00057
              }}
00058
              double zeta = 1.0;
              double dx, dy;
for(n = 1; n <= nAtom; n ++) {</pre>
00059
00060
00061
              dx = rx[n];
00062
               rx[n] += zeta * ax[n] * deltaT;
               dx = rx[n] - dx;
vx[n] = dx/deltaT;
00063
00064
00065
               dy = ry[n];
00066
               ry[n] += zeta * ay[n] * deltaT;
00067
               dy = ry[n] - dy;
00068
               vy[n] = dy/deltaT;
00069
         }
00070
00071 }
00072
```

3.22 source/Close.c File Reference

```
#include <stdio.h>
#include <stdlib.h>
#include "global.h"
```

Include dependency graph for Close.c:



Functions

• void Close ()

3.22.1 Function Documentation

3.22.1.1 Close()

void Close ()

```
Definition at line 24 of file Close.c.
```

```
00024
00025
00026
          free(rx);
00027
          free(ry);
00028
          free (vx);
00029
          free(vy);
00030
          free(ax);
00031
          free(ay);
00032
          free(fax);
00033
          free(fay);
00034
          free(cellList);
00035
00036
          free(atomID); free(atomType); free(atomRadius); free(atomMass);
00037
          free (speed);
          free(atom1); free(atom2); free(BondID);
free(BondType); free(kb); free(ro);
free(ImageX); free(ImageY); free(rxUnwrap); free(ryUnwrap);
free(atomIDInterface);
free(PairID); free(Pairatom1); free(Pairatom2);
00038
00039
00040
00041
00042
00043
          free(PairXij); free(PairYij);
00044
00045
          free (DeltaXijOld);
00046
          free (DeltaYijOld);
00047
00048
          free (molID);
00049
00050
          for (n = 0; n <= nAtom; n++) {</pre>
00051
           free(isBonded[n]);
00052
00053
           free(isBonded);
00054
00055
00056
```

```
for (n = 0; n \le nAtom; n++) {
00058
         free (DeltaXijOldPair[n]);
00059
         free (DeltaYijOldPair[n]);
00060
00061
          free(DeltaXijOldPair);
00062
          free (DeltaYijOldPair);
00063
00064
        for (n = 0; n <= nBuffCorr; n++) {</pre>
00065
          free(cfOrg[n]);
00066
          free(spacetimeCorr[n]);
00067
00068
        free (cfOrg);
00069
        free(spacetimeCorr);
00070
        free(cfVal);
00071
        free(indexCorr);
00072
        free(spacetimeCorrAv);
00073
00074
        free(indexAcf);
00075
        free(viscAcfOrg);
00076
        free(viscAcfAv);
00077
        for (n = 0 ; n \le nBuffAcf ; n ++)
00078
          free(viscAcf[n]);
00079
        free(viscAcf);
00080
00081 }
```

References atom1, atom2, atomID, atomIDInterface, atomMass, atomRadius, atomType, ax, ay, BondID, BondType, cellList, cfOrg, cfVal, DeltaXijOld, DeltaXijOldPair, DeltaYijOld, DeltaYijOldPair, fax, fay, ImageX, ImageY, indexAcf, indexCorr, isBonded, kb, molID, nAtom, nBuffAcf, nBuffCorr, Pairatom1, Pairatom2, PairID, PairXij, PairYij, ro, rx, rxUnwrap, ry, ryUnwrap, spacetimeCorr, spacetimeCorrAv, speed, viscAcf, viscAcfAv, viscAcfOrg, vx, and vy.

Referenced by main().

Here is the caller graph for this function:



3.23 Close.c


```
00001 /*
00002 * This file is part of Lamina.
00004
        \star Lamina is free software: you can redistribute it and/or modify
00005
        \star it under the terms of the GNU General Public License as published by
00006
        \star the Free Software Foundation, either version 3 of the License, or
00007
        * (at your option) any later version.
80000
00009
        * Lamina is distributed in the hope that it will be useful,
00010
          but WITHOUT ANY WARRANTY; without even the implied warranty of
00011
        \star MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012
       * GNU General Public License for more details.
00013 *
      * You should have received a copy of the GNU General Public License * along with Lamina. If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00014
00016
00017
        Copyright (C) 2025 Harish Charan, University of Durham, UK
00018
00019
00020
00021 #include<stdio.h>
00022 #include<stdlib.h>
```

```
00023 #include"global.h"
00024 void Close(){
00025
        int n;
00026
        free(rx);
00027
         free(ry);
00028
         free(vx);
         free(vy);
00030
00031
         free(ay);
00032
         free (fax);
00033
         free(fay);
00034
         free(cellList);
00035
00036
         free(atomID); free(atomType); free(atomRadius); free(atomMass);
00037
         free(speed);
         free(atom1); free(atom2); free(BondID);
free(BondType); free(kb); free(ro);
free(ImageX); free(ImageY); free(rxUnwrap); free(ryUnwrap);
00038
00039
00040
00041
         free(atomIDInterface);
00042
         free(PairID); free(Pairatom1); free(Pairatom2);
00043
         free(PairXij); free(PairYij);
00044
00045
         free (DeltaXijOld);
00046
         free (DeltaYijOld);
00047
00048
         free (molID);
00049
00050
         for (n = 0; n <= nAtom; n++) {</pre>
00051
          free(isBonded[n]);
00052
00053
          free (isBonded):
00054
00055
00056
         for(n = 0; n <= nAtom; n++) {
  free(DeltaXijOldPair[n]);</pre>
00057
00058
00059
          free (DeltaYijOldPair[n]);
00060
00061
           free(DeltaXijOldPair);
00062
           free(DeltaYijOldPair);
00063
         for (n = 0; n <= nBuffCorr; n++) {</pre>
00064
           free(cfOrg[n]);
00065
           free(spacetimeCorr[n]);
00066
00067
00068
         free(cfOrg);
00069
        free(spacetimeCorr);
00070
         free(cfVal);
00071
         free(indexCorr):
         free(spacetimeCorrAv);
00072
00074
         free(indexAcf);
00075
         free(viscAcfOrg);
         free(viscAcfAv);
for(n = 0 ; n <= nBuffAcf ; n ++)
  free(viscAcf[n]);</pre>
00076
00077
00078
         free(viscAcf);
08000
00081 }
```

3.24 source/ComputeBondForce.c File Reference

```
#include "ComputeBondForce.h"
#include <stdio.h>
#include <math.h>
#include <stdlib.h>
#include "global.h"
```

Include dependency graph for ComputeBondForce.c:



Functions

void ComputeBondForce ()

3.24.1 Function Documentation

3.24.1.1 ComputeBondForce()

```
void ComputeBondForce ( )
```

```
Definition at line 28 of file ComputeBondForce.c.
```

```
00029
00030
          double dr[NDIM+1], r, rr, ri, roi;
00031
          double uVal, fcVal;
00032
00033
          uVal = 0.0; TotalBondEnergy = 0.0;
          virSumBond = 0.0; virSumBondxx = 0.0; virSumBondyy = 0.0; virSumBondxy = 0.0;
00034
00035
00036
          double vr[NDIM+1], fdVal, rri;
00037
00038
          for (n = 1 ; n <= nAtom ; n ++) {</pre>
          nodeDragx[n] = 0.0;
nodeDragy[n] = 0.0;
00039
00040
00041
          } //Important change made on 03Apr2025. Mention it in GitHub
00042
00043
         int atom1ID, atom2ID;
00044
00045
          for (n=1; n<=nBond; n++) {</pre>
          rr = 0.0; rri = 0.0; fcVal = 0.0; fdVal = 0.0; strech = 0.0;
atomlID = atoml[n];
atom2ID = atom2[n];
00046
00047
00048
00049
00050
           dr[1] = rx[atom1ID] - rx[atom2ID];
          if(dr[1] >= regionH[1])
dr[1] -= region[1];
else if(dr[1] < -regionH[1])</pre>
00051
00052
00053
00054
            dr[1] += region[1];
00055
           dr[2] = ry[atom1ID] - ry[atom2ID];
00056
           if(dr[2] >= regionH[2]) {
  dr[1] -= shearDisplacement;
00057
00058
            f(f[] < -regionH[1]) dr[1] += region[1];
dr[2] -= region[2];</pre>
00059
00060
00061
          }else if(dr[2] < -regionH[2]){</pre>
          dr[1] += shearDisplacement;
if(dr[1] >= regionH[1]) dr[1] -= region[1];
dr[2] += region[2];
00062
00063
00064
00065
00066
```

```
rr = Sqr(dr[1]) + Sqr(dr[2]);
           r = sqrt(rr);
00068
00069
           rri = 1.0/rr;
00070
           ri = 1.0/r;
           roi = 1.0/ro[n];
00071
           strech = (r * roi - 1.0);
uVal = 0.5 * kb[n] * ro[n] * Sqr(strech);
00072
00074
           fcVal = -kb[n] * strech * ri; //F = -Grad U
00075
           vr[1] = vx[atom1ID] - vx[atom2ID];
vr[2] = vy[atom1ID] - vy[atom2ID];
00076
00077
00078
           fdVal = -gamman * (vr[1]*dr[1] + vr[2]*dr[2]) * rri; //node-node drag
00079
08000
           //DampFlag = 1. LAMMPS version
00081
            if(DampFlag == 1){
00082
           nodeDragx[atom1ID] = fdVal * dr[1]; //node-node drag //Important change made on 03Apr2025.
       Mention it in GitHub
00083
           {\color{red} nodeDragy[atom1ID] = fdVal * dr[2]; //node-node drag //Adding the drag forces is wrong. Only adding the drag forces is wrong.} \\
           nodeDragx[atom2ID] = -fdVal * dr[1]; //node-node drag //total force
nodeDragy[atom2ID] = -fdVal * dr[2]; //node-node drag
00084
00085
00086
           ax[atom1ID] += (fcVal + fdVal) * dr[1];
ay[atom1ID] += (fcVal + fdVal) * dr[2];
ax[atom2ID] += -(fcVal + fdVal) * dr[1];
00087
00088
00089
           ay[atom2ID] += -(fcVal + fdVal) * dr[2];
00090
00091
00092
00093
           //DampFlag = 2. Suzanne notes version
           else if(DampFlag == 2){
00094
           nodeDragx[atom1ID] = -gamman * vr[1]; //node-node drag
nodeDragy[atom1ID] = -gamman * vr[2]; //node-node drag
nodeDragx[atom2ID] = -(-gamman * vr[1]); //node-node drag
nodeDragy[atom2ID] = -(-gamman * vr[2]); //node-node drag
00095
00096
00097
00098
00099
           ax[atom1ID] += (fcVal * dr[1] - gamman * vr[1]);
00100
           ay[atomlID] += (fcVal * dr[2] - gamman * vr[2]);
ax[atom2ID] += -(fcVal * dr[1] - gamman * vr[1]);
00101
00102
00103
           ay[atom2ID] += -(fcVal * dr[2] - gamman * vr[2]);
00104
00105
           //DampFlag = 3. Suzanne PRL, 130, 178203 (2023) version
00106
           else if(DampFlag == 3) {
  DeltaXijNew = dr[1];
00107
00108
            DeltaYijNew = dr[2];
00109
00110
00111
             if(stepCount == 0) { // First timestep
             DeltaXijOld[n] = DeltaXijNew;
DeltaYijOld[n] = DeltaYijNew;
00112
00113
00114
00115
00116
             DeltaXij = DeltaXijNew - DeltaXijOld[n];
            DeltaYij = DeltaYijNew - DeltaYijOld[n];
DeltaVXij = DeltaXij / deltaT;
00117
00118
             DeltaVYij = DeltaYij / deltaT;
00119
00120
00121
             // Now update for the next timestep
             DeltaXijOld[n] = DeltaXijNew;
00122
00123
             DeltaYijOld[n] = DeltaYijNew;
00124
            00125
00126
00127
00128
00129
            ax[atom1ID] += (fcVal * dr[1] - gamman * DeltaVXij);
ay[atom1ID] += (fcVal * dr[2] - gamman * DeltaVYij);
ax[atom2ID] += -(fcVal * dr[1] - gamman * DeltaVXij);
00130
00131
00132
             ay[atom2ID] += -(fcVal * dr[2] - gamman * DeltaVYij);
00133
00134
00135
00136
           BondLength[n] = r;
BondEnergy[n] = uVal; //No 0.5 factor since it is the energy of the bond
00137
00138
00139
                                  += BondEnergy[n];
           TotalBondEnergy
00140
00141
                               0.5 * (fcVal + fdVal) * rr;
           virSumBondxx += 0.5 * (fcVal + fdVal) * dr[1] * dr[1];
virSumBondyy += 0.5 * (fcVal + fdVal) * dr[2] * dr[2];
00142
00143
           virSumBondxy += 0.5 * (fcVal + fdVal) * dr[1] * dr[2];
00144
00145 } }
```

References atom1, atom2, ax, ay, BondLengry, BondLength, DampFlag, deltaT, DeltaVXij, DeltaVYij, DeltaXij, DeltaXij, DeltaXijNew, DeltaXijNew, DeltaYijOld, gamman, kb, nAtom, nBond, NDIM, nodeDragx, nodeDragy, region, regionH, ro, rx, ry, shearDisplacement, Sqr, stepCount, strech, TotalBondEnergy, virSumBond, virSumBondxx, virSumBondxy, virSumBondyy, vx, and vy.

Referenced by main().

Here is the caller graph for this function:




3.25 ComputeBondForce.c

```
00002
       * This file is part of Lamina.
00003
00004
       \star Lamina is free software: you can redistribute it and/or modify
00005
       * it under the terms of the GNU General Public License as published by
00006
       * the Free Software Foundation, either version 3 of the License, or
       * (at your option) any later version.
80000
00009
       \star Lamina is distributed in the hope that it will be useful,
00010 * but WITHOUT ANY WARRANTY; without even the implied warranty of 00011 * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012
      * GNU General Public License for more details.
00014 \,\star\, You should have received a copy of the GNU General Public License
00015
       * along with Lamina. If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00016
00017
       Copyright (C) 2025 Harish Charan, University of Durham, UK
00018
00019
00020
00021 #include "ComputeBondForce.h"
00022
00023 #include<stdio.h>
00024 #include<math.h>
00025 #include<stdlib.h>
00026 #include"global.h"
00027
00028 void ComputeBondForce(){
00029
        int n;
        double dr[NDIM+1], r, rr, ri, roi; double uVal, fcVal;
00030
00031
00032
00033
        uVal = 0.0; TotalBondEnergy = 0.0;
00034
        virSumBond = 0.0; virSumBondxx = 0.0; virSumBondyy = 0.0; virSumBondxy = 0.0;
00035
00036
        double vr[NDIM+1], fdVal, rri;
00037
00038
        for(n = 1 ; n \le nAtom ; n ++) {
         nodeDragx[n] = 0.0;
nodeDragy[n] = 0.0;
00039
00040
00041
        00042
00043
        int atom1ID, atom2ID;
00044
00045
         for (n=1; n<=nBond; n++) {</pre>
00046
          rr = 0.0; rri = 0.0; fcVal = 0.0; fdVal = 0.0; strech = 0.0;
         atom1ID = atom1[n];
atom2ID = atom2[n];
00047
00048
00049
00050
          dr[1] = rx[atom1ID] - rx[atom2ID];
00051
          if(dr[1] >= regionH[1])
00052
           dr[1] -= region[1];
00053
          else if(dr[1] < -regionH[1])</pre>
00054
          dr[1] += region[1];
00055
00056
          dr[2] = ry[atom1ID] - ry[atom2ID];
          if(dr[2] >= regionH[2]){
00057
```

```
dr[1] -= shearDisplacement;
00059
                         if(dr[1] < -regionH[1]) dr[1] += region[1];</pre>
00060
                        dr[2] -= region[2];
                    }else if(dr[2] < -regionH[2]){</pre>
00061
                     dr[1] += shearDisplacement;
00062
00063
                         if (dr[1] >= regionH[1]) dr[1] -= region[1];
                      dr[2] += region[2];
00065
00066
00067
                     rr = Sqr(dr[1]) + Sqr(dr[2]);
00068
                     r = sqrt(rr);
00069
                     rri = 1.0/rr;
00070
                      ri = 1.0/r;
00071
                      roi = 1.0/ro[n];
                      strech = (r * roi - 1.0);
uVal = 0.5 * kb[n] * ro[n] * Sqr(strech);
00072
00073
00074
                      fcVal = -kb[n] * strech * ri; //F = -Grad U
00075
                      vr[1] = vx[atom1ID] - vx[atom2ID];
00077
                      vr[2] = vy[atom1ID] - vy[atom2ID];
00078
                      fdVal = -gamman * (vr[1]*dr[1] + vr[2]*dr[2]) * rri; //node-node drag
00079
08000
                      //DampFlag = 1. LAMMPS version
00081
                      if(DampFlag == 1){
00082
                      nodeDragx[atom1ID] = fdVal * dr[1]; //node-node drag //Important change made on 03Apr2025.
              Mention it in GitHub
                     \frac{1}{2} = \frac{1}{2} - \frac{1}
00083
                     nodeDragx[atom2ID] = -fdVal * dr[1]; //node-node drag //total force
nodeDragy[atom2ID] = -fdVal * dr[2]; //node-node drag
00084
00085
00086
                      ax[atom1ID] += (fcVal + fdVal) * dr[1];
ay[atom1ID] += (fcVal + fdVal) * dr[2];
00087
00088
                      ax[atom2ID] += -(fcVal + fdVal) * dr[1];
00089
00090
                      ay[atom2ID] += -(fcVal + fdVal) * dr[2];
00091
00092
                      //DampFlag = 2. Suzanne notes version
                      else if(DampFlag == 2){
00094
                     nodeDragy[atomIID] = -gamman * vr[1]; //node-node drag
nodeDragy[atomIID] = -gamman * vr[2]; //node-node drag
nodeDragy[atom2ID] = -(-gamman * vr[1]); //node-node drag
nodeDragy[atom2ID] = -(-gamman * vr[2]); //node-node drag
00095
00096
00097
00098
00099
                      ax[atom1ID] += (fcVal * dr[1] - gamman * vr[1]);
ay[atom1ID] += (fcVal * dr[2] - gamman * vr[2]);
ax[atom2ID] += -(fcVal * dr[1] - gamman * vr[1]);
ay[atom2ID] += -(fcVal * dr[2] - gamman * vr[2]);
00100
00101
00102
00103
00104
00105
00106
                      //DampFlag = 3. Suzanne PRL, 130, 178203 (2023) version
00107
                      else if(DampFlag == 3){
00108
                        DeltaXijNew = dr[1];
                        DeltaYijNew = dr[2];
00109
00110
00111
                         if(stepCount == 0) { // First timestep
                           DeltaXijOld[n] = DeltaXijNew;
00112
00113
                           DeltaYijOld[n] = DeltaYijNew;
00114
00115
00116
                        DeltaXij = DeltaXijNew - DeltaXijOld[n];
                        DeltaYij = DeltaYijNew - DeltaYijOld[n];
00117
                        DeltaVXij = DeltaXij / deltaT;
DeltaVYij = DeltaYij / deltaT;
00118
00119
00120
00121
                         // Now update for the next timestep
00122
                        DeltaXijOld[n] = DeltaXijNew;
DeltaYijOld[n] = DeltaYijNew;
00123
00124
                        nodeDragx[atom1ID] = -gamman * DeltaVXij; //node-node drag
nodeDragy[atom1ID] = -gamman * DeltaVYij; //node-node drag
nodeDragx[atom2ID] = -(-gamman * DeltaVXij); //node-node drag
00125
00126
00127
                        nodeDragy[atom2ID] = -(-gamman * DeltaVYij); //node-node drag
00128
00129
                        ax[atom1ID] += (fcVal * dr[1] - gamman * DeltaVXij);
ay[atom1ID] += (fcVal * dr[2] - gamman * DeltaVYij);
ax[atom2ID] += -(fcVal * dr[1] - gamman * DeltaVXij);
00130
00131
00132
00133
                         ay[atom2ID] += -(fcVal * dr[2] - gamman * DeltaVYij);
00134
00135
00136
                      BondLength[n] = r;
BondEnergy[n] = uVal; //No 0.5 factor since it is the energy of the bond
TotalBondEnergy += BondEnergy[n];
00137
00138
00139
00140
                      virSumBond += 0.5 * (fcVal + fdVal) * rr;
virSumBondxx += 0.5 * (fcVal + fdVal) * dr[1] * dr[1];
00141
00142
```

3.26 source/ComputeBondForce.h File Reference

This graph shows which files directly or indirectly include this file:



Functions

• void ComputeBondForce ()

3.26.1 Function Documentation

3.26.1.1 ComputeBondForce()

```
void ComputeBondForce ( )
```

Definition at line 28 of file ComputeBondForce.c.

```
00028
00029
         int n;
00030
         double dr[NDIM+1], r, rr, ri, roi;
00031
         double uVal, fcVal;
00032
00033
         uVal = 0.0; TotalBondEnergy = 0.0;
virSumBond = 0.0; virSumBondxx = 0.0; virSumBondyy = 0.0; virSumBondxy = 0.0;
00034
00035
00036
         double vr[NDIM+1], fdVal, rri;
00037
00038
         for (n = 1 ; n <= nAtom ; n ++) {</pre>
         nodeDragx[n] = 0.0;
nodeDragy[n] = 0.0;
00039
00040
00041
         } //Important change made on 03Apr2025. Mention it in GitHub
00042
00043
         int atom1ID, atom2ID;
00044
00045
         for (n=1; n<=nBond; n++) {</pre>
         rr = 0.0; rri = 0.0; fcVal = 0.0; fdVal = 0.0; strech = 0.0; atomlID = atoml[n];
00046
00047
00048
          atom2ID = atom2[n];
00049
00050
          dr[1] = rx[atom1ID] - rx[atom2ID];
          if(dr[1] >= regionH[1])
dr[1] -= region[1];
else if(dr[1] < -regionH[1])</pre>
00051
00052
00053
00054
           dr[1] += region[1];
00055
```

```
dr[2] = ry[atom1ID] - ry[atom2ID];
00057
            if(dr[2] >= regionH[2]){
00058
             dr[1] -= shearDisplacement;
             if(dr[1] < -regionH[1]) dr[1] += region[1];</pre>
00059
00060
             dr[2] -= region[2];
00061
          }else if(dr[2] < -regionH[2]){</pre>
           dr[1] += shearDisplacement;
00063
              if(dr[1] >= regionH[1]) dr[1] -= region[1];
00064
            dr[2] += region[2];
00065
00066
           rr = Sqr(dr[1]) + Sqr(dr[2]);
00067
00068
           r = sqrt(rr);
00069
           rri = 1.0/rr;
00070
            ri = 1.0/r;
00071
            roi = 1.0/ro[n];
            strech = (r * roi - 1.0);
uVal = 0.5 * kb[n] * ro[n] * Sqr(strech);
00072
00073
            fcVal = -kb[n] * strech * ri; //F = -Grad U
00075
            vr[1] = vx[atom1ID] - vx[atom2ID];
vr[2] = vy[atom1ID] - vy[atom2ID];
00076
00077
00078
            fdVal = -gamman * (vr[1]*dr[1] + vr[2]*dr[2]) * rri; //node-node drag
00079
08000
            //DampFlag = 1. LAMMPS version
            if(DampFlag == 1) {
00081
00082
            nodeDragx[atom1ID] = fdVal * dr[1]; //node-node drag //Important change made on 03Apr2025.
       Mention it in GitHub
00083
           nodeDragy[atom1ID] = fdVal * dr[2]; //node-node drag //Adding the drag forces is wrong. Only add
       the
           nodeDragx[atom2ID] = -fdVal * dr[1]; //node-node drag //total force
nodeDragy[atom2ID] = -fdVal * dr[2]; //node-node drag
00084
00085
00086
            ax[atomlID] += (fcVal + fdVal) * dr[1];
ay[atomlID] += (fcVal + fdVal) * dr[2];
ax[atom2ID] += -(fcVal + fdVal) * dr[1];
00087
00088
00089
00090
            ay[atom2ID] += -(fcVal + fdVal) * dr[2];
00092
00093
            //DampFlag = 2. Suzanne notes version
           nodeDragx[atom1ID] = -gamman * vr[1]; //node-node drag
nodeDragx[atom2ID] = -gamman * vr[2]; //node-node drag
nodeDragx[atom2ID] = -(-gamman * vr[1]); //node-node drag
nodeDragy[atom2ID] = -(-gamman * vr[2]); //node-node drag
00094
00095
00096
00097
00098
00099
           ax[atomlID] += (fcVal * dr[1] - gamman * vr[1]);
ay[atomlID] += (fcVal * dr[2] - gamman * vr[2]);
ax[atom2ID] += -(fcVal * dr[1] - gamman * vr[1]);
ay[atom2ID] += -(fcVal * dr[2] - gamman * vr[2]);
00100
00101
00102
00103
00104
00105
00106
            //DampFlag = 3. Suzanne PRL, 130, 178203 (2023) version
            else if (DampFlag == 3) {
  DeltaXijNew = dr[1];
00107
00108
00109
             DeltaYijNew = dr[2];
00110
00111
             if(stepCount == 0) { // First timestep
              DeltaXijOld[n] = DeltaXijNew;
DeltaYijOld[n] = DeltaYijNew;
00112
00113
00114
00115
00116
             DeltaXij = DeltaXijNew - DeltaXijOld[n];
00117
             DeltaYij = DeltaYijNew - DeltaYijOld[n];
             DeltaVXij = DeltaXij / deltaT;
00118
             DeltaVYij = DeltaYij / deltaT;
00119
00120
00121
             // Now update for the next timestep
00122
             DeltaXijOld[n] = DeltaXijNew;
             DeltaYijOld[n] = DeltaYijNew;
00123
00124
             nodeDragx[atom1ID] = -gamman * DeltaVXij; //node-node drag
nodeDragy[atom1ID] = -gamman * DeltaVYij; //node-node drag
nodeDragx[atom2ID] = -(-gamman * DeltaVXij); //node-node drag
nodeDragy[atom2ID] = -(-gamman * DeltaVXij); //node-node drag
00125
00126
00127
00128
00129
             ax[atom1ID] += (fcVal * dr[1] - gamman * DeltaVXij);
ay[atom1ID] += (fcVal * dr[2] - gamman * DeltaVYij);
ax[atom2ID] += -(fcVal * dr[1] - gamman * DeltaVXij);
00130
00131
00132
             ay[atom2ID] += -(fcVal * dr[2] - gamman * DeltaVYij);
00133
00134
00135
00136
00137
            BondLength[n] = r;
00138
            {\tt BondEnergy[n] = uVal; //No~0.5~factor~since~it~is~the~energy~of~the~bond}
00139
            TotalBondEnergy += BondEnergy[n];
00140
```

```
00141    virSumBond +=    0.5 * (fcVal + fdVal) * rr;
00142    virSumBondxx += 0.5 * (fcVal + fdVal) * dr[1] * dr[1];
00143    virSumBondyy += 0.5 * (fcVal + fdVal) * dr[2] * dr[2];
00144    virSumBondxy += 0.5 * (fcVal + fdVal) * dr[1] * dr[2];
00145    }
}
```

References atom1, atom2, ax, ay, BondLengry, BondLength, DampFlag, deltaT, DeltaVXij, DeltaVYij, DeltaXij, DeltaXij, DeltaXijNew, DeltaXijNew, DeltaYijOld, gamman, kb, nAtom, nBond, NDIM, nodeDragx, nodeDragy, region, regionH, ro, rx, ry, shearDisplacement, Sqr, stepCount, strech, TotalBondEnergy, virSumBond, virSumBondxx, virSumBondxy, virSumBondyy, vx, and vy.

Referenced by main().

Here is the caller graph for this function:



3.27 ComputeBondForce.h


Go to the documentation of this file.

```
00001 #ifndef COMPUTE_BOND_FORCE_H
00002 #define COMPUTE_BOND_FORCE_H
00003
00004 void ComputeBondForce();
00005
00006 #endif
```

3.28 source/ComputeForcesCells.c File Reference

```
#include <stdio.h>
#include <math.h>
#include "global.h"
```

Include dependency graph for ComputeForcesCells.c:



Functions

void ComputeForcesCells ()

3.28.1 Function Documentation

3.28.1.1 ComputeForcesCells()

```
void ComputeForcesCells ( )
```

Definition at line 25 of file ComputeForcesCells.c.

```
00025
00026
                             double dr[NDIM+1], invWid[NDIM+1], shift[NDIM+1], f, fcVal, rr, ri, r, uVal;
                           int c, I, J, m1, m1X, m1Y, m2, m2X, m2Y, n, offset; int iofX[] = {0, 0, 1, 1, 0, -1, -1, 0, 1},
00027
00028
00029
                                           iofY[] = {0, 0, 0, 1, 1, 1, 0, -1, -1, -1};
00030
                           invWid[1] = cells[1]/region[1];
invWid[2] = cells[2]/region[2];
00031
00032
00033
00034
                           for(n = nAtom+1; n <= nAtom+cells[1]*cells[2]; n++)</pre>
                                   cellList[n] = 0;
00035
00036
00037
                           for (n = 1 ; n <= nAtom ; n ++) {</pre>
00038
                                  c = ((int)((rx[n] + regionH[2])*invWid[2]))*cells[1] + (int)((rx[n] + regionH[1])*invWid[1]) + (int)((rx[n] + regionH[1]) + 
                    nAtom+ 1;
00039
                                  cellList[n] = cellList[c];
cellList[c] = n;
00040
00041
00042
00043
                             for (n = 1 ; n <= nAtom ; n ++) {</pre>
00044
                              ax[n] = 0.;
00045
                                 ay[n] = 0.;
00046
00047
00048
                           uSum = 0.0;
                           virSum = 0.0;
rfAtom = 0.0;
00049
00050
00051
                            RadiusIJ = 0.0;
00052
                           gamman = 1.0;
double vr[NDIM+1], fd, fdVal, rrinv;
00053
00054
00055
                           rrinv = 0.0;
00056
                           fd = 0.0;
```

```
00057
        fdVal = 0.0;
00058
00059
        int start = 1 + rank*(cells[2]/size);
        int end = (rank+1)*(cells[2]/size);
00060
00061
00062
        for (m1Y = start ; m1Y <= end ; m1Y ++) {</pre>
          for (m1X = 1 ; m1X <= cells[1] ; m1X ++) {</pre>
00064
            m1 = (m1Y-1) * cells[1] + m1X + nAtom;
             for(offset = 1; offset <= 9; offset ++){</pre>
00065
00066
          m2X = m1X + iofX[offset]; shift[1] = 0.;
          if(m2X > cells[1]){
00067
            m2X = 1; shift[1] = region[1];
00068
          }else if(m2X == 0){
00069
00070
           m2X = cells[1]; shift[1] = -region[1];
00071
00072
           m2Y = m1Y + iofY[offset]; shift[2] = 0.;
00073
           if(m2Y > cells[2]) {
00074
            m2Y = 1; shift[2] = region[2];
           }else if(m2Y == 0){
00076
            m2Y = cells[2]; shift[2] = -region[2];
00077
00078
          m2 = (m2Y-1)*cells[1] + m2X + nAtom;
00079
          I = cellList[m1];
00080
          while (I > 0) {
00081
            J = cellList[m2];
             while (J > 0) {
00082
00083
               dr[1] = rx[I] - rx[J] - shift[1];
dr[2] = ry[I] - ry[J] - shift[2];
00084
00085
00086
                 rr = Sqr(dr[1]) + Sqr(dr[2]);
00087
                 RadiusIJ = atomRadius[I] + atomRadius[J];
00088
                 SqrRadiusIJ = Sqr(RadiusIJ);
00089
                 if(rr < SqrRadiusIJ) {</pre>
00090
               r = sqrt(rr);
00091
               ri = 1.0/r;
                       rrinv = 1.0/rr;
00092
                        vr[1] = vx[I] - vx[J];
vr[2] = vy[I] - vy[J];
00093
00095
               RadiusIJInv = 1.0/RadiusIJ;
               uVal = Sqr(1.0 - r * RadiusIJInv);
fcVal = 2.0 * RadiusIJInv * (1.0 - r * RadiusIJInv) *ri;
00096
00097
                        fdVal = -gamman * (vr[1]*dr[1] + vr[2]*dr[2]) * rrinv; //disc-disc drag
00098
00099
00100
               f = fcVal * dr[1];
                       fd = fdVal * dr[1];
00101
00102
               ax[I] += (f + fd);
00103
                       discDragx[I] += fd; //disc-disc drag
00104
00105
               f = fcVal * dr[2]:
00106
                       fd = fdVal * dr[2];
               ay[I] += (f + fd);
00107
00108
                       discDragy[I] += fd; //disc-disc drag
00109
               uSum += 0.5 * uVal;
virSum += 0.5 * fcVal * rr;
00110
00111
               rfAtom += 0.5 * dr[1] * fcVal * dr[2];
00112
00114
               }else if(m1 != m2 && (atomRadius[I] > 0. && atomRadius[J] > 0.)){
                 dr[1] = rx[I] - rx[J] - shift[1];
dr[2] = ry[I] - ry[J] - shift[2];
00115
00116
00117
                 rr = Sqr(dr[1]) + Sqr(dr[2]);
                 RadiusIJ = atomRadius[I] + atomRadius[J];
00118
00119
                 SqrRadiusIJ = Sqr(RadiusIJ);
00120
                 if(rr < SqrRadiusIJ) {</pre>
00121
               r = sqrt(rr);
00122
               ri = 1.0/r;
00123
                       rrinv = 1.0/r;
                        vr[1] = vx[I] - vx[J];
vr[2] = vy[I] - vy[J];
00124
00125
               RadiusIJInv = 1.0/RadiusIJ;
00126
               uVal = Sqr(1.0 - r * RadiusIJInv);
fcVal = 2.0 * RadiusIJInv * (1.0 - r * RadiusIJInv) *ri;
00127
00128
                       fdVal = -gamman * (vr[1]*dr[1] + vr[2]*dr[2]) * rrinv; //disc-disc drag
00129
00130
00131
               f = fcVal * dr[1];
00132
                       fd = fdVal * dr[1];
00133
               ax[I] += (f + fd);
00134
                       discDragx[I] += fd; //disc-disc drag
00135
00136
               f = fcVal * dr[2]:
                       fd = fdVal * dr[2];
00137
               ay[I] += (f + fd);
00138
00139
                       discDragy[I] += fd; //disc-disc drag
00140
00141
               uSum += 0.5 * uVal;
               virSum += 0.5 * fcVal * rr;
rfAtom += 0.5 * dr[1] * fcVal * dr[2];
00142
00143
```

```
00144
00145
00146
00147
00148
00149
00150
00151
00152
00153
}

    J = cellList[J];

    Graduation of the color of the
```

References atomRadius, ax, ay, cellList, cells, discDragx, discDragy, gamman, nAtom, NDIM, RadiusIJ, RadiusIJInv, rank, region, regionH, rfAtom, rx, ry, size, Sqr, SqrRadiusIJ, uSum, virSum, vx, and vy.

3.29 ComputeForcesCells.c

```
00002
             * This file is part of Lamina.
00003
00004 \,\star\, Lamina is free software: you can redistribute it and/or modify
00005
              * it under the terms of the GNU General Public License as published by
              * the Free Software Foundation, either version 3 of the License, or
00007 \star (at your option) any later version.
80000
00009 \,\,\star\,\, Lamina is distributed in the hope that it will be useful,
00010 * but WITHOUT ANY WARRANTY; without even the implied warranty of
00011 * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the 00012 * GNU General Public License for more details.
00014 \,\,\star\,\, You should have received a copy of the GNU General Public License
00015
            * along with Lamina. If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.
00016
00017 Copyright (C) 2025 Harish Charan, University of Durham, UK
00018
00019
00020
00021 #include<stdio.h>
00022 #include<math.h>
00023 #include"global.h"
00024
00025 void ComputeForcesCells(){
00026 double dr[NDIM+1], invWid[NDIM+1], shift[NDIM+1], f, fcVal, rr, ri, r, uVal;
00027
                 int c, I, J, m1, m1X, m1Y, m2, m2X, m2Y, n, offset;
                int iofX[] = {0, 0, 1, 1, 0, -1, -1, -1, 0, 1}, iofY[] = {0, 0, 0, 1, 1, 1, 0, -1, -1, -1};
00028
00029
00030
00031
                invWid[1] = cells[1]/region[1];
00032
                 invWid[2] = cells[2]/region[2];
00033
00034
                 for(n = nAtom+1; n <= nAtom+cells[1]*cells[2]; n++)</pre>
00035
                  cellList[n] = 0;
00036
00037
                for(n = 1 ; n <= nAtom ; n ++) {</pre>
                    c = ((int)((ry[n] + regionH[2])*invWid[2]))*cells[1] + (int)((rx[n] + regionH[1])*invWid[1]) + (int)((ry[n] + regionW[1]) + (int)((r
            nAtom+ 1;
                 cellList[n] = cellList[c];
cellList[c] = n;
00039
00040
00041
00042
00043
                 for (n = 1 ; n <= nAtom ; n ++) {</pre>
00044
                 ax[n] = 0.;
00045
                     ay[n] = 0.;
00046
00047
00048
                uSum = 0.0;
00049
                virSum = 0.0;
00050
                 rfAtom = 0.0;
00051
                RadiusIJ = 0.0;
00052
00053
                 gamman = 1.0:
                double vr[NDIM+1], fd, fdVal, rrinv;
00054
00055
                 rrinv = 0.0;
00056
                fd = 0.0;
00057
                fdVal = 0.0;
00058
00059
                 int start = 1 + rank*(cells[2]/size);
00060
                int end = (rank+1) * (cells[2]/size);
00061
                for (m1Y = start ; m1Y <= end ; m1Y ++) {</pre>
```

```
for (m1X = 1 ; m1X <= cells[1] ; m1X ++) {</pre>
           m1 = (m1Y-1) * cells[1] + m1X + nAtom;
for(offset = 1; offset <= 9; offset ++){
00064
00065
           m2X = m1X + iofX[offset]; shift[1] = 0.;
00066
00067
           if(m2X > cells[1]){
            m2X = 1; shift[1] = region[1];
00068
           else if(m2X == 0){
00069
00070
            m2X = cells[1]; shift[1] = -region[1];
00071
          m2Y = m1Y + iofY[offset]; shift[2] = 0.;
00072
00073
          if(m2Y > cells[2]){
00074
            m2Y = 1; shift[2] = region[2];
           else if (m2Y == 0) {
00075
00076
           m2Y = cells[2]; shift[2] = -region[2];
00077
00078
           m2 = (m2Y-1)*cells[1] + m2X + nAtom;
00079
          I = cellList[m1];
08000
          while(I > 0) {
            J = cellList[m2];
00082
             while (J > 0) {
00083
               if(m1 == m2 && J != I && (atomRadius[I] > 0. && atomRadius[J] > 0.)){
                 00084
00085
00086
00087
                 SqrRadiusIJ = Sqr(RadiusIJ);
00088
00089
                 if(rr < SqrRadiusIJ){</pre>
               r = sqrt(rr);
00090
               ri = \overline{1.0/r};
00091
00092
                        rrinv = 1.0/rr;
                        vr[1] = vx[I] - vx[J];
vr[2] = vy[I] - vy[J];
00093
00094
00095
               RadiusIJInv = 1.0/RadiusIJ;
               uVal = Sqr(1.0 - r * RadiusIJInv);
00096
               00097
00098
00099
00100
               f = fcVal * dr[1];
00101
                       fd = fdVal * dr[1];
00102
               ax[I] += (f + fd);
00103
                       discDragx[I] += fd; //disc-disc drag
00104
               f = fcVal * dr[2];
00105
00106
                       fd = fdVal * dr[2];
               ay[I] += (f + fd);
00107
00108
                       discDragy[I] += fd; //disc-disc drag
00109
               uSum += 0.5 * uVal;
00110
               virSum += 0.5 * dval,
virSum += 0.5 * fcVal * rr;
rfAtom += 0.5 * dr[1] * fcVal * dr[2];
00111
00112
00113
00114
               }else if (m1 != m2 && (atomRadius[I] > 0. && atomRadius[J] > 0.)) {
                 dr[1] = rx[I] - rx[J] - shift[1];
dr[2] = ry[I] - ry[J] - shift[2];
rr = Sqr(dr[1]) + Sqr(dr[2]);
RadiusIJ = atomRadius[I] + atomRadius[J];
SqrRadiusIJ = Sqr(RadiusIJ);
00115
00116
00117
00118
00120
                 if(rr < SqrRadiusIJ) {</pre>
00121
               r = sqrt(rr);
00122
               ri = 1.0/r;
                        rrinv = 1.0/r;
00123
                        vr[1] = vx[I] - vx[J];
vr[2] = vy[I] - vy[J];
00124
00125
00126
               RadiusIJInv = 1.0/RadiusIJ;
00127
               uVal = Sqr(1.0 - r * RadiusIJInv);
               00128
00129
00130
00131
               f = fcVal * dr[1];
               fd = fdVal * dr[1];
ax[I] += (f + fd);
00132
00133
00134
                       discDragx[I] += fd; //disc-disc drag
00135
               f = fcVal * dr[2];
00136
                       fd = fdVal * dr[2];
00137
00138
               ay[I] += (f + fd);
00139
                       discDragy[I] += fd; //disc-disc drag
00140
               uSum += 0.5 * uVal;
00141
               virSum += 0.5 * dval;


rfAtom += 0.5 * fcVal * rr;

rfAtom += 0.5 * dr[1] * fcVal * dr[2];
00142
00143
00144
00145
00146
                   J = cellList[J];
00147
            I = cellList[I];
00148
00149
```

```
00150
00151 }
00152 }
00153 }
```

3.30 source/ComputePairForce.c File Reference

```
#include "ComputePairForce.h"
#include <stdio.h>
#include <math.h>
#include "global.h"
Include dependency graph for ComputePairForce.c:
```



Functions

• void ComputePairForce (int normFlag)

3.30.1 Function Documentation

3.30.1.1 ComputePairForce()

```
void ComputePairForce (
          int normFlag )
```

Definition at line 27 of file ComputePairForce.c.

```
00027

00028 double dr[NDIM+1], fcVal, rr, ri, r, uVal;

00029 int n, i, j;

00030 uVal = 0.0; uSumPair = 0.0;

00031 virSumPair = 0.0; virSumPairxx = 0.0; virSumPairyy = 0.0; virSumPairxy = 0.0;

00032

00033 for(n = 1; n <= nAtom; n ++) {

00034 ax[n] = 0.0;

00035 ay[n] = 0.0;

00036 discDragx[n] = 0.0;

00037 discDragy[n] = 0.0;

00038 }

00039 for(n = 1; n <= nPairTotal; n ++) {

00040 PairID[n] = 0;
```

```
00041 Pairatom1[n] = 0;
00042 Pairatom2[n] = 0;
00043 PairXij[n] = 0.0;
00044 PairYij[n] = 0.0;
00045 }
00046
00047
00048 \text{ Kn} = 1.0;
00049 double vr[NDIM+1], fdVal, rri;
00050 nPairActive = 0;
00051 double meff;
00052 \text{ meff} = 0.0;
00053 int atomIDi, atomIDj;
00054 //int processThisPair = 1;
00055
00056 for(i=1;i<=nAtomInterface;i++){</pre>
00057 for(j=i+1; j<=nAtomInterface; j++) {
        atomIDi = atomIDInterface[i];
atomIDj = atomIDInterface[j];
00058
00060
         if (isBonded[atomIDi][atomIDj] == 0) { //To exclude pair interaction between bonded atoms
00061
         rr = 0.0; rri = 0.0; fcVal = 0.0; fdVal = 0.0; strech = 0.0;
00062
         RadiusIJ = 0.0;
00063
00064
         dr[1] = rx[atomIDi] - rx[atomIDj];
00065
         if(dr[1] >= regionH[1])
          dr[1] -= region[1];
00066
00067
         else if(dr[1] < -regionH[1])</pre>
00068
            dr[1] += region[1];
00069
00070
         dr[2] = ry[atomIDi] - ry[atomIDj];
          if(dr[2] >= regionH[2]) {
  dr[1] -= shearDisplacement;
00071
00072
00073
            if(dr[1] < -regionH[1]) dr[1] += region[1];
00074
            dr[2] -= region[2];
          }else if(dr[2] < -regionH[2]) {
dr[1] += shearDisplacement;</pre>
00075
00076
00077
            if(dr[1] >= regionH[1]) dr[1] -= region[1];
00078
           dr[2] += region[2];
00079
08000
         rr = Sqr(dr[1]) + Sqr(dr[2]);
RadiusIJ = atomRadius[atomIDi] + atomRadius[atomIDj];
SqrRadiusIJ = Sqr(RadiusIJ);
00081
00082
00083
          if(rr < SqrRadiusIJ){</pre>
00084
00085
          r = sqrt(rr);
00086
           ri = 1.0/r;
00087
          rri = 1.0/rr;
00088
          RadiusIJInv = 1.0/RadiusIJ;
00089
           strech = (RadiusIJ - r);
          uVal = 0.5 * Kn * Sqr(strech);
00090
00091
00092
           //NormFlag
00093
           if(normFlag == 1){
            strech = strech * RadiusIJInv;
uVal = 0.5 * Kn * RadiusIJ * Sqr(strech);
00094
00095
00096
00097
00098
           fcVal = Kn * strech * ri;
          vr[1] = vx[atomIDi] - vx[atomIDj];
vr[2] = vy[atomIDi] - vy[atomIDj];
00099
00100
00101
00102
           nPairActive++;
00103
           PairID[nPairActive] = nPairActive;
           Pairatom1[nPairActive] = atomIDi;
Pairatom2[nPairActive] = atomIDj;
00104
00105
          PairXij[nPairActive] = dr[1];
PairYij[nPairActive] = dr[2];
00106
00107
00108
00109
           //DampFlag = 1
           if(DampFlag == 1){
00110
00111
           meff = (atomMass[atomIDi]**atomMass[atomIDj])/(atomMass[atomIDi] + atomMass[atomIDj]);
00112
           fdVal = -gamman * meff * (vr[1]*dr[1] + vr[2]*dr[2]) * rri; //disc-disc drag
00113
           discDragx[atomIDi] = fdVal * dr[1]; //disc-disc drag
00114
          discDragy[atomIDi] = fdVal * dr[2]; //disc-disc drag
discDragy[atomIDj] = -fdVal * dr[1]; //disc-disc drag
discDragx[atomIDj] = -fdVal * dr[1]; //disc-disc drag
00115
00116
00117
           discDragy[atomIDj] = -fdVal * dr[2]; //disc-disc drag
00118
          discDragx[nPairActive] = discDragx[atomIDi];
discDragy[nPairActive] = discDragy[atomIDi];
00119
00120
00121
           ax[atomIDi] += (fcVal + fdVal) * dr[1];
ay[atomIDi] += (fcVal + fdVal) * dr[2];
00123
00124
          ax[atomIDj] += -(fcVal + fdVal) * dr[1];
ay[atomIDj] += -(fcVal + fdVal) * dr[2];
00125
00126
00127
```

```
00128
00129
         //DampFlag = 2
         else if (DampFlag == 2) {
00130
          discDragx[atomIDi] = -gamman * vr[1]; //disc-disc drag
discDragy[atomIDi] = -gamman * vr[2]; //disc-disc drag
discDragx[atomIDj] = -(-gamman * vr[1]); //disc-disc drag
00131
00132
00133
           discDragy[atomIDj] = -(-gamman * vr[2]); //disc-disc drag
00134
00135
           discDragx[nPairActive] = discDragx[atomIDi];
discDragy[nPairActive] = discDragy[atomIDi];
00136
00137
00138
00139
          ax[atomIDi] += (fcVal * dr[1] - gamman * vr[1]);
ay[atomIDi] += (fcVal * dr[2] - gamman * vr[2]);
00140
00141
00142
           ax[atomIDj] += -(fcVal * dr[1] - gamman * vr[1]);
00143
           ay[atomIDj] += -(fcVal * dr[2] - gamman * vr[2]);
00144
00145
         //DampFlag = 3. Suzanne PRL, 130, 178203 (2023) version
00147
         else if(DampFlag == 3){
00148
          //Track compression velocity
         DeltaXijNew = dr[1];
DeltaYijNew = dr[2];
00149
00150
          if(stepCount == 0) { // Initialization step
00151
00152
           DeltaXijOldPair[atomIDi][atomIDj] = DeltaXijNew;
           DeltaYijOldPair[atomIDi][atomIDj] = DeltaYijNew;
00153
00154
00155
           DeltaXij = DeltaXijNew - DeltaXijOldPair[atomIDi][atomIDj];
00156
           DeltaYij = DeltaYijNew - DeltaYijOldPair[atomIDi][atomIDj];
00157
           DeltaVXij = DeltaXij / deltaT;
DeltaVYij = DeltaYij / deltaT;
00158
00159
00160
00161
           // Update history for next step
           DeltaXijOldPair[atomIDi][atomIDj] = DeltaXijNew;
DeltaYijOldPair[atomIDi][atomIDj] = DeltaYijNew;
00162
00163
00164
00165
           discDragx[atomIDi] = -gamman * DeltaVXij; //disc-disc drag
           discDragy[atomIDi] = -gamman * DeltaVYij; //disc-disc drag
discDragx[atomIDj] = -(-gamman * DeltaVXij); //disc-disc drag
00166
00167
00168
           discDragy[atomIDj] = -(-gamman * DeltaVYij); //disc-disc drag
00169
00170
           discDragx[nPairActive] = discDragx[atomIDil:
           discDragy[nPairActive] = discDragy[atomIDi];
00171
00172
00173
           ax[atomIDi] += (fcVal * dr[1] - gamman * DeltaVXij);
          ay[atomIDi] += (fcVal * dr[2] - gamman * DeltaVYij);
ax[atomIDj] += -(fcVal * dr[1] - gamman * DeltaVXij);
00174
00175
          ay[atomIDj] += -(fcVal * dr[2] - gamman * DeltaVYij);
00176
00177
00178
          //In the following, for stress/virial term (fcVal + fdVal) is used since the total pair force = \frac{1}{2}
00179
      Hookean Interaction + relative velocity drag
00180
         uSumPair += 0.5 * uVal:
         virSumPair += 0.5 * (fcVal + fdVal) * rr;
00181
         virSumPairxx += 0.5 * (fcVal + fdVal) * dr[1] * dr[1];
virSumPairyy += 0.5 * (fcVal + fdVal) * dr[2] * dr[2];
00182
00184
         virSumPairxy += 0.5 * (fcVal + fdVal) * dr[1] * dr[2];
00185
00186
         else { //Resetting the distance between two discs when they are not in contact
          DeltaXijOldPair[atomIDi][atomIDj] = 0.0;
DeltaYijOldPair[atomIDi][atomIDj] = 0.0;
00187
00188
00189
           DeltaXijOldPair[atomIDj][atomIDi] = 0.0;
00190
          DeltaYijOldPair[atomIDj][atomIDi] = 0.0;
00191
00192
00193
00194
        }
00195 }
```

References atomIDInterface, atomMass, atomRadius, ax, ay, DampFlag, deltaT, DeltaVXij, DeltaVYij, DeltaXij, DeltaXij, DeltaXij, DeltaXij, DeltaYij, DeltaYij, DeltaYijOldPair, discDragx, discDragy, gamman, isBonded, Kn, nAtom, nAtomInterface, NDIM, nPairActive, nPairTotal, Pairatom1, Pairatom2, PairID, PairXij, PairYij, RadiusIJ, RadiusIJInv, region, regionH, rx, ry, shearDisplacement, Sqr, SqrRadiusIJ, stepCount, strech, uSumPair, virSumPairxy, virSumPairxy, virSumPairxy, vx, and vy.

Referenced by main().

Here is the caller graph for this function:



3.31 ComputePairForce.c


```
00002
        * This file is part of Lamina.
00003
00004
        \star Lamina is free software: you can redistribute it and/or modify
        * it under the terms of the GNU General Public License as published by
* the Free Software Foundation, either version 3 of the License, or
00005
00006
00007
        * (at your option) any later version.
00009
        * Lamina is distributed in the hope that it will be useful,
00010 \,\,\star\, but WITHOUT ANY WARRANTY; without even the implied warranty of 00011 \,\,\star\, MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012 * GNU General Public License for more details.
00013 *
00014 * You should have received a copy of the GNU General Public License 00015 * along with Lamina. If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00016
00017 Copyright (C) 2025 Harish Charan, University of Durham, UK
00018
00019
00020
00021 #include "ComputePairForce.h"
00022
00023 #include<stdio.h>
00024 #include<math.h>
00025 #include"global.h"
00027 void ComputePairForce(int normFlag) {
00028 double dr[NDIM+1], fcVal, rr, ri, r, uVal;
00029 int n, i, j;
00030 uVal = 0.0;
                        uSumPair = 0.0;
00031 virSumPair = 0.0; virSumPairxx = 0.0; virSumPairyy = 0.0; virSumPairxy = 0.0;
00032
00033 for(n = 1 ; n <= nAtom ; n ++) {
00034 ax[n] = 0.0;
00035 ay[n] = 0.0;
00036 discDragx[n] = 0.0;
00037 discDragy[n] = 0.0;
00038 }
00039 for(n = 1; n <= nPairTotal; n ++) {
00040 PairID[n] = 0;
00041 Pairatom1[n] = 0;
00042 Pairatom2[n] = 0;
00043 PairXij[n] = 0.0;
00044 PairYij[n] = 0.0;
00045 }
00046
00047
00048 \text{ Kn} = 1.0;
00049 double vr[NDIM+1], fdVal, rri;
00050 nPairActive = 0;
00051 double meff;
00052 \text{ meff} = 0.0;
00053 int atomIDi, atomIDj;
00054 //int processThisPair = 1;
00055
00056 for(i=1;i<=nAtomInterface;i++){
00057 for(j=i+1; j<=nAtomInterface; j++) {
        atomIDi = atomIDInterface[i];
atomIDj = atomIDInterface[j];
00059
00060
         if (isBonded[atomIDi][atomIDj] == 0) { //To exclude pair interaction between bonded atoms
```

```
rr = 0.0; rri = 0.0; fcVal = 0.0; fdVal = 0.0; strech = 0.0;
00062
00063
00064
          dr[1] = rx[atomIDi] - rx[atomIDj];
00065
          if(dr[1] >= regionH[1])
          dr[1] -= region[1];
else if(dr[1] < -regionH[1])</pre>
00066
00068
             dr[1] += region[1];
00069
00070
          dr[2] = ry[atomIDi] - ry[atomIDj];
           if(dr[2] >= regionH[2]) {
  dr[1] -= shearDisplacement;
00071
00072
             dr[1] - sheartispiacement,
if(dr[1] < -regionH[1]) dr[1] += region[1];
dr[2] -= region[2];</pre>
00073
00074
00075
          }else if(dr[2] < -regionH[2]){</pre>
00076
           dr[1] += shearDisplacement;
00077
            if(dr[1] >= regionH[1]) dr[1] -= region[1];
00078
           dr[2] += region[2];
00079
08000
00081
          rr = Sqr(dr[1]) + Sqr(dr[2]);
          RadiusIJ = atomRadius[atomIDi] + atomRadius[atomIDj];
SqrRadiusIJ = Sqr(RadiusIJ);
00082
00083
00084
          if (rr < SqrRadiusIJ) {</pre>
00085
           r = sqrt(rr);
           ri = 1.0/r;
00086
00087
            rri = 1.0/rr;
00088
           RadiusIJInv = 1.0/RadiusIJ;
00089
            strech = (RadiusIJ - r);
           uVal = 0.5 * Kn * Sqr(strech);
00090
00091
00092
            //NormFlag
00093
            if(normFlag == 1){
00094
             strech = strech * RadiusIJInv;
             uVal = 0.5 * Kn * RadiusIJ * Sqr(strech);
00095
00096
00097
            fcVal = Kn * strech * ri;
vr[1] = vx[atomIDi] - vx[atomIDj];
vr[2] = vy[atomIDi] - vy[atomIDj];
00098
00099
00100
00101
00102
            nPairActive++;
            PairID[nPairActive] = nPairActive;
00103
            Pairatom1[nPairActive] = atomIDi;
Pairatom2[nPairActive] = atomIDj;
00104
00105
00106
            PairXij[nPairActive] = dr[1];
00107
            PairYij[nPairActive] = dr[2];
00108
00109
            //DampFlag = 1
            if(DampFlag == 1){
00110
00111
            meff = (atomMass[atomIDi]*atomMass[atomIDj])/(atomMass[atomIDi] + atomMass[atomIDj]);
00112
            fdVal = -gamman * meff * (vr[1]*dr[1] + vr[2]*dr[2]) * rri; //disc-disc drag
00113
           discDragx[atomIDi] = fdVal * dr[1]; //disc-disc drag
discDragy[atomIDi] = fdVal * dr[2]; //disc-disc drag
discDragx[atomIDj] = -fdVal * dr[1]; //disc-disc drag
00114
00115
00116
            discDragy[atomIDj] = -fdVal * dr[2]; //disc-disc drag
00118
            discDragx[nPairActive] = discDragx[atomIDi];
discDragy[nPairActive] = discDragy[atomIDi];
00119
00120
00121
00122
00123
            ax[atomIDi] += (fcVal + fdVal) * dr[1];
           ay[atomIDi] += (fcVal + fdVal) * dr[2];
ax[atomIDj] += -(fcVal + fdVal) * dr[1];
ay[atomIDj] += -(fcVal + fdVal) * dr[2];
00124
00125
00126
00127
00128
00129
          //DampFlag = 2
          else if (DampFlag == 2) {
00130
           discDragx[atomIDi] = -gamman * vr[1]; //disc-disc drag
discDragy[atomIDi] = -gamman * vr[2]; //disc-disc drag
discDragx[atomIDj] = -(-gamman * vr[1]); //disc-disc drag
discDragy[atomIDj] = -(-gamman * vr[2]); //disc-disc drag
00131
00132
00133
00134
00135
00136
            discDragx[nPairActive] = discDragx[atomIDi];
00137
            discDragy[nPairActive] = discDragy[atomIDi];
00138
00139
00140
           ax[atomIDi] += (fcVal * dr[1] - gamman * vr[1]);
ay[atomIDi] += (fcVal * dr[2] - gamman * vr[2]);
ax[atomIDj] += -(fcVal * dr[1] - gamman * vr[1]);
00141
00142
00143
           ay[atomIDj] += -(fcVal * dr[2] - gamman * vr[2]);
00144
00145
          //DampFlag = 3. Suzanne PRL, 130, 178203 (2023) version
00146
00147
          else if (DampFlag == 3) {
```

```
//Track compression velocity
          DeltaXijNew = dr[1];
DeltaYijNew = dr[2];
00149
00150
          if(stepCount == 0) { // Initialization step
00151
           DeltaXijOldPair[atomIDi] [atomIDj] = DeltaXijNew;
00152
           DeltaYijOldPair[atomIDi] [atomIDj] = DeltaYijNew;
00153
00154
00155
           DeltaXij = DeltaXijNew - DeltaXijOldPair[atomIDi][atomIDj];
DeltaYij = DeltaYijNew - DeltaYijOldPair[atomIDi][atomIDj];
00156
00157
           DeltaVXij = DeltaXij / deltaT;
DeltaVYij = DeltaYij / deltaT;
00158
00159
00160
00161
            // Update history for next step
00162
           DeltaXijOldPair[atomIDi] [atomIDj] = DeltaXijNew;
           DeltaYijOldPair[atomIDi][atomIDj] = DeltaYijNew;
00163
00164
           discDragx[atomIDi] = -gamman * DeltaVXij; //disc-disc drag
discDragy[atomIDi] = -gamman * DeltaVYij; //disc-disc drag
discDragx[atomIDj] = -(-gamman * DeltaVXij); //disc-disc drag
00165
00166
00167
00168
           discDragy[atomIDj] = -(-gamman * DeltaVYij); //disc-disc drag
00169
           discDragx[nPairActive] = discDragx[atomIDi];
discDragy[nPairActive] = discDragy[atomIDi];
00170
00171
00172
00173
           ax[atomIDi] += (fcVal * dr[1] - gamman * DeltaVXij);
           ay[atomIDi] += (fcVal * dr[2] - gamman * DeltaVYij);
ax[atomIDj] += -(fcVal * dr[1] - gamman * DeltaVXij);
00174
00175
           ay[atomIDj] += -(fcVal * dr[2] - gamman * DeltaVYij);
00176
00177
00178
00179
          //In the following, for stress/virial term (fcVal + fdVal) is used since the total pair force =
       Hookean Interaction + relative velocity drag
00180
          uSumPair += 0.5 * uVal;
          virSumPair += 0.5 * (fcVal + fdVal) * rr;
virSumPairxx += 0.5 * (fcVal + fdVal) * dr[1] * dr[1];
virSumPairyy += 0.5 * (fcVal + fdVal) * dr[2] * dr[2];
00181
00182
00183
          virSumPairxy += 0.5 * (fcVal + fdVal) * dr[1] * dr[2];
00185
00186
          else { //Resetting the distance between two discs when they are not in contact
           DeltaXijOldPair[atomIDi][atomIDj] = 0.0;
DeltaYijOldPair[atomIDi][atomIDj] = 0.0;
00187
00188
           DeltaXijOldPair[atomIDj][atomIDi] = 0.0;
00189
00190
           DeltaYijOldPair[atomIDj][atomIDi] = 0.0;
00191
            }
00192
00193
00194
         }
00195 }
00196
00197
00198
```

3.32 source/ComputePairForce.h File Reference

This graph shows which files directly or indirectly include this file:



Functions

void ComputePairForce (int normFlag)

3.32.1 Function Documentation

3.32.1.1 ComputePairForce()

```
void ComputePairForce (
                   int normFlag )
Definition at line 27 of file ComputePairForce.c.
00028 double dr[NDIM+1], fcVal, rr, ri, r, uVal;
00029 int n, i,j;
00030 uVal = 0.0;
                         uSumPair = 0.0;
00031 virSumPair = 0.0; virSumPairxx = 0.0; virSumPairxy = 0.0; virSumPairxy = 0.0;
00032
00033 for (n = 1 ; n \le nAtom ; n ++) {
00034 ax[n] = 0.0;
00035 ay[n] = 0.0;
00036 discDragx[n] = 0.0;
00037 discDragy[n] = 0.0;
00038 }
00039 for(n = 1; n <= nPairTotal; n ++) {
00040 PairID[n] = 0;
00041 Pairatom1[n] = 0;
00042 Pairatom2[n] = 0;
00043 PairXij[n] = 0.0;
00044 PairYij[n] = 0.0;
00045 }
00046
00047
00048 \text{ Kn} = 1.0;
00049 double vr[NDIM+1], fdVal, rri;
00050 nPairActive = 0;
00051 double meff;
00052 \text{ meff} = 0.0;
00053 int atomIDi, atomIDj;
00054 //int processThisPair = 1;
00055
00056 for(i=1;i<=nAtomInterface;i++) {</pre>
00057    for(j=i+1; j<=nAtomInterface; j++) {
00058     atomIDi = atomIDInterface[i];</pre>
00059
          atomIDj = atomIDInterface[j];
          if (isBonded[atomIDi][atomIDj] == 0) { //To exclude pair interaction between bonded atoms
rr = 0.0; rri = 0.0; fcVal = 0.0; fdVal = 0.0; strech = 0.0;
00060
00061
00062
          RadiusIJ = 0.0;
00063
00064
          dr[1] = rx[atomIDi] - rx[atomIDj];
          if(dr[1] >= regionH[1])
dr[1] -= region[1];
else if(dr[1] < -regionH[1])</pre>
00065
00066
00067
00068
            dr[1] += region[1];
00069
00070
          dr[2] = ry[atomIDi] - ry[atomIDj];
          if(dr[2] >= regionH[2]) {
  dr[1] -= shearDisplacement;
00071
00072
             if(dr[1] < -regionH[1]) dr[1] += region[1];
dr[2] -= region[2];</pre>
00073
00074
00075
          }else if(dr[2] < -regionH[2]) {</pre>
          dr[1] += shearDisplacement;
  if(dr[1] >= regionH[1]) dr[1] -= region[1];
00076
00077
00078
           dr[2] += region[2];
00079
08000
00081
          rr = Sqr(dr[1]) + Sqr(dr[2]);
          RadiusIJ = atomRadius[atomIDi] + atomRadius[atomIDj];
SqrRadiusIJ = Sqr(RadiusIJ);
00082
00083
          if (rr < SqrRadiusIJ) {</pre>
00084
00085
           r = sqrt(rr);
00086
           ri = 1.0/r;
            rri = 1.0/rr;
00087
           RadiusIJInv = 1.0/RadiusIJ;
strech = (RadiusIJ - r);
00088
00089
           uVal = 0.5 * Kn * Sqr(strech);
00090
00091
```

//NormFlag

00092

```
if(normFlag == 1){
00094
             strech = strech * RadiusIJInv;
00095
             uVal = 0.5 * Kn * RadiusIJ * Sqr(strech);
00096
00097
00098
            fcVal = Kn * strech * ri;
            vr[1] = vx[atomIDi] - vx[atomIDj];
00099
00100
            vr[2] = vy[atomIDi] - vy[atomIDj];
00101
            nPairActive++;
00102
            PairID[nPairActive] = nPairActive;
00103
            Pairatom1[nPairActive] = atomIDi;
Pairatom2[nPairActive] = atomIDj;
00104
00105
00106
            PairXij[nPairActive] = dr[1];
00107
            PairYij[nPairActive] = dr[2];
00108
00109
            //DampFlag = 1
00110
            if(DampFlag == 1){
            meff = (atomMass[atomIDi]**atomMass[atomIDj])/(atomMass[atomIDi] + atomMass[atomIDj]);
00111
00112
            fdVal = -gamman * meff * (vr[1]*dr[1] + vr[2]*dr[2]) * rri; //disc-disc drag
00113
00114
            discDragx[atomIDi] = fdVal * dr[1]; //disc-disc drag
           discDragy[atomIDi] = fdVal * dr[2]; //disc-disc drag
discDragx[atomIDj] = -fdVal * dr[1]; //disc-disc drag
00115
00116
00117
            discDragy[atomIDj] = -fdVal * dr[2]; //disc-disc drag
00118
00119
            discDragx[nPairActive] = discDragx[atomIDi];
00120
            discDragy[nPairActive] = discDragy[atomIDi];
00121
00122
00123
           ax[atomIDi] += (fcVal + fdVal) * dr[1];
           ay[atomIDi] += (fcVal + fdVal) * dr[2];

ax[atomIDj] += -(fcVal + fdVal) * dr[1];

ay[atomIDj] += -(fcVal + fdVal) * dr[2];
00124
00125
00126
00127
00128
00129
          //DampFlag = 2
          else if(DampFlag == 2){
00130
           discDragx[atomIDi] = -gamman * vr[1]; //disc-disc drag
discDragy[atomIDi] = -gamman * vr[2]; //disc-disc drag
00131
00132
           discDragx[atomIDj] = -(-gamman * vr[1]); //disc-disc drag
discDragy[atomIDj] = -(-gamman * vr[2]); //disc-disc drag
00133
00134
00135
00136
            discDragx[nPairActive] = discDragx[atomIDi];
            discDragy[nPairActive] = discDragy[atomIDi];
00137
00138
00139
           ax[atomIDi] += (fcVal * dr[1] - gamman * vr[1]);
ay[atomIDi] += (fcVal * dr[2] - gamman * vr[2]);
ax[atomIDj] += -(fcVal * dr[1] - gamman * vr[1]);
00140
00141
00142
           ay[atomIDj] += -(fcVal * dr[2] - gamman * vr[2]);
00143
00144
00145
          //DampFlag = 3. Suzanne PRL, 130, 178203 (2023) version else if (DampFlag == 3) {
00146
00147
           //Track compression velocity
00148
           DeltaXijNew = dr[1];
00149
          DeltaYijNew = dr[2];
00150
00151
           if(stepCount == 0) { // Initialization step
           DeltaXijOldPair[atomIDi][atomIDj] = DeltaXijNew;
DeltaYijOldPair[atomIDi][atomIDj] = DeltaYijNew;
00152
00153
00154
00155
           DeltaXij = DeltaXijNew - DeltaXijOldPair[atomIDi][atomIDj];
DeltaYij = DeltaYijNew - DeltaYijOldPair[atomIDi][atomIDj];
00156
00157
           DeltaVXij = DeltaXij / deltaT;
DeltaVYij = DeltaYij / deltaT;
00158
00159
00160
00161
            // Update history for next step
            DeltaXijOldPair[atomIDi][atomIDj] = DeltaXijNew;
00162
00163
            DeltaYijOldPair[atomIDi][atomIDj] = DeltaYijNew;
00164
           discDragx[atomIDi] = -gamman * DeltaVXij; //disc-disc drag
discDragy[atomIDi] = -gamman * DeltaVYij; //disc-disc drag
discDragx[atomIDj] = -(-gamman * DeltaVXij); //disc-disc drag
00165
00166
00167
            discDragy[atomIDj] = -(-gamman * DeltaVYij); //disc-disc drag
00168
00169
           discDragx[nPairActive] = discDragx[atomIDi];
discDragy[nPairActive] = discDragy[atomIDi];
00170
00171
00172
00173
            ax[atomIDi] += (fcVal * dr[1] - gamman * DeltaVXij);
           aw[atomIDi] += (fcVal * dr[2] - gamman * DeltaVYij);
ax[atomIDj] += -(fcVal * dr[1] - gamman * DeltaVXij);
ay[atomIDj] += -(fcVal * dr[2] - gamman * DeltaVYij);
00174
00175
00176
00177
00178
00179
          //In the following, for stress/virial term (fcVal + fdVal) is used since the total pair force =
```

```
Hookean Interaction + relative velocity drag
           uSumPair += 0.5 * uVal;
virSumPair += 0.5 * (fcVal + fdVal) * rr;
virSumPairxx += 0.5 * (fcVal + fdVal) * dr[1] * dr[1];
virSumPairxy += 0.5 * (fcVal + fdVal) * dr[2] * dr[2];
virSumPairxy += 0.5 * (fcVal + fdVal) * dr[1] * dr[2];
00180
00181
00182
00183
00184
00185
00186
            else { //Resetting the distance between two discs when they are not in contact
             DeltaXijOldPair[atomIDi][atomIDj] = 0.0;
DeltaYijOldPair[atomIDi][atomIDj] = 0.0;
00187
00188
00189
             DeltaXijOldPair[atomIDj][atomIDi] = 0.0;
00190
             DeltaYijOldPair[atomIDj][atomIDi] = 0.0;
00191
00192
00193
00194
00195 }
```

References atomIDInterface, atomMass, atomRadius, ax, ay, DampFlag, deltaT, DeltaVXij, DeltaVYij, DeltaXij, DeltaXij, DeltaXij, DeltaXij, DeltaYijOldPair, discDragx, discDragy, gamman, isBonded, Kn, nAtom, nAtomInterface, NDIM, nPairActive, nPairTotal, Pairatom1, Pairatom2, PairID, PairXij, PairYij, RadiusIJ, RadiusIJInv, region, regionH, rx, ry, shearDisplacement, Sqr, SqrRadiusIJ, stepCount, strech, uSumPair, virSumPairxx, virSumPairxy, virSumPairyy, vx, and vy.

Referenced by main().

Here is the caller graph for this function:



3.33 ComputePairForce.h

Go to the documentation of this file.


```
00001 #ifndef COMPUTE_PAIR_FORCE_H
00002 #define COMPUTE_PAIR_FORCE_H
00003
00004 void ComputePairForce(int normFlag);
00005
00006 #endif
00007
```

3.34 source/DisplaceAtoms.c File Reference

```
#include <stdio.h>
#include <stdlib.h>
```

```
#include "global.h"
```

Include dependency graph for DisplaceAtoms.c:



Functions

· void DisplaceAtoms ()

3.34.1 Function Documentation

3.34.1.1 DisplaceAtoms()

```
void DisplaceAtoms ( )
```

Definition at line 25 of file DisplaceAtoms.c.

```
00025 {
00026 int n;
00027 for(n = 1; n <= nAtom; n ++) {
00028 if(molID[n] == 2) {
00029 rx[n] += DeltaX;
00030 ry[n] += DeltaY;
00031 } } }
```

References DeltaX, DeltaY, molID, nAtom, rx, and ry.

Referenced by main().

Here is the caller graph for this function:



3.35 DisplaceAtoms.c 53


3.35 DisplaceAtoms.c

Go to the documentation of this file.

```
00001 /*
00002
       * This file is part of Lamina.
00004
       * Lamina is free software: you can redistribute it and/or modify
00006 * the Free Software Foundation, either version 3 of the License, or
00007 \,\,\star\, (at your option) any later version.
00008 *
00009 * Lamina is distributed in the hope that it will be useful,
00010 * but WITHOUT ANY WARRANTY; without even the implied warranty of
00011
       * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012 \,\, \star GNU General Public License for more details. 00013 \,\, \star
00014 * You should have received a copy of the GNU General Public License 00015 * along with Lamina. If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00016
00017 Copyright (C) 2025 Harish Charan, University of Durham, UK
00018
00019 */
00020
00021 #include<stdio.h>
00022 #include<stdlib.h>
00023 #include"global.h"
00024
00025 void DisplaceAtoms(){
00026 int n;
        for (n = 1; n <= nAtom; n ++) {</pre>
00027
00028
         if (molID[n] == 2) {
        rx[n] += DeltaX;
00029
00030
          ry[n] += DeltaY;
00031 } } }
```

3.36 source/DumpBonds.c File Reference

```
#include <stdio.h>
#include "global.h"
Include dependency graph for DumpBonds.c:
```



Functions

• void DumpBonds ()

3.36.1 Function Documentation

3.36.1.1 **DumpBonds()**

```
void DumpBonds ( )
```

Definition at line 24 of file DumpBonds.c.

```
00025
           //Trajectory file in LAMMPS dump format for OVITO visualization fprintf(fpbond, "ITEM: TIMESTEP\n");
00026
00027
           fprintf(fpbond, "%lf\n",timeNow);
fprintf(fpbond, "ITEM: NUMBER OF ENTRIES\n");
00028
           fprintf(fpbond, "%d\n",nBond);
fprintf(fpbond, "ITEM: BOX BOUNDS pp ff pp\n");
00030
00031
           fprintf(fpbond, "%lf %lf xlo xhi\n", -regionH[1], regionH[1]);
fprintf(fpbond, "%lf %lf ylo yhi\n", -regionH[2], regionH[2]);
fprintf(fpbond, "%lf %lf zlo zhi\n", -0.1, 0.1);
00032
00033
00034
00035
           fprintf(fpbond, "ITEM: ENTRIES BondID, BondType, atom1 atom2 BondLength BondLengthEqul nodeDragx1
        nodeDragy1\n");
00036
           for(n=1; n<=nBond; n++)
fprintf(fpbond, "%d %d %d %d %0.16lf %0.16lf %0.16lf %0.16lf \n", BondID[n], BondType[n], atoml[n],</pre>
00037
00038
        atom2[n],
00039
            BondLength[n], ro[n], nodeDragx[atom1[n]], nodeDragy[atom1[n]]);
00040
```

References atom1, atom2, BondID, BondLength, BondType, fpbond, nBond, nodeDragx, nodeDragy, regionH, ro, and timeNow.

Referenced by main().

Here is the caller graph for this function:



3.37 DumpBonds.c


```
00001 /*
00002
         * This file is part of Lamina.
00003
00004
         * Lamina is free software: you can redistribute it and/or modify
         * it under the terms of the GNU General Public License as published by * the Free Software Foundation, either version 3 of the License, or
00005
00006
00007
         \star (at your option) any later version.
00008
00009
         \star Lamina is distributed in the hope that it will be useful,
         * but WITHOUT ANY WARRANTY; without even the implied warranty of

* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00010
00011
00012 * GNU General Public License for more details.
00013 *
00014 * You should have received a copy of the GNU General Public License 00015 * along with Lamina. If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00016
00017
         Copyright (C) 2025 Harish Charan, University of Durham, UK
00018
00019
00020
00021 #include<stdio.h>
```

```
00022 #include"global.h"
00023
00024 void DumpBonds() {
             int n;
00025
             int n;
//Trajectory file in LAMMPS dump format for OVITO visualization
fprintf(fpbond, "ITEM: TIMESTEP\n");
fprintf(fpbond, "%if\n",timeNow);
fprintf(fpbond, "ITEM: NUMBER OF ENTRIES\n");
fprintf(fpbond, "%d\n",nBond);
fprintf(fpbond, "ITEM: BOX BOUNDS pp ff pp\n");
fprintf(fpbond, "%If %If xlo xhi\n", -regionH[1], regionH[1]);
fprintf(fpbond, "%lf %lf xlo xhi\n", -regionH[2], regionH[2]);
fprintf(fpbond, "%lf %lf zlo zhi\n", -0.1, 0.1);
fprintf(fpbond, "%If %If zlo zhi\n", -0.1, 0.1);
00026
00027
00029
00030
00031
00032
00033
00034
00035
          nodeDragy1\n");
00036
               for (n=1; n<=nBond; n++) fprintf(fpbond, "%d %d %d %0.161f %0.161f %0.161f %0.161f \n", BondID[n], BondType[n], atoml[n],
00037
00038
          atom2[n],
00039
                BondLength[n], ro[n], nodeDragx[atom1[n]], nodeDragy[atom1[n]]);
00040
00041
00042
00043
```

3.38 source/DumpPairs.c File Reference

```
#include <stdio.h>
#include "global.h"
Include dependency graph for DumpPairs.c:
```



Functions

• void DumpPairs ()

3.38.1 Function Documentation

3.38.1.1 DumpPairs()

```
void DumpPairs ( )
```

Definition at line 25 of file DumpPairs.c.

```
00026
              //Trajectory file in LAMMPS dump format for OVITO visualization fprintf(fppair, "ITEM: TIMESTEP\n"); fprintf(fppair, "%lf\n",timeNow);
00027
00028
00029
             tprintf(fppair, "%lf\n",timeNow);
fprintf(fppair, "ITEM: NUMBER OF ENTRIES\n");
fprintf(fppair, "%d\n",nPairActive);
fprintf(fppair, "ITEM: BOX BOUNDS pp ff pp\n");
fprintf(fppair, "%lf %lf xlo xhi\n", -regionH[1], regionH[1]);
fprintf(fppair, "%lf %lf ylo yhi\n", -regionH[2], regionH[2]);
fprintf(fppair, "%lf %lf zlo zhi\n", -0.1, 0.1);
fprintf(fppair, ""ITEM: ENTRIES index there's income.
00031
00032
00033
00034
00035
              fprintf(fppair, "ITEM: ENTRIES index, atom1 atom2 xij yij discDragx1 discDragy1\n");
00036
00037
00038
              for(n=1; n<=nPairActive; n++)</pre>
00039
               fprintf(fppair, "%d %d %0.161f %0.161f %0.161f %0.161f\n", PairID[n], Pairatom1[n],
          Pairatom2[n].
00040
                PairXij[n], PairYij[n], discDragx[n], discDragy[n]);
00041
00042
```

References discDragx, discDragy, fppair, nPairActive, Pairatom1, Pairatom2, PairID, PairXij, PairYij, regionH, and timeNow.

Referenced by main().

Here is the caller graph for this function:




3.39 DumpPairs.c

```
00001 /*
       * This file is part of Lamina.
00002
00003
       \star Lamina is free software: you can redistribute it and/or modify
00004
        * it under the terms of the GNU General Public License as published by
        * the Free Software Foundation, either version 3 of the License, or
00006
00007
        * (at your option) any later version.
00008 *
00009 \star Lamina is distributed in the hope that it will be useful, 00010 \star but WITHOUT ANY WARRANTY; without even the implied warranty of
00011 * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012 * GNU General Public License for more details.
00013
00014 \,\,\star\,\, You should have received a copy of the GNU General Public License
00015
        * along with Lamina. If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00016
00017
        Copyright (C) 2025 Harish Charan, University of Durham, UK
00018
00019
00020
00021
00022 #include<stdio.h>
00023 #include"global.h"
00024
00025 void DumpPairs(){
00026
         //Trajectory file in LAMMPS dump format for OVITO visualization fprintf(fppair, "ITEM: TIMESTEP\n"); fprintf(fppair, "%lf\n",timeNow); fprintf(fppair, "ITEM: NUMBER OF ENTRIES\n");
00027
00028
00029
00030
         fprintf(fppair, "%d\n", nPairActive);
```

```
fprintf(fppair, "ITEM: BOX BOUNDS pp ff pp\n");
fprintf(fppair, "%lf %lf xlo xhi\n", -regionH[1], regionH[1]);
fprintf(fppair, "%lf %lf ylo yhi\n", -regionH[2], regionH[2]);
fprintf(fppair, "%lf %lf zlo zhi\n", -0.1, 0.1);
fprintf(fppair, "ITEM: ENTRIES index, atom1 atom2 xij yij discDragx1 discDragy1\n");
00033
00034
00035
00036
00037
             for(n=1; n<=nPairActive; n++)
fprintf(fppair, "%d %d %d %0.16lf %0.16lf %0.16lf %0.16lf \n", PairID[n], Pairatom1[n],</pre>
00039
         Pairatom2[n],
00040
              PairXij[n], PairYij[n], discDragx[n], discDragy[n]);
00041
00042
00043
00044
00045
```

3.40 source/DumpRestart.c File Reference

```
#include <stdio.h>
#include "global.h"
Include dependency graph for DumpRestart.c:
```



Functions

• void DumpRestart ()

3.40.1 Function Documentation

3.40.1.1 DumpRestart()

```
fprintf(stderr, "Error opening file %s for writing\n", DUMP);
 00032
                                                return;
 00033
 00034
                                               00035
 00036
                                                fprintf(fpDUMP, "nAtomType %d\n", nAtomType);
fprintf(fpDUMP, "nBondType %d\n", nBondType);
 00038
 00039
                                                 fprintf(fpDUMP, "region[1] %0.141f\n", region[1]);
 00040
                                                fprintf(fpDUMP, "region[2] %0.141f\n", region[2]);
 00041
00042
 00043
                                                  int n;
 00044
                                                fprintf(fpDUMP, "Atoms\n");
 00045
                                               for(n = 1; n <= nAtom; n ++)
00046
                                                    fprintf(fpDUMP, "%d %d %0 .21f %0.161f %0.161f %0.161f %0.161f \n", atomID[n], molID[n], figure (figure for the figure for t
                                 atomType[n], atomRadius[n], rx[n], ry[n], vx[n], vy[n]);
00047
 00048
 00049
                                              fprintf(fpDUMP, "Bonds\n");
 00050
                                                   for (n=1; n<=nBond; n++)</pre>
                                              fprintf(fpDUMP, "%d %d %d %0 .21f %0.161f\n", BondID[n], BondType[n], atoml[n], atom2[n], kb[n], holding fine the state of the state 
 00051
                                 ro[n]);
 00052
 00053
                                                fclose(fpDUMP);
 00054 }
```

References atom1, atom2, atomID, atomRadius, atomType, BondID, BondType, kb, molID, nAtom, nAtomType, nBond, nBondType, prefix, region, ro, rx, ry, timeNow, vx, and vy.

Referenced by main().

Here is the caller graph for this function:




3.41 DumpRestart.c

```
00001 /*
00002
       \star This file is part of Lamina.
00003
00004 * Lamina is free software: you can redistribute it and/or modify
00005
        * it under the terms of the GNU General Public License as published by
        * the Free Software Foundation, either version 3 of the License, or
00007
        \star (at your option) any later version.
80000
00009
        * Lamina is distributed in the hope that it will be useful,
00010 * but WITHOUT ANY WARRANTY; without even the implied warranty of
00011 * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012
       \star GNU General Public License for more details.
00013
00014 \,\, You should have received a copy of the GNU General Public License 00015 \,\, * along with Lamina. If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00016
00017
       Copyright (C) 2025 Harish Charan, University of Durham, UK
00018
00019
00020
00021
00022 #include <stdio.h>
00023 #include "global.h"
00024
00025 void DumpRestart() {
```

```
00026 char DUMP[256];
00027 FILE *fpDUMP;
00028 sprintf(DUMP, "%s.Restart", prefix);
00029 fpDUMP = fopen(DUMP, "w");
00030 if(fpDUMP == NULL) {
00031 fprintf(stderr, "Error opening file %s for writing\n", DUMP);
          return;
00033 }
00034
          fprintf(fpDUMP, "timeNow %lf\n", timeNow);
fprintf(fpDUMP, "nAtom %d\n", nAtom);
fprintf(fpDUMP, "nBond %d\n", nBond);
fprintf(fpDUMP, "nAtomType %d\n", nAtomType);
fprintf(fpDUMP, "nBondType %d\n", nBondType);
fprintf(fpDUMP, "region[1] %0.141f\n", region[1]);
fprintf(fpDUMP, "region[2] %0.141f\n", region[2]);
00035
00036
00037
00038
00039
00040
00041
00042
00043
           int n;
00044
           fprintf(fpDUMP, "Atoms\n");
00045
           for(n = 1; n <= nAtom; n ++)</pre>
            fprintf(fpDUMP, "%d %d %d %0.21f %0.161f %0.161f %0.161f %0.161f\n", atomID[n], molID[n],
        atomType[n], atomRadius[n], rx[n], ry[n], vx[n], vy[n]);
00047
00048
00049
          fprintf(fpDUMP, "Bonds\n");
          for (n=1; n<=nBond; n++)
00051 fprintf(fpDUMP,
                                   "%d %d %d %0.21f %0.161f\n", BondID[n], BondType[n], atom1[n], atom2[n], kb[n],
00052
00053
          fclose(fpDUMP);
00054 }
00055
```

3.42 source/DumpState.c File Reference

```
#include <stdio.h>
#include "global.h"
Include dependency graph for DumpState.c:
```



Functions

• void DumpState ()

3.42.1 Function Documentation

3.42.1.1 DumpState()

```
void DumpState ( )
```

Definition at line 25 of file DumpState.c.

```
00025
          char DUMP[256];
00026
00027
          FILE *fpDUMP;
00028
          sprintf(DUMP,
                               "%s.STATE", prefix);
          fpDUMP = fopen(DUMP, "w");
if(fpDUMP == NULL) {
  fprintf(stderr, "Error opening file %s for writing\n", DUMP);
00029
00030
00031
00032
           return:
00033
00034
           00035
00036
           fprintf(fpDUMP, "ITEM: NUMBER OF ATOMS\n");
00037
           fprintf(fpDUMP, "%d\n", nAtom);
fprintf(fpDUMP, "ITEM: BOX BOUNDS pp pp \n");
00038
00039
           fprintf(fpDUMP, "ITEM: BOX BOUNDS pp pp pp \n");
fprintf(fpDUMP, "%lf %lf xlo xhi\n", -regionH[1], regionH[1]);
fprintf(fpDUMP, "%lf %lf ylo yhi\n", -regionH[2], regionH[2]);
fprintf(fpDUMP, "%lf %lf zlo zhi\n", -0.1, 0.1);
fprintf(fpDUMP, "ITEM: ATOMS id mol type radius x y vx vy fx fy\n");
00040
00041
00042
00043
00044
           int n;
           for (n = 1; n <= nAtom; n++) {
   fprintf(fpDUMP, "%d\t %d\t %d\t %0.21f\t %0.161f\t %0.161f\t %0.161f\t %0.161f\t %0.161f\t %0.161f\t</pre>
00045
00047
            atomID[n], molID[n], atomType[n], atomRadius[n], rx[n], ry[n], vx[n], vy[n], ax[n], ay[n]);
00048
00049
           fclose(fpDUMP);
00050 }
```

References atomID, atomRadius, atomType, ax, ay, molID, nAtom, prefix, regionH, rx, ry, timeNow, vx, and vy.

Referenced by main().

Here is the caller graph for this function:



3.43 DumpState.c

```
00002
       * This file is part of Lamina.
00003
00004
       * Lamina is free software: you can redistribute it and/or modify
00005
       * it under the terms of the GNU General Public License as published by
       * the Free Software Foundation, either version 3 of the License, or
00006
       \star (at your option) any later version.
80000
00009
       * Lamina is distributed in the hope that it will be useful,
       * but WITHOUT ANY WARRANTY; without even the implied warranty of * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00010
00011
00012
       * GNU General Public License for more details.
00013
       * You should have received a copy of the GNU General Public License
```


```
00015 * along with Lamina. If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00016
00017
          Copyright (C) 2025 Harish Charan, University of Durham, UK
00018
00019
00020
00021
00022 #include <stdio.h>
00023 #include "global.h"
00024
00025 void DumpState() {
00026 char DUMP[256];

00027 FILE *fpDUMP;

00028 sprintf(DUMP, "%s.STATE", prefix);
00029 fpDUMP = fopen(DUMP, "w");
00032
           return:
00033 }
00034
          fprintf(fpDUMP, "ITEM: TIMESTEP\n");
fprintf(fpDUMP, "%lf\n",timeNow);
fprintf(fpDUMP, "ITEM: NUMBER OF ATOMS\n");
fprintf(fpDUMP, "%d\n",nAtom);
fprintf(fpDUMP, "ITEM: BOX BOUNDS pp pp pp\n");
00035
00036
00037
00038
00039
           fprintf(fpDUMP, "lem: BOX BOUNDS pp pp pp \n");
fprintf(fpDUMP, "%lf %lf xlo xhi\n", -regionH[1], regionH[1]);
fprintf(fpDUMP, "%lf %lf ylo yhi\n", -regionH[2], regionH[2]);
fprintf(fpDUMP, "%lf %lf zlo zhi\n", -0.1, 0.1);
fprintf(fpDUMP, "ITEM: ATOMS id mol type radius x y vx vy fx fy\n");
00040
00041
00042
00043
00044
            int n;
           for (n = 1; n <= nAtom; n++) {
    fprintf(fpDUMP, "%d\t %d\t %d\t %0.21f\t %0.161f\t %0.161f\t %0.161f\t %0.161f\t %0.161f\t %0.161f\t</pre>
00045
00046
00047
             atomID[n], molID[n], atomType[n], atomRadius[n], rx[n], ry[n], vx[n], vy[n], ax[n], ay[n]);
00048
            fclose(fpDUMP);
00049
00050 }
00051
```

3.44 source/EvalCom.c File Reference

```
#include <stdio.h>
#include <stdlib.h>
#include <math.h>
#include "global.h"
Include dependency graph for EvalCom.c:
```



Functions

· void EvalCom ()

3.44.1 Function Documentation

3.44.1.1 EvalCom()

```
void EvalCom ( )
Definition at line 27 of file EvalCom.c.
00027
00028
        int n;
ComX = 0.0; ComY = 0.0; ComXRatio = 0.0; ComYRatio = 0.0;
00029
00030
        TotalMass = 0.0;
00031
00032
        for (n=1; n<=nAtom; n++) {</pre>
00033
        if(molID[n] == 2){
         ComX += atomMass[n] * rxUnwrap[n];
ComY += atomMass[n] * ryUnwrap[n];
00034
00035
00036
         TotalMass += atomMass[n];
00037
00038
        ComX = ComX/TotalMass;
ComY = ComY/TotalMass;
00039
00040
00041
00042
         if(timeNow == 0.0){
         ComX0 = ComX; ComY0 = ComY;
00044
00045
         ComXRatio = ComX/ComX0; ComYRatio = ComY/ComY0;
```

References atomMass, ComX, ComX0, ComXRatio, ComY, ComY0, ComYRatio, molID, nAtom, rxUnwrap, ryUnwrap, timeNow, and TotalMass.

Referenced by main().

00046 }

Here is the caller graph for this function:




3.45 EvalCom.c

```
00001 /*
00002 * This file is part of Lamina.
00003 *
00004 * Lamina is free software: you can redistribute it and/or modify
00005 * it under the terms of the GNU General Public License as published by
00006 * the Free Software Foundation, either version 3 of the License, or
00007 * (at your option) any later version.
00008 *
00009 * Lamina is distributed in the hope that it will be useful,
00010 * but WITHOUT ANY WARRANTY; without even the implied warranty of
00011 * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012 * GNU General Public License for more details.
```

```
00013 *
       * You should have received a copy of the GNU General Public License * along with Lamina. If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00014
00015
00016
00017 Copyright (C) 2025 Harish Charan, University of Durham, UK
00018
00019
00020
00021
00022 #include<stdio.h>
00023 #include<stdlib.h>
00024 #include<math.h>
00025 #include"global.h"
00026
00027 void EvalCom(){
00028 int n;
00029 ComX = 0.0; ComY = 0.0; ComXRatio = 0.0; ComYRatio = 0.0;
00030 TotalMass = 0.0;
00031
00032 for (n=1; n<=nAtom; n++) {
00033
        if(molID[n] == 2){
         ComX += atomMass[n] * rxUnwrap[n];
ComY += atomMass[n] * ryUnwrap[n];
00034
00035
00036
         TotalMass += atomMass[n];
00037
00038
00039
         ComX = ComX/TotalMass;
00040
         ComY = ComY/TotalMass;
00041
00042
         if(timeNow == 0.0){
         ComX0 = ComX; ComY0 = ComY;
00043
00044
00045
         ComXRatio = ComX/ComX0; ComYRatio = ComY/ComY0;
00046 }
00047
00048
00049
```

3.46 source/EvalProps.c File Reference

```
#include <stdio.h>
#include <string.h>
#include "global.h"
Include dependency graph for EvalProps.c:
```



Functions

• void EvalProps ()

3.46.1 Function Documentation

3.46.1.1 EvalProps()

```
void EvalProps ( )
```

Definition at line 26 of file EvalProps.c.

```
00027
        real v, vv;
00028
        virSum = 0.0;
00029
        vSumX = 0.0; vSumY = 0.0; vSum = 0.0;
00030
        vvSum = 0.;
00031
        int n;
00032
        for (n = 1; n <= nAtom; n++) {</pre>
00033
00034
        vv = 0.;
00035
        // Initialize v with a default value to avoid "uninitialized" warning.
00036
         v = 0.0;
        // X direction velocity
if (strcmp(solver, "Verlet") == 0) {
00037
00038
        v = vx[n];
} else if (strcmp(solver, "LeapFrog") == 0) {
v = vx[n] - 0.5 * deltaT * ax[n];
00039
00040
00041
00042
00043
          vSum += v;
          vv += Sqr(v);
vSumX += v;
00044
00045
          // Y direction velocity
00046
00047
          if (strcmp(solver, "Verlet") == 0) {
          v = vy[n];
00048
00049
          } else if (strcmp(solver, "LeapFrog") == 0) {
00050
          v = vy[n] - 0.5 * deltaT * ay[n];
00051
00052
          vSum += v:
          vSumY += v;
00053
          vv += Sqr(v);
00054
00055
          vvSum += vv;
00056
00057
00058
        kinEnergy = 0.5 * vvSum / nAtom ;
00059
         uSumPairPerAtom = uSumPair / nAtom ;
00060 BondEnergyPerAtom = TotalBondEnergy / (0.5*nAtom); //Factor of 0.5 since each atom has one half the
      bond energy
00061
         potEnergy = uSumPairPerAtom + BondEnergyPerAtom ;
        totEnergy = kinEnergy + potEnergy;
virSumxx = virSumPairxx + virSumBondxx;
virSumyy = virSumPairyy + virSumBondyy;
00062
00063
00064
         virSumxy = virSumPairxy + virSumBondxy;
virSum = virSumPair + virSumBond;
00065
00066
00067
         pressure = density * (vvSum + virSum) / (nAtom * NDIM);
00068
00069 }
```

References ax, ay, BondEnergyPerAtom, deltaT, density, kinEnergy, nAtom, NDIM, potEnergy, pressure, solver, Sqr, TotalBondEnergy, totEnergy, uSumPair, uSumPairPerAtom, virSum, virSumBond, virSumBondxx, virSumBondyy, virSumPair, virSumPairxx, virSumPairxy, virSumPairyy, virSumxx, virSumxy, virSumyy, vSum, vSumX, vSumY, vvSum, vx, and vy.

Referenced by main().

Here is the caller graph for this function:



3.47 EvalProps.c 65

3.47 EvalProps.c

```
Go to the documentation of this file.
```


```
00002
       * This file is part of Lamina.
00003
00004
       * Lamina is free software: you can redistribute it and/or modify
00005
       * it under the terms of the GNU General Public License as published by
       * the Free Software Foundation, either version 3 of the License, or
00007
       * (at your option) any later version.
00008 *
00009 \,\,\star\,\, Lamina is distributed in the hope that it will be useful,
00010 * but WITHOUT ANY WARRANTY; without even the implied warranty of 00011 * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012 * GNU General Public License for more details.
00013 *
00014
      * You should have received a copy of the GNU General Public License
00015 \star along with Lamina. If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00016
00017 Copyright (C) 2025 Harish Charan, University of Durham, UK
00018
00019
00020
00021
00022 #include <stdio.h>
00023 #include <string.h>
00024 #include "global.h"
00026 void EvalProps() {
00027 real v, vv;
00028 virSum = 0.0;
00029 vSumX = 0.0; vSumY = 0.0; vSum = 0.0;
00030 vvSum = 0.;
00031 int n;
00032
00033 for (n = 1; n \le nAtom; n++) {
00034
        vv = 0.;
        // Initialize v with a default value to avoid "uninitialized" warning.
00035
00036
        v = 0.0;
        // X direction velocity
00038
         if (strcmp(solver, "Verlet") == 0) {
00039
          v = vx[n];
        } else if (strcmp(solver, "LeapFrog") == 0) {
v = vx[n] - 0.5 * deltaT * ax[n];
00040
00041
        }
00042
00043
          vSum += v;
          vv += Sqr(v);
00044
          vSumX += v;
00045
          // Y direction velocity
if (strcmp(solver, "Verlet") == 0) {
00046
00047
         v = vy[n];
} else if (strcmp(solver, "LeapFrog") == 0) {
00048
00049
          v = vy[n] - 0.5 * deltaT * ay[n];
00050
00051
          vSum += v;
00052
00053
          vSumY += v:
          vv += Sqr(v);
00054
00055
          vvSum += vv;
00056
00057
00058
         kinEnergy = 0.5 * vvSum / nAtom ;
         uSumPairPerAtom = uSumPair / nAtom ;
00059
        BondEnergyPerAtom = TotalBondEnergy / (0.5*nAtom); //Factor of 0.5 since each atom has one half the
00060
      bond energy
00061 potEnergy = uSumPairPerAtom + BondEnergyPerAtom;
00062
         totEnergy = kinEnergy + potEnergy;
        virSumxx = virSumPairxx + virSumBondxx;
virSumyy = virSumPairyy + virSumBondyy;
00063
00064
         virSumxy = virSumPairxy + virSumBondxy;
00065
00066
        virSum = virSumPair + virSumBond;
        pressure = density * (vvSum + virSum) / (nAtom * NDIM);
00067
00068
00069 }
00070
```

3.48 source/EvalRdf.c File Reference

```
#include <stdio.h>
#include <math.h>
```

```
#include "global.h"
```

Include dependency graph for EvalRdf.c:



Functions

• void EvalRdf ()

3.48.1 Function Documentation

3.48.1.1 EvalRdf()

```
void EvalRdf ( )
```

Definition at line 26 of file EvalRdf.c.

```
00026
           real dr[NDIM+1], deltaR, normFac, rr, rrRange;
00027
           int j1, j2, n;
countRdf ++;
00028
00029
           if(countRdf == 1) {
  for(n = 1 ; n <= sizeHistRdf ; n ++)</pre>
00030
00031
00032
                 histRdf[n] = 0.;
00033
          rrRange = Sqr(rangeRdf);
deltaR = rangeRdf / sizeHistRdf;
for(j1 = 1; j1 <= nAtom - 1; j1 ++) {
   for(j2 = j1 + 1; j2 <= nAtom; j2 ++) {</pre>
00034
00035
00036
00037
00038
              dr[1] = rx[j1] - rx[j2];
  if(fabs(dr[1]) > regionH[1])
dr[1] -= SignR(region[1], dr[1]);
00039
00040
00041
00042
                 dr[2] = ry[j1] - ry[j2];
if(fabs(dr[2]) > regionH[2])
00043
00044
00045
              dr[2] -= SignR(region[2], dr[2]);
00046
00047
                rr = Sqr(dr[1]) + Sqr(dr[2]);
00048
00049
                 if(rr < rrRange){</pre>
00050
              n = (int)(sqrt(rr)/deltaR) + 1;
00051
              histRdf[n] ++;
00052
00053
00054
00055
           if(countRdf == limitRdf){
```

3.49 EvalRdf.c 67

```
normFac = region[1] *region[2] / (M_PI*Sqr(deltaR)*nAtom*nAtom*countRdf );
          for (n = 1 ; n <= sizeHistRdf ; n ++)</pre>
00058
00059
            histRdf[n] *= normFac/(n-0.5);
          // PRINT THE RADIAL DISTRIBUTION DATA ON TO DISK FILE
00060
00061
          real rBin;
00062
          int n:
00063
          fprintf(fprdf,"rdf @ timeNow %lf\n", timeNow);
00064
          for(n = 1; n <= sizeHistRdf; n ++) {</pre>
00065
          rBin = (n - 0.5)*rangeRdf/sizeHistRdf;
00066
            fprintf(fprdf, "%lf %lf\n", rBin, histRdf[n]);
00067
00068
       }
00069
00070 }
```

References countRdf, fprdf, histRdf, limitRdf, nAtom, NDIM, rangeRdf, region, regionH, rx, ry, SignR, sizeHistRdf, Sqr, and timeNow.


3.49 EvalRdf.c

```
00001 /*
00002
       * This file is part of Lamina.
00003
00004
       * Lamina is free software: you can redistribute it and/or modify
00005
       \star it under the terms of the GNU General Public License as published by
00006 \star the Free Software Foundation, either version 3 of the License, or
00007 \star (at your option) any later version.
80000
00009
       * Lamina is distributed in the hope that it will be useful,
00010 * but WITHOUT ANY WARRANTY; without even the implied warranty of
00011 * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012 \,\,\star\, GNU General Public License for more details.
00013 *
00014 * You should have received a copy of the GNU General Public License 00015 * along with Lamina. If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00016
00017 Copyright (C) 2025 Harish Charan, University of Durham, UK
00018
00019 */
00020
00022 #include<stdio.h>
00023 #include<math.h>
00024 #include"global.h"
00025
00026 void EvalRdf() {
00027
        real dr[NDIM+1], deltaR, normFac, rr, rrRange;
         int j1, j2, n;
countRdf ++;
00028
00029
00030
         if(countRdf == 1){
          for(n = 1; n <= sizeHistRdf; n ++)
histRdf[n] = 0.;</pre>
00031
00032
00033
00034
         rrRange = Sqr(rangeRdf);
         deltaR = rangeRdf / sizeHistRdf;
for(j1 = 1; j1 <= nAtom - 1; j1 ++) {
  for(j2 = j1 + 1; j2 <= nAtom; j2 ++) {</pre>
00035
00036
00037
00038
              dr[1] = rx[j1] - rx[j2];
if(fabs(dr[1]) > regionH[1])
00039
00040
00041
            dr[1] -= SignR(region[1], dr[1]);
00042
              dr[2] = ry[j1] - ry[j2];
if(fabs(dr[2]) > regionH[2])
00043
00044
            dr[2] -= SignR(region[2], dr[2]);
00045
00046
00047
              rr = Sqr(dr[1]) + Sqr(dr[2]);
00048
00049
             if(rr < rrRange){
00050
            n = (int)(sqrt(rr)/deltaR) + 1;
00051
           histRdf[n] ++;
00052
              }
00053
00054
00055
00056
         if(countRdf == limitRdf){
           normFac = region[1]*region[2] / (M_PI*Sqr(deltaR)*nAtom*nAtom*countRdf);
for(n = 1; n <= sizeHistRdf; n ++)</pre>
00057
00058
              histRdf[n] *= normFac/(n-0.5);
```

3.50 source/EvalSpacetimeCorr.c File Reference

```
#include <stdio.h>
#include <math.h>
#include "global.h"
```

Include dependency graph for EvalSpacetimeCorr.c:



Functions

• void EvalSpacetimeCorr ()

3.50.1 Function Documentation

3.50.1.1 EvalSpacetimeCorr()

```
void EvalSpacetimeCorr ( )
```

Definition at line 26 of file EvalSpacetimeCorr.c.

```
00026

00027 real cosV=0., cosV0=0., cosV1=0., cosV2=0., sinV=0., sinV1=0., sinV2=0.;
00028 real COSA, SINA, COSV, SINV;
00029 int j, m, n, nb, ni, nv;
00030 real kMin = 2. * M_PI / region[1];
00031 real kMax = M_PI;
00032 real deltaK = (kMax - kMin) / nFunCorr;
```

```
for (j = 1; j <= 2*nFunCorr; j++)
  cfVal[j] = 0.;</pre>
00034
00035
00036
00037
           for (n = 1; n \le nAtom; n++) {
00038
             i = 1;
             COSA = cos(kMin*rx[n]);
00040
             SINA = sin(kMin*rx[n]);
             for (m = 1; m <= nFunCorr; m++) {
  if (m == 1) {</pre>
00041
00042
             cosV = cos(deltaK*rx[n]);
00043
             sinV = sin(deltaK*rx[n]);
00044
             cosV0 = cosV;
00045
00046
               }else if(m == 2){
00047
             cosV1 = cosV;
             sinV1 = sinV;
cosV = 2.*cosV0*cosV1-1;
00048
00049
             sinV = 2.*cosV0*sinV1;
00050
00051
              }else{
             cosV2 = cosV1;
00052
00053
             sinV2 = sinV1;
             cosV1 = cosV;
00054
00055
             sinV1 = sinV;
             cosV = 2.*cosV0*cosV1-cosV2;
00056
00057
             sinV = 2.*cosV0*sinV1-sinV2;
00058
00059
                COSV = COSA*cosV - SINA*sinV;
00060
                SINV = SINA*cosV + COSA*sinV;
                cfVal[j] += COSV;
cfVal[j+1] += SINV;
00061
00062
00063
                j += 2;
00064
             }
00065
00066
          for (nb = 1; nb <= nBuffCorr; nb++) {
  indexCorr[nb] += 1;
  if (indexCorr[nb] <= 0) continue;</pre>
00067
00068
00069
             ni = nFunCorr * (indexCorr[nb] - 1);
             if (indexCorr[nb] == 1) {
   for (j = 1; j <= 2*nFunCorr; j++)
   cfOrg[nb][j] = cfVal[j];</pre>
00071
00072
00073
00074
00075
00076
             for (j = 1; j <= nFunCorr; j++)</pre>
00077
               spacetimeCorr[nb][ni + j] = 0.;
00078
00079
             j = 1;
             for (m = 1; m <= nFunCorr; m++) {</pre>
00080
00081
               nv = m + ni;
                spacetimeCorr[nb][nv] += cfVal[j] * cfOrg[nb][j] + cfVal[j + 1] * cfOrg[nb][j + 1];
00082
00083
                j += 2;
00084
00085
00086
00087
00088
           // ACCUMULATE SPACETIME CORRELATIONS
           for (nb = 1; nb <= nBuffCorr; nb++) {</pre>
00090
           if (indexCorr[nb] == nValCorr) {
               for (j = 1; j <= nFunCorr*nValCorr; j++)
   spacetimeCorrAv[j] += spacetimeCorr[nb][j];</pre>
00091
00092
               indexCorr[nb] = 0.;
00093
00094
               countCorrAv ++;
00095
               if (countCorrAv == limitCorrAv) {
00096
                 for (j = 1; j <= nFunCorr*nValCorr; j++)</pre>
00097
               spacetimeCorrAv[j] /= (nAtom*limitCorrAv);
                 pacetimeCorrav[]] /= (nAtom*limitcorrav);
fprintf(fpdnsty, "NDIM %d\n", NDIM);
fprintf(fpdnsty, "nAtom %d\n", nAtom);
fprintf(fpdnsty, "region %lf\n", region[1]);
fprintf(fpdnsty, "nFunCorr %d\n", nFunCorr);
fprintf(fpdnsty, "limitCorrav %d\n", limitCorrav);
fprintf(fpdnsty, "stepCorr %d\n", stepCorr);
fprintf(fpdnsty, "nValCorr %d\n", nValCorr);
fprintf(fpdnsty, "NvalCorr %d\n", nValCorr);
fprintf(fpdnsty, "deltaT %lf\n", deltaT);
00098
00099
00100
00101
00102
00103
00104
                 fprintf(fpdnsty, "deltaT %lf\n", deltaT);
00105
00106
                 real tVal;
                  for (n = 1; n <= nValCorr; n++) {</pre>
00107
               tVal = (n-1) *stepCorr*deltaT;
00108
00109
               fprintf (fpdnsty, "%e\t", tVal);
              00110
00111
00112
00113
00114
00115
00116
                 countCorrAv = 0.;
00117
                 for (j = 1; j <= nFunCorr*nValCorr; j++)</pre>
00118
               spacetimeCorrAv[j] = 0.;
00119
```

```
00120
00121 }
00122 }
```

References cfOrg, cfVal, countCorrAv, deltaT, fpdnsty, indexCorr, limitCorrAv, nAtom, nBuffCorr, NDIM, nFunCorr, nValCorr, region, rx, spacetimeCorr, spacetimeCorrAv, and stepCorr.

3.51 EvalSpacetimeCorr.c


```
00002
       * This file is part of Lamina.
00003
00004 \,* Lamina is free software: you can redistribute it and/or modify
       * it under the terms of the GNU General Public License as published by
00005
00006
       * the Free Software Foundation, either version 3 of the License, or
00007 * (at your option) any later version.
80000
00009 * Lamina is distributed in the hope that it will be useful,
00010 * but WITHOUT ANY WARRANTY; without even the implied warranty of 00011 * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the 00012 * GNU General Public License for more details.
00013 *
00014 \,\,\star\,\, You should have received a copy of the GNU General Public License
00015 * along with Lamina. If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00016
00017 Copyright (C) 2025 Harish Charan, University of Durham, UK
00018
00019
00020
00021
00022 #include<stdio.h>
00023 #include<math.h>
00024 #include"global.h"
00025
00026 void EvalSpacetimeCorr (){
        real cosV=0., cosV0=0., cosV1=0., cosV2=0., sinV=0., sinV1=0., sinV2=0.;
real COSA, SINA, COSV, SINV;
00027
00028
        int j, m, n, nb, ni, nv;
real kMin = 2. * M_PI / region[1];
real kMax = M_PI;
00029
00030
00031
        real deltaK = (kMax - kMin) / nFunCorr;
00033
00034
        for (j = 1; j <= 2*nFunCorr; j++)</pre>
00035
          cfVal[j] = 0.;
00036
00037
        for (n = 1; n \le nAtom; n++) {
00038
           i = 1;
00039
           COSA = cos(kMin*rx[n]);
00040
           SINA = sin(kMin*rx[n]);
00041
           for (m = 1; m <= nFunCorr; m++) {</pre>
00042
            if(m == 1){
           cosV = cos(deltaK*rx[n]);
00043
00044
           sinV = sin(deltaK*rx[n]);
00045
           cosV0 = cosV;
00046
             }else if(m == 2){
           cosV1 = cosV;
sinV1 = sinV;
00047
00048
00049
           cosV = 2.*cosV0*cosV1-1;
           sinV = 2.*cosV0*sinV1;
00050
00051
             }else{
00052
           cosV2 = cosV1;
           sinV2 = sinV1;
00053
           cosV1 = cosV;
00054
           sinV1 = sinV;
00055
00056
           cosV = 2.*cosV0*cosV1-cosV2;
           sinV = 2.*cosV0*sinV1-sinV2;
00057
00058
00059
              COSV = COSA*cosV - SINA*sinV;
             SINV = SINA*cosV + COSA*sinV;
00060
             cfVal[j] += COSV;
cfVal[j+1] += SINV;
00061
00062
00063
             j += 2;
00064
00065
00066
00067
         00068
00069
           if (indexCorr[nb] <= 0) continue;</pre>
           ni = nFunCorr * (indexCorr[nb] - 1);
```

```
if (indexCorr[nb] == 1) {
              for (j = 1; j <= 2*nFunCorr; j++)
cfOrg[nb][j] = cfVal[j];</pre>
00072
00073
00074
00075
              for (j = 1; j <= nFunCorr; j++)
   spacetimeCorr[nb][ni + j] = 0.;</pre>
00076
00077
00078
00079
               for (m = 1; m <= nFunCorr; m++) {</pre>
08000
                nv = m + ni;
00081
00082
                 spacetimeCorr[nb][nv] += cfVal[j] * cfOrg[nb][j] + cfVal[j + 1] * cfOrg[nb][j + 1];
00083
                 j += 2;
00084
00085
00086
00087
00088
           // ACCUMULATE SPACETIME CORRELATIONS
           for (nb = 1; nb <= nBuffCorr; nb++) {</pre>
00089
00090
            if (indexCorr[nb] == nValCorr) {
                for (j = 1; j <= nFunCorr*nValCorr; j++)
   spacetimeCorrAv[j] += spacetimeCorr[nb][j];</pre>
00091
00092
00093
                indexCorr[nb] = 0.;
00094
                countCorrAv ++:
00095
                if (countCorrAv == limitCorrAv) {
00096
                   for (j = 1; j <= nFunCorr*nValCorr; j++)</pre>
00097
                spacetimeCorrAv[j] /= (nAtom*limitCorrAv);
                   pacetimeCorrav[]] /= (nAtom*limitcorrav);
fprintf(fpdnsty, "NDIM %d\n", NDIM);
fprintf(fpdnsty, "nAtom %d\n", nAtom);
fprintf(fpdnsty, "region %lf\n", region[1]);
fprintf(fpdnsty, "nFunCorr %d\n", nFunCorr);
fprintf(fpdnsty, "limitCorrav %d\n", limitCorrav);
fprintf(fpdnsty, "stepCorr %d\n", stepCorr);
fprintf(fpdnsty, "nValCorr %d\n", nValCorr);
fprintf(fpdnsty, "NvalCorr %d\n", nValCorr);
fprintf(fpdnsty, "deltaT %lf\n", deltaT);
00098
00099
00100
00101
00102
00103
00104
                   \texttt{fprintf(fpdnsty,"deltaT \$lf\n", deltaT);}
00105
                real tVal;
for (n = 1; n <= nValCorr; n++) {
tVal = (n-1)*stepCorr*deltaT;</pre>
00106
00107
00109
                fprintf (fpdnsty, "%e\t", tVal);
                00110
00111
00112
00113
00114
00115
00116
                   countCorrAv = 0.;
00117
                   for (j = 1; j <= nFunCorr*nValCorr; j++)</pre>
00118
                spacetimeCorrAv[j] = 0.;
00119
00120
00121
           }
00122 }
```

3.52 source/EvalUnwrap.c File Reference

```
#include <stdio.h>
#include <stdlib.h>
#include <math.h>
#include "global.h"
```

Include dependency graph for EvalUnwrap.c:



Functions

• void EvalUnwrap ()

3.52.1 Function Documentation

3.52.1.1 **EvalUnwrap()**

```
void EvalUnwrap ( )
```

Definition at line 27 of file EvalUnwrap.c.

References ImageX, ImageY, nAtom, region, rx, rxUnwrap, ry, and ryUnwrap.

Referenced by main().

Here is the caller graph for this function:



3.53 EvalUnwrap.c 73

3.53 EvalUnwrap.c

Go to the documentation of this file.

```
00002
          * This file is part of Lamina.
00003
00004~\star~Lamina is free software: you can redistribute it and/or modify 00005~\star~it under the terms of the GNU General Public License as published by 00006~\star~the Free Software Foundation, either version 3 of the License, or
          * (at your option) any later version.
00007
* 80000
00009 \,\star\, Lamina is distributed in the hope that it will be useful,
00010 ^{\star} but WITHOUT ANY WARRANTY; without even the implied warranty of 00011 ^{\star} MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012 * GNU General Public License for more details.
00014 * You should have received a copy of the GNU General Public License 00015 * along with Lamina. If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00016
00017 Copyright (C) 2025 Harish Charan, University of Durham, UK
00018
00019
00020
00021
00022 #include <stdio.h>
00023 #include <stdlib.h>
00024 #include <math.h>
00025 #include "global.h"
00026
00027 void EvalUnwrap() {
00028 int n;
00020 int n,

00020 for (n = 1; n <= nAtom; n++) {


00030 rxUnwrap[n] = rx[n] + ImageX[n] * region[1];

00031 ryUnwrap[n] = ry[n] + ImageY[n] * region[2];

00032 }
00033 }
00034
```

3.54 source/EvalVacf.c File Reference

```
#include <stdio.h>
#include "global.h"
Include dependency graph for EvalVacf.c:
```



Functions

- void AccumVacf ()
- void EvalVacf ()

3.54.1 Function Documentation

3.54.1.1 AccumVacf()

```
void AccumVacf ( )
```

Definition at line 27 of file AccumVacf.c.


```
00027
00028
         double fac;
         int j, nb;

for(nb = 1; nb <= nBuffAcf; nb ++) {
00029
00030
          if(indexAcf[nb] == nValAcf) {
  for(j = 1; j <= nValAcf; j ++) {
    viscAcfAv[j] += viscAcf[nb][j];</pre>
00031
00032
00033
00034
00035
          indexAcf[nb] = 0;
00036
           countAcfAv ++;
           if(countAcfAv == limitAcfAv){
00037
            fac = 1./(kinEnergy*region[1]*region[2]*limitAcfAv);
viscAcfInt = fac*stepAcf*deltaT*Integrate(viscAcfAv, nValAcf);
00038
00039
00040
            PrintVacf();
            ZeroVacf();
00041
00042 } } }
```

References countAcfAv, deltaT, indexAcf, Integrate(), kinEnergy, limitAcfAv, nBuffAcf, nValAcf, PrintVacf(), region, stepAcf, viscAcf, viscAcfAv, viscAcfInt, and ZeroVacf().

Referenced by EvalVacf().

Here is the call graph for this function:



Here is the caller graph for this function:



3.55 EvalVacf.c 75

3.54.1.2 EvalVacf()


```
void EvalVacf ( )
```

Definition at line 26 of file EvalVacf.c.

```
00026
         int n, nb, ni;
double viscVec = 0.;
00027
00028
00029
         double v[3];
00030
         for (n = 1 ; n <= nAtom ; n ++) {</pre>
            v[1] = vx[n] - 0.5*ax[n]*deltaT;
v[2] = vy[n] - 0.5*ay[n]*deltaT;
00031
00032
00033
            viscVec += v[1]*v[2];
00034
00035
         viscVec += rfAtom;
         for(nb = 1 ; nb <= nBuffAcf ; nb ++) {</pre>
00036
00037
            indexAcf[nb] ++;
            if(indexAcf[nb] <= 0) continue;
if(indexAcf[nb] == 1) {</pre>
00038
00039
00040
              viscAcfOrg[nb] = viscVec;
00041
00042
            ni = indexAcf[nb];
00043
            viscAcf[nb][ni] = viscAcfOrg[nb]*viscVec;
00044
00045
         AccumVacf():
00046 }
```

References AccumVacf(), ax, ay, deltaT, indexAcf, nAtom, nBuffAcf, rfAtom, viscAcf, viscAcfOrg, vx, and vy.

Here is the call graph for this function:



3.55 EvalVacf.c


```
00001 /*
00002
        * This file is part of Lamina.
00003
         * Lamina is free software: you can redistribute it and/or modify * it under the terms of the GNU General Public License as published by
00004
00005
00006
          \star the Free Software Foundation, either version 3 of the License, or
00007
          \star (at your option) any later version.
80000
00009
        * Lamina is distributed in the hope that it will be useful,
00010 * but WITHOUT ANY WARRANTY; without even the implied warranty of 00011 * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012
         * GNU General Public License for more details.
00013
00014 \,\, You should have received a copy of the GNU General Public License 00015 \,\, * along with Lamina. If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00016
00017 Copyright (C) 2025 Harish Charan, University of Durham, UK
```

```
00018
00019 */
00020
00021
00022 #include<stdio.h>
00023 #include"global.h"
00025 void AccumVacf();
00026 void EvalVacf(){
00027
         int n, nb, ni;
00028
         double viscVec = 0.;
         double visovec = 0.;
double v[3];
for(n = 1; n <= nAtom; n ++) {
  v[1] = vx[n] - 0.5*ax[n]*deltaT;
  v[2] = vy[n] - 0.5*ay[n]*deltaT;</pre>
00029
00030
00031
00032
            viscVec += v[1] *v[2];
00033
00034
00035
          viscVec += rfAtom;
for(nb = 1; nb <= nBuffAcf; nb ++) {</pre>
00036
            indexAcf[nb] ++;
00037
            if(indexAcf[nb] <= 0) continue;
if(indexAcf[nb] == 1) {</pre>
00038
00039
00040
               viscAcfOrg[nb] = viscVec;
00041
            ni = indexAcf[nb];
00042
00043
            viscAcf[nb][ni] = viscAcfOrg[nb]*viscVec;
00044
00045
         AccumVacf();
00046 }
```

3.56 source/EvalVrms.c File Reference

```
#include <stdio.h>
#include <stdlib.h>
#include <math.h>
#include "global.h"
```

Include dependency graph for EvalVrms.c:



Functions

• void EvalVrms ()

3.57 EvalVrms.c 77

3.56.1 Function Documentation

3.56.1.1 EvalVrms()

```
void EvalVrms ( )
Definition at line 27 of file EvalVrms.c.
00027
00028
         int n;
         VSqr = 0.0;
00029
00030
         VMeanSqr = 0.0;
00031
         VRootMeanSqr = 0.0;
00032
00033
         for (n = 1 ; n <= nAtom ; n ++) {
VSqr += Sqr(vx[n]) + Sqr(vy[n]);</pre>
00034
00035
00036
         VMeanSqr = VSqr/nAtom;
00037
         VRootMeanSqr = sqrt(VMeanSqr);
00038
```

References nAtom, Sqr, VMeanSqr, VRootMeanSqr, VSqr, vx, and vy.

Referenced by main().

Here is the caller graph for this function:




3.57 EvalVrms.c

```
00001 /*
00002 * This file is part of Lamina.
00003
00004
        * Lamina is free software: you can redistribute it and/or modify
00005
        \star it under the terms of the GNU General Public License as published by
00006 \star the Free Software Foundation, either version 3 of the License, or
00007
       * (at your option) any later version.
00008 *
00009
       * Lamina is distributed in the hope that it will be useful,
00010 * but WITHOUT ANY WARRANTY; without even the implied warranty of 00011 * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012 \star GNU General Public License for more details.
00013 *
* You should have received a copy of the GNU General Public License 00015 * along with Lamina. If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00016
00017
        Copyright (C) 2025 Harish Charan, University of Durham, UK
00018
00019
00020
00021
00022 #include<stdio.h>
00023 #include<stdlib.h>
00024 #include<math.h>
00025 #include"global.h"
00026
00027 void EvalVrms(){
00028
       int n;
00029
         VSqr = 0.0;
```

```
00030    VMeanSqr = 0.0;
00031    VRootMeanSqr = 0.0;
00032
00033    for(n = 1 ; n <= nAtom ; n ++) {
00034     VSqr += Sqr(vx[n]) + Sqr(vy[n]);
00035    }
00036    VMeanSqr = VSqr/nAtom;
00037    VRootMeanSqr = sqrt(VMeanSqr);
00038    }
00039
00040
00041</pre>
```

3.58 source/global.h File Reference

```
#include <stdio.h>
Include dependency graph for global.h:
```



This graph shows which files directly or indirectly include this file:

Macros

- #define EXTERN extern
- #define NDIM 2
- #define Sqr(x) ((x) * (x))
- #define SignR(x, y) (((y) >= 0) ? (x) : (- (x)))

Typedefs

• typedef double real

Variables

- double * rx
- double * ry
- double * vx
- double * vy
- double * ax
- double * ay
- double * speed
- double region [2+1]
- double regionH [2+1]
- double deltaT
- double timeNow
- double potEnergy
- double kinEnergy
- double totEnergy
- · double density
- · double pressure
- double rCut
- · double kappa
- double uSum
- · double virSum
- double svirSum
- double vSum
- double vSumX
- double vSumY
- double vvSum
- double sPotEnergy
- double sKinEnergy
- double sTotEnergy
- · double sPressure
- double ssPotEnergy
- double ssKinEnergy
- double ssTotEnergy
- double ssPressure
- int initUcell [2+1]
- · int moreCycles
- int nAtom
- · int stepAvg
- · int stepCount
- · int stepEquil
- · int stepLimit
- int stepTraj
- int stepDump
- double RadiusIJ
- double SqrRadiusIJ
- double RadiusIJInv
- int nAtomType
- int * atomType
- int * atomID
- double * atomRadius
- double * atomMass
- double TotalMass
- int nBond
- int nBondType

- int * atom1
- int * atom2
- int * BondID
- int * BondType
- double * kb
- double * ro
- double * BondEnergy
- double * BondLength
- double TotalBondEnergy
- double BondEnergyPerAtom
- · double gamman
- double * discDragx
- double * discDragy
- double * nodeDragx
- double * nodeDragy
- · double strain
- double strainRate
- · double shearDisplacement
- double shearVelocity
- · double VSqr
- double VMeanSqr
- double VRootMeanSqr
- · double ComX
- · double ComY
- double ComX0
- double ComY0
- · double ComXRatio
- · double ComYRatio
- double HaltCondition
- · double DeltaY
- double DeltaX
- int * ImageX
- int * ImageY
- double * rxUnwrap
- double * ryUnwrap
- int nAtomInterface
- int nDiscInterface
- int nAtomBlock
- int * atomIDInterface
- double Kn
- · double fx
- · double fy
- · double FyBylx
- double fxByfy
- · int DampFlag
- · double strech
- int dumpPairFlag
- int nPairTotal
- int nPairActive
- int * PairID
- int * Pairatom1
- int * Pairatom2
- double * PairXij
- double * PairYij
- char solver [128]

- char xBoundary [10]
- char yBoundary [10]
- · char thermo
- double * DeltaXijOld
- double * DeltaYijOld
- double DeltaXijNew
- · double DeltaYijNew
- double DeltaXij
- · double DeltaYij
- · double DeltaVXii
- · double DeltaVYij
- double ** DeltaXijOldPair
- double ** DeltaYijOldPair
- int * mollD
- int ** isBonded
- int * cellList
- int cells [2+1]
- · int rank
- · int size
- · int master
- double * fax
- double * fay
- · double fuSum
- · double fvirSum
- double frfAtom
- · double uSumPair
- · double uSumPairPerAtom
- double virSumPair
- double virSumPairxx
- · double virSumPairyy
- double virSumPairxy
- · double virSumBond
- double virSumBondxx
- · double virSumBondyy
- double virSumBondxy
- double virSumxx
- double virSumyy
- double virSumxy
- int freezeAtomType
- double ** cfOrg
- double ** spacetimeCorr
- double * cfVal
- double * spacetimeCorrAv
- int * indexCorr
- int countCorrAv
- int limitCorrAv
- int nBuffCorr
- · int nFunCorr
- · int nValCorr
- · int stepCorr
- double rfAtom
- double * indexAcf
- double ** viscAcf
- double * viscAcfOrg
- double * viscAcfAv

- double viscAcfInt
- int nValAcf
- int nBuffAcf
- int stepAcf
- · int countAcfAv
- · int limitAcfAv
- double * histRdf
- · double rangeRdf
- · int countRdf
- · int limitRdf
- int sizeHistRdf
- int stepRdf
- char * prefix
- char result [250]
- FILE * fpresult
- char xyz [256]
- FILE * fpxyz
- char bond [256]
- FILE * fpbond
- char dump [256]
- FILE * fpdump
- char dnsty [256]
- FILE * fpdnsty
- char visc [256]
- FILE * fpvisc
- char rdf [256]
- FILE * fprdf
- char vrms [256]
- FILE * fpvrms
- char stress [256]
- FILE * fpstress
- char momentum [256]
- FILE * fpmomentum
- char com [256]
- FILE * fpcom
- char pair [256]
- FILE * fppair

3.58.1 Macro Definition Documentation

3.58.1.1 EXTERN

#define EXTERN extern

Definition at line 8 of file global.h.

3.58.1.2 NDIM

#define NDIM 2

Definition at line 13 of file global.h.

Referenced by ComputeBondForce(), ComputeForcesCells(), ComputePairForce(), EvalProps(), EvalRdf(), EvalSpacetimeCorr(), and LeapfrogStep().

3.58.1.3 SignR

```
#define SignR(  x, \\  y ) \mbox{ (((y) >= 0) ? (x) : (- (x)))}
```

Definition at line 15 of file global.h.

Referenced by EvalRdf(), and LeapfrogStep().

3.58.1.4 Sqr

```
#define Sqr( x ) ((x) * (x))
```

Definition at line 14 of file global.h.

Referenced by AccumProps(), BrownianStep(), ComputeBondForce(), ComputeForcesCells(), ComputePairForce(), EvalProps(), EvalRdf(), EvalVrms(), and LeapfrogStep().

3.58.2 Typedef Documentation

3.58.2.1 real

```
typedef double real
```

Definition at line 11 of file global.h.

3.58.3 Variable Documentation

3.58.3.1 atom1

```
int* atom1 [extern]
```

Referenced by Close(), ComputeBondForce(), DumpBonds(), DumpRestart(), and Init().

3.58.3.2 atom2

```
int * atom2
```

Definition at line 34 of file global.h.

Referenced by Close(), ComputeBondForce(), DumpBonds(), DumpRestart(), and Init().

3.58.3.3 atomID

```
int* atomID [extern]
```

Referenced by Close(), DumpRestart(), DumpState(), Init(), and Trajectory().

3.58.3.4 atomIDInterface

```
int* atomIDInterface [extern]
```

Referenced by Close(), ComputePairForce(), and Init().

3.58.3.5 atomMass

```
double* atomMass [extern]
```

Referenced by Close(), ComputePairForce(), EvalCom(), and Init().

3.58.3.6 atomRadius

```
double* atomRadius [extern]
```

Referenced by ApplyBoundaryCond(), Close(), ComputeForcesCells(), ComputePairForce(), DumpRestart(), DumpState(), Init(), and Trajectory().

3.58.3.7 atomType

```
int* atomType [extern]
```

Referenced by ApplyDrivingForce(), Close(), DumpRestart(), DumpState(), Init(), Trajectory(), and VelocityVerletStep().

3.58.3.8 ax

double * ax

Definition at line 17 of file global.h.

Referenced by ApplyDrivingForce(), ApplyForce(), ApplyViscous(), BrownianStep(), Close(), ComputeBondForce(), ComputeForceScells(), ComputePairForce(), DumpState(), EvalProps(), EvalVacf(), Init(), LeapfrogStep(), Trajectory(), and VelocityVerletStep().

3.58.3.9 ay

double * ay

Definition at line 17 of file global.h.

Referenced by ApplyDrivingForce(), ApplyForce(), ApplyViscous(), BrownianStep(), Close(), ComputeBondForce(), ComputeForcesCells(), ComputePairForce(), DumpState(), EvalProps(), EvalVacf(), Init(), LeapfrogStep(), Trajectory(), and VelocityVerletStep().

3.58.3.10 bond

```
char bond[256] [extern]
```

Referenced by main().

3.58.3.11 BondEnergy

```
double* BondEnergy [extern]
```

Referenced by ComputeBondForce(), and Init().

3.58.3.12 BondEnergyPerAtom

```
double BondEnergyPerAtom
```

Definition at line 38 of file global.h.

Referenced by EvalProps(), and PrintSummary().

3.58.3.13 BondID

```
int* BondID [extern]
```

Referenced by Close(), DumpBonds(), DumpRestart(), and Init().

3.58.3.14 BondLength

```
double * BondLength
```

Definition at line 37 of file global.h.

Referenced by ComputeBondForce(), DumpBonds(), and Init().

3.58.3.15 BondType

```
int * BondType
```

Definition at line 35 of file global.h.

Referenced by Close(), DumpBonds(), DumpRestart(), and Init().

3.58.3.16 cellList

```
int* cellList [extern]
```

Referenced by Close(), ComputeForcesCells(), and Init().

3.58.3.17 cells

```
int cells[2+1]
```

Definition at line 78 of file global.h.

Referenced by ComputeForcesCells(), and Init().

3.58.3.18 cfOrg

```
double** cfOrg [extern]
```

Referenced by AllocArrays(), Close(), and EvalSpacetimeCorr().

3.58.3.19 cfVal

```
double * cfVal
```

Definition at line 89 of file global.h.

Referenced by AllocArrays(), Close(), and EvalSpacetimeCorr().

3.58.3.20 com

```
char com[256] [extern]
```

Referenced by main().

3.58.3.21 ComX

```
double ComX [extern]
```

Referenced by EvalCom(), and PrintCom().

3.58.3.22 ComX0

double ComX0

Definition at line 44 of file global.h.

Referenced by EvalCom().

3.58.3.23 ComXRatio

double ComXRatio

Definition at line 44 of file global.h.

Referenced by EvalCom().

3.58.3.24 ComY

double ComY

Definition at line 44 of file global.h.

Referenced by EvalCom(), and PrintCom().

3.58.3.25 ComY0

double ComY0

Definition at line 44 of file global.h.

Referenced by EvalCom().

3.58.3.26 ComYRatio

double ComYRatio

Definition at line 44 of file global.h.

Referenced by EvalCom().

3.58.3.27 countAcfAv

int countAcfAv

Definition at line 95 of file global.h.

Referenced by AccumVacf(), and ZeroVacf().

3.58.3.28 countCorrAv

int countCorrAv

Definition at line 90 of file global.h.

Referenced by EvalSpacetimeCorr(), and SetupJob().

3.58.3.29 countRdf

```
int countRdf [extern]
```

Referenced by EvalRdf(), and SetupJob().

3.58.3.30 DampFlag

```
int DampFlag [extern]
```

Referenced by ComputeBondForce(), ComputePairForce(), and Init().

3.58.3.31 deltaT

double deltaT

Definition at line 20 of file global.h.

Referenced by AccumVacf(), BrownianStep(), ComputeBondForce(), ComputePairForce(), EvalProps(), EvalSpacetimeCorr(), EvalVacf(), Init(), LeapfrogStep(), main(), PrintVacf(), and VelocityVerletStep().

3.58.3.32 DeltaVXij

```
double DeltaVXij
```

Definition at line 70 of file global.h.

Referenced by ComputeBondForce(), and ComputePairForce().

3.58.3.33 DeltaVYij

double DeltaVYij

Definition at line 70 of file global.h.

Referenced by ComputeBondForce(), and ComputePairForce().

3.58.3.34 DeltaX

double DeltaX

Definition at line 46 of file global.h.

Referenced by DisplaceAtoms(), and Init().

3.58.3.35 DeltaXij

```
double DeltaXij [extern]
```

Referenced by ComputeBondForce(), and ComputePairForce().

3.58.3.36 DeltaXijNew

```
double DeltaXijNew [extern]
```

Referenced by ComputeBondForce(), and ComputePairForce().

3.58.3.37 DeltaXijOld

```
double* DeltaXijOld [extern]
```

Referenced by Close(), ComputeBondForce(), and Init().

3.58.3.38 DeltaXijOldPair

```
double** DeltaXijOldPair [extern]
```

Referenced by Close(), ComputePairForce(), and Init().

3.58.3.39 DeltaY

```
double DeltaY [extern]
```

Referenced by DisplaceAtoms(), and Init().

3.58.3.40 DeltaYij

```
double DeltaYij
```

Definition at line 70 of file global.h.

Referenced by ComputeBondForce(), and ComputePairForce().

3.58.3.41 DeltaYijNew

```
double DeltaYijNew
```

Definition at line 69 of file global.h.

Referenced by ComputeBondForce(), and ComputePairForce().

3.58.3.42 DeltaYijOld

```
double * DeltaYijOld
```

Definition at line 68 of file global.h.

Referenced by Close(), ComputeBondForce(), and Init().

3.58.3.43 DeltaYijOldPair

```
double ** DeltaYijOldPair
```

Definition at line 71 of file global.h.

Referenced by Close(), ComputePairForce(), and Init().

3.58.3.44 density

```
double density
```

Definition at line 21 of file global.h.

Referenced by EvalProps(), and Init().

3.58.3.45 discDragx

```
double* discDragx [extern]
```

Referenced by ComputeForcesCells(), ComputePairForce(), DumpPairs(), and Init().

3.58.3.46 discDragy

```
double * discDragy
```

Definition at line 40 of file global.h.

Referenced by ComputeForcesCells(), ComputePairForce(), DumpPairs(), and Init().

3.58.3.47 dnsty

```
char dnsty[256] [extern]
```

3.58.3.48 dump

```
char dump[256] [extern]
```

3.58.3.49 dumpPairFlag

```
int dumpPairFlag [extern]
```

3.58.3.50 fax

```
double* fax [extern]
```

Referenced by Close(), and Init().

3.58.3.51 fay

```
double * fay
```

Definition at line 80 of file global.h.

Referenced by Close(), and Init().

3.58.3.52 fpbond

```
FILE* fpbond [extern]
```

Referenced by DumpBonds(), and main().

3.58.3.53 fpcom

```
FILE* fpcom [extern]
```

Referenced by Init(), main(), and PrintCom().

3.58.3.54 fpdnsty

```
FILE* fpdnsty [extern]
```

Referenced by EvalSpacetimeCorr().

3.58.3.55 fpdump

```
FILE* fpdump [extern]
```

3.58.3.56 fpmomentum

```
FILE* fpmomentum [extern]
```

Referenced by PrintMomentum().

3.58.3.57 fppair

```
FILE* fppair [extern]
```

Referenced by DumpPairs(), and main().

3.58.3.58 fprdf

```
FILE* fprdf [extern]
```

Referenced by EvalRdf().

3.58.3.59 fpresult

```
FILE* fpresult [extern]
```

Referenced by ApplyBoundaryCond(), HaltConditionCheck(), Init(), main(), and PrintSummary().

3.58.3.60 fpstress

```
FILE* fpstress [extern]
```

Referenced by PrintStress().

3.58.3.61 fpvisc

```
FILE* fpvisc [extern]
```

Referenced by PrintVacf().

3.58.3.62 fpvrms

```
FILE* fpvrms [extern]
```

Referenced by Init(), main(), and PrintVrms().

3.58.3.63 fpxyz

```
FILE* fpxyz [extern]
```

Referenced by main(), and Trajectory().

3.58.3.64 freezeAtomType

```
int freezeAtomType [extern]
```

Referenced by Init(), and VelocityVerletStep().

3.58.3.65 frfAtom

double frfAtom

Definition at line 80 of file global.h.

3.58.3.66 fuSum

double fuSum

Definition at line 80 of file global.h.

3.58.3.67 fvirSum

```
double fvirSum
```

Definition at line 80 of file global.h.

3.58.3.68 fx

```
double fx [extern]
```

Referenced by ApplyForce().

3.58.3.69 fxByfy

```
double fxByfy
```

Definition at line 52 of file global.h.

Referenced by ApplyForce(), and Init().

3.58.3.70 fy

```
double fy
```

Definition at line 52 of file global.h.

Referenced by ApplyForce().

3.58.3.71 FyBylx

```
double FyBylx
```

Definition at line 52 of file global.h.

Referenced by ApplyForce(), and Init().

3.58.3.72 gamman

```
double gamman [extern]
```

Referenced by ComputeBondForce(), ComputeForcesCells(), ComputePairForce(), and Init().

3.58.3.73 HaltCondition

```
double HaltCondition [extern]
```

Referenced by HaltConditionCheck(), and Init().

3.58.3.74 histRdf

```
double* histRdf [extern]
```

Referenced by AllocArrays(), and EvalRdf().

3.58.3.75 ImageX

```
int* ImageX [extern]
```

Referenced by Close(), EvalUnwrap(), Init(), and VelocityVerletStep().

3.58.3.76 ImageY

```
int * ImageY
```

Definition at line 47 of file global.h.

Referenced by Close(), EvalUnwrap(), Init(), and VelocityVerletStep().

3.58.3.77 indexAcf

```
double* indexAcf [extern]
```

Referenced by AccumVacf(), AllocArrays(), Close(), EvalVacf(), and InitVacf().

3.58.3.78 indexCorr

```
int* indexCorr [extern]
```

Referenced by AllocArrays(), Close(), EvalSpacetimeCorr(), and SetupJob().

3.58.3.79 initUcell

```
int initUcell[2+1] [extern]
```

3.58.3.80 isBonded

```
int** isBonded [extern]
```

Referenced by Close(), ComputePairForce(), and Init().

3.58.3.81 kappa

double kappa

Definition at line 21 of file global.h.

Referenced by Init(), and LeapfrogStep().

3.58.3.82 kb

```
double* kb [extern]
```

Referenced by Close(), ComputeBondForce(), DumpRestart(), and Init().

3.58.3.83 kinEnergy

double kinEnergy

Definition at line 20 of file global.h.

Referenced by AccumProps(), AccumVacf(), EvalProps(), and PrintSummary().

3.58.3.84 Kn

double Kn [extern]

Referenced by ComputePairForce().

3.58.3.85 limitAcfAv

int limitAcfAv

Definition at line 95 of file global.h.

Referenced by AccumVacf(), and Init().

3.58.3.86 limitCorrAv

int limitCorrAv

Definition at line 90 of file global.h.

Referenced by EvalSpacetimeCorr(), and Init().

3.58.3.87 limitRdf

```
int limitRdf
```

Definition at line 99 of file global.h.

Referenced by EvalRdf(), and Init().

3.58.3.88 master

```
int master
```

Definition at line 79 of file global.h.

3.58.3.89 molID

```
int* molID [extern]
```

Referenced by ApplyForce(), Close(), DisplaceAtoms(), DumpRestart(), DumpState(), EvalCom(), Init(), and Trajectory().

3.58.3.90 momentum

```
char momentum[256] [extern]
```

3.58.3.91 moreCycles

int moreCycles

Definition at line 24 of file global.h.

Referenced by main().

3.58.3.92 nAtom

int nAtom

Definition at line 24 of file global.h.

Referenced by ApplyBoundaryCond(), ApplyDrivingForce(), ApplyForce(), ApplyLeesEdwardsBoundaryCond(), ApplyShear(), ApplyViscous(), BrownianStep(), Close(), ComputeBondForce(), ComputeForcesCells(), ComputePairForce(), DisplaceAtoms(), DumpRestart(), DumpState(), EvalCom(), EvalProps(), EvalRdf(), EvalSpacetimeCorr(), EvalUnwrap(), EvalVacf(), EvalVrms(), Init(), LeapfrogStep(), Trajectory(), and VelocityVerletStep().

3.58.3.93 nAtomBlock

int nAtomBlock

Definition at line 49 of file global.h.

Referenced by ApplyForce(), and Init().

3.58.3.94 nAtomInterface

```
int nAtomInterface [extern]
```

Referenced by ComputePairForce(), and Init().

3.58.3.95 nAtomType

```
int nAtomType [extern]
```

Referenced by DumpRestart(), and Init().

3.58.3.96 nBond

```
int nBond [extern]
```

Referenced by ComputeBondForce(), DumpBonds(), DumpRestart(), and Init().

3.58.3.97 nBondType

int nBondType

Definition at line 33 of file global.h.

Referenced by DumpRestart(), and Init().

3.58.3.98 nBuffAcf

int nBuffAcf

Definition at line 95 of file global.h.

Referenced by AccumVacf(), AllocArrays(), Close(), EvalVacf(), Init(), and InitVacf().

3.58.3.99 nBuffCorr

int nBuffCorr

Definition at line 90 of file global.h.

 $Referenced \ by \ AllocArrays(), \ Close(), \ EvalSpacetimeCorr(), \ Init(), \ and \ SetupJob().$

3.58.3.100 nDiscInterface

```
int nDiscInterface
```

Definition at line 49 of file global.h.

Referenced by Init().

3.58.3.101 nFunCorr

```
int nFunCorr
```

Definition at line 90 of file global.h.

Referenced by AllocArrays(), EvalSpacetimeCorr(), Init(), and SetupJob().

3.58.3.102 nodeDragx

```
double * nodeDragx
```

Definition at line 40 of file global.h.

Referenced by ComputeBondForce(), DumpBonds(), and Init().

3.58.3.103 nodeDragy

```
double * nodeDragy
```

Definition at line 40 of file global.h.

Referenced by ComputeBondForce(), DumpBonds(), and Init().

3.58.3.104 nPairActive

```
int nPairActive
```

Definition at line 58 of file global.h.

 $Referenced \ by \ Compute Pair Force(), \ and \ Dump Pairs().$

3.58.3.105 nPairTotal

```
int nPairTotal [extern]
```

Referenced by ComputePairForce(), and Init().

3.58.3.106 nValAcf

```
int nValAcf [extern]
```

Referenced by AccumVacf(), AllocArrays(), Init(), InitVacf(), PrintVacf(), and ZeroVacf().

3.58.3.107 nValCorr

int nValCorr

Definition at line 90 of file global.h.

Referenced by AllocArrays(), EvalSpacetimeCorr(), Init(), and SetupJob().

3.58.3.108 pair

```
char pair[256] [extern]
```

Referenced by main().

3.58.3.109 Pairatom1

```
int * Pairatom1
```

Definition at line 59 of file global.h.

Referenced by Close(), ComputePairForce(), DumpPairs(), and Init().

3.58.3.110 Pairatom2

```
int * Pairatom2
```

Definition at line 59 of file global.h.

Referenced by Close(), ComputePairForce(), DumpPairs(), and Init().

3.58.3.111 PairID

```
int* PairID [extern]
```

Referenced by Close(), ComputePairForce(), DumpPairs(), and Init().

3.58.3.112 PairXij

```
double* PairXij [extern]
```

Referenced by Close(), ComputePairForce(), DumpPairs(), and Init().

3.58.3.113 PairYij

```
double * PairYij
```

Definition at line 60 of file global.h.

Referenced by Close(), ComputePairForce(), DumpPairs(), and Init().

3.58.3.114 potEnergy

```
double potEnergy
```

Definition at line 20 of file global.h.

Referenced by AccumProps(), EvalProps(), and PrintSummary().

3.58.3.115 prefix

```
char* prefix [extern]
```

Definition at line 13 of file main.c.

Referenced by DumpRestart(), and DumpState().

3.58.3.116 pressure

double pressure

Definition at line 21 of file global.h.

Referenced by AccumProps(), EvalProps(), PrintStress(), and PrintSummary().

3.58.3.117 RadiusIJ

```
double RadiusIJ [extern]
```

Referenced by ComputeForcesCells(), and ComputePairForce().

3.58.3.118 RadiuslJInv

double RadiusIJInv

Definition at line 26 of file global.h.

Referenced by ComputeForcesCells(), and ComputePairForce().

3.58.3.119 rangeRdf

double rangeRdf

Definition at line 98 of file global.h.

Referenced by EvalRdf(), and Init().

3.58.3.120 rank

```
int rank [extern]
```

Referenced by ComputeForcesCells().

3.58.3.121 rCut

double rCut

Definition at line 21 of file global.h.

Referenced by Init(), and LeapfrogStep().

3.58.3.122 rdf

```
char rdf[256] [extern]
```

3.58.3.123 region

```
double region[2+1] [extern]
```

Referenced by AccumVacf(), ApplyBoundaryCond(), ApplyLeesEdwardsBoundaryCond(), ComputeBondForce(), ComputeForcesCells(), ComputePairForce(), DumpRestart(), EvalRdf(), EvalSpacetimeCorr(), EvalUnwrap(), Init(), LeapfrogStep(), and VelocityVerletStep().

3.58.3.124 regionH

```
double regionH[2+1]
```

Definition at line 20 of file global.h.

Referenced by ApplyBoundaryCond(), ApplyForce(), ApplyLeesEdwardsBoundaryCond(), ComputeBondForce(), ComputeForcesCells(), ComputePairForce(), DumpBonds(), DumpPairs(), DumpState(), EvalRdf(), Init(), LeapfrogStep(), Trajectory(), and VelocityVerletStep().

3.58.3.125 result

```
char result[250] [extern]
```

Referenced by main().

3.58.3.126 rfAtom

```
double rfAtom [extern]
```

Referenced by ComputeForcesCells(), and EvalVacf().

3.58.3.127 ro

```
double * ro
```

Definition at line 36 of file global.h.

Referenced by Close(), ComputeBondForce(), DumpBonds(), DumpRestart(), and Init().

3.58.3.128 rx

```
double* rx [extern]
```

Referenced by ApplyBoundaryCond(), ApplyLeesEdwardsBoundaryCond(), ApplyShear(), BrownianStep(), Close(), ComputeBondForce(), ComputeForcesCells(), ComputePairForce(), DisplaceAtoms(), DumpRestart(), DumpState(), EvalRdf(), EvalSpacetimeCorr(), EvalUnwrap(), Init(), LeapfrogStep(), Trajectory(), and VelocityVerletStep().

3.58.3.129 rxUnwrap

```
double* rxUnwrap [extern]
```

Referenced by Close(), EvalCom(), EvalUnwrap(), and Init().

3.58.3.130 ry

```
double * ry
```

Definition at line 17 of file global.h.

Referenced by ApplyBoundaryCond(), ApplyLeesEdwardsBoundaryCond(), ApplyShear(), BrownianStep(), Close(), ComputeBondForce(), ComputeForcesCells(), ComputePairForce(), DisplaceAtoms(), DumpRestart(), DumpState(), EvalRdf(), EvalUnwrap(), Init(), LeapfrogStep(), Trajectory(), and VelocityVerletStep().

3.58.3.131 ryUnwrap

```
double * ryUnwrap
```

Definition at line 48 of file global.h.

Referenced by Close(), EvalCom(), EvalUnwrap(), and Init().

3.58.3.132 shearDisplacement

```
double shearDisplacement [extern]
```

Referenced by ApplyLeesEdwardsBoundaryCond(), ComputeBondForce(), ComputePairForce(), and Init().

3.58.3.133 shearVelocity

```
double shearVelocity
```

Definition at line 42 of file global.h.

Referenced by Init().

3.58.3.134 size

int size

Definition at line 79 of file global.h.

Referenced by ComputeForcesCells().

3.58.3.135 sizeHistRdf

int sizeHistRdf

Definition at line 99 of file global.h.

Referenced by AllocArrays(), EvalRdf(), and Init().

3.58.3.136 sKinEnergy

double sKinEnergy

Definition at line 21 of file global.h.

Referenced by AccumProps().

3.58.3.137 solver

```
char solver[128] [extern]
```

Referenced by EvalProps(), and Init().

3.58.3.138 spacetimeCorr

```
double ** spacetimeCorr
```

Definition at line 89 of file global.h.

Referenced by AllocArrays(), Close(), and EvalSpacetimeCorr().

3.58.3.139 spacetimeCorrAv

```
double * spacetimeCorrAv
```

Definition at line 89 of file global.h.

Referenced by AllocArrays(), Close(), EvalSpacetimeCorr(), and SetupJob().

3.58.3.140 speed

```
double* speed [extern]
```

Referenced by Close(), and Init().

3.58.3.141 sPotEnergy

double sPotEnergy

Definition at line 21 of file global.h.

Referenced by AccumProps().

3.58.3.142 sPressure

double sPressure

Definition at line 22 of file global.h.

Referenced by AccumProps().

3.58.3.143 SqrRadiusIJ

double SqrRadiusIJ

Definition at line 26 of file global.h.

Referenced by ComputeForcesCells(), and ComputePairForce().

3.58.3.144 ssKinEnergy

double ssKinEnergy

Definition at line 22 of file global.h.

Referenced by AccumProps().

3.58.3.145 ssPotEnergy

double ssPotEnergy

Definition at line 22 of file global.h.

Referenced by AccumProps().

3.58.3.146 ssPressure

double ssPressure

Definition at line 22 of file global.h.

Referenced by AccumProps().

3.58.3.147 ssTotEnergy

double ssTotEnergy

Definition at line 22 of file global.h.

Referenced by AccumProps().

3.58.3.148 stepAcf

int stepAcf

Definition at line 95 of file global.h.

Referenced by AccumVacf(), Init(), and PrintVacf().

3.58.3.149 stepAvg

int stepAvg

Definition at line 24 of file global.h.

Referenced by AccumProps(), Init(), and main().

3.58.3.150 stepCorr

```
int stepCorr
```

Definition at line 90 of file global.h.

Referenced by EvalSpacetimeCorr(), and Init().

3.58.3.151 stepCount

```
int stepCount
```

Definition at line 24 of file global.h.

Referenced by BrownianStep(), ComputeBondForce(), ComputePairForce(), HaltConditionCheck(), LeapfrogStep(), main(), and SetupJob().

3.58.3.152 stepDump

```
int stepDump
```

Definition at line 24 of file global.h.

Referenced by Init(), and main().

3.58.3.153 stepEquil

```
int stepEquil
```

Definition at line 24 of file global.h.

Referenced by BrownianStep(), Init(), and LeapfrogStep().

3.58.3.154 stepLimit

```
int stepLimit
```

Definition at line 24 of file global.h.

Referenced by Init(), and main().

3.58.3.155 stepRdf

int stepRdf

Definition at line 99 of file global.h.

Referenced by Init().

3.58.3.156 stepTraj

```
int stepTraj
```

Definition at line 24 of file global.h.

Referenced by Init(), and main().

3.58.3.157 sTotEnergy

```
double sTotEnergy
```

Definition at line 22 of file global.h.

Referenced by AccumProps().

3.58.3.158 strain

```
double strain [extern]
```

Referenced by ApplyShear(), and Init().

3.58.3.159 strainRate

double strainRate

Definition at line 41 of file global.h.

Referenced by Init().

3.58.3.160 strech

```
double strech [extern]
```

 $Referenced \ by \ Compute Bond Force(), \ and \ Compute Pair Force().$

3.58.3.161 stress

```
char stress[256] [extern]
```

3.58.3.162 svirSum

double svirSum

Definition at line 21 of file global.h.

Referenced by AccumProps().

3.58.3.163 thermo

```
char thermo [extern]
```

Referenced by Init(), and LeapfrogStep().

3.58.3.164 timeNow

double timeNow

Definition at line 20 of file global.h.

Referenced by DumpBonds(), DumpPairs(), DumpRestart(), DumpState(), EvalCom(), EvalRdf(), Init(), main(), PrintCom(), PrintMomentum(), PrintStress(), PrintSummary(), PrintVrms(), and Trajectory().

3.58.3.165 TotalBondEnergy

```
double TotalBondEnergy [extern]
```

Referenced by ComputeBondForce(), and EvalProps().

3.58.3.166 TotalMass

double TotalMass

Definition at line 31 of file global.h.

Referenced by EvalCom().

3.58.3.167 totEnergy

double totEnergy

Definition at line 20 of file global.h.

Referenced by AccumProps(), EvalProps(), and PrintSummary().

3.58.3.168 uSum

double uSum

Definition at line 21 of file global.h.

Referenced by ComputeForcesCells().

3.58.3.169 uSumPair

```
double uSumPair [extern]
```

Referenced by ComputePairForce(), and EvalProps().

3.58.3.170 uSumPairPerAtom

double uSumPairPerAtom

Definition at line 83 of file global.h.

Referenced by EvalProps(), and PrintSummary().

3.58.3.171 virSum

double virSum

Definition at line 21 of file global.h.

Referenced by AccumProps(), ComputeForcesCells(), EvalProps(), and PrintSummary().

3.58.3.172 virSumBond

double virSumBond [extern]

Referenced by ComputeBondForce(), and EvalProps().

3.58.3.173 virSumBondxx

double virSumBondxx

Definition at line 84 of file global.h.

Referenced by ComputeBondForce(), and EvalProps().

3.58.3.174 virSumBondxy

double virSumBondxy

Definition at line 84 of file global.h.

Referenced by ComputeBondForce(), and EvalProps().

3.58.3.175 virSumBondyy

```
double virSumBondyy
```

Definition at line 84 of file global.h.

Referenced by ComputeBondForce(), and EvalProps().

3.58.3.176 virSumPair

```
double virSumPair
```

Definition at line 83 of file global.h.

Referenced by ComputePairForce(), and EvalProps().

3.58.3.177 virSumPairxx

```
double virSumPairxx
```

Definition at line 83 of file global.h.

Referenced by ComputePairForce(), and EvalProps().

3.58.3.178 virSumPairxy

```
double virSumPairxy
```

Definition at line 83 of file global.h.

Referenced by ComputePairForce(), and EvalProps().

3.58.3.179 virSumPairyy

```
double virSumPairyy
```

Definition at line 83 of file global.h.

Referenced by ComputePairForce(), and EvalProps().

3.58.3.180 virSumxx

```
double virSumxx [extern]
```

Referenced by EvalProps(), and PrintStress().

3.58.3.181 virSumxy

double virSumxy

Definition at line 85 of file global.h.

Referenced by EvalProps(), and PrintStress().

3.58.3.182 virSumyy

double virSumyy

Definition at line 85 of file global.h.

Referenced by EvalProps(), and PrintStress().

3.58.3.183 visc

```
char visc[256] [extern]
```

3.58.3.184 viscAcf

double ** viscAcf

Definition at line 94 of file global.h.

Referenced by AccumVacf(), AllocArrays(), Close(), and EvalVacf().

3.58.3.185 viscAcfAv

```
double * viscAcfAv
```

Definition at line 94 of file global.h.

Referenced by AccumVacf(), AllocArrays(), Close(), PrintVacf(), and ZeroVacf().

3.58.3.186 viscAcfInt

double viscAcfInt

Definition at line 94 of file global.h.

Referenced by AccumVacf(), and PrintVacf().

3.58.3.187 viscAcfOrg

```
double * viscAcfOrg
```

Definition at line 94 of file global.h.

Referenced by AllocArrays(), Close(), and EvalVacf().

3.58.3.188 VMeanSqr

```
double VMeanSqr
```

Definition at line 43 of file global.h.

Referenced by EvalVrms().

3.58.3.189 vrms

```
char vrms[256] [extern]
```

Referenced by main().

3.58.3.190 VRootMeanSqr

```
double VRootMeanSqr
```

Definition at line 43 of file global.h.

Referenced by EvalVrms(), main(), and PrintVrms().

3.58.3.191 VSqr

```
double VSqr [extern]
```

Referenced by EvalVrms().

3.58.3.192 vSum

double vSum

Definition at line 21 of file global.h.

Referenced by EvalProps(), and PrintSummary().

3.58.3.193 vSumX

double vSumX

Definition at line 21 of file global.h.

Referenced by EvalProps(), and PrintMomentum().

3.58.3.194 vSumY

double vSumY

Definition at line 21 of file global.h.

Referenced by EvalProps(), and PrintMomentum().

3.58.3.195 vvSum

double vvSum

Definition at line 21 of file global.h.

Referenced by EvalProps(), and LeapfrogStep().

3.58.3.196 vx

double * vx

Definition at line 17 of file global.h.

Referenced by ApplyBoundaryCond(), ApplyDrivingForce(), ApplyViscous(), BrownianStep(), Close(), ComputeBondForce(), ComputeForcesCells(), ComputePairForce(), DumpRestart(), DumpState(), EvalProps(), EvalVacf(), EvalVrms(), Init(), LeapfrogStep(), Trajectory(), and VelocityVerletStep().

3.58.3.197 vy

double * vy

Definition at line 17 of file global.h.

Referenced by ApplyBoundaryCond(), ApplyDrivingForce(), ApplyViscous(), BrownianStep(), Close(), ComputeBondForce(), ComputeForcesCells(), ComputePairForce(), DumpRestart(), DumpState(), EvalProps(), EvalVacf(), EvalVrms(), Init(), LeapfrogStep(), Trajectory(), and VelocityVerletStep().

3.58.3.198 xBoundary

char xBoundary[10] [extern]

Referenced by ApplyBoundaryCond(), and Init().

3.58.3.199 xyz

```
char xyz[256] [extern]
```

Referenced by main().

3.58.3.200 yBoundary

```
char yBoundary[10]
```

Definition at line 64 of file global.h.

Referenced by ApplyBoundaryCond(), and Init().

3.59 global.h

Go to the documentation of this file.

```
00001 #ifndef GLOBAL_H
00002 #define GLOBAL H
00003 #include <stdio.h> // Required for FILE*
00004
00005 #ifdef DEFINE_GLOBALS
00006
          #define EXTERN
00007 #else
8,000
         #define EXTERN extern
00009 #endif
00010
00011 typedef double real;
00012
00013 #define NDIM 2
00014 \#define Sqr(x) ((x) * (x))
00015 #define SignR(x, y) (((y) \geq= 0) ? (x) : (- (x)))
00016
00017 EXTERN double *rx, *ry, *vx, *vy, *ax, *ay;
00018 EXTERN double *speed;
00019
00020 EXTERN double region[NDIM+1], regionH[NDIM+1], deltaT, timeNow, potEnergy, kinEnergy, totEnergy, 00021 density, pressure, rCut, kappa, uSum, virSum, svirSum, vSum, vSumX, vSumY, vvSum, sPotEnergy,
      sKinEnergy,
00022 sTotEnergy, sPressure, ssPotEnergy, ssKinEnergy, ssTotEnergy, ssPressure;
00023
00024 EXTERN int
                     initUcell[NDIM+1], moreCycles, nAtom, stepAvg, stepCount, stepEquil, stepLimit,
      stepTraj, stepDump;
00025
00026 EXTERN double RadiusIJ, SqrRadiusIJ, RadiusIJInv;
00027 EXTERN int
                     nAtomType;
00028 EXTERN int
00029 EXTERN int
                      *atomID;
00030 EXTERN double *atomRadius;
00031 EXTERN double *atomMass, TotalMass;
00032
00033 EXTERN int
                      nBond, nBondType;
00034 EXTERN int
                      *atom1, *atom2;
00035 EXTERN int
                      *BondID, *BondType;
00036 EXTERN double
                      *kb, *ro;
                      *BondEnergy, *BondLength;
00037 EXTERN double
00038 EXTERN double
                      TotalBondEnergy, BondEnergyPerAtom;
00039 EXTERN double gamman;
                     *discDragx, *discDragy, *nodeDragx, *nodeDragy;
00040 EXTERN double
00041 EXTERN double
                     strain, strainRate;
00042 EXTERN double
                      shearDisplacement, shearVelocity;
00043 EXTERN double
                      VSqr, VMeanSqr, VRootMeanSqr;
                      ComX, ComY, ComX0, ComY0, ComXRatio, ComYRatio; HaltCondition;
00044 EXTERN double
00045 EXTERN double
00046 EXTERN double DeltaY, DeltaX;
00047 EXTERN int
                      *ImageX, *ImageY;
00048 EXTERN double
                      *rxUnwrap, *ryUnwrap;
00049 EXTERN int
                      nAtomInterface, nDiscInterface, nAtomBlock;
00050 EXTERN int.
                      *atomIDInterface;
00051 EXTERN double Kn;
00052 EXTERN double fx, fy, FyBylx, fxByfy;
00053 EXTERN int
                      DampFlag;
```

3.59 global.h 115

```
00054 EXTERN double strech;
00055
00056 //For dumping the pair interaction data
00057 EXTERN int
                      dumpPairFlag;
00061
00062
00063 EXTERN char
                    solver[128];
00064 EXTERN char
                    xBoundary[10], yBoundary[10];
00065 EXTERN char
                      thermo:
00066
00067 //For damping as in PRL, 130, 178203 (2023)
00068 EXTERN double *DeltaXijOld, *DeltaYijOld;
00069 EXTERN double DeltaXijNew, DeltaYijNew;
00070 EXTERN double DeltaXij, DeltaYij, DeltaVXij, DeltaVYij;
00071 EXTERN double **DeltaXijOldPair, **DeltaYijOldPair;
00073 //For molecule-ID as per LAMMPS, helpful!
00074 EXTERN int *molID;
00075 EXTERN int
                     **isBonded:
00076
00077 //Following three for MPI only
                   *cellList, cells[NDIM+1];
00078 EXTERN int
00079 EXTERN int
                      rank, size, master;
00080 EXTERN double *fax, *fay, fuSum, fvirSum, frfAtom;
00081
00082 //For thermodynamic properties
00083 EXTERN double uSumPair, uSumPairPerAtom, virSumPair, virSumPairxx, virSumPairxy;
00084 EXTERN double virSumBond, virSumBondxx, virSumBondyy, virSumBondxy;
00085 EXTERN double virSumxx, virSumyy, virSumxy;
00086 EXTERN int
                      freezeAtomType;
00087
00088 // Spacetime Correlations
00089 EXTERN double **cfOrg, **spacetimeCorr, *cfVal, *spacetimeCorrAv;
00090 EXTERN int *indexCorr, countCorrAv, limitCorrAv, nBuffCorr, nFunCorr, nValCorr, stepCorr;
00092 // Viscosity
00093 EXTERN double rfAtom, frfAtom;
00094 EXTERN double *indexAcf, **viscAcf, *viscAcfOrg, *viscAcfAv, viscAcfInt;
                      nValAcf, nBuffAcf, stepAcf, countAcfAv, limitAcfAv;
00095 EXTERN int.
00096
00097 // Radial distribution function
00098 EXTERN double *histRdf, rangeRdf;
00099 EXTERN int countRdf, limitRdf, sizeHistRdf, stepRdf;
00100
00101
00102 // Output files prefixes
00103 EXTERN char
                        *prefix:
00104
00105 EXTERN char
                      result[250];
00106 EXTERN FILE
                      *fpresult;
00107
00108 EXTERN char
                      xyz[256];
00109 EXTERN FILE
                      *fpxyz;
00111 EXTERN char
                      bond[256];
00112 EXTERN FILE
                      *fpbond;
00113
00114
00115 EXTERN char
                      dump[256];
00116 EXTERN FILE
                      *fpdump;
00117
00118 EXTERN char
                      dnsty[256];
00119 EXTERN FILE
                      *fpdnsty;
00120
00121 EXTERN char
                      visc[256];
00122 EXTERN FILE
                      *fpvisc:
00123
00124 EXTERN char
                      rdf[256];
00125 EXTERN FILE
                      *fprdf;
00126
00127 EXTERN char
                      vrms[2561;
00128 EXTERN FILE
                      *fpvrms:
00129
00130 EXTERN char
                      stress[256];
00131 EXTERN FILE
                      *fpstress;
00132
00133 EXTERN char
                      momentum[256]:
00134 EXTERN FILE
                      *fpmomentum;
00135
00136 EXTERN char
                      com[256];
00137 EXTERN FILE
                      *fpcom;
00138
00139 EXTERN char
                      pair[256];
00140 EXTERN FILE
                      *fppair;
```

```
00142 #endif // GLOBALEXTERN_H
```

3.60 source/globalExtern.h File Reference

Macros

```
• #define NDIM 2
• #define Sqr(x) ((x) * (x))
• #define SignR(x, y) (((y) \geq= 0) ? (x) : (- (x)))
```

Typedefs

· typedef double real

Variables

- double * rx
- double * ry
- double * vx
- double * vy
- double * ax
- double * ay
- double * speed
- double region [2+1]
- double regionH [2+1]
- · double deltaT
- double timeNow
- double potEnergy
- double kinEnergy
- double totEnergy
- double density
- · double pressure
- double rCut
- double kappa
- double uSum
- double virSum
- · double svirSum
- double vSum
- double vSumX double vSumY
- double vvSum
- double sPotEnergy
- · double sKinEnergy
- double sTotEnergy
- double sPressure
- double ssPotEnergy
- double ssKinEnergy
- double ssTotEnergy
- double ssPressure
- int initUcell [2+1]

- · int moreCycles
- int nAtom
- · int stepAvg
- · int stepCount
- · int stepEquil
- · int stepLimit
- int stepTraj
- · int stepDump
- double RadiusIJ
- · double SqrRadiusIJ
- double RadiusIJInv
- int nAtomType
- int * atomType
- int * atomID
- double * atomRadius
- double * atomMass
- double TotalMass
- int nBond
- int nBondType
- int * atom1
- int * atom2
- int * BondID
- int * BondType
- double * kb
- double * ro
- double * BondEnergy
- double * BondLength
- double TotalBondEnergy
- double BondEnergyPerAtom
- · double gamman
- double * discDragx
- double * discDragy
- double * nodeDragx
- double * nodeDragy
- double strain
- double strainRate
- · double shearDisplacement
- · double shearVelocity
- · double VSqr
- double VMeanSqr
- double VRootMeanSqr
- double ComX
- double ComY
- double ComX0
- double ComY0
- · double ComXRatio
- double ComYRatio
- double HaltCondition
- · double DeltaY
- double DeltaX
- int * ImageX
- int * ImageY
- double * rxUnwrap
- double * ryUnwrap
- int nAtomInterface

- · int nDiscInterface
- int nAtomBlock
- int * atomIDInterface
- double Kn
- · double fx
- · double fy
- · double FyBylx
- double fxByfy
- · int DampFlag
- · double strech
- · int dumpPairFlag
- int nPairTotal
- · int nPairActive
- int * PairID
- int * Pairatom1
- int * Pairatom2
- double * PairXii
- double * PairYij
- char solver [128]
- char xBoundary [10]
- char yBoundary [10]
- double * DeltaXijOld
- double * DeltaYijOld
- double DeltaXijNew
- double DeltaYijNew
- · double DeltaXij
- · double DeltaYij
- double DeltaVXij
- · double DeltaVYij
- double ** DeltaXijOldPair
- double ** DeltaYijOldPair
- int * molID
- int ** isBonded
- int * cellList
- int cells [2+1]
- int rank
- int size
- · int master
- double * fax
- double * fay
- · double fuSum
- double fvirSum
- double frfAtom
- double uSumPair
- double uSumPairPerAtom
- double virSumPair
- double virSumPairxx
- double virSumPairyy
- double virSumPairxy
- double virSumBond
- double virSumBondxx
- · double virSumBondyy
- · double virSumBondxy
- double virSumxx
- double virSumyy

- · double virSumxy
- int freezeAtomType
- double ** cfOrg
- double ** spacetimeCorr
- double * cfVal
- double * spacetimeCorrAv
- int * indexCorr
- · int countCorrAv
- · int limitCorrAv
- · int nBuffCorr
- · int nFunCorr
- int nValCorr
- · int stepCorr
- double rfAtom
- double * indexAcf
- double ** viscAcf
- double * viscAcfOrg
- double * viscAcfAv
- double viscAcfInt
- · int nValAcf
- · int nBuffAcf
- · int stepAcf
- · int countAcfAv
- · int limitAcfAv
- double * histRdf
- · double rangeRdf
- · int countRdf
- · int limitRdf
- · int sizeHistRdf
- · int stepRdf
- char * prefix
- char result [250]
- FILE * fpresult
- char xyz [256]
- FILE * fpxyz
- char bond [256]
- FILE * fpbond
- char dump [256]
- FILE * fpdump
- char dnsty [256]
- FILE * fpdnsty
- char visc [256]
- FILE * fpvisc
- char rdf [256]
- FILE * fprdf
- char vrms [256]
- FILE * fpvrms
- · char stress [256]
- FILE * fpstress
- · char momentum [256]
- FILE * fpmomentum
- char com [256]
- FILE * fpcom
- char pair [256]
- FILE * fppair

3.60.1 Macro Definition Documentation

3.60.1.1 NDIM

```
#define NDIM 2
```

Definition at line 6 of file globalExtern.h.

3.60.1.2 SignR

```
#define SignR(  x, \\ y ) \mbox{ (((y) >= 0) ? (x) : (- (x)))}
```

Definition at line 8 of file globalExtern.h.

3.60.1.3 Sqr

```
#define Sqr( x ) ((x) * (x))
```

Definition at line 7 of file globalExtern.h.

3.60.2 Typedef Documentation

3.60.2.1 real

```
typedef double real
```

Definition at line 4 of file globalExtern.h.

3.60.3 Variable Documentation

3.60.3.1 atom1

```
int* atom1 [extern]
```

3.60.3.2 atom2

```
int * atom2
```

Definition at line 27 of file globalExtern.h.

3.60.3.3 atomID

```
int* atomID [extern]
```

3.60.3.4 atomIDInterface

```
int* atomIDInterface [extern]
```

3.60.3.5 atomMass

```
double* atomMass [extern]
```

3.60.3.6 atomRadius

```
double* atomRadius [extern]
```

3.60.3.7 atomType

```
int* atomType [extern]
```

3.60.3.8 ax

double * ax

Definition at line 10 of file globalExtern.h.

3.60.3.9 ay

```
double * ay
```

Definition at line 10 of file globalExtern.h.

3.60.3.10 bond

```
char bond[256] [extern]
```

3.60.3.11 BondEnergy

```
double* BondEnergy [extern]
```

3.60.3.12 BondEnergyPerAtom

double BondEnergyPerAtom

Definition at line 31 of file globalExtern.h.

3.60.3.13 BondID

```
int* BondID [extern]
```

3.60.3.14 BondLength

```
double * BondLength
```

Definition at line 30 of file globalExtern.h.

3.60.3.15 BondType

```
int * BondType
```

Definition at line 28 of file globalExtern.h.

3.60.3.16 cellList

```
int* cellList [extern]
```

3.60.3.17 cells

```
int cells[2+1]
```

Definition at line 70 of file globalExtern.h.

3.60.3.18 cfOrg

```
double** cfOrg [extern]
```

3.60.3.19 cfVal

```
double * cfVal
```

Definition at line 81 of file globalExtern.h.

3.60.3.20 com

```
char com[256] [extern]
```

3.60.3.21 ComX

double ComX [extern]

3.60.3.22 ComX0

double ComX0

Definition at line 37 of file globalExtern.h.

3.60.3.23 ComXRatio

double ComXRatio

Definition at line 37 of file globalExtern.h.

3.60.3.24 ComY

double ComY

Definition at line 37 of file globalExtern.h.

3.60.3.25 ComY0

double ComY0

Definition at line 37 of file globalExtern.h.

3.60.3.26 ComYRatio

double ComYRatio

Definition at line 37 of file globalExtern.h.

3.60.3.27 countAcfAv

int countAcfAv

Definition at line 87 of file globalExtern.h.

3.60.3.28 countCorrAv

int countCorrAv

Definition at line 82 of file globalExtern.h.

3.60.3.29 countRdf

int countRdf [extern]

3.60.3.30 DampFlag

```
int DampFlag [extern]
```

3.60.3.31 deltaT

double deltaT

Definition at line 13 of file globalExtern.h.

3.60.3.32 DeltaVXij

double DeltaVXij

Definition at line 62 of file globalExtern.h.

3.60.3.33 DeltaVYij

double DeltaVYij

Definition at line 62 of file globalExtern.h.

3.60.3.34 DeltaX

double DeltaX

Definition at line 39 of file globalExtern.h.

3.60.3.35 DeltaXij

```
double DeltaXij [extern]
```

3.60.3.36 DeltaXijNew

double DeltaXijNew [extern]

3.60.3.37 DeltaXijOld

double* DeltaXijOld [extern]

3.60.3.38 DeltaXijOldPair

double** DeltaXijOldPair [extern]

3.60.3.39 DeltaY

double DeltaY [extern]

3.60.3.40 DeltaYij

double DeltaYij

Definition at line 62 of file globalExtern.h.

3.60.3.41 DeltaYijNew

double DeltaYijNew

Definition at line 61 of file globalExtern.h.

3.60.3.42 DeltaYijOld

double * DeltaYijOld

Definition at line 60 of file globalExtern.h.

3.60.3.43 DeltaYijOldPair

double ** DeltaYijOldPair

Definition at line 63 of file globalExtern.h.

3.60.3.44 density

double density

Definition at line 14 of file globalExtern.h.

3.60.3.45 discDragx

double* discDragx [extern]

3.60.3.46 discDragy

double * discDragy

Definition at line 33 of file globalExtern.h.

3.60.3.47 dnsty

```
char dnsty[256] [extern]
```

3.60.3.48 dump

```
char dump[256] [extern]
```

3.60.3.49 dumpPairFlag

```
int dumpPairFlag [extern]
```

3.60.3.50 fax

```
double* fax [extern]
```

3.60.3.51 fay

```
double * fay
```

Definition at line 72 of file globalExtern.h.

3.60.3.52 fpbond

```
FILE* fpbond [extern]
```

3.60.3.53 fpcom

```
FILE* fpcom [extern]
```

3.60.3.54 fpdnsty

```
FILE* fpdnsty [extern]
```

3.60.3.55 fpdump

```
FILE* fpdump [extern]
```

3.60.3.56 fpmomentum

```
FILE* fpmomentum [extern]
```

3.60.3.57 fppair

```
FILE* fppair [extern]
```

3.60.3.58 fprdf

```
FILE* fprdf [extern]
```

3.60.3.59 fpresult

```
FILE* fpresult [extern]
```

3.60.3.60 fpstress

```
FILE* fpstress [extern]
```

3.60.3.61 fpvisc

```
FILE* fpvisc [extern]
```

3.60.3.62 fpvrms

```
FILE* fpvrms [extern]
```

3.60.3.63 fpxyz

```
FILE* fpxyz [extern]
```

3.60.3.64 freezeAtomType

```
int freezeAtomType [extern]
```

3.60.3.65 frfAtom

double frfAtom

Definition at line 72 of file globalExtern.h.

3.60.3.66 fuSum

double fuSum

Definition at line 72 of file globalExtern.h.

3.60.3.67 fvirSum

```
double fvirSum
```

Definition at line 72 of file globalExtern.h.

3.60.3.68 fx

```
double fx [extern]
```

3.60.3.69 fxByfy

```
double fxByfy
```

Definition at line 45 of file globalExtern.h.

3.60.3.70 fy

```
double fy
```

Definition at line 45 of file globalExtern.h.

3.60.3.71 FyBylx

```
double FyBylx
```

Definition at line 45 of file globalExtern.h.

3.60.3.72 gamman

```
double gamman [extern]
```

3.60.3.73 HaltCondition

```
double HaltCondition [extern]
```

3.60.3.74 histRdf

```
double* histRdf [extern]
```

3.60.3.75 ImageX

int* ImageX [extern]

3.60.3.76 ImageY

```
int * ImageY
```

Definition at line 40 of file globalExtern.h.

3.60.3.77 indexAcf

```
double* indexAcf [extern]
```

3.60.3.78 indexCorr

```
int* indexCorr [extern]
```

3.60.3.79 initUcell

```
int initUcell[2+1] [extern]
```

3.60.3.80 isBonded

```
int** isBonded [extern]
```

3.60.3.81 kappa

double kappa

Definition at line 14 of file globalExtern.h.

3.60.3.82 kb

```
double* kb [extern]
```

3.60.3.83 kinEnergy

double kinEnergy

Definition at line 13 of file globalExtern.h.

3.60.3.84 Kn

```
double Kn [extern]
```

3.60.3.85 limitAcfAv

int limitAcfAv

Definition at line 87 of file globalExtern.h.

3.60.3.86 limitCorrAv

int limitCorrAv

Definition at line 82 of file globalExtern.h.

3.60.3.87 limitRdf

int limitRdf

Definition at line 91 of file globalExtern.h.

3.60.3.88 master

int master

Definition at line 71 of file globalExtern.h.

3.60.3.89 molID

int* molID [extern]

3.60.3.90 momentum

char momentum[256] [extern]

3.60.3.91 moreCycles

int moreCycles

Definition at line 17 of file globalExtern.h.

3.60.3.92 nAtom

int nAtom

Definition at line 17 of file globalExtern.h.

3.60.3.93 nAtomBlock

int nAtomBlock

Definition at line 42 of file globalExtern.h.

3.60.3.94 nAtomInterface

int nAtomInterface [extern]

3.60.3.95 nAtomType

int nAtomType [extern]

3.60.3.96 nBond

int nBond [extern]

3.60.3.97 nBondType

int nBondType

Definition at line 26 of file globalExtern.h.

3.60.3.98 nBuffAcf

int nBuffAcf

Definition at line 87 of file globalExtern.h.

3.60.3.99 nBuffCorr

int nBuffCorr

Definition at line 82 of file globalExtern.h.

3.60.3.100 nDiscInterface

int nDiscInterface

Definition at line 42 of file globalExtern.h.

3.60.3.101 nFunCorr

int nFunCorr

Definition at line 82 of file globalExtern.h.

3.60.3.102 nodeDragx

```
double * nodeDragx
```

Definition at line 33 of file globalExtern.h.

3.60.3.103 nodeDragy

```
double * nodeDragy
```

Definition at line 33 of file globalExtern.h.

3.60.3.104 nPairActive

int nPairActive

Definition at line 51 of file globalExtern.h.

3.60.3.105 nPairTotal

int nPairTotal [extern]

3.60.3.106 nValAcf

int nValAcf [extern]

3.60.3.107 nValCorr

int nValCorr

Definition at line 82 of file globalExtern.h.

3.60.3.108 pair

char pair[256] [extern]

3.60.3.109 Pairatom1

```
int * Pairatom1
```

Definition at line 52 of file globalExtern.h.

3.60.3.110 Pairatom2

```
int * Pairatom2
```

Definition at line 52 of file globalExtern.h.

3.60.3.111 PairID

```
int* PairID [extern]
```

3.60.3.112 PairXij

```
double* PairXij [extern]
```

3.60.3.113 PairYij

```
double * PairYij
```

Definition at line 53 of file globalExtern.h.

3.60.3.114 potEnergy

```
double potEnergy
```

Definition at line 13 of file globalExtern.h.

3.60.3.115 prefix

```
char* prefix [extern]
```

Definition at line 13 of file main.c.

Referenced by main().

3.60.3.116 pressure

double pressure

Definition at line 14 of file globalExtern.h.

3.60.3.117 RadiusIJ

double RadiusIJ [extern]

3.60.3.118 RadiuslJInv

double RadiusIJInv

Definition at line 19 of file globalExtern.h.

3.60.3.119 rangeRdf

double rangeRdf

Definition at line 90 of file globalExtern.h.

3.60.3.120 rank

int rank [extern]

3.60.3.121 rCut

double rCut

Definition at line 14 of file globalExtern.h.

3.60.3.122 rdf

char rdf[256] [extern]

3.60.3.123 region

double region[2+1] [extern]

3.60.3.124 regionH

double regionH[2+1]

Definition at line 13 of file globalExtern.h.

3.60.3.125 result

char result[250] [extern]

3.60.3.126 rfAtom

```
double rfAtom [extern]
```

3.60.3.127 ro

```
double * ro
```

Definition at line 29 of file globalExtern.h.

3.60.3.128 rx

```
double* rx [extern]
```

3.60.3.129 rxUnwrap

```
double* rxUnwrap [extern]
```

3.60.3.130 ry

```
double * ry
```

Definition at line 10 of file globalExtern.h.

3.60.3.131 ryUnwrap

```
double * ryUnwrap
```

Definition at line 41 of file globalExtern.h.

3.60.3.132 shearDisplacement

```
double shearDisplacement [extern]
```

3.60.3.133 shearVelocity

double shearVelocity

Definition at line 35 of file globalExtern.h.

3.60.3.134 size

int size

Definition at line 71 of file globalExtern.h.

3.60.3.135 sizeHistRdf

int sizeHistRdf

Definition at line 91 of file globalExtern.h.

3.60.3.136 sKinEnergy

double sKinEnergy

Definition at line 14 of file globalExtern.h.

3.60.3.137 solver

char solver[128] [extern]

3.60.3.138 spacetimeCorr

double ** spacetimeCorr

Definition at line 81 of file globalExtern.h.

3.60.3.139 spacetimeCorrAv

double * spacetimeCorrAv

Definition at line 81 of file globalExtern.h.

3.60.3.140 speed

double* speed [extern]

3.60.3.141 sPotEnergy

double sPotEnergy

Definition at line 14 of file globalExtern.h.

3.60.3.142 sPressure

double sPressure

Definition at line 15 of file globalExtern.h.

3.60.3.143 SqrRadiusIJ

double SqrRadiusIJ

Definition at line 19 of file globalExtern.h.

3.60.3.144 ssKinEnergy

double ssKinEnergy

Definition at line 15 of file globalExtern.h.

3.60.3.145 ssPotEnergy

double ssPotEnergy

Definition at line 15 of file globalExtern.h.

3.60.3.146 ssPressure

double ssPressure

Definition at line 15 of file globalExtern.h.

3.60.3.147 ssTotEnergy

double ssTotEnergy

Definition at line 15 of file globalExtern.h.

3.60.3.148 stepAcf

int stepAcf

Definition at line 87 of file globalExtern.h.

3.60.3.149 stepAvg

int stepAvg

Definition at line 17 of file globalExtern.h.

3.60.3.150 stepCorr

int stepCorr

Definition at line 82 of file globalExtern.h.

3.60.3.151 stepCount

int stepCount

Definition at line 17 of file globalExtern.h.

3.60.3.152 stepDump

int stepDump

Definition at line 17 of file globalExtern.h.

3.60.3.153 stepEquil

int stepEquil

Definition at line 17 of file globalExtern.h.

3.60.3.154 stepLimit

int stepLimit

Definition at line 17 of file globalExtern.h.

3.60.3.155 stepRdf

int stepRdf

Definition at line 91 of file globalExtern.h.

3.60.3.156 stepTraj

int stepTraj

Definition at line 17 of file globalExtern.h.

3.60.3.157 sTotEnergy

double sTotEnergy

Definition at line 15 of file globalExtern.h.

3.60.3.158 strain

double strain [extern]

3.60.3.159 strainRate

double strainRate

Definition at line 34 of file globalExtern.h.

3.60.3.160 strech

double strech [extern]

3.60.3.161 stress

char stress[256] [extern]

3.60.3.162 svirSum

double svirSum

Definition at line 14 of file globalExtern.h.

3.60.3.163 timeNow

double timeNow

Definition at line 13 of file globalExtern.h.

3.60.3.164 TotalBondEnergy

double TotalBondEnergy [extern]

3.60.3.165 TotalMass

double TotalMass

Definition at line 24 of file globalExtern.h.

3.60.3.166 totEnergy

 $\verb"double totEnergy"$

Definition at line 13 of file globalExtern.h.

3.60.3.167 uSum

double uSum

Definition at line 14 of file globalExtern.h.

3.60.3.168 uSumPair

double uSumPair [extern]

3.60.3.169 uSumPairPerAtom

double uSumPairPerAtom

Definition at line 75 of file globalExtern.h.

3.60.3.170 virSum

double virSum

Definition at line 14 of file globalExtern.h.

3.60.3.171 virSumBond

double virSumBond [extern]

3.60.3.172 virSumBondxx

double virSumBondxx

Definition at line 76 of file globalExtern.h.

3.60.3.173 virSumBondxy

double virSumBondxy

Definition at line 76 of file globalExtern.h.

3.60.3.174 virSumBondyy

double virSumBondyy

Definition at line 76 of file globalExtern.h.

3.60.3.175 virSumPair

double virSumPair

Definition at line 75 of file globalExtern.h.

3.60.3.176 virSumPairxx

double virSumPairxx

Definition at line 75 of file globalExtern.h.

3.60.3.177 virSumPairxy

double virSumPairxy

Definition at line 75 of file globalExtern.h.

3.60.3.178 virSumPairyy

double virSumPairyy

Definition at line 75 of file globalExtern.h.

3.60.3.179 virSumxx

double virSumxx [extern]

3.60.3.180 virSumxy

double virSumxy

Definition at line 77 of file globalExtern.h.

3.60.3.181 virSumyy

double virSumyy

Definition at line 77 of file globalExtern.h.

3.60.3.182 visc

char visc[256] [extern]

3.60.3.183 viscAcf

```
double ** viscAcf
```

Definition at line 86 of file globalExtern.h.

3.60.3.184 viscAcfAv

```
double * viscAcfAv
```

Definition at line 86 of file globalExtern.h.

3.60.3.185 viscAcfInt

double viscAcfInt

Definition at line 86 of file globalExtern.h.

3.60.3.186 viscAcfOrg

```
double * viscAcfOrg
```

Definition at line 86 of file globalExtern.h.

3.60.3.187 VMeanSqr

double VMeanSqr

Definition at line 36 of file globalExtern.h.

3.60.3.188 vrms

```
char vrms[256] [extern]
```

3.60.3.189 VRootMeanSqr

double VRootMeanSqr

Definition at line 36 of file globalExtern.h.

3.60.3.190 VSqr

double VSqr [extern]

3.60.3.191 vSum

double vSum

Definition at line 14 of file globalExtern.h.

3.60.3.192 vSumX

double vSumX

Definition at line 14 of file globalExtern.h.

3.60.3.193 vSumY

double vSumY

Definition at line 14 of file globalExtern.h.

3.60.3.194 vvSum

double vvSum

Definition at line 14 of file globalExtern.h.

3.60.3.195 vx

double * vx

Definition at line 10 of file globalExtern.h.

3.60.3.196 vy

double * vy

Definition at line 10 of file globalExtern.h.

3.60.3.197 xBoundary

char xBoundary[10] [extern]

3.60.3.198 xyz

char xyz[256] [extern]

3.60.3.199 yBoundary

char yBoundary[10]

Definition at line 57 of file globalExtern.h.

3.61 globalExtern.h

Go to the documentation of this file.


```
00001 #ifndef GLOBALEXTERN_H
00002 #define GLOBALEXTERN H
00003
00004 typedef double real;
00005
00006 #define NDIM 2
00007 #define Sqr(x) ((x) * (x))
00008 #define SignR(x, y) (((y) \geq 0) ? (x) : (- (x)))
00009
00010 extern double
                     *rx, *ry, *vx, *vy, *ax, *ay;
00011 extern double
                     *speed;
00012
00013 extern double region[NDIM+1], regionH[NDIM+1], deltaT, timeNow, potEnergy, kinEnergy, totEnergy,
00014 density, pressure, rCut, kappa, uSum, virSum, svirSum, vSum, vSumX, vSumY, vvSum, sPotEnergy,
     sKinEnergy,
00015 sTotEnergy, sPressure, ssPotEnergy, ssKinEnergy, ssTotEnergy, ssPressure;
                    initUcell[NDIM+1], moreCycles, nAtom, stepAvg, stepCount, stepEquil, stepLimit,
00017 extern int
     stepTraj, stepDump;
00018
00019 extern double RadiusIJ, SqrRadiusIJ, RadiusIJInv;
00020 extern int
                    nAtomType;
00021 extern int
                     *atomType;
                     *atomID;
00023 extern double *atomRadius;
00024 extern double *atomMass, TotalMass;
00025
00026 extern int
                    nBond, nBondType;
00027 extern int
                    *atom1, *atom2;
00028 extern int
                     *BondID, *BondType;
00029 extern double *kb, *ro;
00030 extern double *BondEnergy, *BondLength;
00031 extern double
                    TotalBondEnergy, BondEnergyPerAtom;
00032 extern double gamman;
00033 extern double *discDragx, *discDragy, *nodeDragx, *nodeDragy;
00034 extern double strain, strainRate;
00035 extern double
                    shearDisplacement, shearVelocity;
00036 extern double
                    VSqr, VMeanSqr, VRootMeanSqr;
00037 extern double ComX, ComY, ComY0, ComY0, ComXRatio, ComYRatio; 00038 extern double HaltCondition;
00039 extern double DeltaY, DeltaX;
00040 extern int
                    *ImageX, *ImageY;
00041 extern double *rxUnwrap, *ryUnwrap;
00042 extern int
                    nAtomInterface, nDiscInterface, nAtomBlock;
00043 extern int.
                     *atomIDInterface;
00044 extern double Kn;
00045 extern double fx, fy, FyBylx, fxByfy; 00046 extern int DampFlag;
00046 extern int
00047 extern double strech;
00048
00049 //For dumping the pair interaction data
00050 extern int
                    dumpPairFlag;
00054
00055
00056 extern char solver[128];
00057 extern char xBoundary[10], yBoundary[10];
00059 //For damping as in PRL, 130, 178203 (2023)
00060 extern double *DeltaXijOld, *DeltaYijOld;
00061 extern double DeltaXijNew, DeltaYijNew;
00062 extern double DeltaXij, DeltaYij, DeltaVXij, DeltaVYij;
00063 extern double **DeltaXijOldPair, **DeltaYijOldPair;
00064
00065 //For molecule-ID as per LAMMPS, helpful!
00066 extern int *molID;
00067 extern int
                    **isBonded;
```

```
00069 //Following three for MPI only
                  *cellList, cells[NDIM+1];
00070 extern int
00071 extern int
                      rank, size, master;
00072 extern double *fax, *fay, fuSum, fvirSum, frfAtom;
00073
00074 //For thermodynamic properties
00075 extern double uSumPair, uSumPairPerAtom, virSumPair, virSumPairxx, virSumPairxy, virSumPairxy;
00076 extern double virSumBond, virSumBondxx, virSumBondyy, virSumBondxy;
00077 extern double virSumxx, virSumyy, virSumxy;
00078 extern int
                     freezeAtomType;
00079
00080 // Spacetime Correlations
00081 extern double ***cfOrg, **spacetimeCorr, *cfVal, *spacetimeCorrAv;
00082 extern int *indexCorr, countCorrAv, limitCorrAv, nBuffCorr, nFunCorr, nValCorr, stepCorr;
00083
00084 // Viscosity
00085 extern double rfAtom, frfAtom;
00086 extern double *indexAcf, **viscAcf, *viscAcfOrg, *viscAcfAv, viscAcfInt;
00087 extern int
                      nValAcf, nBuffAcf, stepAcf, countAcfAv, limitAcfAv;
00088
00089 // Radial distribution function
00090 extern double *histRdf, rangeRdf;
00091 extern int countRdf, limitRdf, sizeHistRdf, stepRdf;
00091 extern int
00092
00093
00094 // Output files prefixes
00095 extern char
00096
00097 extern char
                      result[250];
00098 extern FILE
                      *fpresult;
00099
00100 extern char
                      xyz[256];
00101 extern FILE
                      *fpxyz;
00102
                      bond[256];
00103 extern char
00104 extern FILE
                      *fpbond;
00106
00107 extern char
                      dump[256];
00108 extern FILE
                      *fpdump;
00109
00110 extern char
                      dnstv[256]:
00111 extern FILE
                      *fpdnsty;
00112
00113 extern char
                      visc[256];
00114 extern FILE
                      *fpvisc;
00115
00116 extern char
                      rdf[2561;
00117 extern FILE
                      *fordf:
00118
00119 extern char
                      vrms[256];
00120 extern FILE
                      *fpvrms;
00121
00122 extern char
                      stress[256];
00123 extern FILE
                      *fpstress;
00125 extern char
                      momentum[256];
00126 extern FILE
                      *fpmomentum;
00127
                      com[256];
00128 extern char
00129 extern FILE
                      *fpcom;
00130
00131 extern char
                      pair[256];
00132 extern FILE
                      *fppair;
00133
00134 #endif // GLOBALEXTERN H
```

3.62 source/Halt.c File Reference

```
#include <stdio.h>
#include <stdlib.h>
#include <stdbool.h>
#include "global.h"
```

Include dependency graph for Halt.c:



Functions

bool HaltConditionCheck (double value, int stepCount)

3.62.1 Function Documentation

3.62.1.1 HaltConditionCheck()

References fpresult, HaltCondition, and stepCount.

Referenced by main().

Here is the caller graph for this function:



3.63 Halt.c 147


3.63 Halt.c

Go to the documentation of this file.

```
00001 /*
00002
       * This file is part of Lamina.
00003
00004
       * Lamina is free software: you can redistribute it and/or modify
00005
       * it under the terms of the GNU General Public License as published by
00006
       * the Free Software Foundation, either version 3 of the License, or
00007
       \star (at your option) any later version.
80000
      * Lamina is distributed in the hope that it will be useful,
00009
      * but WITHOUT ANY WARRANTY; without even the implied warranty of
00010
00011
       * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012
      * GNU General Public License for more details.
00013
* You should have received a copy of the GNU General Public License
00015 * along with Lamina. If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00016
00017 Copyright (C) 2025 Harish Charan, University of Durham, UK
00018
00019
00020
00021
00022 #include <stdio.h>
00023 #include <stdlib.h>
00024 #include <stdbool.h>
00025 #include "global.h"
00026
00027 bool HaltConditionCheck(double value, int stepCount) {
00028
        if (value <= HaltCondition && value != 0) {</pre>
00029
       00030
00031
00032
00033 return false; // Halt condition not met
00034 }
00035
```

3.64 source/Init.c File Reference

```
#include <stdio.h>
#include <math.h>
#include <string.h>
#include <stdlib.h>
#include <time.h>
#include "global.h"
Include dependency graph for Init.c:
```



Functions

• void Init ()

3.64.1 Function Documentation

3.64.1.1 Init()

```
void Init ( )
```

```
Definition at line 29 of file Init.c.
```

```
00029
00030
                  char dummy[128];
                  char inputConfig[128];
FILE *fp;
00031
00032
               file *Tp;
fp = fopen("input-data","r");
fscanf(fp, "%s %s", dummy, inputConfig);
fscanf(fp, "%s %s", dummy, solver);
fscanf(fp, "%s %s %s", dummy, xBoundary, yBoundary);
fscanf(fp, "%s %d", dummy, &DampFlag);
fscanf(fp, "%s %d", dummy, &TreezeAtomType);
fscanf(fp, "%s %lf", dummy, &freezeAtomType);
fscanf(fp, "%s %lf", dummy, &gamman);
fscanf(fp, "%s %lf", dummy, &deltaT);
fscanf(fp, "%s %lf", dummy, &deltaT);
fscanf(fp, "%s %lf", dummy, &fxBylx);
fscanf(fp, "%s %lf", dummy, &FyBylx);
fscanf(fp, "%s %lf", dummy, &FyBylx);
fscanf(fp, "%s %lf", dummy, &DeltaY);
fscanf(fp, "%s %lf", dummy, &DeltaY);
fscanf(fp, "%s %lf", dummy, &BeltaY);
fscanf(fp, "%s %d", dummy, &StepAvg);
fscanf(fp, "%s %d", dummy, &stepEquil);
fscanf(fp, "%s %d", dummy, &stepLimit);
fscanf(fp, "%s %d", dummy, &stepLimit);
fscanf(fp, "%s %d", dummy, &stepDump);
fscanf(fp, "%s %d", dummy, &stepTraj);
00033
                  fp = fopen("input-data", "r");
00034
00035
00036
00037
00038
00039
00040
00041
00042
00043
00044
00045
00046
00047
00048
00049
00050
00051
00052
                fscanf(fp, "%s %d", dummy, &stepTraj);
fscanf(fp, "%s %d", dummy, &limitCorrAv);
fscanf(fp, "%s %d", dummy, &nBuffCorr);
fscanf(fp, "%s %d", dummy, &nFunCorr);
fscanf(fp, "%s %d", dummy, &nValCorr);
00053
00054
00055
00056
00057
                fscanf(fp, "%s %d", dummy, &nvalCorr);
fscanf(fp, "%s %d", dummy, &stepCorr);
fscanf(fp, "%s %d", dummy, &limitAcfAv);
fscanf(fp, "%s %d", dummy, &nBuffAcf);
fscanf(fp, "%s %d", dummy, &nValAcf);
fscanf(fp, "%s %d", dummy, &stepAcf);
fscanf(fp, "%s %d", dummy, &stepAcf);
fscanf(fp, "%s %d", dummy, &stepAcf);
00058
00059
00060
00061
00062
                iscanf(ip, "%s %d", dummy, &stepAcf);
fscanf(fp, "%s %lf", dummy, &rangeRdf);
fscanf(fp, "%s %d", dummy, &limitRdf);
fscanf(fp, "%s %d", dummy, &sizeHistRdf);
fscanf(fp, "%s %d", dummy, &stepRdf);
00063
00064
00065
00066
00067
00068
                 fclose(fp);
00069
                 FILE *fpSTATE;
00070
                  if ((fpSTATE = fopen(inputConfig, "r")) ==NULL) {
00071
                  printf("Error occurred: Could not open STATE file\n Exiting now..\n");
00072
                  exit(0);
00073
00074
                fscanf(fpSTATE, "%s %lf", dummy, &timeNow);
fscanf(fpSTATE, "%s %d", dummy, &nAtom);
fscanf(fpSTATE, "%s %d", dummy, &nBond);
fscanf(fpSTATE, "%s %d", dummy, &nAtomType);
fscanf(fpSTATE, "%s %d", dummy, &nBondType);
fscanf(fpSTATE, "%s %lf", dummy, &region[1]);
fscanf(fpSTATE, "%s %lf", dummy, &region[2]);
00075
00076
00077
00078
00079
08000
00081
00082
00083
                  region[2] *= 1.5; //Remove this when put on GitHub
00084
00085
                  density = nAtom/(region[1]*region[2]);
                 cells[1] = region[1] / rCut;
cells[2] = region[2] / rCut;
00086
00087
                 cellList = (int*)malloc((nAtom + cells[1] * cells[2] + 1) * sizeof(int));
00088
                 regionH[1] = 0.5*region[1];
00089
                 regionH[2] = 0.5*region[2];
00090
00091
00092
                 //strain information
00093
                 strainRate = strain/deltaT;
00094
                  shearDisplacement = strain * region[2];
00095
                  shearVelocity = strainRate * region[2];
00096
```

```
00097
00098
        rx = (double*)malloc((nAtom + 1) * sizeof(double));
         ry = (double*)malloc((nAtom + 1) * sizeof(double));
00099
        vx = (double*)malloc((nAtom + 1) * sizeof(double));
00100
00101
        vv = (double*)malloc((nAtom + 1) * sizeof(double));
        ax = (double*)malloc((nAtom + 1) * sizeof(double));
00102
        ay = (double*)malloc((nAtom + 1) * sizeof(double));
        fax = (double*)malloc((nAtom + 1) * sizeof(double));
fay = (double*)malloc((nAtom + 1) * sizeof(double));
00104
00105
00106
        atomID = (int*)malloc((nAtom+1) * sizeof(int));
        atomType = (int*)malloc((nAtom+1) * sizeof(int));
00107
00108
        atomRadius = (double*)malloc((nAtom + 1) * sizeof(double));
00109
        atomMass = (double*)malloc((nAtom + 1) * sizeof(double));
        speed = (double*)malloc((nAtom + 1) * sizeof(double));
00110
00111
         atom1 = (int*)malloc((nBond+1)*sizeof(int));
         atom2 = (int*)malloc((nBond+1)*sizeof(int));
00112
        BondID = (int*)malloc((nBond+1)*sizeof(int));
00113
        BondType = (int*)malloc((nBond+1)*sizeof(int));
00114
        kb = (double*)malloc((nBond+1)*sizeof(double));
         ro = (double*)malloc((nBond+1)*sizeof(double));
00116
         BondEnergy = (double*)malloc((nBond+1)*sizeof(double));
00117
00118
        BondLength = (double*) malloc ((nBond+1) *sizeof(double));
        discDragx = (double*)malloc((nAtom + 1) * sizeof(double));
discDragy = (double*)malloc((nAtom + 1) * sizeof(double));
00119
00120
00121
        nodeDragx = (double*) malloc((nAtom + 1) * sizeof(double));
        nodeDragy = (double*)malloc((nAtom + 1) * sizeof(double));
00122
        ImageX = (int*)malloc((nAtom+1) * sizeof(int));
ImageY = (int*)malloc((nAtom+1) * sizeof(int));
00123
00124
        rxUnwrap = (double*)malloc((nAtom + 1) * sizeof(double));
ryUnwrap = (double*)malloc((nAtom + 1) * sizeof(double));
00125
00126
00127
        DeltaXijOld = (double*)malloc((nBond+1)*sizeof(double));
00128
        DeltaYijOld = (double*)malloc((nBond+1)*sizeof(double));
00129
         DeltaXijOldPair = (double**)malloc((nAtom+1) * sizeof(double*));
00130
        DeltaYijOldPair = (double**)malloc((nAtom+1) * sizeof(double*));
         for(int n = 0; n <= nAtom; n++) {
  DeltaXijOldPair[n] = (double*)malloc((nAtom+1) * sizeof(double));</pre>
00131
00132
         DeltaYijOldPair[n] = (double*)malloc((nAtom+1) * sizeof(double));
00133
00134
00135
        molID = (int*)malloc((nAtom+1) * sizeof(int));
00136
00137
         for(n = 1; n <= nAtom; n ++) {</pre>
         atomMass[n] = 1.0;
00138
00139
00140
00141
         fscanf(fpSTATE, "%s\n", dummy);
00142
         for (n = 1; n \le nAtom; n ++)
00143
         fscanf(fpSTATE, "%d %d %d %lf %lf %lf %lf %lf %lf \n", &atomID[n], &molID[n], &atomType[n],
      &atomRadius[n], &rx[n], &ry[n], &vx[n], &vy[n]);
00144
00145
00146
        fscanf(fpSTATE, "%s\n", dummy);
00147
        for (n=1; n<=nBond; n++)</pre>
00148
          &ro[n]);
00149
00150
        fclose(fpSTATE);
00152
       //2D-List of bonded atoms. This is used to remove pair interaction
00153
        //calculation for the bonded atoms
        isBonded = (int**)malloc((nAtom + 1) * sizeof(int*));
for (int i = 0; i <= nAtom; i++) {
  isBonded[i] = (int*)malloc((nAtom + 1) * sizeof(int));</pre>
00154
00155
00156
          for (int j = 0; j <= nAtom; j++) {
   isBonded[i][j] = 0;</pre>
00157
00158
00159
00160
        }
00161
00162
        for (n = 1; n <= nBond; n++) {</pre>
00163
          int i = atom1[n];
           int j = atom2[n];
00164
00165
           isBonded[i][j] = 1;
00166
           isBonded[j][i] = 1; // symmetric
00167 }
00168
00169
        //For thermostate, update in final version
00170 thermo = 'C';
00171
00172
00173 // List the interface atoms
00174 nAtomInterface = 0:
00175 nAtomBlock = 0;
       nDiscInterface = 0;
00177
        double InterfaceWidth, bigDiameter;
00178
       bigDiameter = 2.8;
00179
       InterfaceWidth = 5.0 * bigDiameter;
00180
00181 for (n = 1; n \le nAtom; n++)
```

```
if(fabs(ry[n]) < InterfaceWidth){</pre>
00183
               nAtomInterface++;
00184
00185
                if(molID[n] == 2){
00186
               nAtomBlock++:
00187
00188
                if(atomRadius[n] != 0.0){
00189
                nDiscInterface++;
00190
00191
                 atomIDInterface = (int*)malloc((nAtomInterface+1)*sizeof(int));
00192
00193
00194
               int m;
00195
00196
               for (n=1; n<=nAtom; n++) {</pre>
00197
                 if(fabs(ry[n]) < InterfaceWidth) {</pre>
00198
                 atomIDInterface[m] = atomID[n];
00199
00200
00201
                nPairTotal = 0.5 * nAtomInterface * (nAtomInterface-1);
00202
00203
                PairID = (int*)malloc((nPairTotal+1) * sizeof(int));
               Pairatom1 = (int*)malloc((nPairTotal+1) * sizeof(int));
Pairatom2 = (int*)malloc((nPairTotal+1) * sizeof(int));
00204
00205
00206
               PairXij = (double*) malloc((nPairTotal+1) * sizeof(double));
               PairYij = (double*)malloc((nPairTotal+1) * sizeof(double));
00207
00208
                  fprintf(fpresult, "-----\n");
fprintf(fpresult, "-----\n");
fprintf(fpresult, "-----\n");
fprintf(fpresult, "nAtom\t\t\t\d\n", nAtom);
fprintf(fpresult, "nBond\t\t\t\d\n", nBond);
fprintf(fpresult, "nAtomBlock\t\t\d\n", nAtomBlock);
fprintf(fpresult, "nAtomInterface\t\d\n", nAtomInterface);
fprintf(fpresult, "nDiscInterface\t\d\n", nDiscInterface);
fprintf(fpresult, "gamman\t\t\t\d\n", gamman);
fprintf(fpresult, "strain\t\t\d\0.6g\n", strain);
fprintf(fpresult, "strainRate\t\t\d\0.6g\n", strainRate);
fprintf(fpresult, "FyBylx\t\t\d\d\0.6g\n", FyBylx);
00209
00210
00211
00212
00213
00214
00215
00216
00217
00218
                   fprintf(fpresult, "FyBylx\t\t\t\t\80.6g\n", FyBylx);
fprintf(fpresult, "fxByfy\t\t\t\80.6g\n", fxByfy);
fprintf(fpresult, "DeltaY\t\t\80.6g\n", DeltaY);
00220
00221
00222
                   fprintf(fpresult, "DeltaX\t\t\t\0.6g\n", DeltaX);
fprintf(fpresult, "HaltCondition\t\t\0.6g\n", HaltCondition);
fprintf(fpresult, "kappa\t\t\t\0.8g\n", kappa);
00223
00224
00225
                  fprintf(fpresult, "kappa\t\t\t\sq\n", kappa);
fprintf(fpresult, "density\t\t\sq\n", density);
fprintf(fpresult, "rCut\t\t\t\sq\n", rCut);
fprintf(fpresult, "deltaT\t\t\t\sq\n", rCut);
fprintf(fpresult, "deltaT\t\t\t\sq\n", deltaT);
fprintf(fpresult, "stepEquil\t\t\t\sq\n", stepEquil);
fprintf(fpresult, "stepLimit\t\t\t\sq\n", stepLimit);
fprintf(fpresult, "region[1]\t\t\t\sq\n", region[1]);
fprintf(fpresult, "region[2]\t\t\t\sq\n", region[2]);
fprintf(fpresult, "cells[1]\t\t\t\sq\n", cells[1]);
fprintf(fpresult, "cells[2]\t\t\sq\n", cells[2]);
fprintf(fpresult, "solver\t\t\sq\n", solver);
fprintf(fpresult, "boundary\t\t\s\sq\n", xBoundary, yBoundary);
fprintf(fpresult, "DampFlag\t\t\sq\n", DampFlag);
00226
00227
00228
00229
00230
00231
00233
00234
00235
00236
00237
00239
                   00240
00241
          PairEnergyPerAtom BondEnergyPerAtom Press VirialSum\n");
fprintf(fpvrms, "#timeNow\tVrms \n");
fprintf(fpcom, "#timeNow\tComX\tComY\n");
00242
00243
00244
00245 /\star //Uncomment the following as per your acquirement
                   fprintf(fpstress, "strain
fprintf(fpstress, "region[1]
                                                                                  %lf\n", strain);
00246
                                                                                         %lf\n", region[1]);
%lf\n", region[2]);
00247
                   fprintf(fpstress, "region[2] %lf\n", region[2]);
fprintf(fpstress, "#timeNow virSumxx virSumyy virSumxy pressure\n");
00248
00249
                   fprintf(fpmomentum, "#timeNow Px Py\n");
00251 */
00252
          if((strcmp(xBoundary, "p") != 0 && strcmp(xBoundary, "r") != 0) ||
  (strcmp(yBoundary, "p") != 0 && strcmp(yBoundary, "r") != 0)) {
  fprintf(fpresult, "Error: Invalid boundary value detected: '%s %s'. Only 'p' or 'r' are
  allowed.\n", xBoundary, yBoundary);
00253
00254
00255
00256
                  exit(EXIT_FAILURE); // Exit with failure status
00257
00258
00259 }
```

References atom1, atom2, atomID, atomIDInterface, atomMass, atomRadius, atomType, ax, ay, BondEnergy, BondID, BondLength, BondType, cellList, cells, DampFlag, deltaT, DeltaX, DeltaXijOld, DeltaXijOldPair, DeltaY, DeltaYijOld, DeltaYijOldPair, density, discDragx, discDragy, fax, fay, fpcom, fpresult, fpvrms, freezeAtomType, fxByfy, FyBylx, gamman, HaltCondition, ImageX, ImageY, isBonded, kappa, kb, limitAcfAv, limitCorrAv, limitRdf,

3.65 Init.c 151

molID, nAtom, nAtomBlock, nAtomInterface, nAtomType, nBond, nBondType, nBuffAcf, nBuffCorr, nDiscInterface, nFunCorr, nodeDragx, nodeDragy, nPairTotal, nValAcf, nValCorr, Pairatom1, Pairatom2, PairID, PairXij, PairYij, rangeRdf, rCut, region, regionH, ro, rx, rxUnwrap, ry, ryUnwrap, shearDisplacement, shearVelocity, sizeHistRdf, solver, speed, stepAcf, stepAvg, stepCorr, stepDump, stepEquil, stepLimit, stepRdf, stepTraj, strain, strainRate, thermo, timeNow, vx, vy, xBoundary, and yBoundary.

Referenced by main().

Here is the caller graph for this function:



3.65 Init.c

Go to the documentation of this file.

```
00001 /*
00002
       * This file is part of Lamina.
00003
00004
       * Lamina is free software: you can redistribute it and/or modify
       \star it under the terms of the GNU General Public License as published by
00006
        * the Free Software Foundation, either version 3 of the License, or
00007
       \star (at your option) any later version.
80000
       * Lamina is distributed in the hope that it will be useful,
00009
00010 * but WITHOUT ANY WARRANTY; without even the implied warranty of
00011
       * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012
       * GNU General Public License for more details.
00013
00014
       \star You should have received a copy of the GNU General Public License
       * along with Lamina. If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00015
00016
00017
       Copyright (C) 2025 Harish Charan, University of Durham, UK
00018
00019
00020
00021
00022 #include<stdio.h>
00023 #include<math.h>
00024 #include<string.h>
00025 #include<stdlib.h>
00026 #include <time.h>
00027 #include"global.h"
00028
00029 void Init(){
        char dummy[128];
00031
         char inputConfig[128];
00032
        FILE *fp;
        fp = fopen("input-data","r");
fscanf(fp, "%s %s", dummy, inputConfig);
fscanf(fp, "%s %s", dummy, solver);
00033
00034
00035
        fscanf(fp, "%s %s %s", dummy, xBoundary, yBoundary);
00036
00037
         fscanf(fp, "%s %d", dummy, &DampFlag);
        fscanf(fp, "%s %d", dummy, &freezeAtomType);
fscanf(fp, "%s %lf", dummy, &rCut);
00038
00039
        fscanf(fp, "%s %lf", dummy, &gamman);
fscanf(fp, "%s %lf", dummy, &kappa);
00040
00041
         fscanf(fp, "%s %lf", dummy, &deltaT);
00042
00043
        fscanf(fp, "%s %lf", dummy, &strain);
00044
         fscanf(fp, "%s %lf", dummy, &FyBylx);
        fscanf(fp, "%s %lf", dummy, &fxByfy);
00045
        fscanf(fp, "%s %lf", dummy, &DeltaY);
fscanf(fp, "%s %lf", dummy, &DeltaX);
00046
00047
00048
        fscanf(fp, "%s %lf", dummy, &HaltCondition);
00049
        fscanf(fp, "%s %d", dummy, &stepAvg);
```

```
fscanf(fp, "%s %d", dummy, &stepEquil);
fscanf(fp, "%s %d", dummy, &stepLimit);
fscanf(fp, "%s %d", dummy, &stepDump);
00051
00052
          fscanf(fp, "%s %d",
00053
                                     dummy, &stepTraj);
          fscanf(fp, "%s %d",
00054
                                     dummy, &limitCorrAv);
          fscanf(fp, "%s %d", fscanf(fp, "%s %d",
00055
                                     dummy, &nBuffCorr);
00056
                                     dummy, &nFunCorr);
         fscanf(fp, "%s %d", fscanf(fp, "%s %d", fscanf(fp, "%s %d", fscanf(fp, "%s %d",
                                     dummy, &nValCorr);
00057
00058
                                     dummy, &stepCorr);
00059
                                     dummy, &limitAcfAv);
                                    dummy, &nBuffAcf);
00060
          fscanf(fp, "%s %d", dummy, &nValAcf);
00061
          fscanf(fp, "%s %d", dummy, &stepAcf);
fscanf(fp, "%s %lf", dummy, &rangeRdf);
00062
00063
         fscanf(fp, "%s %d", dummy, &limitRdf);
fscanf(fp, "%s %d", dummy, &sizeHistRdf);
fscanf(fp, "%s %d", dummy, &stepRdf);
00064
00065
00066
00067
          fclose(fp);
00068
00069
          FILE *fpSTATE;
00070
          if((fpSTATE = fopen(inputConfig, "r")) ==NULL) {
          printf("Error occurred: Could not open STATE file\n Exiting now..\n");
00071
00072
          exit(0):
00073
00074
          fscanf(fpSTATE, "%s %lf", dummy, &timeNow);
fscanf(fpSTATE, "%s %d", dummy, &nAtom);
fscanf(fpSTATE, "%s %d", dummy, &nBond);
00075
00076
00077
          fscanf(fpSTATE, "%s %d",
00078
                                            dummy, &nAtomType);
          fscanf(fpSTATE, "%s %d", dummy, &nBondType);
fscanf(fpSTATE, "%s %lf", dummy, &region[]);
00079
08000
00081
          fscanf(fpSTATE, "%s %lf", dummy, &region[2]);
00082
00083
          region[2] *= 1.5; //Remove this when put on GitHub
00084
          density = nAtom/(region[1]*region[2]);
00085
         cells[1] = region[1] / rCut;
cells[2] = region[2] / rCut;
00086
00088
          cellList = (int*)malloc((nAtom + cells[1] * cells[2] + 1) * sizeof(int));
00089
          regionH[1] = 0.5*region[1];
          regionH[2] = 0.5*region[2];
00090
00091
00092
          //strain information
00093
          strainRate = strain/deltaT;
          shearDisplacement = strain * region[2];
00094
00095
          shearVelocity = strainRate * region[2];
00096
          int n:
00097
00098
          rx = (double*)malloc((nAtom + 1) * sizeof(double));
00099
          ry = (double*)malloc((nAtom + 1) * sizeof(double));
                (double*)malloc((nAtom + 1) * sizeof(double));
00100
          vy = (double*)malloc((nAtom + 1) * sizeof(double));
00101
00102
          ax = (double*)malloc((nAtom + 1) * sizeof(double));
          ay = (double*)malloc((nAtom + 1) * sizeof(double));
00103
          fax = (double*)malloc((nAtom + 1) * sizeof(double));
fay = (double*)malloc((nAtom + 1) * sizeof(double));
00104
00105
          atomID = (int*)malloc((nAtom+1) * sizeof(int));
          atomType = (int*)malloc((nAtom+1) * sizeof(int));
00107
00108
          atomRadius = (double*)malloc((nAtom + 1) * sizeof(double));
00109
          atomMass = (double*)malloc((nAtom + 1) * sizeof(double));
00110
          speed = (double*) malloc((nAtom + 1) * sizeof(double));
          atom1 = (int*)malloc((nBond+1)*sizeof(int));
00111
00112
          atom2 = (int*)malloc((nBond+1)*sizeof(int));
          BondID = (int*)malloc((nBond+1)*sizeof(int));
00113
00114
          BondType = (int*)malloc((nBond+1)*sizeof(int));
          kb = (double*)malloc((nBond+1)*sizeof(double));
ro = (double*)malloc((nBond+1)*sizeof(double));
00115
00116
          BondEnergy = (double*)malloc((nBond+1)*sizeof(double));
00117
          BondLength = (double*) malloc((nBond+1)*sizeof(double));
00118
          discPragx = (double*)malloc((nAtom + 1) * sizeof(double));
discPragy = (double*)malloc((nAtom + 1) * sizeof(double));
00119
00120
00121
          nodeDragx = (double*)malloc((nAtom + 1) * sizeof(double));
          nodeDragy = (double*)malloc((nAtom + 1) * sizeof(double));
00122
          ImageX = (int*)malloc((nAtom+1) * sizeof(int));
ImageY = (int*)malloc((nAtom+1) * sizeof(int));
00123
00124
          rxUnwrap = (double*)malloc((nAtom + 1) * sizeof(double));
ryUnwrap = (double*)malloc((nAtom + 1) * sizeof(double));
00125
00126
          DeltaXijOld = (double*)malloc((nBond+1)*sizeof(double));
DeltaYijOld = (double*)malloc((nBond+1)*sizeof(double));
00127
00128
          DeltaXijOldPair = (double**)malloc((nAtom+1) * sizeof(double*));
DeltaYijOldPair = (double**)malloc((nAtom+1) * sizeof(double*));
00129
00130
          for (int n = 0; n \le nAtom; n++) {
           DeltaXijOldPair[n] = (double*)malloc((nAtom+1) * sizeof(double));
DeltaYijOldPair[n] = (double*)malloc((nAtom+1) * sizeof(double));
00132
00133
00134
00135
          molID = (int*)malloc((nAtom+1) * sizeof(int));
00136
```


3.65 Init.c 153

```
for(n = 1; n <= nAtom; n ++) {</pre>
           atomMass[n] = 1.0;
00138
00139
00140
          fscanf(fpSTATE, "%s\n", dummy);
00141
          for (n = 1; n \le nAtom; n ++)
00142
           fscanf(fpSTATE, "%d %d %d %lf %lf %lf %lf %lf \n", &atomID[n], &molID[n], &atomType[n],
00143
       &atomRadius[n], &rx[n], &ry[n], &vx[n], &vy[n]);
00144
00145
          fscanf(fpSTATE, "%s\n", dummy);
00146
00147
          for (n=1; n<=nBond; n++)</pre>
           fscanf(fpSTATE, "%d %d %d %d %lf %lf\n", &BondID[n], &BondType[n], &atom1[n], &atom2[n], &kb[n],
00148
00149
00150
          fclose(fpSTATE);
00151
00152
         //2D-List of bonded atoms. This is used to remove pair interaction
         //calculation for the bonded atoms
00154
           isBonded = (int**)malloc((nAtom + 1) * sizeof(int*));
00155
          for (int i = 0; i <= nAtom; i++) {</pre>
            isBonded[i] = (int*)malloc((nAtom + 1) * sizeof(int));
for (int j = 0; j <= nAtom; j++) {</pre>
00156
00157
                  isBonded[i][j] = 0;
00158
00159
00160
00161
00162
          for (n = 1; n <= nBond; n++) {</pre>
            int i = atom1[n];
int j = atom2[n];
00163
00164
00165
            isBonded[i][j] = 1;
00166
            isBonded[j][i] = 1; // symmetric
00167 }
00168
00169 \, //For thermostate, update in final version
00170 thermo = 'C';
00171
00173 // List the interface atoms
00174 nAtomInterface = 0;
00175 nAtomBlock = 0;
00176 nDiscInterface = 0;
00177 double InterfaceWidth, bigDiameter;
00178 bigDiameter = 2.8;
00179 InterfaceWidth = 5.0 * bigDiameter;
00180
00181 for (n = 1; n \le nAtom; n++) {
00182
         if(fabs(ry[n]) < InterfaceWidth){</pre>
00183
         nAtomInterface++;
00184
00185
          if (molID[n] == 2) {
00186
          nAtomBlock++;
00187
00188
          if(atomRadius[n] != 0.0){
00189
          nDiscInterface++:
00190
          } }
00192
           atomIDInterface = (int*)malloc((nAtomInterface+1)*sizeof(int));
00193
00194
00195
          m = 1:
00196
          for (n=1; n<=nAtom; n++) {</pre>
00197
           if(fabs(ry[n]) < InterfaceWidth){</pre>
00198
           atomIDInterface[m] = atomID[n];
           m++;
00199
00200
           } }
00201
          nPairTotal = 0.5 * nAtomInterface * (nAtomInterface-1);
00202
          PairID = (int*)malloc((nPairTotal+1) * sizeof(int));
00203
          Pairatom1 = (int*)malloc((nPairTotal+1) * sizeof(int));
Pairatom2 = (int*)malloc((nPairTotal+1) * sizeof(int));
00205
          PairXij = (double*)malloc((nPairTotal+1) * sizeof(double));
00206
          PairYij = (double*)malloc((nPairTotal+1) * sizeof(double));
00207
00208
00209
             fprintf(fpresult, "-----
00210
             fprintf(fpresult, "-----PARAMETERS----\n");
            fprintf(fpresult, "------PARAMETERS-----\n");
fprintf(fpresult, "-----\n");
fprintf(fpresult, "nAtom\t\t\t\d\n", nAtom);
fprintf(fpresult, "nBond\t\t\t\d\n", nBond);
fprintf(fpresult, "nAtomBlock\t\t\d\n", nAtomBlock);
fprintf(fpresult, "nAtomInterface\t\d\n", nAtomInterface);
fprintf(fpresult, "nDiscInterface\t\t\d\n", nDiscInterface);
00211
00212
00213
00214
00215
            fprintf(fpresult, "nDiscinterFace\t\t\a\n", nDiscinter
fprintf(fpresult, "gamman\t\t\t\80.6g\n", gamman);
fprintf(fpresult, "strain\t\t\$0.6g\n", strain);
fprintf(fpresult, "strainRate\t\t\80.6g\n", strainRate);
fprintf(fpresult, "FyBylx\t\t\80.6g\n", FyBylx);
fprintf(fpresult, "fxByfy\t\t\80.6g\n", fxByfy);
00217
00218
00219
00220
00221
```

```
fprintf(fpresult, "DeltaY\t\t\t\0.6g\n", DeltaY);
fprintf(fpresult, "DeltaX\t\t\t\0.6g\n", DeltaX);
fprintf(fpresult, "HaltCondition\t\t\0.6g\n", HaltCondition);
fprintf(fpresult, "kappa\t\t\t\g\n", kappa);
fprintf(fpresult, "density\t\t\g\n", density);
fprintf(fpresult, "rCut\t\t\t\g\n", rCut);
fprintf(fpresult, "cut\t\t\t\g\n", rCut);
fprintf(fpresult, "deltaT\t\t\t\g\n", deltaT);
fprintf(fpresult, "stepEquil\t\t\t\g\n", stepEquil);
fprintf(fpresult, "stepEquil\t\t\t\g\n", stepLimit);
fprintf(fpresult, "region[1]\t\t\g\n\", region[1]);
fprintf(fpresult, "region[2]\t\t\g\n\", cells[1]);
fprintf(fpresult, "cells[1]\t\t\g\n\", cells[2]);
fprintf(fpresult, "solver\t\t\s\n", solver);
fprintf(fpresult, "boundary\t\t\s\s\n", xBoundary, yBoundary);
fprintf(fpresult, "DampFlag\t\g\n\", DampFlag);
00223
00224
00225
00226
00227
00229
00230
00231
00232
00233
00234
00235
00236
00237
00238
00239
                              fprintf(fpresult, "-----\n");
fprintf(fpresult, "#TimeNow TotalMomentum PotEngyPerAtom KinEngyPerAtom TotEngyPerAtom
00241
                PairEnergyPerAtom BondEnergyPerAtom Press VirialSum\n");
    fprintf(fpvrms, "#timeNow\tVrms \n");
    fprintf(fpcom, "#timeNow\tComX\tComY\n");
00242
00243
00244
00245 /* //Uncomment the following as per your acquirement
                             //oncomment the following as per your acquirement
fprintf(fpstress, "strain %lf\n", strain);
fprintf(fpstress, "region[1] %lf\n", region[1]);
fprintf(fpstress, "region[2] %lf\n", region[2]);
fprintf(fpstress, "#timeNow virSumxx virSumyy virSumxy pressure\n");
fprintf(fpmomentum, "#timeNow Px Py\n");
00247
00248
00249
00250
00251 */
00252
               if((strcmp(xBoundary, "p") != 0 && strcmp(xBoundary, "r") != 0) ||
{
    (strcmp(yBoundary, "p") != 0 && strcmp(yBoundary, "r") != 0)) {
    fprintf(fpresult, "Error: Invalid boundary value detected: '%s %s'. Only 'p' or 'r' are allowed.\n", xBoundary, yBoundary);
    exit(EXIT_FAILURE); // Exit with failure status
00253
00254
00255
00256
00258
00259 }
```

3.66 source/InitVacf.c File Reference

```
#include <stdio.h>
#include "global.h"
Include dependency graph for InitVacf.c:
```



Functions

- void ZeroVacf ()
- void InitVacf ()

3.66.1 Function Documentation

3.66.1.1 InitVacf()

```
void InitVacf ( )
```

Definition at line 26 of file InitVacf.c.

```
00026 {
00027 int nb;
00028 for(nb = 1; nb <= nBuffAcf; nb ++)
00029 indexAcf[nb] = -(nb-1)*nValAcf/nBuffAcf;
00030 ZeroVacf();
00031 }
```


References indexAcf, nBuffAcf, nValAcf, and ZeroVacf().

Referenced by SetupJob().

Here is the call graph for this function:



Here is the caller graph for this function:



3.66.1.2 ZeroVacf()

```
void ZeroVacf ( )

Definition at line 25 of file ZeroVacf.c.
00025
00026 int j;
00027 countAcfAv= 0;
00028 for(j = 1; j <= nValAcf; j ++)
viscAcfAv[j] = 0.;
00030 }</pre>
```

Referenced by InitVacf().

Here is the caller graph for this function:



3.67 InitVacf.c


Go to the documentation of this file.

```
00001 /*
00002
        * This file is part of Lamina.
00003
00004
        * Lamina is free software: you can redistribute it and/or modify
00005
          it under the terms of the GNU General Public License as published by
00006
        * the Free Software Foundation, either version 3 of the License, or
00007
        \star (at your option) any later version.
00008
00009
        \star Lamina is distributed in the hope that it will be useful,
00010
        * but WITHOUT ANY WARRANTY; without even the implied warranty of
00011
          MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012
        * GNU General Public License for more details.
00013
00014 * You should have received a copy of the GNU General Public License 00015 * along with Lamina. If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00016
        Copyright (C) 2025 Harish Charan, University of Durham, UK
00018
00019
00020
00021
00022 #include<stdio.h>
00023 #include"global.h"
00024
00025 void ZeroVacf();
00026 void InitVacf() {
00027    int nb;
00028
        for (nb = 1 ; nb \le nBuffAcf ; nb ++)
           indexAcf[nb] = -(nb-1)*nValAcf/nBuffAcf;
00029
00030
        ZeroVacf();
00031 }
```

3.68 source/Integrate.c File Reference

```
#include <stdio.h>
#include "global.h"
```

Include dependency graph for Integrate.c:



Functions

• double Integrate (double *f, int nf)

3.68.1 Function Documentation

3.68.1.1 Integrate()

```
double Integrate ( \label{eq:condition} \mbox{double * $f$,} \\ \mbox{int $nf$ )}
```

Definition at line 25 of file Integrate.c.

```
00025

00026 double s;

00027 int i;

00028 s = 0.5*(f[1] + f[nf]);

00029 for(i = 2; i <= nf - 1; i ++)


00030 s += f[i];

00031 return(s);

00032 }
```

Referenced by AccumVacf().

Here is the caller graph for this function:




3.69 Integrate.c

Go to the documentation of this file.

```
00001 /*
00002
        * This file is part of Lamina.
00004
        \star Lamina is free software: you can redistribute it and/or modify
00005
        \star it under the terms of the GNU General Public License as published by
00006
       * the Free Software Foundation, either version 3 of the License, or
00007
       \star (at your option) any later version.
80000
00009
       * Lamina is distributed in the hope that it will be useful,
00010
        * but WITHOUT ANY WARRANTY; without even the implied warranty of
00011
        * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012
       * GNU General Public License for more details.
00013 *
00014 * You should have received a copy of the GNU General Public License 00015 * along with Lamina. If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00016
00017 Copyright (C) 2025 Harish Charan, University of Durham, UK
00018
00019
00020
00021
00022 #include<stdio.h>
00023 #include"global.h"
00024
00025 double Integrate(double *f, int nf) {
00025 double int
00026 double s;
00027 int i;
00028 s = 0.5*(f[1] + f[nf]);
00029 for(i = 2; i <= nf - 1; i ++)
00030
        s += f[i];
00031 return(s);
00032 }
00033
```

3.70 source/LeapfrogStep.c File Reference

```
#include <stdio.h>
#include <math.h>
#include <stdlib.h>
#include <gsl/gsl_rng.h>
#include <gsl/gsl_randist.h>
#include "global.h"
Include dependency graph for LeapfrogStep.c:
```



Functions

• void LeapfrogStep (char thermo, gsl_rng *rnd)

3.70.1 Function Documentation

3.70.1.1 LeapfrogStep()

```
void LeapfrogStep (
                 char thermo,
                 qsl_rnq * rnd )
Definition at line 28 of file LeapfrogStep.c.
00028
00029 double temperature, GAMMA;
00030 GAMMA = 100;
00032 double *TValSum;
00033 TValSum = (double*)malloc((nAtom + 1) * sizeof(double));
00034
00035
00036
        if(stepCount <= stepEquil){</pre>
00037
          double gSum, varS, massS;
00038
           temperature = 1./GAMMA;
00039
          if(stepCount == 1) varS = 0.;
00040
           double A, S1, S2, T;
00041
00042
           int n:
00043
           S1 = 0.; S2 = 0.; gSum = 0.; massS = 0.1;
00044
00045
           vvSum = 0.;
00046
           double halfdt = 0.5*deltaT;
           for (n = 1; n <= nAtom; n++) {
    T = vx[n] + halfdt * ax[n];
00047
00048
             S1 += T * ax[n];
00049
00050
             S2 += Sqr(T);
00051
00052
             T = vy[n] + halfdt * ay[n];
             S1 += T * ay[n];
S2 += Sqr(T);
00053
00054
00055
            vvSum += (Sqr(vx[n]) + Sqr(vy[n]));
00056
00057
           A = -S1 / S2;
S2 = vvSum;
00058
00059
00060
           double C = 1 + A*deltaT;
double D = deltaT * (1 + 0.5 * A * deltaT);
00061
00062
00063
00064
00065
           real dr[NDIM+1], r, rr, ri, rrCut;
00066
           double vv;
00067
00068
           double uVal, AA, AASum;
00069
           double TVal;
00070
00071
           double deno, VVSum;
00072
           deno = 0.;
           VVSum = 0.;
00073
00074
           AASum = 0.;
00075
00076
        for (n=1; n<=nAtom; n++)</pre>
00077
            TValSum[n] = 0.;
00078
00079
        rrCut = Sqr(rCut);
00080
00081 /*****Calculating Configarational temperature*****/
00082 //Solving the equation of motion here 00083 if(thermo == 'C') {
00084 for(i = 1; i <= nAtom; i ++) {
00085 for(j = i+1; j <= nAtom; j ++) {
00086 dr[1] = rx[i] - rx[j];
              if(fabs(dr[1]) > regionH[1])
00087
00088
           dr[1] -= SignR(region[1], dr[1]);
00089
            dr[2] = ry[i] - ry[j];
if(fabs(dr[2]) > regionH[2])
00090
00091
00092
           dr[2] -= SignR(region[2], dr[2]);
00093
00094
            rr = Sqr(dr[1]) + Sqr(dr[2]);
00095
             if(rr < rrCut ) {</pre>
            r = sqrt(rr);
ri = 1/r;
00096
00097
00098
            uVal = ri*exp(-kappa*r);
00099
            TVal = (1./rr + Sqr(kappa) + kappa/r) *uVal;
```

```
TValSum[i] += TVal;
00102
            TValSum[j] += TVal;
00103
00104
            AA = Sqr(ax[i]) + Sqr(ay[i]);
00105
           AASum += AA;
            vv = Sqr(vx[i]) + Sqr(vy[i]);
00106
            VVSum += vv;
00107
00108
           deno += TValSum[i];
00109 }
00110
           double gSumconfig, varSconfig, massSconfig;
if(stepCount == 1) varSconfig = 0.;
00111
00112
           gSumconfig = 0.; massSconfig = 2.0;
00113
00114
00115
            gSumconfig = (AASum/temperature - deno)/massSconfig;
           varSconfig += deltaT*gSumconfig;
00116
00117
00118
            /*****Configarational Nose-Hoover thermostat****/
         for (n = 1; n <= nAtom; n++) {</pre>
00119
            vx[n] += deltaT * ax[n];
00120
            rx[n] += deltaT * (vx[n] + varSconfig * ax[n]);
vy[n] += deltaT * ay[n];
00121
00122
            ry[n] += deltaT * (vy[n] + varSconfig * ay[n]);
00123
00124
00125
            /****Kinetic Nose-Hoover thermostat****/
       }else if(thermo == 'N') {
   gSum = (0.5*S2 - (nAtom + 1)*temperature)/massS;
00126
00127
00128
          varS += deltaT*gSum;
         for (n = 1; n <= nAtom; n++) {</pre>
00129
            vx[n] += deltaT * (ax[n] - varS *vx[n]);
rx[n] += deltaT * vx[n];
00130
00131
00132
             vy[n] += deltaT * (ay[n] - varS *vy[n]);
00133
            ry[n] += deltaT * vy[n];
00134
for (n = 1; n <= nAtom; n++) {</pre>
00137
            vx[n] = C * vx[n] + D * ax[n];
00139
            rx[n] += deltaT * vx[n];
00140
            vy[n] = C * vy[n] + D * ay[n];
00141
            ry[n] += deltaT * vy[n];
00142
         }else if (thermo == 'I') {
00143
00144
        double nu = 0.03066;
        double var = sqrt(2*nu/(GAMMA*deltaT));
00146
        double scale = 1. + nu*deltaT/2.;
00147
        double scale_v = 2./scale - 1.;
        double scale_f = deltaT/scale;
00148
00149
        int n:
00150
        for (n = 1 ; n \le nAtom ; n ++) {
            vx[n] = scale_v*vx[n] + scale_f*(ax[n] + var*gsl_ran_gaussian(rnd,1));
00152
             rx[n] += deltaT * vx[n];
00153
            vy[n] = scale_v*vy[n] + scale_f*(ay[n] + var*gsl_ran_gaussian(rnd,1));
00154
            ry[n] += deltaT * vy[n];
00155
00156
00157 }else{
00158
         int n;
00159
         for(n = 1; n <= nAtom; n ++) {
            vx[n] += deltaT * ax[n];
rx[n] += deltaT * vx[n];
00160
00161
            vy[n] += deltaT * ay[n];
00162
00163
            ry[n] += deltaT * vy[n];
00164
00165
        }
00166 }
```

References ax, ay, deltaT, kappa, nAtom, NDIM, rCut, region, regionH, rx, ry, SignR, Sqr, stepCount, stepEquil, thermo, vvSum, vx, and vy.

3.71 LeapfrogStep.c

Go to the documentation of this file.

```
00001 /*
00002 * This file is part of Lamina.
00003 *
00004 * Lamina is free software: you can redistribute it and/or modify
00005 * it under the terms of the GNU General Public License as published by
00006 * the Free Software Foundation, either version 3 of the License, or
00007 * (at your option) any later version.
```

3.71 LeapfrogStep.c 161


```
80000
00009
       * Lamina is distributed in the hope that it will be useful,
00010 \,\,\star\, but WITHOUT ANY WARRANTY; without even the implied warranty of 00011 \,\,\star\, MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012
       * GNU General Public License for more details.
00013 *
00014 * You should have received a copy of the GNU General Public License 00015 * along with Lamina. If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00016
00017 Copyright (C) 2025 Harish Charan, University of Durham, UK
00018
00019 */
00020 #include<stdio.h>
00021 #include<math.h>
00022 #include<stdlib.h>
00023 #include <gsl/gsl_rng.h>
00024 #include <gsl/gsl_randist.h>
00025 #include"global.h"
00027
00028 void LeapfrogStep(char thermo, gsl_rng * rnd){
00029 double temperature, GAMMA;
00030 \text{ GAMMA} = 100;
00031
00032 double *TValSum;
00033 TValSum = (double*)malloc((nAtom + 1) * sizeof(double));
00034
00035
00036
         if(stepCount <= stepEquil){</pre>
           double gSum, varS, massS;
temperature = 1./GAMMA;
00037
00038
00039
00040
           if(stepCount == 1) varS = 0.;
00041
            double A, S1, S2, T;
00042
            int n;
            S1 = 0.; S2 = 0.; qSum = 0.; massS = 0.1;
00043
00044
00045
            vvSum = 0.;
00046
            double halfdt = 0.5*deltaT;
00047
            for (n = 1; n <= nAtom; n++) {</pre>
00048
              T = vx[n] + halfdt * ax[n];
              S1 += T * ax[n];
00049
              S2 += Sqr(T);
00050
00051
00052
              T = vy[n] + halfdt * ay[n];
00053
              S1 += T * ay[n];
00054
              S2 += Sqr(T);
00055
             vvSum += (Sqr(vx[n]) + Sqr(vy[n]));
00056
00057
00058
            A = -S1 / S2;
00059
            S2 = vvSum;
00060
            double C = 1 + A*deltaT;
double D = deltaT * (1 + 0.5 * A * deltaT);
00061
00062
00063
00064
00065
            real dr[NDIM+1], r, rr, ri, rrCut;
00066
            double vv;
00067
00068
            double uVal, AA, AASum;
00069
            double TVal;
00070
00071
            double deno, VVSum;
00072
            deno = 0.;
           VVSum = 0.;
AASum = 0.;
00073
00074
00075
00076
         for (n=1; n<=nAtom; n++)</pre>
00077
             TValSum[n] = 0.;
00078
00079
         rrCut = Sqr(rCut);
08000
00081 /*****Calculating Configarational temperature*****/
00082 //Solving the equation of motion here
00083 if(thermo == 'C'){
00084 for(i = 1 ; i <= nAtom; i ++) {
          for(j = i+1; j <= nAtom; j ++) {
  dr[1] = rx[i] - rx[j];
  if(fabs(dr[1]) > regionH[1])
00085
00086
00087
00088
            dr[1] -= SignR(region[1], dr[1]);
00089
             dr[2] = ry[i] - ry[j];
  if(fabs(dr[2]) > regionH[2])
00090
00091
00092
            dr[2] -= SignR(region[2], dr[2]);
00093
             rr = Sqr(dr[1]) + Sqr(dr[2]);
00094
```

```
if(rr < rrCut ) {</pre>
            r = sqrt(rr);
ri = 1/r;
00096
00097
00098
             uVal = ri*exp(-kappa*r);
00099
00100
             TVal = (1./rr + Sqr(kappa) + kappa/r) *uVal;
             TValSum[i] += TVal;
TValSum[j] += TVal;
00101
00102
00103
            AA = Sqr(ax[i]) + Sqr(ay[i]);
00104
00105
             AASum += AA;
00106
             vv = Sqr(vx[i]) + Sqr(vy[i]);
00107
             VVSum += vv;
00108
             deno += TValSum[i];
00109 }
00110
             double gSumconfig, varSconfig, massSconfig;
if(stepCount == 1) varSconfig = 0.;
gSumconfig = 0.; massSconfig = 2.0;
00111
00112
00113
00114
             gSumconfig = (AASum/temperature - deno)/massSconfig;
varSconfig += deltaT*gSumconfig;
00115
00116
00117
          /*****Configarational Nose-Hoover thermostat*****/
for (n = 1; n <= nAtom; n++) {
00118
00119
00120
             vx[n] += deltaT * ax[n];
00121
               rx[n] += deltaT * (vx[n] + varSconfig * ax[n]);
              vy[n] += deltaT * ay[n];
ry[n] += deltaT * (vy[n] + varSconfig * ay[n]);
00122
00123
00124
00125
              /****Kinetic Nose-Hoover thermostat****/
         }else if(thermo == 'N') {
  gSum = (0.5*S2 - (nAtom + 1)*temperature)/massS;
00126
00127
00128
            varS += deltaT*gSum;
          vals +- deltal*xysdm,
for (n = 1; n <= nAtom; n++) {
   vx[n] += deltaT * (ax[n] - varS *vx[n]);
   rx[n] += deltaT * vx[n];
   vy[n] += deltaT * (ay[n] - varS *vy[n]);</pre>
00129
00130
00131
00133
              ry[n] += deltaT * vy[n];
00134
00135
              /****for Gaussian thermostat****/
00136 }else if(thermo == 'G'){
             for (n = 1; n <= nAtom; n++) {</pre>
00137
              vx[n] = C * vx[n] + D * ax[n];
00138
00139
              rx[n] += deltaT * vx[n];
00140
              vy[n] = C * vy[n] + D * ay[n];
00141
              ry[n] += deltaT * vy[n];
00142
          }else if (thermo == 'L') {
00143
00144
         double nu = 0.03066;
         double var = sqrt(2*nu/(GAMMA*deltaT));
00145
00146
         double scale = 1. + nu*deltaT/2.;
         double scale_v = 2./scale - 1.;
double scale_f = deltaT/scale;
00147
00148
00149
         int n;
         for(n = 1 ; n <= nAtom ; n ++) {</pre>
00150
              vx[n] = scale_v*vx[n] + scale_f*(ax[n] + var*gsl_ran_gaussian(rnd,1));
               rx[n] += deltaT * vx[n];
00152
00153
              vy[n] = scale_v*vy[n] + scale_f*(ay[n] + var*gsl_ran_gaussian(rnd,1));
00154
               ry[n] += deltaT * vy[n];
00155
           }
00156
00157 }else{
         int n;
for(n = 1; n <= nAtom; n ++){
00158
00159
00160
            vx[n] += deltaT * ax[n];
00161
              rx[n] += deltaT * vx[n];
              vy[n] += deltaT * ay[n];
00162
              ry[n] += deltaT * vy[n];
00163
00164
           }
00165 }
00166 }
00167
```

3.72 source/main.c File Reference

```
#include <stdio.h>
#include <string.h>
#include <stdlib.h>
#include <stdbool.h>
```

```
#include <time.h>
#include <mpi.h>
#include "global.h"
#include "ComputeBondForce.h"
#include "ComputePairForce.h"
Include dependency graph for main.c:
```



Macros

• #define DEFINE_GLOBALS

Functions

- void Init ()
- void SetupJob ()
- void EvalSpacetimeCorr ()
- void Trajectory ()
- void DumpState ()
- void ComputeForcesCells ()
- void LeapfrogStep ()
- void BrownianStep ()
- void ApplyBoundaryCond ()
- void EvalProps ()
- void EvalVacf ()
- void EvalRdf ()
- void AccumProps (int icode)
- void PrintSummary ()
- void PrintVrms ()
- void DumpBonds ()
- void VelocityVerletStep (int icode)
- void ApplyForce ()
- void ApplyDrivingForce ()
- void ApplyShear ()
- · void ApplyLeesEdwardsBoundaryCond ()
- void PrintStress ()
- void Close ()
- void PrintMomentum ()
- void DisplaceAtoms ()
- void DumpRestart ()
- bool HaltConditionCheck (double value, int stepCount)
- void EvalCom ()
- void PrintCom ()
- void EvalVrms ()
- void EvalUnwrap ()
- void DumpPairs ()
- void ApplyViscous ()
- int main (int argc, char **argv)

Variables

```
• char * prefix = NULL
```

3.72.1 Macro Definition Documentation

3.72.1.1 DEFINE GLOBALS

```
#define DEFINE_GLOBALS
```

Definition at line 7 of file main.c.

3.72.2 Function Documentation

3.72.2.1 AccumProps()

```
void AccumProps (  \qquad \qquad \text{int } icode \ ) \\
```

```
Definition at line 25 of file AccumProps.c.
```

```
00025
if(icode == 0) {
00026
if(icode == 0) {
00027
sPotEnergy = ssPotEnergy = 0.;
00028
sKinEnergy = ssKinEnergy = 0.;
00029
sPressure = ssPressure = 0.;
00030
stotEnergy = ssTotEnergy = 0.;
00031
svirSum = 0.;
00032
}else if(icode == 1) {
00033
sPotEnergy += potEnergy;
00034
ssPotEnergy += Sqr(potEnergy);
00035
sKinEnergy += KinEnergy;
00036
ssKinEnergy += Sqr(tinEnergy);
00037
stotEnergy += Sqr(totEnergy);
00038
ssTotEnergy += Sqr(totEnergy);
00040
ssPressure += pressure;
00040
svirSum += virSum;
00041
svirSum += virSum;
00042
}else if(icode == 2) {
00043
sPotEnergy /= stepAvg;
00044
srotEnergy /= stepAvg;
00045
stotEnergy = sqrt(ssFotEnergy/stepAvg - Sqr(sFotEnergy));
00046
ssTotEnergy = sqrt(ssKinEnergy/stepAvg - Sqr(sKinEnergy));
00047
skinEnergy = sqrt(ssKinEnergy/stepAvg - Sqr(sKinEnergy));
00048
spressure /= stepAvg;
00049
spressure /= stepAvg;
00050
ssPressure /= stepAvg;
00051
svirSum /= stepAvg;
00052
} }
```

3.72.2.2 ApplyBoundaryCond()

```
void ApplyBoundaryCond ( )
```

Definition at line 27 of file ApplyBoundaryCond.c.

```
rx[n] = -0.999999*regionH[1] + atomRadius[n]; vx[n] = -vx[n];
00038
00039
           if((ry[n] + atomRadius[n])>= regionH[2]){
              ry[n] = 0.999999*regionH[2] - atomRadius[n]; vy[n] = -vy[n];
00040
00041
           }if((ry[n]-atomRadius[n]) < -regionH[2]){</pre>
              ry[n] = -0.999999*regionH[2] + atomRadius[n]; vy[n] = -vy[n];
00042
00044
          else if (strcmp(xBoundary, "p") == 0 && strcmp(yBoundary, "r") == 0){ //P.B.C. along x and R.B.C
     along y axis
00045
          rx[n] -= region[1]*rint(rx[n]/region[1]);
          if((ry[n] + atomRadius[n]) >= regionH[2]) {
   ry[n] = 0.999999*regionH[2] - atomRadius[n]; vy[n] = -vy[n];
00046
00047
           }if((ry[n] - atomRadius[n]) < -regionH[2]){</pre>
00048
00049
              ry[n] = -0.999999 * regionH[2] + atomRadius[n]; vy[n] = -vy[n];
00050
       } }
00051
          else if(strcmp(xBoundary, "r") == 0 && strcmp(yBoundary, "p") == 0){      //R.B.C. along x and P.B.C
     along y axis
00052
          if((rx[n] + atomRadius[n]) >= regionH[1]){
             rx[n] = 0.999999 * regionH[1] - atomRadius[n]; vx[n] = -vx[n];
00053
           }if((rx[n] - atomRadius[n]) < -regionH[1]){</pre>
00054
00055
            rx[n] = -0.999999*regionH[1] + atomRadius[n]; vx[n] = -vx[n];
00056
00057
           ry[n] -= region[2]*rint(ry[n]/region[2]);
00058
        } else {
00059
          // Print error message and exit the program
          fprintf(fpresult, "Error: Invalid boundary configuration: '%s %s'\n", xBoundary, yBoundary);
00061
          exit(EXIT_FAILURE); // Exit with failure status
00062
00063
       }
00064 }
```

References atomRadius, fpresult, nAtom, region, regionH, rx, ry, vx, vy, xBoundary, and yBoundary.

Referenced by main().

Here is the caller graph for this function:



3.72.2.3 ApplyDrivingForce()

```
void ApplyDrivingForce ( )
```

Definition at line 25 of file ApplyDrivingForce.c.

```
00026
00027 double Vxblock, Vyblock;
00028 double Vxsubstrate, Vysubstrate;
00029 Vxblock = 0.0; Vyblock = 0.0;
00030 Vxsubstrate = 0.0; Vysubstrate = 0.0;
00031 double gammav;
00032 gammav = 0.0;
00033
00034 double count_substrate = 0;
00035 double count_block = 0;
00036
00037
        for (n = 1 ; n \le nAtom; n ++) {
00038
         if(atomType[n] == 1 || atomType[n] == 2){
00039
         Vxsubstrate += vx[n]; Vysubstrate += vy[n];
00040
         count_substrate++;
00041
00042
         if(atomType[n] == 3 || atomType[n] == 4){
         Vxblock += vx[n]; Vyblock += vy[n];
00043
00044
        count_block++;
```

```
00045
              } }
00046
00047
              if(count_substrate > 0) {
                 Vxsubstrate /= count_substrate;
Vysubstrate /= count_substrate;
00048
00049
00050
00051
00052
              if(count_block > 0) {
              Vxblock /= count_block;
Vyblock /= count_block;
00053
00054
00055
00056
            for (n = 1 ; n <= nAtom; n ++) {
  if (atomType[n] == 1 || atomType[n] == 2) {
  ax[n] += -gammav * (vx[n] - Vxsubstrate);
  ay[n] += -gammav * (vy[n] - Vysubstrate);</pre>
00057
00058
00059
00060
00061
00062
              if (atomType[n] == 3 || atomType[n] == 4) {
ax[n] += -gammav * (vx[n] - Vxblock);
ay[n] += -gammav * (vy[n] - Vyblock);
00063
00064
```

References atomType, ax, ay, nAtom, vx, and vy.

3.72.2.4 ApplyForce()

```
void ApplyForce ( )
```

Definition at line 25 of file ApplyForce.c.

References ax, ay, fx, fxByfy, fy, FyBylx, molID, nAtom, nAtomBlock, and regionH.

Referenced by main().

Here is the caller graph for this function:



3.72.2.5 ApplyLeesEdwardsBoundaryCond()

```
void ApplyLeesEdwardsBoundaryCond ( )
```

Definition at line 25 of file ApplyLeesEdwardsBoundaryCond.c.

```
00025

00026 int n;

00027 for (n = 1; n <= nAtom; n++) {
```

```
00028 //PBC along x-direction
00029 if(rx[n] >= regionH[1])
00030 rx[n] -= region[1];
00031 else if(rx[n] < -regionH[1])
00032
        rx[n] += region[1];
00033
00034 //LEBC along y-direction
00035 if(ry[n] >= regionH[2]){
00036 rx[n] -= shearDisplacement;
       00037
00038
00039
00040
00041
00042
        if(rx[n] >= regionH[1]) rx[n] -= region[1];
       //vx[n] += shearVelocity;
ry[n] += region[2];
}
00043
00044
00045
00047 }
```

References nAtom, region, regionH, rx, ry, and shearDisplacement.

3.72.2.6 ApplyShear()

```
void ApplyShear ( )
```

Definition at line 25 of file ApplyShear.c.

```
00025 {
00026 int n;
00027 for(n = 1 ; n <= nAtom ; n ++) {
00028 rx[n] += strain * ry[n];
00029 //vx[n] += stranRate * ry[n];
00030 } }
```

References nAtom, rx, ry, and strain.

3.72.2.7 ApplyViscous()

```
void ApplyViscous ( )
```

Definition at line 25 of file ApplyViscous.c.

```
00025 {
00026 int n;
00027 double gammav;
00028 gammav = 1.0;
00029 for(n = 1; n <= nAtom; n ++) {
00030 ax[n] += -gammav * vx[n];
00031 ay[n] += -gammav * vy[n];
00032 } }
```

References ax, ay, nAtom, vx, and vy.

3.72.2.8 BrownianStep()

```
void BrownianStep ( )
```

Definition at line 26 of file BrownianStep.c.

```
00026
            if (stepCount <= stepEquil) {</pre>
00027
             double A, S1, S2, T;
00028
00029
              int n;
               S1 = 0.; S2 = 0;
00030
              double halfdt = 0.5*deltaT;
for (n = 1; n <= nAtom; n++){
   T = vx[n] + halfdt * ax[n];
   S1 += T * ax[n];</pre>
00031
00032
00033
00034
00035
                  S2 += Sqr(T);
```

```
00037
               T = vy[n] + halfdt * ay[n];
              S1 += T * ay[n];
S2 += Sqr(T);
00038
00039
00040
            A = -S1 / S2;

double C = 1 + A*deltaT;

double D = deltaT * (1 + 0.5 * A * deltaT);
00041
00042
00043
            for (n = 1; n <= nAtom; n++) {
  vx[n] = C * vx[n] + D * ax[n];</pre>
00044
00045
               rx[n] += deltaT * vx[n];
vy[n] = C * vy[n] + D * ay[n];
00046
00047
               ry[n] += deltaT * vy[n];
00048
00049
00050
          }else{
00051
               int n;
               //SETTING TEMP = 0.0
00052
              if (stepCount == stepEquil+1) {
for(n = 1; n <= nAtom; n ++) {
00053
00054
00055
              vx[n] = 0.0;
              vy[n] = 0.0;
00056
00057
00058
              double zeta = 1.0;
00059
             double dx, dy;
for(n = 1; n <= nAtom; n ++) {</pre>
00060
00061
               dx = rx[n];
00062
               rx[n] += zeta * ax[n] * deltaT;
00063
               dx = rx[n] - dx;
               vx[n] = dx/deltaT;
00064
              dy = ry[n];
ry[n] += zeta * ay[n] * deltaT;
00065
00066
00067
               dy = ry[n] - dy;
00068
               vy[n] = dy/deltaT;
00069
00070
         }
00071 }
```

References ax, ay, deltaT, nAtom, rx, ry, Sqr, stepCount, stepEquil, vx, and vy.

3.72.2.9 Close()

void Close ()

```
Definition at line 24 of file Close.c.
00024
00025
         int n:
00026
         free(rx);
00027
         free(ry);
00028
         free(vx);
00029
         free(vy);
00030
         free(ax);
00031
         free(ay);
00032
         free (fax);
00033
         free (fav);
00034
         free(cellList);
00035
00036
         free(atomID); free(atomType); free(atomRadius); free(atomMass);
00037
         free(speed);
         free(atom1); free(atom2); free(BondID);
free(BondType); free(kb); free(ro);
free(ImageX); free(ImageY); free(rxUnwrap); free(ryUnwrap);
00038
00039
00040
00041
         free(atomIDInterface);
00042
         free(PairID); free(Pairatom1); free(Pairatom2);
00043
         free(PairXij); free(PairYij);
00044
         free (DeltaXijOld);
00045
         free (DeltaYijOld);
00046
00047
00048
         free(molID);
00049
         for (n = 0; n <= nAtom; n++) {</pre>
00050
00051
          free(isBonded[n]);
00052
00053
          free(isBonded);
00054
00055
00056
00057
         for(n = 0; n <= nAtom; n++) {
  free(DeltaXijOldPair[n]);</pre>
00058
00059
          free (DeltaYijOldPair[n]);
00060
```

```
00061
           free (DeltaXijOldPair);
00062
           free (DeltaYijOldPair);
00063
00064
        for (n = 0; n <= nBuffCorr; n++) {</pre>
          free(cfOrg[n]);
free(spacetimeCorr[n]);
00065
00066
00067
00068
        free(cfOrg);
00069
        free(spacetimeCorr);
00070
        free(cfVal);
00071
        free(indexCorr);
00072
        free(spacetimeCorrAv);
00073
00074
        free(indexAcf);
00075
         free(viscAcfOrg);
        free(viscAcfAv);
for(n = 0 ; n <= nBuffAcf ; n ++)</pre>
00076
00077
          free(viscAcf[n]);
00078
00079
        free(viscAcf);
08000
00081 }
```

References atom1, atom2, atomID, atomIDInterface, atomMass, atomRadius, atomType, ax, ay, BondID, BondType, cellList, cfOrg, cfVal, DeltaXijOld, DeltaXijOldPair, DeltaYijOld, DeltaYijOldPair, fax, fay, ImageX, ImageY, indexAcf, indexCorr, isBonded, kb, molID, nAtom, nBuffAcf, nBuffCorr, Pairatom1, Pairatom2, PairID, PairXij, PairYij, ro, rx, rxUnwrap, ry, ryUnwrap, spacetimeCorr, spacetimeCorrAv, speed, viscAcf, viscAcfAv, viscAcfOrg, vx, and vy.

Referenced by main().

Here is the caller graph for this function:



3.72.2.10 ComputeForcesCells()

```
void ComputeForcesCells ( )
```

Definition at line 25 of file ComputeForcesCells.c.

```
00025
00026
                                   double dr[NDIM+1], invWid[NDIM+1], shift[NDIM+1], f, fcVal, rr, ri, r, uVal;
                                  int c, I, J, m1, m1x, m1y, m2, m2x, m2y, n, offset; int iofX[] = {0, 0, 1, 1, 0, -1, -1, 0, 1},
00027
00028
                                                      iofY[] = {0, 0, 0, 1, 1, 1, 0, -1, -1, -1};
00029
00030
                                 invWid[1] = cells[1]/region[1];
invWid[2] = cells[2]/region[2];
00031
00032
00033
00034
                                   for(n = nAtom+1; n <= nAtom+cells[1]*cells[2]; n++)</pre>
00035
                                           cellList[n] = 0;
00036
00037
                                   for (n = 1 ; n \le nAtom ; n ++) {
                                         c = ((int)((ry[n] + regionH[2])*invWid[2]))*cells[1] + (int)((rx[n] + regionH[1])*invWid[1]) + (int)((ry[n] + regionH[1]) + (int)((ry[n] + regionH[1]) + (int)((ry[n] + regionW[1]) + (int)((r
00038
                       nAtom+ 1;
                                          cellList[n] = cellList[c];
cellList[c] = n;
00039
00040
00041
00042
                                   for (n = 1; n <= nAtom; n ++) {
  ax[n] = 0.;</pre>
00043
00044
00045
                                           ay[n] = 0.;
00046
```

```
00047
00048
         uSum = 0.0;
         virSum = 0.0;
rfAtom = 0.0;
00049
00050
00051
         RadiusIJ = 0.0;
00052
00053
         gamman = 1.0;
00054
         double vr[NDIM+1], fd, fdVal, rrinv;
         rrinv = 0.0;
00055
00056
         fd = 0.0;
         fdVal = 0.0;
00057
00058
00059
         int start = 1 + rank*(cells[2]/size);
00060
        int end = (rank+1) * (cells[2]/size);
00061
00062
         for (m1Y = start ; m1Y <= end ; m1Y ++) {</pre>
           for(m1X = 1 ; m1X <= cells[1] ; m1X ++) {
    m1 = (m1Y-1) * cells[1] + m1X + nAtom;
    for(offset = 1 ; offset <= 9 ; offset ++) {</pre>
00063
00064
00065
           m2X = m1X + iofX[offset]; shift[1] = 0.;
00066
00067
           if(m2X > cells[1]){
00068
             m2X = 1; shift[1] = region[1];
00069
           else if (m2X == 0) {
00070
             m2X = cells[1]; shift[1] = -region[1];
00071
00072
           m2Y = m1Y + iofY[offset]; shift[2] = 0.;
00073
           if(m2Y > cells[2]){
00074
             m2Y = 1; shift[2] = region[2];
00075
            else if(m2Y == 0){
00076
             m2Y = cells[2]; shift[2] = -region[2];
00077
00078
           m2 = (m2Y-1)*cells[1] + m2X + nAtom;
00079
           I = cellList[m1];
00080
           while (I > 0) {
00081
              J = cellList[m2];
00082
              while (J > 0) {
00083
                if (m1 == m2 && J != I && (atomRadius[I] > 0. && atomRadius[J] > 0.)) {
                  dr[1] = rx[I] - rx[J] - shift[1];

dr[2] = ry[I] - ry[J] - shift[2];
00085
00086
                  rr = Sqr(dr[1]) + Sqr(dr[2]);
                  RadiusIJ = atomRadius[I] + atomRadius[J];
SqrRadiusIJ = Sqr(RadiusIJ);
00087
00088
                  if(rr < SgrRadiusIJ){</pre>
00089
00090
                r = sqrt(rr);
00091
                ri = 1.0/r;
00092
                         rrinv = 1.0/rr;
                vr[1] = vx[I] - vx[J];
vr[2] = vy[I] - vy[J];
RadiusIJInv = 1.0/RadiusIJ;
00093
00094
00095
                uVal = Sqr(1.0 - r * RadiusIJInv);
fcVal = 2.0 * RadiusIJInv * (1.0 - r * RadiusIJInv) *ri;
00096
00097
00098
                          fdVal = -gamman * (vr[1]*dr[1] + vr[2]*dr[2]) * rrinv; //disc-disc drag
00099
                00100
00101
                ax[I] += (f + fd);
00102
                         discDragx[I] += fd; //disc-disc drag
00104
                00105
00106
00107
                         discDragy[I] += fd; //disc-disc drag
00108
00109
00110
                uSum += 0.5 * uVal;
                virSum += 0.5 * fcVal * rr;
rfAtom += 0.5 * dr[1] * fcVal * dr[2];
00111
00112
00113
                }else if(m1 != m2 && (atomRadius[I] > 0. && atomRadius[J] > 0.)){
00114
                 dr[1] = rx[I] - rx[J] - shift[1];
dr[2] = ry[I] - ry[J] - shift[2];
00115
00116
00117
                  rr = Sqr(dr[1]) + Sqr(dr[2]);
                  RadiusIJ = atomRadius[I] + atomRadius[J];
SqrRadiusIJ = Sqr(RadiusIJ);
00118
00119
                  if(rr < SqrRadiusIJ) {</pre>
00120
00121
                r = sqrt(rr);
00122
                ri = 1.0/r;
00123
                         rrinv = 1.0/r;
                vr[1] = vx[I] - vx[J];
vr[2] = vy[I] - vy[J];
RadiusIJInv = 1.0/RadiusIJ;
00124
00125
00126
                uVal = Sqr(1.0 - r * RadiusIJInv);
fcVal = 2.0 * RadiusIJInv * (1.0 - r * RadiusIJInv) *ri;
00127
00129
                          fdVal = -gamman * (vr[1]*dr[1] + vr[2]*dr[2]) * rrinv; //disc-disc drag
00130
                00131
00132
00133
```

```
discDragx[I] += fd; //disc-disc drag
00135
00136
               f = fcVal * dr[2];
               fd = fdVal * dr[2];
ay[I] += (f + fd);
00137
00138
                       discDragy[I] += fd; //disc-disc drag
00139
00140
00141
               uSum += 0.5 * uVal;
               virSum += 0.5 * fcVal * rr;
rfAtom += 0.5 * dr[1] * fcVal * dr[2];
00142
00143
00144
                }
00145
00146
                   J = cellList[J];
00147
00148
             I = cellList[I];
00149
        }
00150
00151
      }
00152
00153 }
```

References atomRadius, ax, ay, cellList, cells, discDragx, discDragy, gamman, nAtom, NDIM, RadiusIJ, RadiusIJInv, rank, region, regionH, rfAtom, rx, ry, size, Sqr, SqrRadiusIJ, uSum, virSum, vx, and vy.

3.72.2.11 DisplaceAtoms()

```
void DisplaceAtoms ( )
```

Definition at line 25 of file DisplaceAtoms.c.

References DeltaX, DeltaY, molID, nAtom, rx, and ry.

Referenced by main().

Here is the caller graph for this function:



3.72.2.12 DumpBonds()

```
void DumpBonds ( )
```

Definition at line 24 of file DumpBonds.c.

```
00024 {
00025 int n;
00026 //Trajectory file in LAMMPS dump format for OVITO visualization
00027 fprintf(fpbond, "ITEM: TIMESTEP\n");
00028 fprintf(fpbond, "%lf\n",timeNow);
00029 fprintf(fpbond, "TTEM: NUMBER OF ENTRIES\n");
00030 fprintf(fpbond, "%d\n",nBond);
```

References atom1, atom2, BondID, BondLength, BondType, fpbond, nBond, nodeDragx, nodeDragy, regionH, ro, and timeNow.

Referenced by main().

Here is the caller graph for this function:



3.72.2.13 DumpPairs()

void DumpPairs ()

```
Definition at line 25 of file DumpPairs.c.
```

```
00025
00026
                //Trajectory file in LAMMPS dump format for OVITO visualization
00027
               fprintf(fppair, "ITEM: TIMESTEP\n");
fprintf(fppair, "%lf\n",timeNow);
00028
00029
              fprintf(fppair, "%lf\n",timeNow);
fprintf(fppair, "ITEM: NUMBER OF ENTRIES\n");
fprintf(fppair, "%d\n",nPairActive);
fprintf(fppair, "ITEM: BOX BOUNDS pp ff pp\n");
fprintf(fppair, "%lf %lf xlo xhi\n", -regionH[1], regionH[1]);
fprintf(fppair, "%lf %lf ylo yhi\n", -regionH[2], regionH[2]);
fprintf(fppair, "%lf %lf zlo zhi\n", -0.1, 0.1);
fprintf(fppair, "ITEM: ENTRIES index, atoml atom2 xij yij discDragxl discDragyl\n");
00030
00031
00032
00034
00035
00036
00037
               for(n=1; n<=nPairActive; n++)
fprintf(fppair, "%d %d %d %0.161f %0.161f %0.161f %0.161f\n", PairID[n], Pairatom1[n],</pre>
00038
00039
00040
                 PairXij[n], PairYij[n], discDragx[n], discDragy[n]);
00041
00042
```

References discDragx, discDragy, fppair, nPairActive, Pairatom1, Pairatom2, PairID, PairXij, PairYij, regionH, and timeNow.

Referenced by main().

Here is the caller graph for this function:



3.72.2.14 **DumpRestart()**

```
void DumpRestart ( )
```

Definition at line 25 of file DumpRestart.c.

```
00025
          char DUMP[256];
00027
          FILE *fpDUMP;
         sprintf(DUMP, "%s.Restart", prefix);
00028
         fpDUMP = fopen(DUMP, "w");
if(fpDUMP == NULL) {
  fprintf(stderr, "Error opening file %s for writing\n", DUMP);
00029
00030
00031
00032
           return;
00033
00034
          fprintf(fpDUMP, "timeNow %lf\n", timeNow);
fprintf(fpDUMP, "nAtom %d\n", nAtom);
fprintf(fpDUMP, "nBond %d\n", nBond);
fprintf(fpDUMP, "nAtomType %d\n", nAtomType);
fprintf(fpDUMP, "nBondType %d\n", nBondType);
fprintf(fpDUMP, "region[1] %0.141f\n", region[1]);
fprintf(fpDUMP, "region[2] %0.141f\n", region[2]);
00035
00036
00037
00038
00039
00040
00041
00042
00043
           int n;
00044
           fprintf(fpDUMP, "Atoms\n");
00045
           for(n = 1; n <= nAtom; n ++)
00046
            fprintf(fpDUMP, "%d %d %d %0.21f %0.161f %0.161f %0.161f %0.161f\n", atomID[n], molID[n],
        atomType[n], atomRadius[n], rx[n], ry[n], vx[n], vy[n]);
00047
00048
00049
           fprintf(fpDUMP, "Bonds\n");
           for (n=1; n<=nBond; n++)</pre>
         fprintf(fpDUMP, "%d %d %d %d %0.21f %0.161f\n", BondID[n], BondType[n], atom1[n], atom2[n], kb[n],
00052
00053
           fclose(fpDUMP);
00054 }
```

References atom1, atom2, atomID, atomRadius, atomType, BondID, BondType, kb, molID, nAtom, nAtomType, nBond, nBondType, prefix, region, ro, rx, ry, timeNow, vx, and vy.

Referenced by main().

Here is the caller graph for this function:



3.72.2.15 DumpState()

```
void DumpState ( )
```

Definition at line 25 of file DumpState.c.

```
00025
          char DUMP[256];
00027
          FILE *fpDUMP;
         sprintf(DUMP, "%s.STATE", prefix);
00028
         fpDUMP = fopen(DUMP, "w");
if(fpDUMP == NULL) {
00029
00030
           fprintf(stderr, "Error opening file %s for writing\n", DUMP);
00031
00032
           return;
00033 }
00034
           fprintf(fpDUMP, "ITEM: TIMESTEP\n");
fprintf(fpDUMP, "%lf\n",timeNow);
fprintf(fpDUMP, "ITEM: NUMBER OF ATOMS\n");
fprintf(fpDUMP, "%d\n",nAtom);
00035
00036
00037
00038
           fprintf(fpDUMP, "ITEM: BOX BOUNDS pp pp pp\n");
fprintf(fpDUMP, "%lf %lf xlo xhi\n", -regionH[1], regionH[1]);
fprintf(fpDUMP, "%lf %lf ylo yhi\n", -regionH[2], regionH[2]);
fprintf(fpDUMP, "%lf %lf zlo zhi\n", -0.1, 0.1);
00039
00040
00041
00042
           fprintf(fpDUMP, "ITEM: ATOMS id mol type radius x y vx vy fx fyn");
00043
00044
           int n:
           for (n = 1; n <= nAtom; n++) {
    fprintf(fpDUMP, "%d\t %d\t %d\t %0.21f\t %0.161f\t %0.161f\t %0.161f\t %0.161f\t %0.161f\t
00046
        %0.16lf\n",
00047
            atomID[n], molID[n], atomType[n], atomRadius[n], rx[n], ry[n], vx[n], vy[n], ax[n], ay[n]);
00048
00049
           fclose(fpDUMP);
00050 }
```

References atomID, atomRadius, atomType, ax, ay, molID, nAtom, prefix, regionH, rx, ry, timeNow, vx, and vy.

Referenced by main().

Here is the caller graph for this function:



3.72.2.16 EvalCom()

```
void EvalCom ( )
```

Definition at line 27 of file EvalCom.c.

```
00027
00028
00029
       ComX = 0.0; ComY = 0.0; ComXRatio = 0.0; ComYRatio = 0.0;
00030 TotalMass = 0.0;
00031
00032
       for (n=1; n<=nAtom; n++) {
       if(molID[n] == 2){
00033
       ComX += atomMass[n] * rxUnwrap[n];
00034
00035
       ComY += atomMass[n] * ryUnwrap[n];
00036
        TotalMass += atomMass[n];
00037
00038
00039
       ComX = ComX/TotalMass;
00040
       ComY = ComY/TotalMass;
```

References atomMass, ComX, ComX0, ComXRatio, ComY, ComY0, ComYRatio, molID, nAtom, rxUnwrap, ryUnwrap, timeNow, and TotalMass.

Referenced by main().

Here is the caller graph for this function:



3.72.2.17 EvalProps()

```
void EvalProps ( )
Definition at line 26 of file EvalProps.c.
00027 real v, vv;
00028 virSum = 0.0;
                 vSumX = 0.0; vSumY = 0.0; vSum = 0.0;
 00029
                    vvSum = 0.;
 00030
 00031
 00032
 00033 for (n = 1; n \le nAtom; n++) {
 00034
                    vv = 0.;
 00035
                      // Initialize v with a default value to avoid "uninitialized" warning.
 00036
                     v = 0.0;
 00037
                      // X direction velocity
 00038
                      if (strcmp(solver, "Verlet") == 0) {
 00039
                           v = vx[n];
                     } else if (strcmp(solver, "LeapFrog") == 0) {
v = vx[n] - 0.5 * deltaT * ax[n];
 00040
 00041
 00042
                      }
 00043
                        vSum += v;
                         vv += Sqr(v);
vSumX += v;
 00044
 00045
                        // Y direction velocity
 00046
                         if (strcmp(solver, "Verlet") == 0) {
 00047
                       v = vy[n];
} else if (strcmp(solver, "LeapFrog") == 0) {
v = vy[n] - 0.5 * deltaT * ay[n];
}
 00048
 00049
 00050
 00051
 00052
                         vSum += v;
                         vSumY += v;
 00053
                         vv += Sqr(v);
 00054
 00055
                         vvSum += vv;
 00056
 00057
00058
                      kinEnergy = 0.5 * vvSum / nAtom ;
                      uSumPairPerAtom = uSumPair / nAtom ;
00059
                      {\tt BondEnergyPerAtom = TotalBondEnergy / (0.5*nAtom); //Factor of 0.5 since each atom has one half the algorithms and the statement of the s
00060
                bond energy
 00061 potEnergy = uSumPairPerAtom + BondEnergyPerAtom;
 00062
                        totEnergy = kinEnergy + potEnergy;
                     virSumxy = virSumPairxy + virSumBondxx;
virSumyy = virSumBairyy + virSumBondyy;
virSumxy = virSumPairxy + virSumBondxy;
virSum = virSumPair + virSumBond;
 00063
 00064
00065
00066
00067
                     pressure = density * (vvSum + virSum) / (nAtom * NDIM);
```

```
00068
```

References ax, ay, BondEnergyPerAtom, deltaT, density, kinEnergy, nAtom, NDIM, potEnergy, pressure, solver, Sqr, TotalBondEnergy, totEnergy, uSumPair, uSumPairPerAtom, virSum, virSumBond, virSumBondxx, virSumBondxy, virSumBondyy, virSumPair, virSumPairx, virSumPairxy, virSumPairyy, virSumxx, virSumxy, virSumyy, vSum, vSumX, vSumY, vvSum, vx, and vy.

Referenced by main().

Here is the caller graph for this function:



3.72.2.18 EvalRdf()

void EvalRdf ()

Definition at line 26 of file EvalRdf.c.

```
00026
          real dr[NDIM+1], deltaR, normFac, rr, rrRange;
00027
00028
          int j1, j2, n;
countRdf ++;
00029
00030
          if(countRdf == 1){
00031
            for (n = 1 ; n \le sizeHistRdf ; n ++)
00032
               histRdf[n] = 0.;
00033
00034
          rrRange = Sqr(rangeRdf);
00035
          deltaR = rangeRdf / sizeHistRdf;
for(j1 = 1; j1 <= nAtom - 1; j1 ++) {</pre>
00036
00037
             for (j2 = j1 + 1 ; j2 \le nAtom ; j2 ++) {
00038
               dr[1] = rx[j1] - rx[j2];
if(fabs(dr[1]) > regionH[1])
00039
00040
00041
            dr[1] -= SignR(region[1], dr[1]);
00042
00043
               dr[2] = ry[j1] - ry[j2];
if(fabs(dr[2]) > regionH[2])
00044
00045
            dr[2] -= SignR(region[2], dr[2]);
00046
00047
               rr = Sar(dr[1]) + Sar(dr[2]);
00048
00049
               if(rr < rrRange){</pre>
00050
            n = (int) (sqrt(rr)/deltaR) + 1;
00051
            histRdf[n] ++;
00052
               }
00053
            }
00054
          }
00055
00056
          if(countRdf == limitRdf){
00057
            normFac = region[1]*region[2] / (M_PI*Sqr(deltaR)*nAtom*nAtom*countRdf );
            for(n = 1; n <= sizeHistRdf; n ++)
histRdf[n] *= normFac/(n-0.5);
// PRINT THE RADIAL DISTRIBUTION DATA ON TO DISK FILE</pre>
00058
00059
00060
00061
            real rBin;
00062
             fprintf(fprdf,"rdf @ timeNow %lf\n", timeNow);
00063
            for(n = 1; n <= sizeHistRdf; n ++) {
  rBin = (n - 0.5)*rangeRdf/sizeHistRdf;
  fprintf(fprdf, "%lf %lf\n", rBin, histRdf[n]);</pre>
00064
00065
00066
00067
00068
          }
00069
00070 }
```

References countRdf, fprdf, histRdf, limitRdf, nAtom, NDIM, rangeRdf, region, regionH, rx, ry, SignR, sizeHistRdf, Sqr, and timeNow.

3.72.2.19 EvalSpacetimeCorr()

void EvalSpacetimeCorr () Definition at line 26 of file EvalSpacetimeCorr.c. 00026 real cosV=0., cosV0=0., cosV1=0., cosV2=0., sinV=0., sinV1=0., sinV2=0.;
real COSA, SINA, COSV, SINV; 00027 00028 int j, m, n, nb, ni, nv;
real kMin = 2. * M_PI / region[1]; 00029 00030 00031 real kMax = M_PI; 00032 real deltaK = (kMax - kMin) / nFunCorr; 00033 for (j = 1; j <= 2*nFunCorr; j++)
 cfVal[j] = 0.;</pre> 00034 00035 00037 for (n = 1; n <= nAtom; n++) {</pre> 00038 j = 1;COSA = cos(kMin*rx[n]);
SINA = sin(kMin*rx[n]); 00039 00040 00041 for (m = 1; m <= nFunCorr; m++) {</pre> 00042 $if(m == 1) {$ 00043 cosV = cos(deltaK*rx[n]); 00044 sinV = sin(deltaK*rx[n]);00045 cosV0 = cosV;}else if(m == 2){ 00046 00047 cosV1 = cosV;00048 sinV1 = sinV; 00049 cosV = 2.*cosV0*cosV1-1;00050 sinV = 2.*cosV0*sinV1;}else{
cosV2 = cosV1; 00051 00052 sinV2 = sinV1; 00053 cosV1 = cosV;00054 00055 sinV1 = sinV;00056 cosV = 2.*cosV0*cosV1-cosV2; 00057 sinV = 2.*cosV0*sinV1-sinV2; 00058 COSV = COSA*cosV - SINA*sinV; 00059 SINV = SINA*cosV + COSA*sinV; 00060 00061 cfVal[j] += COSV; 00062 cfVal[j+1] += SINV; j += 2; 00063 00064 00065 00066 00067 for (nb = 1; nb <= nBuffCorr; nb++) {</pre> 00068 indexCorr[nb] += 1; 00069 if (indexCorr[nb] <= 0) continue;</pre> ini = nFunCorr * (indexCorr[nb] - 1);
if (indexCorr[nb] == 1) {
 for (j = 1; j <= 2*nFunCorr; j++)
 cfOrg[nb][j] = cfVal[j];</pre> 00070 00071 00072 00073 00074 00075 00076 for (j = 1; j <= nFunCorr; j++)</pre> 00077 spacetimeCorr[nb][ni + j] = 0.; 00078 00079 j = 1;00080 for (m = 1; m <= nFunCorr; m++) {</pre> 00081 nv = m + ni;00082 $spacetimeCorr[nb][nv] \ += \ cfVal[j] \ \star \ cfOrg[nb][j] \ + \ cfVal[j+1] \ \star \ cfOrg[nb][j+1];$ 00083 j += 2; 00084 00085 00086 00087 00088 // ACCUMULATE SPACETIME CORRELATIONS for (nb = 1; nb <= nBuffCorr; nb++) {
 if (indexCorr[nb] == nValCorr) {</pre> 00089 00090 for (j = 1; j <= nFunCorr*nValCorr; j++)
 spacetimeCorrAv[j] += spacetimeCorr[nb][j];</pre> 00091 00092 00093 indexCorr[nb] = 0.; 00094 countCorrAv ++; if (countCorrAv == limitCorrAv) { 00095 for (j = 1; j <= nFunCorr*nValCorr; j++)
spacetimeCorrV[j] /= (nAtom*limitCorrAv);
fprintf(fpdnsty, "NDIM %d\n", NDIM);
fprintf(fpdnsty, "nAtom %d\n", nAtom);</pre> 00096 00097 00098 00099

fprintf(fpdnsty, "region %\lfn, region[1]);
fprintf(fpdnsty, "nFunCorr %d\n", nFunCorr);
fprintf(fpdnsty, "limitCorrAv %d\n", limitCorrAv);
fprintf(fpdnsty, "stepCorr %d\n", stepCorr);
fprintf(fpdnsty, "nValCorr %d\n", nValCorr);

fprintf(fpdnsty, "deltaT %lf\n", deltaT);

```
real tVal;
  for (n = 1; n <= nValCorr; n++) {
tVal = (n-1) *stepCorr*deltaT;
fprintf (fpdnsty, "%e\t", tVal);
interpretable</pre>
00107
00108
00109
00110
                int nn = nFunCorr*(n-1);
                for (j = 1; j <= nFunCorr; j ++)
    fprintf (fpdnsty, "%e\t", spacetimeCorrAv[nn + j]);
    fprintf (fpdnsty, "\n");</pre>
00111
00112
00113
00114
00115
00116
                  countCorrAv = 0.;
                   for (j = 1; j <= nFunCorr*nValCorr; j++)</pre>
00117
                spacetimeCorrAv[j] = 0.;
00118
00119
00120
00121 }
00122 }
```

References cfOrg, cfVal, countCorrAv, deltaT, fpdnsty, indexCorr, limitCorrAv, nAtom, nBuffCorr, NDIM, nFunCorr, nValCorr, region, rx, spacetimeCorr, spacetimeCorrAv, and stepCorr.

3.72.2.20 EvalUnwrap()

```
void EvalUnwrap ( )
```

Definition at line 27 of file EvalUnwrap.c.

```
00027 {
00028 int n;
00029 for (n = 1; n <= nAtom; n++) {
00030 rxUnwrap[n] = rx[n] + ImageX[n] * region[1];
00031 ryUnwrap[n] = ry[n] + ImageY[n] * region[2];
00032 }
00033 }
```

References ImageX, ImageY, nAtom, region, rx, rxUnwrap, ry, and ryUnwrap.

Referenced by main().

Here is the caller graph for this function:



3.72.2.21 EvalVacf()

```
void EvalVacf ( )
```


Definition at line 26 of file EvalVacf.c.

```
00026
00027
         int n, nb, ni;
00028
         double viscVec = 0.;
00029
        double v[3];
00030
         for(n = 1 ; n <= nAtom ; n ++) {</pre>
         v[1] = vx[n] - 0.5*ax[n]*deltaT;
v[2] = vy[n] - 0.5*ay[n]*deltaT;
00031
00032
          viscVec += v[1]*v[2];
00033
00034
00035
        viscVec += rfAtom;
```

```
for (nb = 1; nb <= nBuffAcf; nb ++) {
          indexAcf[nb] ++;
if(indexAcf[nb] <= 0)continue;
if(indexAcf[nb] == 1){</pre>
00037
00038
00039
             viscAcfOrg[nb] = viscVec;
00040
00041
00042
           ni = indexAcf[nb];
00043
           viscAcf[nb][ni] = viscAcfOrg[nb]*viscVec;
00044
00045
         AccumVacf();
00046 }
```

References AccumVacf(), ax, ay, deltaT, indexAcf, nAtom, nBuffAcf, rfAtom, viscAcf, viscAcfOrg, vx, and vy.

Here is the call graph for this function:



3.72.2.22 EvalVrms()

```
void EvalVrms ( )
```

Definition at line 27 of file EvalVrms.c.

```
00027
00028
           int n;
00029
          Vsqr = 0.0;
          VMeanSqr = 0.0;
VRootMeanSqr = 0.0;
00030
00031
00032
00033
          for(n = 1 ; n <= nAtom ; n ++) {
VSqr += Sqr(vx[n]) + Sqr(vy[n]);</pre>
00035
00036
          VMeanSqr = VSqr/nAtom;
00037
          VRootMeanSqr = sqrt(VMeanSqr);
00038
```

References nAtom, Sqr, VMeanSqr, VRootMeanSqr, VSqr, vx, and vy.

Referenced by main().

Here is the caller graph for this function:



3.72.2.23 HaltConditionCheck()

```
bool HaltConditionCheck (
              double value,
              int stepCount )
Definition at line 27 of file Halt.c.
00028
        if(value <= HaltCondition && value != 0) {
00029
        fprintf(fpresult, "Halt condition met at step = %d with Vrms = %.10f\n", stepCount, value);
00030
00031
                           // Signal that the halt condition is met
        return true;
00032
00033
       return false; // Halt condition not met
00034 }
```

References fpresult, HaltCondition, and stepCount.

Referenced by main().

Here is the caller graph for this function:



3.72.2.24 Init()

```
void Init ( )
```

Definition at line 29 of file Init.c.

```
00030
           char dummy[128];
           char inputConfig[128];
FILE *fp;
00031
00032
00033
           fp = fopen("input-data", "r");
           fp = fopen("input-data", "r");
fscanf(fp, "%s %s", dummy, inputConfig);
fscanf(fp, "%s %s", dummy, solver);
fscanf(fp, "%s %s", dummy, xBoundary, yBoundary);
fscanf(fp, "%s %d", dummy, &DampFlag);
fscanf(fp, "%s %d", dummy, &freezeAtomType);
fscanf(fp, "%s %lf", dummy, &rCut);
00034
00035
00036
00037
00038
00039
           fscanf(fp, "%s %lf", dummy, &gamman);
fscanf(fp, "%s %lf", dummy, &kappa);
00040
00041
           fscanf(fp, "%s %lf", dummy, &deltaT);
00042
           fscanf(fp, "%s %lf", dummy, &strain); fscanf(fp, "%s %lf", dummy, &strain); fscanf(fp, "%s %lf", dummy, &FyBylx);
00043
00044
           fscanf(fp, "%s %lf", dummy, &fxByfy);
00045
           fscanf(fp, "%s %lf", dummy, &DeltaY);
00046
           fscanf(fp, "%s %lf", dummy, &DeltaX);
fscanf(fp, "%s %lf", dummy, &HaltCondition);
fscanf(fp, "%s %d", dummy, &stepAvg);
00047
00048
00049
           fscanf(fp, "%s %d",
00050
                                           dummy, &stepEquil);
           fscanf(fp, "%s %d",
00051
                                            dummy, &stepLimit);
           fscanf(fp, "%s %d", fscanf(fp, "%s %d",
00052
                                            dummy, &stepDump);
00053
                                            dummy, &stepTraj);
           fscanf(fp, "%s %d", fscanf(fp, "%s %d",
00054
                                            dummy, &limitCorrAv);
00055
                                            dummy, &nBuffCorr);
           fscanf(fp, "%s %d",
00056
                                            dummy, &nFunCorr);
           fscanf(fp, "%s %d",
00057
                                            dummy, &nValCorr);
00058
           fscanf(fp, "%s %d",
                                           dummy, &stepCorr);
00059
           fscanf(fp, "%s %d",
                                           dummy, &limitAcfAv);
```

```
fscanf(fp, "%s %d", dummy, &nBuffAcf);
fscanf(fp, "%s %d", dummy, &nValAcf);
fscanf(fp, "%s %d", dummy, &stepAcf);
00061
00062
         fscanf(fp, "%s %lf", dummy, &rangeRdf);
00063
         fscanf(fp, "%s %d", dummy, &limitRdf);
fscanf(fp, "%s %d", dummy, &sizeHistRdf);
00064
00065
                                    dummy, &sizeHistRdf);
         fscanf(fp, "%s %d", dummy, &stepRdf);
00067
         fclose(fp);
00068
00069
         FILE *fpSTATE;
         if((fpSTATE = fopen(inputConfig,"r")) ==NULL) {
00070
00071
         printf("Error occurred: Could not open STATE file\n Exiting now..\n");
00072
         exit(0);
00073
00074
         fscanf(fpSTATE, "%s %lf", dummy, &timeNow);
fscanf(fpSTATE, "%s %d", dummy, &nAtom);
fscanf(fpSTATE, "%s %d", dummy, &nBond);
00075
00076
00077
         fscanf(fpSTATE, "%s %d", dummy, &nAtomType);
         fscanf(fpSTATE, "%s %d", dummy, &nBondType);
fscanf(fpSTATE, "%s %lf", dummy, &region[1]);
fscanf(fpSTATE, "%s %lf", dummy, &region[2]);
00079
00080
00081
00082
00083
         region[2] *= 1.5; //Remove this when put on GitHub
00084
00085
         density = nAtom/(region[1]*region[2]);
         cells[1] = region[1] / rCut;
cells[2] = region[2] / rCut;
00086
00087
00088
         cellList = (int*)malloc((nAtom + cells[1] * cells[2] + 1) * sizeof(int));
         regionH[1] = 0.5*region[1];
00089
00090
         regionH[2] = 0.5 * region[2];
00091
00092
         //strain information
00093
         strainRate = strain/deltaT;
         shearDisplacement = strain * region[2];
shearVelocity = strainRate * region[2];
00094
00095
00096
         int n;
00098
                (double*)malloc((nAtom + 1) * sizeof(double));
00099
         ry = (double*)malloc((nAtom + 1) * sizeof(double));
00100
         vx = (double*)malloc((nAtom + 1) * sizeof(double));
         vy = (double*)malloc((nAtom + 1) * sizeof(double));
00101
         ax = (double*)malloc((nAtom + 1) * sizeof(double));
00102
         ay = (double*)malloc((nAtom + 1) * sizeof(double));
00103
         fax = (double*)malloc((nAtom + 1) * sizeof(double));
fay = (double*)malloc((nAtom + 1) * sizeof(double));
00104
00105
00106
         atomID = (int*)malloc((nAtom+1) * sizeof(int));
00107
         atomType = (int*)malloc((nAtom+1) * sizeof(int));
         atomRadius = (double*)malloc((nAtom + 1) * sizeof(double));
00108
00109
         atomMass = (double*)malloc((nAtom + 1) * sizeof(double));
00110
         speed = (double*)malloc((nAtom + 1) * sizeof(double));
         atom1 = (int*)malloc((nBond+1)*sizeof(int));
00111
00112
          atom2 = (int*)malloc((nBond+1)*sizeof(int));
00113
         BondID = (int*)malloc((nBond+1)*sizeof(int));
         BondType = (int*)malloc((nBond+1)*sizeof(int));
00114
         kb = (double*)malloc((nBond+1)*sizeof(double));
00115
          ro = (double*)malloc((nBond+1)*sizeof(double));
          BondEnergy = (double*)malloc((nBond+1)*sizeof(double));
00117
00118
          BondLength = (double*) malloc((nBond+1)*sizeof(double));
         discDragx = (double*)malloc((nAtom + 1) * sizeof(double));
discDragy = (double*)malloc((nAtom + 1) * sizeof(double));
00119
00120
         nodeDragy = (double*)malloc((nAtom + 1) * sizeof(double));
nodeDragy = (double*)malloc((nAtom + 1) * sizeof(double));
00121
00122
         ImageY = (int*)malloc((nAtom+1) * sizeof(int));
ImageY = (int*)malloc((nAtom+1) * sizeof(int));
00123
00124
         rxUnwrap = (double*)malloc((nAtom + 1) * sizeof(double));
ryUnwrap = (double*)malloc((nAtom + 1) * sizeof(double));
00125
00126
         DeltaXijOld = (double*)malloc((nBond+1)*sizeof(double));
DeltaYijOld = (double*)malloc((nBond+1)*sizeof(double));
00127
00128
00129
          DeltaXijOldPair = (double**)malloc((nAtom+1) * sizeof(double*));
00130
          DeltaYijOldPair = (double**)malloc((nAtom+1) * sizeof(double*));
00131
          for (int n = 0; n \le nAtom; n++) {
          DeltaXijOldPair[n] = (double*)malloc((nAtom+1) * sizeof(double));
DeltaYijOldPair[n] = (double*)malloc((nAtom+1) * sizeof(double));
00132
00133
00134
00135
         molID = (int*)malloc((nAtom+1) * sizeof(int));
00136
00137
          for(n = 1; n <= nAtom; n ++) {</pre>
00138
           atomMass[n] = 1.0;
00139
00140
          fscanf(fpSTATE, "%s\n", dummy);
         for(n = 1; n <= nAtom; n ++)
fscanf(fpSTATE, "%d %d %d %lf %lf %lf %lf %lf \n", &atomID[n], &molID[n], &atomType[n],
00142
00143
       &atomRadius[n], &rx[n], &ry[n], &vx[n], &vy[n]);
00144
00145
```

```
fscanf(fpSTATE, "%s\n", dummy);
           for(n=1; n<=nBond; n++)
fscanf(fpSTATE, "%d %d %d %d %lf %lf\n", &BondID[n], &BondType[n], &atom1[n], &atom2[n], &kb[n],
00147
00148
        &ro[n]);
00149
00150
            fclose(fpSTATE);
00151
00152
           //2D-List of bonded atoms. This is used to remove pair interaction
00153
          //calculation for the bonded atoms
             isBonded = (int**)malloc((nAtom + 1) * sizeof(int*));
00154
            for (int i = 0; i <= nAtom; i++) {</pre>
00155
             isBonded[i] = (int*)malloc((nAtom + 1) * sizeof(int));
for (int j = 0; j <= nAtom; j++) {
   isBonded[i][j] = 0;</pre>
00156
00157
00158
00159
00160
00161
00162
            for (n = 1; n <= nBond; n++) {</pre>
             int i = atom1[n];
00163
               int j = atom2[n];
00164
              isBonded[i][j] = 1;
isBonded[j][i] = 1; // symmetric
00165
00166
00167 }
00168
00169 //For thermostate, update in final version
00170 thermo = 'C';
00171
00172
00173 // List the interface atoms
00174 nAtomInterface = 0;
00175 nAtomBlock = 0;
00176 nDiscInterface = 0;
00177
          double InterfaceWidth, bigDiameter;
00178
          bigDiameter = 2.8;
00179
          InterfaceWidth = 5.0 * bigDiameter;
00180
00181 for(n = 1; n <= nAtom; n++) {
           if (fabs(ry[n]) < InterfaceWidth) {</pre>
00182
00183
           nAtomInterface++;
00184
            if (molID[n] == 2) {
00185
00186
           nAtomBlock++:
00187
00188
            if (atomRadius[n] != 0.0) {
00189
            nDiscInterface++;
00190
00191
00192
             atomIDInterface = (int*)malloc((nAtomInterface+1)*sizeof(int));
00193
00194
            int m:
00195
            m = 1;
00196
            for (n=1; n<=nAtom; n++) {</pre>
00197
             if(fabs(ry[n]) < InterfaceWidth){</pre>
00198
             atomIDInterface[m] = atomID[n];
00199
             m++;
00200
             } }
00201
00202
            nPairTotal = 0.5 * nAtomInterface * (nAtomInterface-1);
00203
            PairID = (int*)malloc((nPairTotal+1) * sizeof(int));
            Pairatom1 = (int*)malloc((nPairTotal+1) * sizeof(int));
Pairatom2 = (int*)malloc((nPairTotal+1) * sizeof(int));
00204
00205
00206
            PairXij = (double*)malloc((nPairTotal+1) * sizeof(double));
00207
            PairYij = (double*)malloc((nPairTotal+1) * sizeof(double));
00208
00209
               fprintf(fpresult, "----\n");
               00210
                                                                                              ----\n");
00211
00212
00213
               fprintf(fpresult, "nAtomBlock\t\t\8d\n", nAtomBlock);
fprintf(fpresult, "nAtomInterface\t\8d\n", nAtomInterface);
fprintf(fpresult, "nDiscInterface\t\t\8d\n", nDiscInterface);
00214
00215
              fprintf(fpresult, "nDiscInterface\t\t\%d\n", nDiscInterface);
fprintf(fpresult, "gamman\t\t\t\80.6g\n", gamman);
fprintf(fpresult, "strain\t\t\t\80.6g\n", strain\;
fprintf(fpresult, "strainRate\t\t\80.6g\n", strainRate);
fprintf(fpresult, "FyBylx\t\t\80.6g\n", FyBylx);
fprintf(fpresult, "fxByfy\t\t\80.6g\n", fxByfy);
fprintf(fpresult, "DeltaY\t\t\80.6g\n", DeltaY);
fprintf(fpresult, "DeltaY\t\t\80.6g\n", DeltaY);
fprintf(fpresult, "BeltaY\t\t\80.6g\n", DeltaY);
fprintf(fpresult, "HaltCondition\t\$0.6g\n", HaltCondition);
fprintf(fpresult, "kappa\t\t\t\8\g\n", kappa);
fprintf(fpresult, "cut\t\t\$\\f\8\g\n", density);
fprintf(fpresult, "rCut\t\t\f\8\g\n", rCut\;
00216
00217
00218
00219
00220
00221
00222
00223
00224
00225
00226
               fprintf(fpresult, "censity\t\t\t\g\n", density);
fprintf(fpresult, "rCut\t\t\t\g\n", rCut);
fprintf(fpresult, "deltaT\t\t\t\g\n", deltaT);
fprintf(fpresult, "stepEquil\t\t\t\g\n", stepEquil);
fprintf(fpresult, "stepLimit\t\t\t\g\n", stepLimit);
fprintf(fpresult, "region[1]\t\t\t\s\0.161\n", region[1]);
00227
00228
00229
00230
00231
```

```
00232
                 fprintf(fpresult, "region[2]\t\t\t\0.16lf\n", region[2]);
                fprintf(fpresult, region[2]\t\t\t\sd\n", cells[1]);
fprintf(fpresult, "cells[1]\t\t\t\sd\n", cells[1]);
fprintf(fpresult, "cells[2]\t\t\t\sd\n", cells[2]);
fprintf(fpresult, "solver\t\t\s\n", solver);
fprintf(fpresult, "boundary\t\t\t\s\s\n", xBoundary, yBoundary);
fprintf(fpresult, "DampFlag\t\t\sd\n", DampFlag);
00233
00234
00235
00236
00237
00239
                 00240
00241
         PairEnergyPerAtom BondEnergyPerAtom Press VirialSum\n");
fprintf(fpvrms, "#timeNow\tVrms \n");
fprintf(fpcom, "#timeNow\tComX\tComY\n");
00242
00243
00244
00245 /\star // Uncomment the following as per your acquirement
                 fprintf(fpstress, "strain
fprintf(fpstress, "region[1]
                                                                         %lf\n", strain);
%lf\n", region[1]);
%lf\n", region[2]);
00246
00247
                 fprintf(fpstress, "region[1] %11\n', region[1]);
fprintf(fpstress, "#timeNow virSumxx virSumyy virSumxy pressure\n");
00248
00249
                 fprintf(fpmomentum, "#timeNow Px Py\n");
00250
00251 */
00252
        if((strcmp(xBoundary, "p") != 0 && strcmp(xBoundary, "r") != 0) ||
  (strcmp(yBoundary, "p") != 0 && strcmp(yBoundary, "r") != 0)) {
  fprintf(fpresult, "Error: Invalid boundary value detected: '%s %s'. Only 'p' or 'r' are
  allowed.\n", xBoundary, yBoundary);
00253
00254
00255
00256
                exit(EXIT_FAILURE); // Exit with failure status
00257
00258
00259 }
```

References atom1, atom2, atomID, atomIDInterface, atomMass, atomRadius, atomType, ax, ay, BondEnergy, BondID, BondLength, BondType, cellList, cells, DampFlag, deltaT, DeltaX, DeltaXijOld, DeltaXijOldPair, DeltaY, DeltaYijOld, DeltaYijOldPair, density, discDragx, discDragy, fax, fay, fpcom, fpresult, fpvrms, freezeAtomType, fxByfy, FyBylx, gamman, HaltCondition, ImageX, ImageY, isBonded, kappa, kb, limitAcfAv, limitCorrAv, limitRdf, molID, nAtom, nAtomBlock, nAtomInterface, nAtomType, nBond, nBondType, nBuffAcf, nBuffCorr, nDiscInterface, nFunCorr, nodeDragx, nodeDragy, nPairTotal, nValAcf, nValCorr, Pairatom1, Pairatom2, PairID, PairXij, PairYij, rangeRdf, rCut, region, regionH, ro, rx, rxUnwrap, ry, ryUnwrap, shearDisplacement, shearVelocity, sizeHistRdf, solver, speed, stepAcf, stepAvg, stepCorr, stepDump, stepEquil, stepLimit, stepRdf, stepTraj, strain, strainRate, thermo, timeNow, vx, vy, xBoundary, and yBoundary.

Referenced by main().

Here is the caller graph for this function:



3.72.2.25 LeapfrogStep()

```
void LeapfrogStep ( )
```

3.72.2.26 main()


```
int main (
          int argc,
          char ** argv )
```

```
Definition at line 51 of file main.c.
         time_t t1 = 0, t2;
00052
         if (argc < 2) {
00053
         fprintf(stderr, "Usage: %s <output_prefix>\n", argv[0]);
00054
00055
00056
00057
           int prefix_size = snprintf(NULL, 0, "../output/ss", argv[1]) + 1; // +1 for the null terminator
00058
          prefix = malloc(prefix_size);
           if(prefix == NULL) {
  fprintf(stderr, "Memory allocation failed\n");
00059
00060
00061
            return 1:
00062
00063
         // Write the formatted string into the allocated space
snprintf(prefix, prefix_size, "../output/%s", argv[1]);
sprintf(result, "%s.result", prefix);
fpresult = fopen(result, "w");
sprintf(xyz, "%s.xyz", prefix);
fpxyz = fopen(xyz, "w");
sprintf(vrms, "%s.vrms", prefix);
fpvrms = fopen(vrms, "w");
sprintf(bond, "%s.bond", prefix);
fpbond = fopen(bond, "w");
sprintf(com, "%s.com", prefix);
fpcom = fopen(com, "w");
sprintf(pair, "%s.pair", prefix);
fppair = fopen(pair, "w");
00064
00065
00066
00067
00068
00069
00070
00071
00072
00073
00074
00075
00076
00077
00078
          /\star //{\tt Uncomment} the following as per your acquirement
00079
          sprintf(dnsty, "%s.curr-dnsty", prefix);
08000
00081
          fpdnsty = fopen(dnsty, "w");
00082
          sprintf(visc, "%s.viscosity", prefix);
          fpvisc = fopen(visc, "w");
sprintf(rdf, "%s.rdf", prefix);
fprdf = fopen(rdf, "w");
sprintf(stress, "%s.stress", prefix);
fpstress = fopen(stress, "w");
00083
00084
00085
00086
          sprintf(momentum, "%s.momentum", prefix);
fpmomentum = fopen(momentum, "w");
00088
00089
00090
00091
00092
          Init();
          SetupJob();
00093
00094
          t1 = time(NULL);
00095
          moreCycles = 1;
00096
          timeNow = 0.0;
00097
          if(timeNow == 0.0) {
            DisplaceAtoms();
00098
00099
            ComputePairForce(1);
00100
            ComputeBondForce();
00101
            ApplyForce();
00102
            DumpBonds();
00103
            DumpPairs();
00104
            Trajectory();
            EvalUnwrap();
00105
00106
            ApplyBoundaryCond();
00107
            EvalProps();
00108
            EvalVrms();
00109
            EvalCom();
            PrintVrms():
00110
00111
            PrintCom();
00112
            PrintSummary();
00113
00114
00115 //Here starts the main loop of the program
00116
          while (moreCycles) {
  if (stepLimit == 0) {
00117
00118
           exit(0);
00119
00120
            stepCount ++;
00121
            timeNow = stepCount * deltaT; //for adaptive step size: timeNow += deltaT
00122
00123
00124
            VelocityVerletStep(1);
00125
            EvalUnwrap();
00126
            ApplyBoundaryCond();
00127
            ComputePairForce(1);
00128
            ComputeBondForce();
            ApplyForce();
00129
            VelocityVerletStep(2);
00130
            ApplyBoundaryCond();
00131
00132
            EvalProps();
00133
            EvalVrms();
00134
            EvalCom();
            if(stepCount % stepAvg == 0){
00135
             PrintSummary();
00136
```

```
00137
         PrintVrms();
00138
         PrintCom();
00139
00140
        if(stepCount % stepTraj == 0){
00141
         Trajectory();
00142
         DumpBonds();
         DumpPairs();
00144
00145
        if(stepCount % stepDump == 0){
         00146
00147
00148
00149
        if(HaltConditionCheck(VRootMeanSqr, stepCount)) {
00150
         00151
         DumpState();
                          // Save the current state for config
00152
         break; // Exit the loop when the halt condition is met
00153
00154
00155
         if(stepCount >= stepLimit)
00156
         moreCycles = 0;
00157
00158
00159
       t2 = time(NULL);
00160
00161
       fprintf(fpresult, "#Execution time %lf secs\n", difftime(t2,t1));
       fprintf(fpresult, "#Execution speed %lf steps per secs\n", stepLimit/difftime(t2,t1));
00162
00163
00164
       fclose(fpresult);
00165
       fclose(fpxyz);
00166
       fclose(fpvrms);
00167
       fclose(fpbond);
00168
       fclose(fppair);
00169
       fclose(fpcom);
00170
00171 /\star//\text{Uncomment} the following as per your acquirement
00172
      fclose(fpdnsty);
00173
       fclose(fpvisc);
       fclose(fprdf);
00175
       fclose(fpstress);
00176
     fclose(fpmomentum);
00177 */
00178
00179
       free (prefix);
00180
       Close();
00181
       return 0;
00182 }
```

References ApplyBoundaryCond(), ApplyForce(), bond, Close(), com, ComputeBondForce(), ComputePairForce(), deltaT, DisplaceAtoms(), DumpBonds(), DumpPairs(), DumpRestart(), DumpState(), EvalCom(), EvalProps(), EvalUnwrap(), EvalVrms(), fpbond, fpcom, fppair, fpresult, fpvrms, fpxyz, HaltConditionCheck(), Init(), moreCycles, pair, prefix, PrintCom(), PrintSummary(), PrintVrms(), result, SetupJob(), stepAvg, stepCount, stepDump, stepLimit, stepTraj, timeNow, Trajectory(), VelocityVerletStep(), vrms, VRootMeanSqr, and xyz.

Here is the call graph for this function:



3.72.2.27 PrintCom()

void PrintCom ()

Definition at line 28 of file PrintCom.c.

```
00029 fprintf(fpcom, "%0.4lf\t%0.16lf\t%0.16lf\n", timeNow, ComX, ComY); 00030 fflush(fpcom); 00031 }
```

References ComX, ComY, fpcom, and timeNow.

Referenced by main().

Here is the caller graph for this function:



3.72.2.28 PrintMomentum()

```
void PrintMomentum ( )
```

Definition at line 25 of file PrintMomentum.c.

```
00025 { 00026 \quad \text{fprintf(fpmomentum, "%0.41f}\t%0.161f}\t%0.161f\n", timeNow, vSumX, vSumY); \\ 00027 \quad \text{fflush(fpmomentum);} \\ 00028 \ \}
```

References fpmomentum, timeNow, vSumX, and vSumY.

3.72.2.29 PrintStress()

```
void PrintStress ( )
```

Definition at line 25 of file PrintStress.c.

```
00025 {
00026 fprintf(fpstress, "%0.41f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\n", timeNow, virSumxx, virSumyy, virSumxy, pressure);
00027 fflush(fpstress);
00028 }
```

References fpstress, pressure, timeNow, virSumxx, virSumxy, and virSumyy.

3.72.2.30 PrintSummary()

```
void PrintSummary ( )
```

Definition at line 4 of file PrintSummary.c.

```
00005 fprintf(fpresult, "%0.41f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161
```

References BondEnergyPerAtom, fpresult, kinEnergy, potEnergy, pressure, timeNow, totEnergy, uSumPairPerAtom, virSum, and vSum.

Referenced by main().

Here is the caller graph for this function:



3.72.2.31 PrintVrms()

```
void PrintVrms ( )
```

Definition at line 27 of file PrintVrms.c.

```
00022 fprintf(fpvrms, "%0.41f\t%0.161f\n", timeNow, VRootMeanSqr);
00029 fflush(fpvrms);
00030 }
```

References fpvrms, timeNow, and VRootMeanSqr.

Referenced by main().

Here is the caller graph for this function:



3.72.2.32 SetupJob()

```
void SetupJob ( )
```


Definition at line 27 of file SetupJob.c.

```
00028
          AllocArrays();
00029
          AccumProps(0);
         nitVacf();
stepCount = 0;
// INITIALISE SPACETIME CORRELATIONS
00030
00031
00032
00033
          int n;
         for (n = 1; n <= nBuffCorr; n++)
  indexCorr[n] = -(n - 1)*nValCorr/nBuffCorr;</pre>
00034
00035
00036
00037
         countCorrAv = 0.;
00038
00039
         for (n = 1; n <= nFunCorr*nValCorr; n++)</pre>
00040
            spacetimeCorrAv[n] = 0.;
00041
00042
          //RDF
         countRdf = 0;
00043
00044 }
```

References AccumProps(), AllocArrays(), countCorrAv, countRdf, indexCorr, InitVacf(), nBuffCorr, nFunCorr, nValCorr, spacetimeCorrAv, and stepCount.

Referenced by main().

Here is the call graph for this function:



Here is the caller graph for this function:



3.72.2.33 Trajectory()

```
void Trajectory ( )
```

Definition at line 25 of file Trajectory.c.

```
00025
00026 int n;
00027  //Trajectory file in LAMMPS dump format for OVITO visualization
00028  fprintf(fpxyz, "ITEM: TIMESTEP\n");
00029  fprintf(fpxyz, "%lf\n",timeNow);
00030  fprintf(fpxyz, "%d\n",nAtom);
00031  fprintf(fpxyz, "%d\n",nAtom);
00032  fprintf(fpxyz, "ITEM: BOX BOUNDS pp ff pp\n");
00033  fprintf(fpxyz, "%lf %lf xlo xhi\n", -regionH[1], regionH[1]);
00034  fprintf(fpxyz, "%lf %lf xlo xhi\n", -regionH[2], regionH[2]);
00035  fprintf(fpxyz, "%lf %lf zlo zhi\n", -0.1, 0.1);
00036  fprintf(fpxyz, "ITEM: ATOMS id mol type radius x y vx vy fx fy\n");
00037  for(n=1; n<=nAtom; n++)
00038  fprintf(fpxyz, "%d\t %d\t %d\t %0.2lf\t %0.16lf\t %0.1
```

References atomID, atomRadius, atomType, ax, ay, fpxyz, moIID, nAtom, regionH, rx, ry, timeNow, vx, and vy.

Referenced by main().

Here is the caller graph for this function:



3.72.2.34 VelocityVerletStep()

Definition at line 26 of file VelocityVerletStep.c.

```
00026
00027 int n;
00028 if(icode == 1){
        for (n= 1; n <= nAtom; n++) {</pre>
00030
         if(atomType[n] != freezeAtomType) {
         vx[n] += ax[n] * 0.5 * deltaT;
vy[n] += ay[n] * 0.5 * deltaT;
rx[n] += vx[n] * deltaT;
00031
00032
00033
         ry[n] += vy[n] * deltaT;
00034
00035
00036
         //Calculating the image flags here
         if (rx[n] >= regionH[1]) {
  rx[n] -= region[1];
00037
00038
          ImageX[n]++;
00039
          } else if (rx[n] < -regionH[1]) {
rx[n] += region[1];</pre>
00040
00041
00042
         ImageX[n]--;
00043
00044
          if (ry[n] \ge regionH[2]) {
00045
          ry[n] -= region[2];
          ImageY[n]++;
00046
00047
          } else if (ry[n] < -regionH[2]) {</pre>
00048
           ry[n] += region[2];
```

3.73 main.c 191

References atomType, ax, ay, deltaT, freezeAtomType, ImageX, ImageY, nAtom, region, regionH, rx, ry, vx, and vv.

Referenced by main().

Here is the caller graph for this function:



3.72.3 Variable Documentation

3.72.3.1 prefix

```
char* prefix = NULL
```

Definition at line 13 of file main.c.

Referenced by DumpRestart(), DumpState(), and main().

3.73 main.c

Go to the documentation of this file.

```
00001 #include<stdio.h>
00002 #include<string.h>
00003 #include<stdlib.h>
00004 #include <stdbool.h>
00005 #include <time.h>
00006 #include <mpi.h>
00007 #define DEFINE_GLOBALS
00008 #include "global.h"
00009 #include "ComputeBondForce.h"
00010 #include "ComputePairForce.h"
00011
00012
00013 char *prefix = NULL; // Definition of prefix
00014
00015 void Init();
00016 void SetupJob();
00017 void EvalSpacetimeCorr();
00018 void Trajectory();
00019 void DumpState();
00020 void ComputeForcesCells();
00021 void LeapfrogStep();
00022 void BrownianStep();
00022 void Brownianscep(),
00023 void ApplyBoundaryCond();
00024 void EvalProps();
00025 void EvalVacf();
```


```
00026 void EvalRdf();
00027 void AccumProps(int icode);
00028 void PrintSummary();
00029 void PrintVrms();
00030 //void ComputeBondForce();
00031 void DumpBonds();
00032 void VelocityVerletStep(int icode);
00033 void ApplyForce();
00034 void ApplyDrivingForce();
00035 void ApplyShear();
00036 void ApplyLeesEdwardsBoundaryCond();
00037 void PrintStress();
00038 void Close();
00039 //void ComputePairForce(int normFlag);
00040 void PrintMomentum();
00041 void DisplaceAtoms();
00042 void DumpRestart();
00043 bool HaltConditionCheck(double value, int stepCount);
00044 void EvalCom();
00045 void PrintCom();
00046 void EvalVrms();
00047 void EvalUnwrap();
00048 void DumpPairs();
00049 void ApplyViscous();
00050
00051 int main(int argc, char **argv) {
00052 time_t t1 = 0, t2;
00053
         if (argc < 2) {</pre>
00054 fprintf(stderr, "Usage: %s <output_prefix>\n", argv[0]);
00055
         return 1;
00056 }
00057
          int prefix_size = snprintf(NULL, 0, "../output/%s", argv[1]) + 1; // +1 for the null terminator
00058
          prefix = malloc(prefix_size);
00059
           if(prefix == NULL) {
00060
           fprintf(stderr, "Memory allocation failed\n");
00061
           return 1:
00062
00063
00064
            // Write the formatted string into the allocated space
          // Write the formatted string into the allocated space
snprintf(prefix, prefix_size, "../output/%s", argv[1]);
sprintf(result, "%s.result", prefix);
fpresult = fopen(result, "w");
sprintf(xyz, "%s.xyz", prefix);
fpxyz = fopen(xyz, "w");
sprintf(vrms, "%s.vrms", prefix);
fpvrms = fopen(vrms, "w");
sprintf(bond, "%s.bond", prefix);
00065
00066
00067
00068
00069
00070
00071
          sprintf(bond, "%s.bond", prefix);
fpbond = fopen(bond, "w");
sprintf(com, "%s.com", prefix);
00072
00073
00074
          fpcom = fopen(com, "w");
00075
          sprintf(pair, "%s.pair", prefix);
fppair = fopen(pair, "w");
00076
00077
00078
          /* //Uncomment the following as per your acquirement sprintf(dnsty, "%s.curr-dnsty", prefix);
00079
08000
00081
          fpdnsty = fopen(dnsty, "w");
          sprintf(visc, "%s.viscosity", prefix);
00082
          sprint(visc, "%s.viscosity", prefix);
fpvisc = fopen(visc, "w");
sprintf(rdf, "%s.rdf", prefix);
fprdf = fopen(rdf, "w");
sprintf(stress, "%s.stress", prefix);
fpstress = fopen(stress, "w");
sprintf(momentum, "%s.momentum", prefix);
00083
00084
00085
00086
00087
00088
00089
          fpmomentum = fopen(momentum, "w")
00090
00091
00092
          Init();
          SetupJob();
t1 = time(NULL);
00093
00094
00095
          moreCycles = 1;
00096
          timeNow = 0.0;
          if(timeNow == 0.0) {
  DisplaceAtoms();
  ComputePairForce(1);
00097
00098
00099
00100
            ComputeBondForce();
00101
            ApplyForce();
00102
            DumpBonds();
00103
            DumpPairs();
00104
            Trajectory();
            EvalUnwrap();
00105
            ApplyBoundaryCond();
00106
00107
            EvalProps();
00108
            EvalVrms();
00109
            EvalCom();
00110
            PrintVrms();
00111
            PrintCom();
00112
            PrintSummarv():
```

```
00113
         }
00114
00115 //Here starts the main loop of the program
00116
        while (moreCycles) {
00117
        if(stepLimit == 0){
00118
         exit(0);
00119
00120
00121
         stepCount ++;
         timeNow = stepCount * deltaT; //for adaptive step size: timeNow += deltaT
00122
00123
00124
         VelocityVerletStep(1);
00125
         EvalUnwrap();
00126
         ApplyBoundaryCond();
00127
         ComputePairForce(1);
00128
         ComputeBondForce();
00129
         ApplyForce();
         VelocityVerletStep(2);
00130
00131
         ApplyBoundaryCond();
00132
         EvalProps();
00133
         EvalVrms();
00134
         EvalCom();
         if(stepCount % stepAvg == 0){
00135
          PrintSummary();
00136
00137
          PrintVrms();
00138
          PrintCom();
00139
00140
         if(stepCount % stepTraj == 0){
00141
          Trajectory();
00142
          DumpBonds();
00143
          DumpPairs();
00144
00145
         if(stepCount % stepDump == 0){
          00146
00147
00148
00149
         if(HaltConditionCheck(VRootMeanSqr, stepCount)) {
          DumpRestart();  // Save the current state for input
00150
00151
          DumpState();
                             // Save the current state for config
00152
          break; // Exit the loop when the halt condition is met
00153
00154
          if(stepCount >= stepLimit)
00155
          moreCycles = 0;
00156
00157
00158
00159
       t2 = time(NULL);
00160
       fprintf(fpresult, "#Execution time %lf secs\n", difftime(t2,t1));
fprintf(fpresult, "#Execution speed %lf steps per secs\n", stepLimit/difftime(t2,t1));
00161
00162
00163
00164
00165
        fclose(fpxyz);
00166
       fclose(fpvrms);
00167
       fclose(fpbond);
00168
        fclose(fppair);
00169
       fclose(fpcom);
00170
00171 / \star / / \text{Uncomment} the following as per your acquirement
00172 fclose(fpdnsty);
00173
       fclose(fpvisc);
00174
       fclose(fprdf);
00175
       fclose(fpstress);
00176
       fclose(fpmomentum);
00177 */
00178
00179
       free (prefix);
00180
       Close():
00181
       return 0:
00182 }
```

3.74 source/PrintCom.c File Reference

```
#include <stdio.h>
#include <stdlib.h>
#include <math.h>
#include "global.h"
```

Include dependency graph for PrintCom.c:



Functions

• void PrintCom ()

3.74.1 Function Documentation

3.74.1.1 PrintCom()

```
void PrintCom ( )
```

Definition at line 28 of file PrintCom.c.

```
00028 {
00029 fprintf(fpcom, "%0.41f\t%0.161f\t%0.161f\n", timeNow, ComX, ComY);
00030 fflush(fpcom);
00031 }
00031
```

References ComX, ComY, fpcom, and timeNow.

Referenced by main().

Here is the caller graph for this function:



3.75 PrintCom.c 195


3.75 PrintCom.c

```
Go to the documentation of this file.
```

```
00002
          * This file is part of Lamina.
00003
         \star Lamina is free software: you can redistribute it and/or modify \star it under the terms of the GNU General Public License as published by
00004
00005
          * the Free Software Foundation, either version 3 of the License, or
00007
         * (at your option) any later version.
00008 *
00009 \,\,^{\star} Lamina is distributed in the hope that it will be useful, 00010 \,^{\star} but WITHOUT ANY WARRANTY; without even the implied warranty of
00011 * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the 00012 * GNU General Public License for more details.
00013 *
00014 \,\, You should have received a copy of the GNU General Public License 00015 \,\, * along with Lamina. If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00016
00017 Copyright (C) 2025 Harish Charan, University of Durham, UK
00018
00019
00020
00021
00022
00023 #include<stdio.h>
00024 #include<stdlib.h>
00025 #include<math.h>
00026 #include"global.h"
00027
00028 void PrintCom() {
00029 fprintf(fpcom, "%0.4lf\t%0.16lf\t%0.16lf\n", timeNow, ComX, ComY);
00030 fflush(fpcom);
00032
00033
00034
```

3.76 source/PrintMomentum.c File Reference

```
#include <stdio.h>
#include "global.h"
Include dependency graph for PrintMomentum.c:
```



Functions

void PrintMomentum ()

3.76.1 Function Documentation

3.76.1.1 PrintMomentum()

```
void PrintMomentum ( )

Definition at line 25 of file PrintMomentum.c.

00025
00026 fprintf(fpmomentum, "%0.41f\t%0.161f\t%0.161f\n", timeNow, vSumX, vSumY);
00027 fflush(fpmomentum);
00028 }
```

References fpmomentum, timeNow, vSumX, and vSumY.

3.77 PrintMomentum.c

Go to the documentation of this file.


```
00002 * This file is part of Lamina.
00003
         * Lamina is free software: you can redistribute it and/or modify * it under the terms of the GNU General Public License as published by
00004
00005
00006 * the Free Software Foundation, either version 3 of the License, or
00007
         \star (at your option) any later version.
00008 *
00009 * Lamina is distributed in the hope that it will be useful,
00010 * but WITHOUT ANY WARRANTY; without even the implied warranty of 00011 * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the 00012 * GNU General Public License for more details.
00013 *
00014 * You should have received a copy of the GNU General Public License 00015 * along with Lamina. If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00016
00017 Copyright (C) 2025 Harish Charan, University of Durham, UK
00018
00019 */
00020
00021
00022 #include<stdio.h>
00023 #include"global.h"
00024
00025 void PrintMomentum() {
00026 fprintf(fpmomentum, "%0.41f\t%0.161f\t%0.161f\n", timeNow, vSumX, vSumY);
00027 fflush(fpmomentum);
00028 }
```

3.78 source/PrintStress.c File Reference

```
#include <stdio.h>
#include "global.h"
```

3.79 PrintStress.c 197

Include dependency graph for PrintStress.c:



Functions

• void PrintStress ()

3.78.1 Function Documentation

3.78.1.1 PrintStress()

References fpstress, pressure, timeNow, virSumxx, virSumxy, and virSumyy.


3.79 PrintStress.c

Go to the documentation of this file.

```
00001 /*
00002 * This file is part of Lamina.
00003 *
00004 * Lamina is free software: you can redistribute it and/or modify
00005 * it under the terms of the GNU General Public License as published by
00006 * the Free Software Foundation, either version 3 of the License, or
00007 * (at your option) any later version.
00008 *
00009 * Lamina is distributed in the hope that it will be useful,
00010 * but WITHOUT ANY WARRANTY; without even the implied warranty of
00011 * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012 * GNU General Public License for more details.
00013 *
00014 * You should have received a copy of the GNU General Public License
00015 * along with Lamina. If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
```

3.80 source/PrintSummary.c File Reference

```
#include <stdio.h>
#include "global.h"
Include dependency graph for PrintSummary.c:
```



Functions

• void PrintSummary ()

3.80.1 Function Documentation

3.80.1.1 PrintSummary()

```
void PrintSummary ( )
```

Definition at line 4 of file PrintSummary.c.

```
00004 {
00005 fprintf(fpresult, "%0.41f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f
```

3.81 PrintSummary.c 199

References BondEnergyPerAtom, fpresult, kinEnergy, potEnergy, pressure, timeNow, totEnergy, uSumPairPerAtom, virSum, and vSum.

Referenced by main().

Here is the caller graph for this function:



3.81 PrintSummary.c

Go to the documentation of this file.


```
00001 #include<stdio.h>
00002 #include"global.h"

00003

00004 void PrintSummary() {
00005 fprintf(fpresult, "%0.41f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0.161f\t%0
```

3.82 source/PrintVacf.c File Reference

```
#include <stdio.h>
#include "global.h"
Include dependency graph for PrintVacf.c:
```



Functions

void PrintVacf ()

3.82.1 Function Documentation

3.82.1.1 PrintVacf()


```
void PrintVacf ( )
```

Definition at line 25 of file PrintVacf.c.

References deltaT, fpvisc, nValAcf, stepAcf, viscAcfAv, and viscAcfInt.

Referenced by AccumVacf().

Here is the caller graph for this function:



3.83 PrintVacf.c

Go to the documentation of this file.


```
00001 /*
00002
        * This file is part of Lamina.
00003
00004
        * Lamina is free software: you can redistribute it and/or modify
00005
          it under the terms of the GNU General Public License as published by
00006
        \star the Free Software Foundation, either version 3 of the License, or
00007
        \star (at your option) any later version.
80000
00009
        * Lamina is distributed in the hope that it will be useful,
        * but WITHOUT ANY WARRANTY; without even the implied warranty of
00010
00011
          MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012
        \star GNU General Public License for more details.
00013
00014 \,\, You should have received a copy of the GNU General Public License 00015 \,\, * along with Lamina. If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00016
00017
        Copyright (C) 2025 Harish Charan, University of Durham, UK
00018
00019
00020
00021
00022 #include<stdio.h>
00023 #include"global.h"
```

```
00024
00025 void PrintVacf(){
00026    double tVal;
00027    int j;
00028    fprintf(fpvisc, "viscosity acf\n");
00029    for(j = 1 ; j <= nValAcf ; j ++){
00030         tVal = (j-1)*stepAcf*deltaT;
00031    fprintf(fpvisc, "%lf\t %lf\n", tVal, viscAcfAv[j], viscAcfAv[j]/viscAcfAv[1]);
00032    }
00033    fprintf(fpvisc, "viscosity acf integral : %lf\n", viscAcfInt);
00034 }
00035
00036</pre>
```

3.84 source/PrintVrms.c File Reference

```
#include <stdio.h>
#include <stdlib.h>
#include <math.h>
#include "global.h"
```

Include dependency graph for PrintVrms.c:



Functions

• void PrintVrms ()

3.84.1 Function Documentation

3.84.1.1 PrintVrms()

References fpvrms, timeNow, and VRootMeanSqr.

Referenced by main().

Here is the caller graph for this function:



3.85 PrintVrms.c


Go to the documentation of this file.

```
00001 /*
        * This file is part of Lamina.
00002
00003
         * Lamina is free software: you can redistribute it and/or modify * it under the terms of the GNU General Public License as published by
00004
00005
        * the Free Software Foundation, either version 3 of the License, or
00007
         * (at your option) any later version.
00008 *
00009 * Lamina is distributed in the hope that it will be useful,
00010 * but WITHOUT ANY WARRANTY; without even the implied warranty of
00011 * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
         * GNU General Public License for more details.
00013 *
00014 \,\,\star\,\, You should have received a copy of the GNU General Public License
00015 * along with Lamina. If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00016
00017 Copyright (C) 2025 Harish Charan, University of Durham, UK
00018
00019
00020
00021
00022 #include<stdio.h>
00023 #include<stdlib.h>
00024 #include<math.h>
00025 #include"global.h"
00026
00027 void PrintVrms() {
00028 fprintf(fpvrms, "%0.41f\t%0.161f\n", timeNow, VRootMeanSqr);
00029 fflush(fpvrms);
00030 }
00031
00032
00033
```

3.86 source/SetupJob.c File Reference

```
#include <stdio.h>
#include "global.h"
```

Include dependency graph for SetupJob.c:



Functions

- void AllocArrays ()
- void AccumProps (int icode)
- · void InitVacf ()
- void SetupJob ()

3.86.1 Function Documentation

3.86.1.1 AccumProps()

```
void AccumProps ( int\ \textit{icode}\ )
```

Definition at line 25 of file AccumProps.c.

```
00052 } }
```

References kinEnergy, potEnergy, pressure, sKinEnergy, sPotEnergy, sPressure, Sqr, ssKinEnergy, ssPotEnergy, ssPressure, ssTotEnergy, stepAvg, sTotEnergy, svirSum, totEnergy, and virSum.

Referenced by SetupJob().

Here is the caller graph for this function:



3.86.1.2 AllocArrays()

```
void AllocArrays ( )
```

Definition at line 25 of file AllocArrays.c.

```
00026
00027
        // SPACETIME CORRELATIONS
00028 cfOrg = (double **) malloc ((nBuffCorr+1)*sizeof(double *));
00029 for (n = 0; n <= nBuffCorr; n++)</pre>
        cfOrg[n] = (double *) malloc ((2*nFunCorr+1)*sizeof(double));
00031
00032 cfVal = (double *) malloc ((2*nFunCorr+1)*sizeof(double));
00033
        indexCorr = (int *) malloc ((nBuffCorr+1)*sizeof(int));
00034
00035 spacetimeCorr = (double **) malloc ((nBuffCorr+1)*sizeof(double));
00036 for (n = 0; n <= nBuffCorr; n++)
00037 spacetimeCorr[n] = (double *) malloc ((nFunCorr*nValCorr+1)*sizeof(double));
00038
00039 spacetimeCorrAv = (double *) malloc ((nFunCorr*nValCorr+1)*sizeof(double));
00040 // VISCOSITY
00041 indexAcf = (double *)malloc((nBuffAcf+1)*sizeof(double));
00042 viscAcf = (double **)malloc((nBuffAcf+1)*sizeof(double *));
00043 for (n = 0 ; n \le nBuffAcf ; n ++)
00044
        viscAcf[n] = (double *) malloc((nValAcf+1)*sizeof(double));
00045
00046  viscAcfOrg = (double *)malloc((nBuffAcf+1)*sizeof(double));
00047  viscAcfAv = (double *)malloc((nValAcf+1)*sizeof(double));
00048
00050
         histRdf = (double *)malloc((sizeHistRdf+1)*sizeof(double));
00051 }
```

References cfOrg, cfVal, histRdf, indexAcf, indexCorr, nBuffAcf, nBuffCorr, nFunCorr, nValAcf, nValCorr, sizeHistRdf, spacetimeCorr, spacetimeCorrAv, viscAcf, viscAcfAv, and viscAcfOrg.

Referenced by SetupJob().

Here is the caller graph for this function:



3.86.1.3 InitVacf()

```
void InitVacf ( )
```

Definition at line 26 of file InitVacf.c.


References indexAcf, nBuffAcf, nValAcf, and ZeroVacf().

Referenced by SetupJob().

Here is the call graph for this function:



Here is the caller graph for this function:



3.86.1.4 SetupJob()

```
void SetupJob ( )
```

Definition at line 27 of file SetupJob.c.


```
00027
00028
          AllocArrays();
00029
          AccumProps(0);
          InitVacf();
stepCount = 0;
00030
00031
          // INITIALISE SPACETIME CORRELATIONS
00032
00033
          int n;
          for (n = 1; n <= nBuffCorr; n++)
  indexCorr[n] = -(n - 1)*nValCorr/nBuffCorr;</pre>
00034
00035
00036
00037
00038
          for (n = 1; n <= nFunCorr*nValCorr; n++)
    spacetimeCorrAv[n] = 0.;</pre>
00039
00040
00041
00042
```

```
00043 countRdf = 0;
00044 }
```

References AccumProps(), AllocArrays(), countCorrAv, countRdf, indexCorr, InitVacf(), nBuffCorr, nFunCorr, nValCorr, spacetimeCorrAv, and stepCount.

Referenced by main().

Here is the call graph for this function:



Here is the caller graph for this function:



3.87 SetupJob.c


Go to the documentation of this file.

```
00001 /*
00002
       * This file is part of Lamina.
00003
00004
        \star Lamina is free software: you can redistribute it and/or modify
        * it under the terms of the GNU General Public License as published by
00005
        * the Free Software Foundation, either version 3 of the License, or
00006
00007
        * (at your option) any later version.
80000
        \star Lamina is distributed in the hope that it will be useful,
00009
00010 * but WITHOUT ANY WARRANTY; without even the implied warranty of 00011 * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012
        * GNU General Public License for more details.
00013
00014
        \star You should have received a copy of the GNU General Public License
00015
00016
        * along with Lamina. If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
        Copyright (C) 2025 Harish Charan, University of Durham, UK
00017
00018
00019
```

```
00020
00021 #include<stdio.h>
00022 #include"global.h"
00023
00024 void AllocArrays();
00025 void AccumProps(int icode);
00026 void InitVacf();
00027 void SetupJob(){
00028 AllocArrays();
00029 AccumProps(0);
        AccumProps(0);
InitVacf();
stepCount = 0;
00030
00031
00032
         // INITIALISE SPACETIME CORRELATIONS
00033
         for (n = 1; n <= nBuffCorr; n++)
  indexCorr[n] = -(n - 1)*nValCorr/nBuffCorr;</pre>
00034
00035
00036
00037
         countCorrAv = 0.;
00038
00039
         for (n = 1; n <= nFunCorr*nValCorr; n++)</pre>
00040
          spacetimeCorrAv[n] = 0.;
00041
00042
         //RDF
00043
         countRdf = 0;
00044 }
```

3.88 source/Trajectory.c File Reference

```
#include <stdio.h>
#include "global.h"
Include dependency graph for Trajectory.c:
```



Functions

• void Trajectory ()

3.88.1 Function Documentation

3.88.1.1 Trajectory()

```
void Trajectory ( )
```

Definition at line 25 of file Trajectory.c.

References atomID, atomRadius, atomType, ax, ay, fpxyz, molID, nAtom, regionH, rx, ry, timeNow, vx, and vy.

Referenced by main().

Here is the caller graph for this function:



3.89 Trajectory.c

Go to the documentation of this file.


```
00001 /*
00002
          * This file is part of Lamina.
00003
00004
           * Lamina is free software: you can redistribute it and/or modify
00005
           \star it under the terms of the GNU General Public License as published by
00006
           * the Free Software Foundation, either version 3 of the License, or
00007
           \star (at your option) any later version.
80000
           * Lamina is distributed in the hope that it will be useful,
              but WITHOUT ANY WARRANTY; without even the implied warranty of
00010 *
00011
           * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012 \,\star\, GNU General Public License for more details.
00013
00014 * You should have received a copy of the GNU General Public License 00015 * along with Lamina. If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00017
           Copyright (C) 2025 Harish Charan, University of Durham, UK
00018
00019
00020
00021
00022 #include<stdio.h>
00023 #include"global.h"
00024
00025 void Trajectory(){
00026 int n;   
00027 //Trajectory file in LAMMPS dump format for OVITO visualization
//Trajectory file in LAMMPS dump format for OVITO visualization
00028 fprintf(fpxyz, "ITEM: TIMESTEP\n");
00029 fprintf(fpxyz, "%lf\n",timeNow);
00030 fprintf(fpxyz, "ITEM: NUMBER OF ATOMS\n");
00031 fprintf(fpxyz, "%d\n",nAtom);
00032 fprintf(fpxyz, "ITEM: BOX BOUNDS pp ff pp\n");
00033 fprintf(fpxyz, "%lf %lf xlo xhi\n", -regionH[1], regionH[1]);
00034 fprintf(fpxyz, "%lf %lf ylo yhi\n", -regionH[2], regionH[2]);
00035 fprintf(fpxyz, "%lf %lf ylo yhi\n", -regionH[2], regionH[2]);
00035 fprintf(fpxyz, "%lf %lf zlo zhi\n", -0.1, 0.1);
```

```
00036    fprintf(fpxyz, "ITEM: ATOMS id mol type radius x y vx vy fx fy\n");
00037    for(n=1; n<=nAtom; n++)
00038         fprintf(fpxyz, "%d\t %d\t %d\t %0.21f\t %0.161f\t %0.161f
```

3.90 source/VelocityVerletStep.c File Reference

```
#include <stdio.h>
#include <math.h>
#include "global.h"
```

Include dependency graph for VelocityVerletStep.c:



Functions

void VelocityVerletStep (int icode)

3.90.1 Function Documentation

3.90.1.1 VelocityVerletStep()

Definition at line 26 of file VelocityVerletStep.c.

```
00026

00027 int n;

00028 if(icode == 1) {

00029 for (n= 1; n <= nAtom; n++) {

00030 if(atomType[n] != freezeAtomType) {

00031 vx[n] += ax[n] * 0.5 * deltaT;

00032 vy[n] += ay[n] * 0.5 * deltaT;

00033 rx[n] += vx[n] * deltaT;

00034 ry[n] += vy[n] * deltaT;
```

```
00036
         //Calculating the image flags here
00037
         if (rx[n] >= regionH[1]) {
          rx[n] -= region[1];
00038
          ImageX[n]++;
} else if (rx[n] < -regionH[1]) {
rx[n] += region[1];</pre>
00039
00040
00041
00042
         ImageX[n]--;
00043
         if (ry[n] >= regionH[2]) {
  ry[n] -= region[2];
00044
00045
          ImageY[n]++;
00046
00047
          } else if (ry[n] < -regionH[2]) {</pre>
00048
          ry[n] += region[2];
00049
          ImageY[n]--;
00050
         else if(icode == 2){
00051
00052
         for (n = 1; n <= nAtom; n++) {</pre>
         if (atomType[n] != freezeAtomType) {
          vx[n] += ax[n] * 0.5 * deltaT;
00055
          vy[n] += ay[n] * 0.5 * deltaT;
00056 } } }
```

References atomType, ax, ay, deltaT, freezeAtomType, ImageX, ImageY, nAtom, region, regionH, rx, ry, vx, and vv.

Referenced by main().

Here is the caller graph for this function:



3.91 VelocityVerletStep.c


Go to the documentation of this file.

```
00001 /*
00002 * This file is part of Lamina.
00004
        * Lamina is free software: you can redistribute it and/or modify
00005
        \star it under the terms of the GNU General Public License as published by
00006
        \star the Free Software Foundation, either version 3 of the License, or
00007
        \star (at your option) any later version.
80000
00009
       * Lamina is distributed in the hope that it will be useful,
00010 * but WITHOUT ANY WARRANTY; without even the implied warranty of 00011 * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012
       * GNU General Public License for more details.
00013 *
* You should have received a copy of the GNU General Public License 00015 * along with Lamina. If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00016
00017
        Copyright (C) 2025 Harish Charan, University of Durham, UK
00018
00019
00020
00021
00022 #include<stdio.h>
00023 #include<math.h>
00024 #include"global.h"
00025
00026 void VelocityVerletStep(int icode){
00027 int n;
00028 if(icode == 1){
00029 for (n= 1; n <= nAtom; n++) {
```

```
if(atomType[n] != freezeAtomType){
             ractions | - race | - race | - race | - race |
vx[n] += ax[n] * 0.5 * deltaT;
vy[n] += ay[n] * 0.5 * deltaT;
rx[n] += vx[n] * deltaT;
ry[n] += vy[n] * deltaT;
00031
00032
00033
00034
00035
              //Calculating the image flags here
if (rx[n] >= regionH[1]) {
00037
00038
              rx[n] -= region[1];
00039
               ImageX[n]++;
               } else if (rx[n] < -regionH[1]) {
rx[n] += region[1];</pre>
00040
00041
00042
              ImageX[n]--;
00043
00044
              if (ry[n] >= regionH[2]) {
             ry[n] -= region[2];
ry[n] -= region[2];
ImageY[n]++;
} else if (ry[n] < -regionH[2]) {
ry[n] += region[2];</pre>
00045
00046
00047
00048
00049
               ImageY[n]--;
              } } } else if(icode == 2){
00050
00051
             for(n = 1; n <= nAtom; n++) {
  if(atomType[n] != freezeAtomType) {
    vx[n] += ax[n] * 0.5 * deltaT;
    vy[n] += ay[n] * 0.5 * deltaT;</pre>
00052
00053
00054
00056 } } }
00057
```

3.92 source/ZeroVacf.c File Reference

```
#include <stdio.h>
#include "global.h"
Include dependency graph for ZeroVacf.c:
```



Functions

• void ZeroVacf ()


3.92.1 Function Documentation

3.92.1.1 ZeroVacf()

References countAcfAv, nValAcf, and viscAcfAv.

Referenced by AccumVacf(), and InitVacf().

Here is the caller graph for this function:



3.93 ZeroVacf.c

Go to the documentation of this file.

```
00002 * This file is part of Lamina.
00003
00004
        * Lamina is free software: you can redistribute it and/or modify * it under the terms of the GNU General Public License as published by
00005
00006
        * the Free Software Foundation, either version 3 of the License, or
00007
        \star (at your option) any later version.
80000
00009
        * Lamina is distributed in the hope that it will be useful,
00010 \,\,\star\, but WITHOUT ANY WARRANTY; without even the implied warranty of 00011 \,\,\star\, MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012
       * GNU General Public License for more details.
00013
00014 \,\,\star\,\, You should have received a copy of the GNU General Public License
00015
        * along with Lamina. If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.
00016
00017
        Copyright (C) 2025 Harish Charan, University of Durham, UK
00018
00019
00020
00021
00022 #include<stdio.h>
00023 #include"global.h"
00024
00025 void ZeroVacf() {
00026 int j;
00027 countAcfAv= 0;
00028 for(j = 1 ; j <= nValAcf ; j ++)
00029
         viscAcfAv[j] = 0.;
00030 }
```

Index

AccumProps	atom1
AccumProps.c, 8	global.h, 83
main.c, 164	globalExtern.h, 120
SetupJob.c, 203	atom2
AccumProps.c	global.h, 83
AccumProps, 8	globalExtern.h, 120
AccumVacf	atomID
AccumVacf.c, 10	global.h, 83
EvalVacf.c, 74	globalExtern.h, 120
AccumVacf.c	atomIDInterface
AccumVacf, 10	global.h, 83
Integrate, 11	globalExtern.h, 120
PrintVacf, 11	atomMass
ZeroVacf, 12	global.h, 84
AllocArrays	globalExtern.h, 121
AllocArrays.c, 14	atomRadius
SetupJob.c, 204	global.h, 84
AllocArrays.c	globalExtern.h, 121
AllocArrays, 14	atomType
ApplyBoundaryCond	global.h, 84
ApplyBoundaryCond.c, 16	globalExtern.h, 121
main.c, 164	ax
ApplyBoundaryCond.c	global.h, 84
ApplyBoundaryCond, 16	globalExtern.h, 121
ApplyDrivingForce	ay
ApplyDrivingForce.c, 18	global.h, 84
main.c, 165	globalExtern.h, 121
ApplyDrivingForce.c	
ApplyDrivingForce, 18	bond
ApplyForce	global.h, 84
ApplyForce.c, 20	globalExtern.h, 121
main.c, 166	BondEnergy
ApplyForce.c	global.h, 85
ApplyForce, 20	globalExtern.h, 121
ApplyLeesEdwardsBoundaryCond	BondEnergyPerAtom
ApplyLeesEdwardsBoundaryCond.c, 22	global.h, 85
main.c, 166	globalExtern.h, 121
ApplyLeesEdwardsBoundaryCond.c	BondID
ApplyLeesEdwardsBoundaryCond, 22	global.h, 85
ApplyShear	globalExtern.h, 121
ApplyShear.c, 24	BondLength
main.c, 167	global.h, 85
ApplyShear.c	globalExtern.h, 122
ApplyShear, 24	BondType
ApplyViscous	global.h, 85
ApplyViscous.c, 25	globalExtern.h, 122
main.c, 167	BrownianStep
ApplyViscous.c	BrownianStep.c, 27
ApplyViscous, 25	main.c, 167
	BrownianStep.c

BrownianStep, 27	countAcfAv
cellList	global.h, 87
global.h, 85	globalExtern.h, 123
globalExtern.h, 122	countCorrAv global.h, 87
cells	globalExtern.h, 123
global.h, 85	countRdf
globalExtern.h, 122	global.h, 87
cfOrg	globalExtern.h, 123
global.h, 86 globalExtern.h, 122	DampFlag
cfVal	global.h, 87
global.h, 86	globalExtern.h, 123
globalExtern.h, 122	DEFINE_GLOBALS
Close	main.c, 164
Close.c, 29	deltaT
main.c, 168	global.h, 88
Close.c	globalExtern.h, 124
Close, 29 com	DeltaVXij global.h, 88
global.h, 86	globalExtern.h, 124
globalExtern.h, 122	DeltaVYij
ComputeBondForce	global.h, 88
ComputeBondForce.c, 32	globalExtern.h, 124
ComputeBondForce.h, 36	DeltaX
ComputeBondForce.c	global.h, 88
Compute Bond Force, 32	globalExtern.h, 124
ComputeBondForce.h ComputeBondForce, 36	DeltaXij global.h, 88
ComputeForcesCells	globalExtern.h, 124
ComputeForcesCells.c, 39	DeltaXijNew
main.c, 169	global.h, 88
ComputeForcesCells.c	globalExtern.h, 124
ComputeForcesCells, 39	DeltaXijOld
ComputePairForce	global.h, 89
Compute Pair Force by 40	globalExtern.h, 124
ComputePairForce.h, 49 ComputePairForce.c	DeltaXijOldPair global.h, 89
ComputePairForce, 43	globalExtern.h, 124
Compute Pair Force.h	DeltaY
ComputePairForce, 49	global.h, 89
ComX	globalExtern.h, 124
global.h, 86	DeltaYij
globalExtern.h, 122	global.h, 89
ComX0 global.h, 86	globalExtern.h, 125 DeltaYijNew
globalExtern.h, 122	global.h, 89
ComXRatio	globalExtern.h, 125
global.h, 86	DeltaYijOld
globalExtern.h, 123	global.h, 89
ComY	globalExtern.h, 125
global.h, 86	DeltaYijOldPair
globalExtern.h, 123	global.h, 89
ComY0 global.h, 87	globalExtern.h, 125 density
globalExtern.h, 123	global.h, 90
ComYRatio	globalExtern.h, 125
global.h, 87	discDragx
globalExtern.h, 123	global.h, 90

globalExtern.h, 125	EvalUnwrap
discDragy	EvalUnwrap.c, 72
global.h, 90	main.c, 178
globalExtern.h, 125	EvalUnwrap.c
DisplaceAtoms	EvalUnwrap, 72
DisplaceAtoms.c, 52	EvalVacf
main.c, 171	EvalVacf.c, 74
DisplaceAtoms.c	main.c, 178
DisplaceAtoms, 52	EvalVacf.c
dnsty	AccumVacf, 74
global.h, 90	EvalVacf, 74
globalExtern.h, 125	EvalVrms
dump	EvalVrms.c, 77
global.h, 90	main.c, 179
globalExtern.h, 126	EvalVrms.c
DumpBonds	EvalVrms, 77
DumpBonds.c, 54	EXTERN
main.c, 171	global.h, 82
·	giobai.ii, 62
DumpBonds.c	fax
DumpBonds, 54	global.h, 90
dumpPairFlag	globalExtern.h, 126
global.h, 90	
globalExtern.h, 126	fay
DumpPairs	global.h, 90
DumpPairs.c, 55	globalExtern.h, 126
main.c, 172	fpbond
DumpPairs.c	global.h, <mark>91</mark>
DumpPairs, 55	globalExtern.h, 126
DumpRestart	fpcom
•	global.h, 91
DumpRestart.c, 57	globalExtern.h, 126
main.c, 173	fpdnsty
DumpRestart.c	global.h, 91
DumpRestart, 57	_
DumpState	globalExtern.h, 126
DumpState.c, 60	fpdump
main.c, 173	global.h, 91
DumpState.c	globalExtern.h, 126
DumpState, 60	fpmomentum
- F,	global.h, 91
EvalCom	globalExtern.h, 126
EvalCom.c, 62	fppair
main.c, 174	global.h, 91
EvalCom.c	globalExtern.h, 126
EvalCom, 62	fprdf
EvalProps	global.h, 91
EvalProps.c, 64	globalExtern.h, 127
•	•
main.c, 175	fpresult
EvalProps.c	global.h, 91
EvalProps, 64	globalExtern.h, 127
EvalRdf	fpstress
EvalRdf.c, 66	global.h, 92
main.c, 176	globalExtern.h, 127
EvalRdf.c	fpvisc
EvalRdf, 66	global.h, 92
EvalSpacetimeCorr	globalExtern.h, 127
EvalSpacetimeCorr.c, 68	fpvrms
main.c, 176	global.h, 92
	globalExtern.h, 127
EvalSpacetimeCorr. 68	
EvalSpacetimeCorr, 68	fpxyz

global.h, 92	countRdf, 87
globalExtern.h, 127	DampFlag, 87
freezeAtomType	deltaT, 88
global.h, 92	DeltaVXij, 88
globalExtern.h, 127	DeltaVYij, 88
frfAtom	DeltaX, 88
global.h, 92	DeltaXij, 88
globalExtern.h, 127	DeltaXijNew, 88
fuSum	DeltaXijOld, 89
global.h, 92	DeltaXijOldPair, 89
globalExtern.h, 127	DeltaY, 89
fvirSum	DeltaYij, <mark>89</mark>
global.h, 92	DeltaYijNew, 89
globalExtern.h, 127	DeltaYijOld, 89
fx	DeltaYijOldPair, 89
global.h, 93	density, 90
globalExtern.h, 128	discDragx, 90
fxByfy	discDragy, 90
global.h, 93	dnsty, 90
globalExtern.h, 128	dump, 90
fy	dumpPairFlag, 90
global.h, 93	EXTERN, 82
globalExtern.h, 128	fax, 90
_	fay, 90
FyBylx	• .
global.h, 93	fpbond, 91
globalExtern.h, 128	fpcom, 91
gamman	fpdnsty, 91
gamman	fpdump, 91
global.h, 93	fpmomentum, 91
globalExtern.h, 128	fppair, 91
global.h	fprdf, 91
atom1, 83	fpresult, 91
atom2, 83	fpstress, 92
atomID, 83	fpvisc, 92
atomIDInterface, 83	fpvrms, 92
atomMass, 84	fpxyz, 92
atomRadius, 84	freezeAtomType, 92
atomType, 84	frfAtom, 92
ax, 84	fuSum, 92
ay, 84	fvirSum, 92
bond, 84	
BondEnergy, 85	fx, 93
BondEnergyPerAtom, 85	fxByfy, 93
BondID, 85	fy, 93
BondLength, 85	FyBylx, 93
-	gamman, <mark>93</mark>
BondType, 85	HaltCondition, 93
cellList, 85	histRdf, 93
cells, 85	ImageX, 94
cfOrg, 86	ImageY, 94
cfVal, 86	indexAcf, 94
com, 86	indexCorr, 94
ComX, 86	initUcell, 94
ComX0, 86	isBonded, 94
ComXRatio, 86	kappa, 94
ComY, 86	kb, 95
ComY0, 87	
ComYRatio, 87	kinEnergy, 95
countAcfAv, 87	Kn, 95
countCorrAv, 87	limitAcfAv, 95
Countouray, or	

limitCorrAv, 95	sPotEnergy, 104
limitRdf, 95	sPressure, 104
master, 96	Sqr, <mark>83</mark>
moIID, 96	SqrRadiusIJ, 104
momentum, 96	ssKinEnergy, 104
moreCycles, 96	ssPotEnergy, 105
nAtom, 96	ssPressure, 105
nAtomBlock, 96	ssTotEnergy, 105
nAtomInterface, 97	stepAcf, 105
nAtomType, 97	stepAvg, 105
nBond, 97	stepCorr, 105
nBondType, 97	stepCount, 106
nBuffAcf, 97	stepDump, 106
nBuffCorr, 97	stepEquil, 106
NDIM, 82	stepLimit, 106
nDiscInterface, 97	stepRdf, 106
nFunCorr, 98	stepTraj, 106
nodeDragx, 98	sTotEnergy, 107
nodeDragy, 98	strain, 107
nPairActive, 98	strainRate, 107
nPairTotal, 98	strech, 107
nValAcf, 98	stress, 107
nValCorr, 99	svirSum, 107
pair, 99	thermo, 107
Pairatom1, 99	timeNow, 108
Pairatom2, 99	TotalBondEnergy, 108
PairID, 99	TotalMass, 108
PairXij, 99	totEnergy, 108
PairYij, 99	uSum, 108
potEnergy, 100	uSumPair, 108
prefix, 100	uSumPairPerAtom, 109
pressure, 100	virSum, 109
RadiuslJ, 100	virSumBond, 109
RadiuslJInv, 100	virSumBondxx, 109
rangeRdf, 100	virSumBondxy, 109
rank, 101	virSumBondyy, 109
rCut, 101	virSumPair, 110
rdf, 101	virSumPairxx, 110
real, 83	virSumPairxy, 110
region, 101	virSumPairyy, 110
regionH, 101	virSumxx, 110
	virSumxy, 110
result, 101 rfAtom, 101	virSumyy, 111
HAIOH. IUI	
ro, 102	visc, 111
ro, 102 rx, 102	visc, 111 viscAcf, 111
ro, 102 rx, 102 rxUnwrap, 102	visc, 111 viscAcf, 111 viscAcfAv, 111
ro, 102 rx, 102 rxUnwrap, 102 ry, 102	visc, 111 viscAcf, 111 viscAcfAv, 111 viscAcfInt, 111
ro, 102 rx, 102 rxUnwrap, 102 ry, 102 ryUnwrap, 102	visc, 111 viscAcf, 111 viscAcfAv, 111 viscAcfInt, 111 viscAcfOrg, 111
ro, 102 rx, 102 rxUnwrap, 102 ry, 102 ryUnwrap, 102 shearDisplacement, 102	visc, 111 viscAcf, 111 viscAcfAv, 111 viscAcfInt, 111
ro, 102 rx, 102 rxUnwrap, 102 ry, 102 ryUnwrap, 102	visc, 111 viscAcf, 111 viscAcfAv, 111 viscAcfInt, 111 viscAcfOrg, 111 VMeanSqr, 112 vrms, 112
ro, 102 rx, 102 rxUnwrap, 102 ry, 102 ryUnwrap, 102 shearDisplacement, 102	visc, 111 viscAcf, 111 viscAcfAv, 111 viscAcfInt, 111 viscAcfOrg, 111 VMeanSqr, 112 vrms, 112 VRootMeanSqr, 112
ro, 102 rx, 102 rxUnwrap, 102 ry, 102 ryUnwrap, 102 shearDisplacement, 102 shearVelocity, 103	visc, 111 viscAcf, 111 viscAcfAv, 111 viscAcfInt, 111 viscAcfOrg, 111 VMeanSqr, 112 vrms, 112
ro, 102 rx, 102 rxUnwrap, 102 ry, 102 ryUnwrap, 102 shearDisplacement, 102 shearVelocity, 103 SignR, 82	visc, 111 viscAcf, 111 viscAcfAv, 111 viscAcfInt, 111 viscAcfOrg, 111 VMeanSqr, 112 vrms, 112 VRootMeanSqr, 112
ro, 102 rx, 102 rxUnwrap, 102 ry, 102 ryUnwrap, 102 shearDisplacement, 102 shearVelocity, 103 SignR, 82 size, 103	visc, 111 viscAcf, 111 viscAcfAv, 111 viscAcfInt, 111 viscAcfOrg, 111 VMeanSqr, 112 vrms, 112 VRootMeanSqr, 112 VSqr, 112
ro, 102 rx, 102 rxUnwrap, 102 ry, 102 ryUnwrap, 102 shearDisplacement, 102 shearVelocity, 103 SignR, 82 size, 103 sizeHistRdf, 103	visc, 111 viscAcf, 111 viscAcfAv, 111 viscAcfInt, 111 viscAcfOrg, 111 VMeanSqr, 112 vrms, 112 VRootMeanSqr, 112 VSqr, 112 vSum, 112
ro, 102 rx, 102 rxUnwrap, 102 ry, 102 ryUnwrap, 102 shearDisplacement, 102 shearVelocity, 103 SignR, 82 size, 103 sizeHistRdf, 103 sKinEnergy, 103	visc, 111 viscAcf, 111 viscAcfAv, 111 viscAcfInt, 111 viscAcfOrg, 111 VMeanSqr, 112 vrms, 112 VRootMeanSqr, 112 VSqr, 112 vSum, 112 vSumX, 112
ro, 102 rx, 102 rxUnwrap, 102 ry, 102 ryUnwrap, 102 shearDisplacement, 102 shearVelocity, 103 SignR, 82 size, 103 sizeHistRdf, 103 sKinEnergy, 103 solver, 103	visc, 111 viscAcf, 111 viscAcfAv, 111 viscAcfInt, 111 viscAcfOrg, 111 VMeanSqr, 112 vrms, 112 VRootMeanSqr, 112 VSqr, 112 vSum, 112 vSumX, 112 vSumY, 113
ro, 102 rx, 102 rxUnwrap, 102 ry, 102 ryUnwrap, 102 shearDisplacement, 102 shearVelocity, 103 SignR, 82 size, 103 sizeHistRdf, 103 sKinEnergy, 103 solver, 103 spacetimeCorr, 103	visc, 111 viscAcf, 111 viscAcfAv, 111 viscAcfInt, 111 viscAcfOrg, 111 VMeanSqr, 112 vrms, 112 VRootMeanSqr, 112 VSqr, 112 vSum, 112 vSumX, 112 vSumY, 113 vvSum, 113

xBoundary, 113	fpdump, 126
xyz, 113	fpmomentum, 126
yBoundary, 114	fppair, 126
globalExtern.h	fprdf, 127
atom1, 120	fpresult, 127
atom2, 120	fpstress, 127
atomID, 120	fpvisc, 127
atomIDInterface, 120	fpvrms, 127
atomMass, 121	fpxyz, 127
atomRadius, 121	freezeAtomType, 127
	• • •
atomType, 121	frfAtom, 127
ax, 121	fuSum, 127
ay, 121	fvirSum, 127
bond, 121	fx, 128
BondEnergy, 121	fxByfy, 128
BondEnergyPerAtom, 121	fy, 128
BondID, 121	FyBylx, 128
BondLength, 122	gamman, 128
BondType, 122	HaltCondition, 128
cellList, 122	histRdf, 128
cells, 122	ImageX, 128
cfOrg, 122	ImageY, 128
cfVal, 122	indexAcf, 129
com, 122	indexCorr, 129
ComX, 122	initUcell, 129
ComX0, 122	isBonded, 129
ComXRatio, 123	kappa, 129
ComY, 123	kb, 129
ComY0, 123	kinEnergy, 129
ComYRatio, 123	Kn, 129
countAcfAv, 123	limitAcfAv, 129
countCorrAv, 123	limitCorrAv, 130
countRdf, 123	limitRdf, 130
DampFlag, 123	master, 130
deltaT, 124	molID, 130
DeltaVXij, 124	momentum, 130
DeltaVYij, 124	moreCycles, 130
DeltaX, 124	nAtom, 130
DeltaXij, 124	nAtomBlock, 130
DeltaXijNew, 124	nAtomInterface, 131
DeltaXijOld, 124	nAtomType, 131
DeltaXijOldPair, 124	nBond, 131
DeltaY, 124	nBondType, 131
DeltaYij, 125	nBuffAcf, 131
DeltaYijNew, 125	nBuffCorr, 131
DeltaYijOld, 125	NDIM, 120
DeltaYijOldPair, 125	nDiscInterface, 131
density, 125	nFunCorr, 131
discDragx, 125	nodeDragx, 132
	-
discDragy, 125	nodeDragy, 132
dnsty, 125	nPairActive, 132
dump, 126	nPairTotal, 132
dumpPairFlag, 126	nValAcf, 132
fax, 126	nValCorr, 132
fay, 126	pair, 132
fpbond, 126	Pairatom1, 132
fpcom, 126	Pairatom2, 133
fpdnsty, 126	PairID, 133

PairXij, 133	uSum, 139
PairYij, 133	uSumPair, 140
potEnergy, 133	uSumPairPerAtom, 140
prefix, 133	virSum, 140
pressure, 133	virSumBond, 140
RadiusIJ, 133	virSumBondxx, 140
RadiuslJInv, 134	virSumBondxy, 140
rangeRdf, 134	virSumBondyy, 140
rank, 134	virSumPair, 140
rCut, 134	virSumPairxx, 141
rdf, 134	virSumPairxy, 141
real, 120	virSumPairyy, 141
region, 134	virSumxx, 141
regionH, 134	virSumxy, 141
result, 134	virSumyy, 141
rfAtom, 134	visc, 141
ro, 135	viscAcf, 141
rx, 135	viscAcfAv, 142
rxUnwrap, 135	viscAcfInt, 142
ry, 135	viscAcfOrg, 142
ryUnwrap, 135	VMeanSqr, 142
shearDisplacement, 135	vrms, 142
shearVelocity, 135	VRootMeanSqr, 142
SignR, 120	VSqr, 142
size, 135	vSum, 142
sizeHistRdf, 135	vSumX, 143
sKinEnergy, 136	vSumY, 143
solver, 136	vvSum, 143
spacetimeCorr, 136	vx, 143
spacetimeCorrAv, 136	vy, 143
speed, 136	xBoundary, 143
sPotEnergy, 136	xyz, 143
sPressure, 136	yBoundary, 143
Sqr, 120	y Bournairy, 110
SqrRadiusIJ, 136	Halt.c
ssKinEnergy, 137	HaltConditionCheck, 146
ssPotEnergy, 137	HaltCondition
ssPressure, 137	global.h, 93
ssTotEnergy, 137	globalExtern.h, 128
stepAcf, 137	HaltConditionCheck
stepAcg, 137	Halt.c, 146
stepCorr, 137	main.c, 179
stepCount, 137	histRdf
stepDump, 138	global.h, 93
stepEquil, 138	globalExtern.h, 128
stepLimit, 138	g.e.ca.=/, 1_0
stepRdf, 138	ImageX
stepTraj, 138	global.h, 94
• •	globalExtern.h, 128
sTotEnergy, 138	ImageY
strain, 138	global.h, 94
strainRate, 138	globalExtern.h, 128
streen, 139	indexAcf
stress, 139	global.h, 94
svirSum, 139	globalExtern.h, 129
timeNow, 139	indexCorr
TotalBondEnergy, 139	global.h, 94
TotalMass, 139	globalExtern.h, 129
totEnergy, 139	Init

Init.c, 148	ApplyShear, 167
main.c, 180	ApplyViscous, 167
Init.c	BrownianStep, 167
Init, 148	Close, 168
initUcell	ComputeForcesCells, 169
global.h, 94	DEFINE_GLOBALS, 164
globalExtern.h, 129	DisplaceAtoms, 171
InitVacf	DumpBonds, 171
InitVacf.c, 155	DumpPairs, 172
SetupJob.c, 204	DumpRestart, 173
InitVacf.c	DumpState, 173
InitVacf, 155	EvalCom, 174
ZeroVacf, 155	EvalProps, 175
Integrate	EvalRdf, 176
AccumVacf.c, 11	EvalSpacetimeCorr, 176
Integrate.c, 157	EvalUnwrap, 178
Integrate.c	EvalVacf, 178
Integrate, 157	EvalVrms, 179
isBonded	HaltConditionCheck, 179
global.h, 94	Init, 180
globalExtern.h, 129	LeapfrogStep, 183
,	main, 183
kappa	prefix, 191
global.h, 94	PrintCom, 186
globalExtern.h, 129	PrintMomentum, 187
kb	PrintStress, 187
global.h, 95	PrintSummary, 187
globalExtern.h, 129	PrintVrms, 188
kinEnergy	SetupJob, 188
global.h, 95	Trajectory, 189
globalExtern.h, 129	VelocityVerletStep, 190
Kn	master
global.h, 95	global.h, 96
globalExtern.h, 129	globalExtern.h, 130
3 ,	molID
Lamina: A Molecular Dynamics Package, 1	global.h, 96
LeapfrogStep	globalExtern.h, 130
LeapfrogStep.c, 159	momentum
main.c, 183	global.h, 96
LeapfrogStep.c	globalExtern.h, 130
LeapfrogStep, 159	moreCycles
limitAcfAv	global.h, 96
global.h, 95	globalExtern.h, 130
globalExtern.h, 129	giobaiExtern.n, 130
limitCorrAv	nAtom
global.h, 95	global.h, 96
globalExtern.h, 130	globalExtern.h, 130
limitRdf	nAtomBlock
global.h, 95	global.h, 96
globalExtern.h, 130	globalExtern.h, 130
3	nAtomInterface
main	global.h, 97
main.c, 183	globalExtern.h, 131
main.c	nAtomType
AccumProps, 164	global.h, 97
ApplyBoundaryCond, 164	globalExtern.h, 131
ApplyDrivingForce, 165	nBond
ApplyForce, 166	global.h, 97
ApplyLeesEdwardsBoundaryCond, 166	globalExtern.h, 131
· · · ·	giodalextornin, Total

nBondType	global.h, 100
global.h, 97	globalExtern.h, 133
globalExtern.h, 131	main.c, 191
nBuffAcf	pressure
global.h, 97	global.h, 100
globalExtern.h, 131	globalExtern.h, 133
nBuffCorr	PrintCom
global.h, 97	main.c, 186
globalExtern.h, 131	PrintCom.c, 194 PrintCom.c
NDIM	
global.h, 82 globalExtern.h, 120	PrintCom, 194 PrintMomentum
nDiscInterface	main.c, 187
global.h, 97	PrintMomentum.c, 196
globalExtern.h, 131	PrintMomentum.c
nFunCorr	PrintMomentum, 196
global.h, 98	PrintStress
globalExtern.h, 131	main.c, 187
nodeDragx	PrintStress.c, 197
global.h, 98	PrintStress.c
globalExtern.h, 132	PrintStress, 197
nodeDragy	PrintSummary
global.h, 98	main.c, 187
globalExtern.h, 132	PrintSummary.c, 198
nPairActive	PrintSummary.c
global.h, 98	PrintSummary, 198
globalExtern.h, 132	PrintVacf
nPairTotal	AccumVacf.c, 11
global.h, 98	PrintVacf.c, 200
globalExtern.h, 132	PrintVacf.c
nValAcf	PrintVacf, 200
global.h, 98	PrintVrms
globalExtern.h, 132	main.c, 188
nValCorr	PrintVrms.c, 201
global.h, 99	PrintVrms.c
globalExtern.h, 132	PrintVrms, 201
	B # 11
pair	RadiusIJ
global.h, 99	global.h, 100
globalExtern.h, 132	globalExtern.h, 133
Pairatom1	RadiuslJInv
global.h, 99	global.h, 100
globalExtern.h, 132 Pairatom2	globalExtern.h, 134 rangeRdf
global.h, 99	global.h, 100
globalExtern.h, 133	globalExtern.h, 134
PairID	rank
global.h, 99	global.h, 101
globalExtern.h, 133	globalExtern.h, 134
PairXij	rCut
global.h, 99	global.h, 101
globalExtern.h, 133	globalExtern.h, 134
PairYij	rdf
global.h, 99	global.h, 101
globalExtern.h, 133	globalExtern.h, 134
potEnergy	README.md, 7
global.h, 100	real
globalExtern.h, 133	global.h, 83
prefix	globalExtern.h, 120
•	, -

region	source/AllocArrays.c, 13, 14
global.h, 101	source/ApplyBoundaryCond.c, 15, 17
globalExtern.h, 134	source/ApplyDrivingForce.c, 17, 19
regionH	source/ApplyForce.c, 20, 21
global.h, 101	source/ApplyLeesEdwardsBoundaryCond.c, 21, 23
globalExtern.h, 134	source/ApplyShear.c, 23, 24
result	source/ApplyViscous.c, 25, 26
global.h, 101	source/BrownianStep.c, 26, 27
globalExtern.h, 134	source/Close.c, 28, 30
rfAtom	source/ComputeBondForce.c, 31, 34
global.h, 101	source/ComputeBondForce.h, 36, 38
globalExtern.h, 134	source/ComputeForcesCells.c, 38, 41
ro	source/ComputePairForce.c, 43, 46
global.h, 102	source/ComputePairForce.h, 48, 51
globalExtern.h, 135	source/DisplaceAtoms.c, 51, 53
rx	source/DumpBonds.c, 53, 54
global.h, 102	source/DumpPairs.c, 55, 56
globalExtern.h, 135	source/DumpRestart.c, 57, 58
rxUnwrap	source/DumpState.c, 59, 60
global.h, 102	source/EvalCom.c, 61, 62
globalExtern.h, 135	source/EvalProps.c, 63, 65
ry	source/EvalRdf.c, 65, 67
global.h, 102	source/EvalSpacetimeCorr.c, 68, 70
globalExtern.h, 135	source/EvalUnwrap.c, 71, 73
ryUnwrap	source/EvalVacf.c, 73, 75
global.h, 102	source/EvalVrms.c, 76, 77
globalExtern.h, 135	source/global.h, 78, 114
Catua lah	source/globalExtern.h, 116, 144
SetupJob	source/Halt.c, 145, 147
main.c, 188	source/Init.c, 147, 151
SetupJob.c, 205	source/InitVacf.c, 154, 156
SetupJob.c AccumProps, 203	source/Integrate.c, 157, 158
AllocArrays, 204	source/LeapfrogStep.c, 158, 160
InitVacf, 204	source/main.c, 162, 191
SetupJob, 205	source/PrintCom.c, 193, 195
shearDisplacement	source/PrintMomentum.c, 195, 196
global.h, 102	source/PrintStress.c, 196, 197
globalExtern.h, 135	source/PrintSummary.c, 198, 199
shearVelocity	source/PrintVacf.c, 199, 200
global.h, 103	source/PrintVrms.c, 201, 202
globalExtern.h, 135	source/SetupJob.c, 202, 206
SignR	source/Trajectory.c, 207, 208
global.h, 82	source/VelocityVerletStep.c, 209, 210
globalExtern.h, 120	source/ZeroVacf.c, 211, 212
size	spacetimeCorr
global.h, 103	global.h, 103
globalExtern.h, 135	globalExtern.h, 136
sizeHistRdf	spacetimeCorrAv
global.h, 103	global.h, 104
globalExtern.h, 135	globalExtern.h, 136
sKinEnergy	speed
global.h, 103	global.h, 104
globalExtern.h, 136	globalExtern.h, 136
solver	sPotEnergy
global.h, 103	global.h, 104
globalExtern.h, 136	globalExtern.h, 136
source/AccumProps.c, 7, 8	sPressure
source/AccumVacf.c, 9, 12	global.h, 104
· / - /	

globalExtern.h, 136	stress
Sqr	global.h, 107
global.h, 83	globalExtern.h, 139
globalExtern.h, 120	svirSum
SqrRadiusIJ	global.h, 107
global.h, 104	globalExtern.h, 139
globalExtern.h, 136	3 ,
ssKinEnergy	thermo
global.h, 104	global.h, 107
globalExtern.h, 137	timeNow
ssPotEnergy	global.h, 108
global.h, 105	globalExtern.h, 139
-	TotalBondEnergy
globalExtern.h, 137	global.h, 108
ssPressure	globalExtern.h, 139
global.h, 105	TotalMass
globalExtern.h, 137	
ssTotEnergy	global.h, 108
global.h, 105	globalExtern.h, 139
globalExtern.h, 137	totEnergy
stepAcf	global.h, 108
global.h, 105	globalExtern.h, 139
globalExtern.h, 137	Trajectory
stepAvg	main.c, 189
global.h, 105	Trajectory.c, 207
globalExtern.h, 137	Trajectory.c
stepCorr	Trajectory, 207
global.h, 105	
globalExtern.h, 137	uSum
stepCount	global.h, 108
global.h, 106	globalExtern.h, 139
globalExtern.h, 137	uSumPair
stepDump	global.h, 108
global.h, 106	globalExtern.h, 140
globalExtern.h, 138	uSumPairPerAtom
stepEquil	global.h, 109
global.h, 106	globalExtern.h, 140
-	
globalExtern.h, 138	VelocityVerletStep
stepLimit	main.c, 190
global.h, 106	VelocityVerletStep.c, 209
globalExtern.h, 138	VelocityVerletStep.c
stepRdf	VelocityVerletStep, 209
global.h, 106	virSum
globalExtern.h, 138	global.h, 109
stepTraj	globalExtern.h, 140
global.h, 106	virSumBond
globalExtern.h, 138	global.h, 109
sTotEnergy	globalExtern.h, 140
global.h, 107	virSumBondxx
globalExtern.h, 138	global.h, 109
strain	_
global.h, 107	globalExtern.h, 140
globalExtern.h, 138	virSumBondxy
strainRate	global.h, 109
global.h, 107	globalExtern.h, 140
globalExtern.h, 138	virSumBondyy
strech	global.h, 109
global.h, 107	globalExtern.h, 140
globalExtern.h, 139	virSumPair
9.0001111111111111111111111111111111111	global.h, 110

globalExtern.h, 140	VX	
virSumPairxx		global.h, 113
global.h, 110		globalExtern.h, 143
globalExtern.h, 141	vy	
virSumPairxy		global.h, 113
global.h, 110		globalExtern.h, 143
globalExtern.h, 141	_	
virSumPairyy	xBot	undary
global.h, 110		global.h, 113
globalExtern.h, 141		globalExtern.h, 143
virSumxx	xyz	
global.h, 110		global.h, 113
globalExtern.h, 141		globalExtern.h, 143
virSumxy	vDa.	undom.
global.h, 110	уво	undary
globalExtern.h, 141		global.h, 114
virSumyy		globalExtern.h, 143
global.h, 111	7ero	Vacf
globalExtern.h, 141	2610	
visc		AccumVacf.c, 12 InitVacf.c, 155
global.h, 111		ZeroVacf.c, 212
globalExtern.h, 141	Zoro	Vacf.c
viscAcf	Zeio	
global.h, 111		ZeroVacf, 212
globalExtern.h, 141		
viscAcfAv		
global.h, 111		
globalExtern.h, 142		
viscAcfInt		
global.h, 111		
globalExtern.h, 142		
viscAcfOrg		
global.h, 111		
globalExtern.h, 142		
VMeanSqr		
global.h, 112		
globalExtern.h, 142		
vrms		
global.h, 112		
globalExtern.h, 142		
VRootMeanSgr		
global.h, 112		
globalExtern.h, 142		
VSqr		
global.h, 112		
globalExtern.h, 142		
vSum		
global.h, 112		
globalExtern.h, 142		
vSumX		
global.h, 112		
globalExtern.h, 143		
vSumY		
global.h, 113		
globalExtern.h, 143		
yvSum		
global.h, 113		
•		
globalExtern.h, 143		