OrientDB

Access Details :-

- **IP : 10.68.20.30**
- Username : orientdb
- Password : n/a (passwordless connection)
- By Default it connects to a random user eg: 9954*@10.68.20.30
- Execute a command "**dzdo su - orientdb**" to switch to user orientdb.
- dzdo is a replacement of sudo.

Users & Groups :-

- Groups :
  - cs
  - orientdb
- Users :
  - orientdb
- User in group cs : orientdb

Ownership & Permissions :-

- Default Permissions
  - 744
- Default Ownership
  - orientdb:orientdb

Directories & Locations :-

- User Home Directory
  - /opt/cs/orientdb
- Installation Directory :
  - /opt/cs/orientdb/cs_IWP
- Backup Directory
  - /opt/cs/backups
- Data Backup Directory
  - /opt/cs/backups/data
- Logs backup Directory
  - /opt/cs/backups/logs
- temp_backup
  - /opt/cs/temp_backup
- Permission Of Temp Directory
  - 774
- Ownership Of Temp Directory
  - root:cs
- 3rd Party Applications
  - /opt/cs/3rd_Party_Applications

Start & Stop Application :-

- Start Application
  - $InstallationDirectory/orientdb-community-2.1.16/bin/orientdb.sh start
- Stop Application
  - $InstallationDirectory/orientdb-community-2.1.16/bin/orientdb.sh stop

Check Status :-

- Browser
  - http://10.68.20.30:2480
- Service Name
  - ps -aux|grep orient
- Port
  - netstat -tulpn|grep 2480