

Find the Solution for the following:

1. Create MY_EMPLOYEE table with the following structure

NAME	NULL?	TYPE
ID	Not null	Number(4)
Last name		Varchar(25)
First name		Varchar(25)
Userid		Varchar(25)
Salary		Number(9,2)

2. Add the first and second rows data to MY_EMPLOYEE table from the following sample data.

ID	Last name	First name	Userid	salary
1	Patel	Ralph	rpatel	895
2	Dancs	Betty	bdancs	860
3	Biri	Ben	bbiri	1100
4	Newman	Chad	Cnewman	750
5	Ropebur	Audrey	aropebur	1550

3. Display the table with values.

Select * from employees
(it displays the table with values)

4. Populate the next two rows of data from the sample data. Concatenate the first letter of the first_name with the first seven characters of the last_name to produce Userid.

VALUES (7, 'Williams', 'Alice', CONCAT (SUBSTR('Alice', 1, 1), SUBSTR('Williams', 1, 7)), 950)
SELECT * from dual
INSERT ALL
INTO employees (id, last_name, first_name, user_id, salary)
VALUES (6, 'Smith', 'John', CONCAT (SUBSTR ('John', 1, 1), SUBSTR ('Smith', 1, 7)), 1200)
INTO employees (id, last_name, first_name, user_id, salary)

5. Make the data additions permanent.

COMMIT;

6. Change the last name of employee 3 to Drexler.

UPDATE employees
SET last_name = 'Drexler'
where id = 3;

1. CREATE TABLE employees C

id NUMBER (4) NOT NULL,

last_name VARCHAR2(25),

first_name VARCHAR2(25),

userid VARCHAR2(25),

Salary NUMBER (9,2),

CONSTRAINT PK_employees_id PRIMARY KEY (id
);

2. INSERT ALL

INTO employees (id, last_name, first_name, userid, salary) VALUES

(1, 'Patel', 'Ralph', 'rpatel', 895),

INTO employees (id, last_name, first_name, userid, salary)

VALUES (2, 'Dancs', 'Betty', 'bdancs', 860),

INTO employees (id, last_name, first_name, userid, salary)

VALUES (3, 'Bizi', 'Ben', 'l100'),

INTO employees (id, last_name, first_name, userid, salary)

VALUES (4, 'Newman', 'Chad', 'cnewman', 750),

INTO employees (id, last_name, first_name, userid, salary)

VALUES (5, 'Ropeburn', 'Audrey', 'aropeburn', 550),

SELECT * FROM Dual;

7. Change the salary to 1000 for all the employees with a salary less than 900.

```
UPDATE employees  
SET salary = 1000  
WHERE salary < 900;
```

8. Delete Betty dances from MY_EMPLOYEE table.

```
DELETE FROM employees  
WHERE first_name = 'Betty' AND last_name = 'Dances';
```

9. Empty the fourth row of the emp table.

```
delete from employees where id = 4 ;
```

Evaluation Procedure	Marks awarded
Query(5)	5
Execution (5)	5
Viva(5)	5
Total (15)	15
Faculty Signature	