IAM USER PERMISSION

- First to create the bucket



To add a object in the bucket



The user have the s3 full access



Give user policy for s3 bucket

Deny the user to access the bucket



To edit the bucket policy

Edit bucket policy Info

Bucket policy

Policy examples

The bucket policy, written in JSON, provides access to the objects stored in the bucket. Bucket policies don't apply to objects owned by other accounts. Learn more

Bucket ARN
arn:aws:s3:::hari-211825

Policy

```
1  {
2    "Version": "2012-10-17",
3    "Statement": [
4      {
5        "Sid": "Statement1",
6        "Effect": "Deny",
7        "Principal": {
8          "AWS": "arn:aws:iam::089665204192:user/Hari-groot"
9        },
10       "Action": "s3:*",
11       "Resource": "arn:aws:s3:::hari-211825"
12     }
13   ]
14 }
```

Edit statement

Select a statement

Select an existing statement in the policy or add a new statement.

+ Add new statement

The permission is denied

hari-211825 Info

Objects | Metadata | Properties | Permissions | Metrics | Management | Access Points

Objects

Copy S3 URI | Copy URL | Download | Open | Delete | Actions | Create folder | Upload

Objects are the fundamental entities stored in Amazon S3. You can use Amazon S3 inventory to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. Learn more

Find objects by prefix | Show versions | 1

Name	Type	Last modified	Size	Storage class

Insufficient permissions to list objects
After you or your AWS administrator has updated your permissions to allow the s3:ListBucket action, refresh the page. Learn more about Identity and access management in Amazon S3

Diagnose with Amazon Q