

Additional Important HTML Tags

11. `<b>` Tag

Definition

The `<b>` tag is used to display text in bold format.

Example

```
<p>I am learning <b>HTML</b>.</p>
```

Output

I am learning **HTML**.

12. `<i>` Tag

Definition

The `<i>` tag is used to display text in italic format.

Example

```
<p>I am learning <i>HTML</i>.</p>
```

Output

I am learning *HTML*.

13. `<u>` Tag

Definition

The `<u>` tag is used to underline text.

Example

```
<p>I am learning <u>HTML</u>.</p>
```

Output

I am learning <u>HTML</u>.

14. Tag

Definition

The tag indicates important text and displays it in bold.

Example

```
<p><strong>Warning!</strong> Save your work.</p>
```

Output

Warning! Save your work.

15. Tag

Definition

The tag is used to emphasize text and displays it in italic format.

Example

```
<p>This is <em>important</em>.</p>
```

Output

This is *important*.

16. Tag

Definition

The tag creates an unordered (bulleted) list.

Example

```
<ul>  
  <li>HTML</li>
```

```
<li>CSS</li>
</ul>
```

Output

- HTML
 - CSS
-

17. Tag

Definition

The `<ol>` tag creates an ordered (numbered) list.

Example

```
<ol>
  <li>HTML</li>
  <li>CSS</li>
</ol>
```

Output

1. HTML
 2. CSS
-

18. Tag

Definition

The `<li>` tag represents an item in a list.

Example

```
<ul>
  <li>Java</li>
  <li>Python</li>
</ul>
```

Output

- Java
 - Python
-

19. <div> Tag

Definition

The <div> tag is used to group HTML elements together.

Example

```
<div>
  <h1>Student Details</h1>
  <p>Hari</p>
</div>
```

Output

Student Details

Hari

20. Tag

Definition

The tag is used to style or group a small portion of text.

Example

```
<p>My favorite color is <span style="color:red;">Red</span>.</p>
```

Output

My favorite color is Red.

21. <button> Tag

Definition

The <button> tag creates a clickable button.

Example

```
<button>Click Me</button>
```

Output

[Click Me]

22. `<input>` Tag

Definition

The `<input>` tag is used to accept user input.

Example

```
<input type="text">
```

Output

[_____]

23. `<label>` Tag

Definition

The `<label>` tag provides a label for form elements.

Example

```
<label>Name:</label>  
<input type="text">
```

Output

Name: [_____]

24. `<textarea>` Tag

Definition

The `<textarea>` tag is used to enter multiple lines of text.

Example

```
<textarea rows="3" cols="20"></textarea>
```

Output

25. `<select>` Tag

Definition

The `<select>` tag creates a dropdown list.

Example

```
<select>
  <option>HTML</option>
  <option>CSS</option>
</select>
```

Output

[HTML ▼]

26. `<option>` Tag

Definition

The `<option>` tag defines items inside a dropdown list.

Example

```
<select>
  <option>Java</option>
  <option>Python</option>
</select>
```

Output

Java ▼

27. <iframe> Tag

Definition

The <iframe> tag is used to embed another webpage inside the current webpage.

Example

```
<iframe src="https://example.com"></iframe>
```

Output

Displays another webpage inside your webpage.

28. <audio> Tag

Definition

The <audio> tag is used to play audio files.

Example

```
<audio controls>  
  <source src="song.mp3">  
</audio>
```

Output

Audio Player Displayed

29. <video> Tag

Definition

The <video> tag is used to play video files.

Example

```
<video width="300" controls>  
  <source src="movie.mp4">  
</video>
```

Output

Video Player Displayed