

Unit 4: CSS Display and Position

Introduction

The **Display** and **Position** properties are used to control how HTML elements appear and where they are placed on a webpage.

- **Display** determines how an element occupies space.
 - **Position** determines the location of an element.
-

1. CSS Display Property

Definition

The display property specifies how an HTML element is displayed on a webpage.

Syntax

```
selector{  
    display:value;  
}
```

Types of Display Property

- Block
 - Inline
 - Inline-block
 - None
-

2. Block Elements


Definition

A block element always starts on a new line and occupies the full available width.

Examples

- <div>
- <h1>
- <p>

Diagram



Each element starts on a **new line**.

Example

```
<div class="box">HTML</div>
<div class="box">CSS</div>
<div class="box">JavaScript</div>

.box{
  display:block;
  border:2px solid blue;
}
```

Output

```
HTML
CSS
JavaScript
```

3. Inline Elements

Definition

Inline elements occupy only the required width and do **not** start on a new line.

Examples

-
- <a>
-
- <i>

Diagram

```
HTML    CSS    JavaScript
```

All elements appear on the **same line**.

Example

```
<span>HTML</span>
<span>CSS</span>
<span>JavaScript</span>
```

```
span{
  display:inline;
  border:1px solid red;
}
```

Output

HTML CSS JavaScript

4. Inline-Block Elements

Definition

Inline-block elements appear on the same line like inline elements but allow width and height to be set.

Diagram

```
+-----+ +-----+ +-----+
| HTML | | CSS  | | JS   |
+-----+ +-----+ +-----+
```

Example

```
<div class="course">HTML</div>
<div class="course">CSS</div>
<div class="course">JavaScript</div>
```

```
.course{
  display:inline-block;
  width:120px;
  height:60px;
  border:2px solid green;
  text-align:center;
}
```

Output

Three equal-sized boxes displayed in one row.

5. Display: None

Definition

The `display:none` property completely hides an element from the webpage.

Diagram

Before

Home
About
Contact

After

Home
Contact

(The About element is removed.)

Example

```
<p class="hide">Hidden Paragraph</p>
```

```
.hide{  
  display:none;  
}
```

Output

The paragraph is **not displayed**.

CSS Display Property

The display property specifies how an element is displayed on a webpage.

1. display: block

Block elements start on a new line and take up the full width available.

Diagram

Block Element 1

Block Element 2

Block Element 3

Example Code

```
.block-example span {
  display: block;
  background: lightblue;
  border: 1px solid blue;
  padding: 10px;
  margin: 5px 0;
}
```

Output

Block Element 1

Block Element 2

Block Element 3

• Common Block Elements:

div, h1-h6, p, form, header, footer, section, etc.

2. display: inline

Inline elements do not start on a new line and take up only the required width.

Diagram

Inline 1

Inline 2

Inline 3

Example Code

```
.inline-example span {
  display: inline;
  background: lightgreen;
  border: 1px solid green;
  padding: 10px;
  margin: 5px;
}
```

Output

Inline 1

Inline 2

Inline 3

• Common Inline Elements:

span, a, img, b, i, u, strong, em, label, etc.

3. display: inline-block

Inline-block elements are displayed on the same line but you can set width and height.

Diagram

Box 1

Box 2

Box 3

Example Code

```
.inline-block-example span {
  display: inline-block;
  width: 100px;
  height: 50px;
  line-height: 60px;
  background: orange;
  border: 1px solid darkorange;
  text-align: center;
  margin: 5px;
}
```

Output

Box 1

Box 2

Box 3

• Useful for:

Navigation menus, buttons, cards, layouts.

4. display: none

The element is completely removed from the page layout.

Diagram

Element Above

Element Hidden (display: none)

Element Below

Example Code

```
.none-example .hide {
  display: none;
}
.none-example .show {
  display: block;
  background: pink;
  border: 1px solid red;
  padding: 10px;
  margin: 5px 0;
}
```

Output

Element Above

Element Below

• Useful for:

Hiding elements using CSS or JavaScript.

Key Points

✓ Block → New line + Full width

✓ Inline → Same line + Required width

✓ Inline-block → Same line + Set width & height

✓ None → Completely hidden