

List

In **HTML**, a **List** is used to display a group of related items. There are **three main types of lists**.

1 Ordered List ()

An **Ordered List** displays items in a **numbered order** (1, 2, 3...).

Syntax Example:

```
<ol>
  <li>HTML</li>
  <li>CSS</li>
  <li>JavaScript</li>
</ol>
```

Output:

1. HTML
2. CSS
3. JavaScript

Here:

- → Ordered List
 - → List Item
-

2 □ Unordered List ()

An **Unordered List** displays items with **bullet points**.

Syntax Example:

```
<ul>
  <li>Apple</li>
  <li>Mango</li>
  <li>Orange</li>
</ul>
```

Output:

- Apple
- Mango
- Orange

3 Description List (<d1>)

A **Description List** is used to display **terms and descriptions**.

Syntax Example:

```
<d1>
  <dt>HTML</dt>
  <dd>Hyper Text Markup Language</dd>

  <dt>CSS</dt>
  <dd>Cascading Style Sheets</dd>
</d1>
```

Here:

- <d1> → Description List
- <dt> → Term
- <dd> → Description

In **HTML**, lists can be **customized** using **attributes or CSS**. This changes the **style, numbering, or bullets** of the list.

1 Customize Ordered List (<o1>)

You can change the **numbering style** using the **type attribute**.

Example:

```
<ol type="A">
  <li>HTML</li>
  <li>CSS</li>
  <li>JavaScript</li>
</ol>
```

Types available:

Type	Output Example
1	1, 2, 3
A	A, B, C
a	a, b, c
I	I, II, III
i	i, ii, iii

You can also start from a specific number:

```
<ol start="5">
  <li>Item</li>
  <li>Item</li>
</ol>
```

Output starts from 5.

2 Customize Unordered List ()

You can change the **bullet style**.

Example:

```
<ul type="square">
  <li>Apple</li>
  <li>Mango</li>
  <li>Orange</li>
</ul>
```

Types available:

Type	Bullet Style
disc	●
circle	○
square	■

Table

In **HTML**, a **Table** is used to display data in **rows and columns**. It is created using the `<table>` tag.

Basic Table Syntax

```
<table border="1">
  <tr>
    <th>Name</th>
    <th>Age</th>
    <th>City</th>
  </tr>


  <tr>
```

```

        <td>Hari</td>
        <td>22</td>
        <td>Chennai</td>
    </tr>

    <tr>
        <td>Arun</td>
        <td>23</td>
        <td>Madurai</td>
    </tr>
</table>

```



Employee Data		
Name	Age	Salary
John	24	20,000
Adam	31	35,000
Chris	27	32,000

Important HTML Table Tags

Tag	Meaning	Purpose
<table>	Table	Creates a table

<tr>	Table Row	Creates a row
<th>	Table Heading	Header cell (bold & centered)
<td>	Table Data	Normal data cell
<caption>	Table Title	Adds title for table
<thead>	Table Head	Group header section
<tbody>	Table Body	Group main content
<tfoot>	Table Footer	Footer section