

Configure and deploy your new Web Service



Choose service



Configure



Deploy

Need help? Docs [↗](#)

It looks like you're using **Node**, so we've autofilled some fields accordingly.

Source Code



Hari00155 / proving-reliability-lab-report-software

13d ago



Edit

Name

A unique name for your web service.

proving-reliability-lab-report-software

Project Optional

Add this web service to a [project](#) once it's created.



Select a project...



/



Select an environment...



Language

Choose the runtime [environment](#) for this service.

Node



Branch

The Git branch to build and deploy.

🔗 main



Region

Your services in the same [region](#) can communicate over a [private network](#).

Oregon (US West)



Root Directory Optional

If set, Render runs commands from this directory instead of the repository root. Additionally, code changes outside of this directory do not trigger an auto-deploy. Most commonly used with a [monorepo](#).

e.g. `src`



PROVING RELIABI... ⌵



New Web Service ⌵



Search ^ K



New



Upgrade



Render runs this command to build your app before each deploy.

\$ `npm install`

Start Command

Render runs this command to start your app with each deploy.

\$ `npm start`

Instance Type

For hobby projects

Free	512 MB (RAM)
\$0 / month	0.1 CPU

⚠ Upgrade to enable more features
Free instances spin down after periods of inactivity. They do not support SSH access, scaling, one-off jobs, or persistent disks. Select any paid instance type to enable these features.

For professional use

For more power and to get the most out of Render, we recommend using one of our paid instance types. All paid instances support:

- Zero Downtime
- SSH Access
- Scaling
- One-off jobs
- Support for persistent disks

Starter	512 MB (RAM)
\$7 / month	0.5 CPU

Standard	2 GB (RAM)
\$25 / month	1 CPU

Pro	4 GB (RAM)
\$85 / month	2 CPU

Pro Plus	8 GB (RAM)
\$175 / month	4 CPU

Pro Max	16 GB (RAM)
\$225 / month	4 CPU

Pro Ultra	32 GB (RAM)
\$450 / month	8 CPU

Need a custom instance type? We support up to 512 GB RAM and 64 CPUs.

Environment Variables

Set environment-specific config and secrets (such as API keys), then read those values from your code. [Learn more.](#)

DATABASE_URL

.....



+ Add Environment Variable

 Add from .env

> **Advanced**

Deploy Web Service