



PROVING RELIABI... ▾



New Web Service ▾

Q Search ^ K

+ New

⚡ Upgrade



# Configure and deploy your new Web Service



Choose service



Configure



Deploy

Need help? Docs

It looks like you're using **Node**, so we've autofilled some fields accordingly.

## Source Code



Hari00155 / proving-reliability-lab-report-software ▮ 13d ago



Edit

## Name

A unique name for your web service.

proving-reliability-lab-report-software

## Language

Choose the runtime environment for this service.

Node



## Branch

The Git branch to build and deploy.

🔗 main



## Region

Your services in the same [region](#) can communicate over a [private network](#).

Oregon (US West)



## Root Directory Optional

If set, Render runs commands from this directory instead of the repository root. Additionally, code changes outside of this directory do not trigger an auto-deploy. Most commonly used with a [monorepo](#).

e.g. `src`

## Build Command

Render runs this command to build your app before each deploy.

```
$ npm install; npm run build
```

## Start Command

Render runs this command to start your app with each deploy.

```
$ yarn start
```

## Instance Type

### For hobby projects

|                    |              |
|--------------------|--------------|
| <b>Free</b>        | 512 MB (RAM) |
| <b>\$0 / month</b> | 0.1 CPU      |

 **Upgrade to enable more features**  
Free instances spin down after periods of inactivity. They do not support SSH access, scaling, one-off jobs, or persistent disks. Select any paid instance type to enable these features.

### For professional use

For more power and to get the most out of Render, we recommend using one of our paid instance types. All paid instances support:

- Zero Downtime
- SSH Access
- Scaling
- One-off jobs
- Support for persistent disks

|                    |              |
|--------------------|--------------|
| <b>Starter</b>     | 512 MB (RAM) |
| <b>\$7 / month</b> | 0.5 CPU      |

|                     |            |
|---------------------|------------|
| <b>Standard</b>     | 2 GB (RAM) |
| <b>\$25 / month</b> | 1 CPU      |

|                     |            |
|---------------------|------------|
| <b>Pro</b>          | 4 GB (RAM) |
| <b>\$85 / month</b> | 2 CPU      |

|                      |            |
|----------------------|------------|
| <b>Pro Plus</b>      | 8 GB (RAM) |
| <b>\$175 / month</b> | 4 CPU      |

|                      |             |
|----------------------|-------------|
| <b>Pro Max</b>       | 16 GB (RAM) |
| <b>\$225 / month</b> | 4 CPU       |

|                      |             |
|----------------------|-------------|
| <b>Pro Ultra</b>     | 32 GB (RAM) |
| <b>\$450 / month</b> | 8 CPU       |

Need a custom instance type? We support up to 512 GB RAM and 64 CPUs.

### Environment Variables

Set environment-specific config and secrets (such as API keys), then read those values from your code. [Learn more.](#)

 Generate



+ Add Environment Variable

 Add from .env

> **Advanced**

Deploy Web Service